

18, Feb 2026

severity	code	details	expression
57 error	structure	Unable to find a profile match for urn:uuid:56769038-eed0-4d20-abf0-68b996725c43 among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/Patient	[Bundle.entry[3].resource.subject]
55 error	processing	Slicing cannot be evaluated: Could not match discriminator (type) for slice ServiceRequest.identifier:OrderFillerNumber in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/ServiceRequest 0.2.1 - the discriminator [type] does not have fixed value, binding or existence assertions	[Bundle.entry[3].resource.identifier[0]]
59 error	structure	Unable to find a profile match for urn:uuid:9f518f1d-b492-401a-8b03-56db69f8d95f among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization, https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole	[Bundle.entry[3].resource.requester]
0 information	informational	A definition could not be found for Canonical URL 'https://fhir.nwgenomics.nhs.uk/Endpoint/EpicBeaker' but a definition can be found for 'http://fhir.nwgenomics.nhs.uk/Endpoint/EpicBeaker' - change from https: to http:	[Bundle.entry[0].resource/*MessageHeader/null*/.source.endpoint]
58 information	structure	Details for urn:uuid:56769038-eed0-4d20-abf0-68b996725c43 matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/Patient 0.2.1	[Bundle.entry[3].resource.subject]
56 information	code-invalid	None of the codings provided are in the value set 'UK Core Procedure Code' (https://fhir.hl7.org.uk/ValueSet/UKCore-ProcedureCode 2.2.0), and a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R132.1)	[Bundle.entry[3].resource.code]
60 information	structure	Details for urn:uuid:9f518f1d-b492-401a-8b03-56db69f8d95f matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole 0.2.1	[Bundle.entry[3].resource.requester]
7 warning	code-invalid	Unknown Code '230056' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[4].resource/*Observation/null*/.code.coding[0].code]
37 warning	code-invalid	Unknown Code '230029' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[14].resource/*Observation/null*/.code.coding[0].code]
38 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[14].resource/*Observation/null*/.subject.identifier.type]
40 warning	code-invalid	Unknown Code '230039' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so	[Bundle.entry[15].resource/*Observation/null*/.code.coding[0].code]

severity	code	details	expression
		the code may be valid in some other fragment	
41 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[15].resource/*Observation/null*/.subject.identifier.type]
43 warning	code-invalid	Unknown Code '230049' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[16].resource/*Observation/null*/.code.coding[0].code]
44 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[16].resource/*Observation/null*/.subject.identifier.type]
46 warning	invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided	[Bundle.entry[17].resource/*Specimen/null*/.type.coding[0]]
47 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[17].resource/*Specimen/null*/.subject.identifier.type]
49 warning	invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided	[Bundle.entry[18].resource/*Specimen/null*/.type.coding[0]]
50 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[18].resource/*Specimen/null*/.subject.identifier.type]
52 warning	code-invalid	Unknown Code 'R59.3' in the CodeSystem ' <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[19].resource/*ServiceRequest/null*/.code.coding[0].code]
53 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[19].resource/*ServiceRequest/null*/.subject.identifier.type]
2 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes =	[Bundle.entry[1].resource/*Patient/null*/.identifier[1].type]

severity	code	details	expression
		<a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>	
35 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[13].resource/*Observation/null*/.subject.identifier.type]
34 warning	code-invalid	Unknown Code '230027' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[13].resource/*Observation/null*/.code.coding[0].code]
32 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[12].resource/*Observation/null*/.subject.identifier.type]
8 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[4].resource/*Observation/null*/.subject.identifier.type]
10 warning	code-invalid	Unknown Code '230037' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[5].resource/*Observation/null*/.code.coding[0].code]
11 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[5].resource/*Observation/null*/.subject.identifier.type]
13 warning	code-invalid	Unknown Code '230048' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[6].resource/*Observation/null*/.code.coding[0].code]
14 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[6].resource/*Observation/null*/.subject.identifier.type]
16 warning	invalid	Best Practice Recommendation: In general, all observations should have an effective[x]()	[Bundle.entry[7].resource/*Observation/null*/]
17 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator	[Bundle.entry[7].resource/*Observation/null*/.subject.identifier.type]

severity	code	details	expression
		cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	
19 warning	code-invalid	Unknown Code '231610' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[8].resource/*Observation/null*/.code.coding[0].code]
22 warning	code-invalid	Unknown Code '230019' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[9].resource/*Observation/null*/.code.coding[0].code]
23 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[9].resource/*Observation/null*/.subject.identifier.type]
25 warning	code-invalid	Unknown Code '230034' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[10].resource/*Observation/null*/.code.coding[0].code]
26 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[10].resource/*Observation/null*/.subject.identifier.type]
28 warning	code-invalid	Unknown Code '230028' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[11].resource/*Observation/null*/.code.coding[0].code]
29 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[11].resource/*Observation/null*/.subject.identifier.type]
5 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[3].resource/*ServiceRequest/null*/.subject.identifier.type]
31 warning	code-invalid	Unknown Code '230100' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[12].resource/*Observation/null*/.code.coding[0].code]
20 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding	[Bundle.entry[8].resource/*Observation/null*/.subject.identifier.type]

severity	code	details	expression
		should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	