

10, Feb 2026

severity	code	
20 error	structure	Unable to find a profile match for urn:uuid:9acfb053-54b0-4f30-b78b-ec8f4368d04c among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization , https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole The pattern [system http://terminology.hl7.org/CodeSystem/v2-0203 , code AN, and display 'Account number'] defined in fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier [0.1.0] not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].value,code=AN,display=Account number]]
19 error	value	'VN' but is fixed to 'AN' in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].value,code=AN,display=Account number] - required by fixed value assigned in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier [0.1.0]
17 error	processing	Slicing cannot be evaluated: Could not match discriminator (type) for slice ServiceRequest.identifier:OrderFillerNumber. The discriminator [type] does not have fixed value assertions
13 error	invalid	Wrong Display Name 'Multi Target NGS Panel Small' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory . No valid display names found for language(s) 'en'. Default display is 'null'
0 information	informational	A definition could not be found for Canonical URL 'https://fhir.nwgenomics.nhs.uk/Endpoint/HIVE' but a definition was found for fhir.nwgenomics.nhs.uk/Endpoint/HIVE - change from https: to http:
18 information	code-invalid	None of the codings provided are in the value set 'Laboratory Order' (http://hl7.org/fhir/ValueSet/lab-order), and a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory)
21 information	structure	Details for urn:uuid:9acfb053-54b0-4f30-b78b-ec8f4368d04c matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole [0.1.0]
22 information	code-invalid	None of the codings provided are in the value set 'Genomic Clinical Indication Codes' (https://fhir.nwgenomics.nhs.uk/ValueSet/genomic-clinical-indication-codes), and a coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/ValueSet/genomic-clinical-indication-codes)
9 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nhs.uk/CodeSystem/v2-0203#NH)
14 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nhs.uk/CodeSystem/v2-0203#NH)
15 warning	not-found	A definition for CodeSystem 'https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics' could not be found, so the code is not found
4 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nhs.uk/CodeSystem/v2-0203#NH)
2 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nhs.uk/CodeSystem/v2-0203#NH)
7 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nhs.uk/CodeSystem/v2-0203#NH)
11 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nhs.uk/CodeSystem/v2-0203#NH)