

06, Feb 2026

severity	code	details	expression
22 error	invalid	Wrong whitespace in Display Name 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1. Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' (for the language(s) 'en')	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].display]
12 error	invalid	Not a valid date/time format: '2025-10-06T00:00:00:00'	[Bundle.entry[4].resource/*Specimen/null*/.receivedTime]
14 error	invalid	Wrong whitespace in Display Name 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1. Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' (for the language(s) 'en')	[Bundle.entry[5].resource/*ServiceRequest/null*/.code.coding[0].display]
23 information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/report-codes 4.0.1), and a coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology, https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1)	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code]
26 information	structure	Details for urn:uuid:6fa756cb-aae6-40dc-95d2-1cdd092afee8 matching against profile http://hl7.org/fhir/StructureDefinition/Specimen 4.0.1	[Bundle.entry[6].resource/*DiagnosticReport/null*/.specimen[0]]
17 information	business-rule	Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0]]
31 information	informational	Entry 'urn:uuid:8d0d9e80-e4d9-4b69-8bc2-911ff68c82fb' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)	[Bundle.entry[8]]
32 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.basedOn[0]]
33 information	informational	This element does not match any known slice defined in the profile https://	[Bundle.entry[6].resource.resultsInterpreter[0]]

severity	code	details	expression
34 information	informational	<p>fhir.nwgenomics.nhs.uk/ StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>This element does not match any known slice defined in the profile https:// fhir.nwgenomics.nhs.uk/ StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p>	[Bundle.entry[6].resource.code.coding[0]]
19 information	structure	<p>Details for urn:uuid:6fa756cb- aae6-40dc-95d2-1cdd092afee8 matching against profile http:// hl7.org/fhir/StructureDefinition/ Specimen 4.0.1</p>	[Bundle.entry[5].resource/*ServiceRequest/ null*/.specimen[0]]
21 information	structure	<p>Details for urn:uuid:144bc5fc- d376-4166-aae8-667c89df1277 matching against profile http:// hl7.org/fhir/StructureDefinition/ ServiceRequest 4.0.1</p>	[Bundle.entry[6].resource/*DiagnosticReport/ null*/.basedOn[0]]
25 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/ fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// terminology.hl7.org/ CodeSystem/v2-0203#NH)</p> <p>Unknown Code 'R125' in the CodeSystem 'https:// fhir.nwgenomics.nhs.uk/ CodeSystem/ GenomicClinicalIndication' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p>	[Bundle.entry[6].resource/*DiagnosticReport/ null*/.subject.identifier.type]
18 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/ fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// terminology.hl7.org/ CodeSystem/v2-0203#NH)</p>	[Bundle.entry[5].resource/*ServiceRequest/ null*/.reasonCode[0].coding[0].code]
16 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/ fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// terminology.hl7.org/ CodeSystem/v2-0203#NH)</p>	[Bundle.entry[5].resource/*ServiceRequest/ null*/.subject.identifier.type]
15 warning	invalid	<p>value should not start or finish with whitespace ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)'</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/ fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://</p>	[Bundle.entry[5].resource/*ServiceRequest/ null*/.code.coding[0].display]
11 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/ fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://</p>	[Bundle.entry[4].resource/*Specimen/ null*/.subject.identifier.type]

	severity	code	details	expression
6	warning	code-invalid	<p>terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[3].resource/*DocumentReference/null*/.subject.identifier.type]
1	warning	code-invalid	<p>terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[1].resource/*Patient/null*/.identifier[0].type]
24	warning	invalid	<p>value should not start or finish with whitespace ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)'</p>	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].display]