

severity	code	details	expression
21 error	structure	The extension http://hl7.org/fhir/StructureDefinition/event-performerFunction is not allowed to be used at this point (this element is [Bundle.entry.resource.performer, Reference]; allowed for this version = e:Observation.performer, e:DiagnosticReport.performer, e:Media.operator)	[Bundle.entry[4].resource.performer[0]]
19 error	structure	DiagnosticReport.performer.type: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0)	[Bundle.entry[4].resource.performer[0]]
18 error	structure	The extension http://hl7.org/fhir/StructureDefinition/event-performerFunction is not allowed to be used at this point (this element is [Bundle.entry.resource.performer, Reference]; allowed for this version = e:Observation.performer, e:DiagnosticReport.performer, e:DocumentReference.author)	[Bundle.entry[4].resource.performer[0]]
17 error	structure	Slice 'DiagnosticReport.code.coding:GenomicTestDirectory': a matching slice is required, but not found (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0). Note that other slices are allowed in addition to this required slice	[Bundle.entry[4].resource.code]
16 error	structure	DiagnosticReport.code.coding: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0)	[Bundle.entry[4].resource.code]
15 error	structure	DiagnosticReport.presentedForm: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0)	[Bundle.entry[4].resource]
14 error	structure	DiagnosticReport.identifier: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0)	[Bundle.entry[4].resource]
20 error	structure	DiagnosticReport.performer.identifier: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0)	[Bundle.entry[4].resource.performer[0]]
13 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[4].resource.result[0]]
12 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[4].resource.performer[0]]
11 information	informational	Entry 'urn:uuid:9a2d0415-4acf-4f35-b2f3-0750bf8e5e77' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)	[Bundle.entry[6]]
8 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[4].resource/*DiagnosticReport/null*.subject.identifier.type]
6 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[3].resource/*ServiceRequest/null*.subject.identifier.type]
4 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	

severity	code	details	expression
3 warning	invalid	<p>type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>Best Practice Recommendation: In general, all observations should have an effective[x] ()</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[2].resource/*Observation/null*.subject.identifier.type]
1 warning	code-invalid		[Bundle.entry[1].resource/*Patient/null*.identifier[0].type]
9 warning	structure	A Reference without an actual reference or identifier should have a display	[Bundle.entry[4].resource/*DiagnosticReport/null*.performer[0]]