

10, Feb 2026

severity	code	details	expression
0	information informational	<p>A definition could not be found for Canonical URL 'https://fhir.nwgenomics.nhs.uk/</p> <p>Endpoint/IGENE' but a definition can be found for 'http://fhir.nwgenomics.nhs.uk/</p> <p>Endpoint/IGENE' - change from https: to http:</p> <p>Entry 'urn:uuid:fb30af76-5ba9-4acf-ba78-2e6f8a061637' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)</p> <p>This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/</p>	[Bundle.entry[0].resource/*MessageHeader/null*.source.endpoint]
24	information informational	<p>StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/</p>	[Bundle.entry[8]]
25	information informational	<p>StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/</p>	[Bundle.entry[6].resource.resultsInterpreter[0]]
26	information informational	<p>StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/report-codes 4.0.1), and a coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/)</p>	[Bundle.entry[6].resource.code.coding[0]]
15	information business-rule	<p>CodeSystem/ GenomicClinicalIndication 0.1.0</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*.reasonCode[0]]
18	information code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[6].resource/*DiagnosticReport/null*.code]
19	warning code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[6].resource/*DiagnosticReport/null*.subject.identifier.type]
14	warning code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*.subject.identifier.type]

severity	code	details	expression
16 warning	code-invalid	<p>fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>Unknown Code 'R125' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/'</p> <p>GenomicClinicalIndication' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0].coding[0].code]
12 warning	code-invalid		[Bundle.entry[4].resource/*Specimen/null*/.subject.identifier.type]
7 warning	code-invalid		[Bundle.entry[3].resource/*DocumentReference/null*/.subject.identifier.type]
2 warning	code-invalid		[Bundle.entry[1].resource/*Patient/null*/.identifier[0].type]