

severity	code	details	expression	
12 error	invalid	Not a valid date/time format: '2025-10-13T00:00:+00:00' Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0 Details for urn:uuid:b3e369a1-c150-4eae-87e9-c4985dc0f53f matching against profile http://hl7.org/fhir/StructureDefinition/Specimen 4.0.1 Entry 'urn:uuid:4504b6c7-5ed8-4e2d-bab0-3979d115528d' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message) This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice) This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[4].resource/*Specimen/null*.receivedTime]	
17 information business-rule			[Bundle.entry[5].resource/*ServiceRequest/null*.reasonCode[0]]	
25 information structure			[Bundle.entry[6].resource/*DiagnosticReport/null*.specimen[0]]	
30 information informational			[Bundle.entry[8]]	
31 information informational			[Bundle.entry[6].resource.resultsInterpreter[0]]	
32 information informational			[Bundle.entry[6].resource.code.coding[0]]	
19 information structure			[Bundle.entry[5].resource/*ServiceRequest/null*.specimen[0]]	
22 information code-invalid			[Bundle.entry[6].resource/*DiagnosticReport/null*.code]	
24 warning	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' ( <a href="http://hl7.org/fhir/ValueSet/report-codes 4.0.1">http://hl7.org/fhir/ValueSet/report-codes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#CCP19v1_R112">https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#CCP19v1_R112</a> , <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R112.1">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R112.1</a> ) None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge	[Bundle.entry[6].resource/*DiagnosticReport/null*.subject.identifier.type]	

severity	code	details	expression
23 warning	invalid	<p>what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p> <p>value should not start or finish with whitespace ' Factor II deficiency (Single gene sequencing &gt;=10 amplicons)</p> <p>Unknown Code 'R112.1' in the CodeSystem '<a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a>' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p>	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].display]
21 warning	code-invalid	<p>Unknown Code 'R112' in the CodeSystem '<a href="https://fhir.nwggenomics.nhs.uk/CodeSystem/GenomicClinicalIndication">https://fhir.nwggenomics.nhs.uk/CodeSystem/GenomicClinicalIndication</a>' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p>	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].code]
18 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0].coding[0].code]
16 warning	code-invalid	<p>value should not start or finish with whitespace ' Factor II deficiency (Single gene sequencing &gt;=10 amplicons)</p> <p>Unknown Code 'R112.1' in the CodeSystem '<a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a>' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.subject.identifier.type]
15 warning	invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.code.coding[0].display]
14 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.code.coding[0].code]
11 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[4].resource/*Specimen/null*/.subject.identifier.type]
6 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[3].resource/*DocumentReference/null*/.subject.identifier.type]

severity	code	details	expression
1 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[1].resource/*Patient/null*/.identifier[0].type]