

The diagram shows an equation for the contraction of two tensors. On the left, a box labeled $(\mathfrak{M}^{(1)} \cdot \mathfrak{N}^{(2)})_{\gamma\gamma'}$ has two external legs: one at the top labeled $J' M'$ and one at the bottom labeled $J M$. The top leg is connected to a vertex with two incoming lines labeled j'_1 and j'_2 and a '+' sign. The bottom leg is connected to a vertex with two incoming lines labeled j_1 and j_2 and a '-' sign. On the right, the expression $(-1)^{-k} \sum_{\gamma''}$ is followed by a diagram. This diagram consists of two boxes, $\mathfrak{M}_{\gamma\gamma''}$ and $\mathfrak{N}_{\gamma''\gamma'}$, connected by a vertical line labeled $J M$. The box $\mathfrak{M}_{\gamma\gamma''}$ has two external legs: one at the top labeled J_1 and one at the bottom labeled k . The box $\mathfrak{N}_{\gamma''\gamma'}$ has two external legs: one at the top labeled J_2 and one at the bottom labeled k . The top legs of both boxes are connected to a central vertex labeled J with a '+' sign. The bottom legs of both boxes are connected to a central vertex labeled J with a '-' sign. The top legs of the central vertex are labeled j_1 and j_2 , and the bottom legs are labeled j'_1 and j'_2 .