Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
01-03-2025	MCB									
	NXB-63 6KA	1P	С	3A	6KA	180	1.4	2,300	2,400	2,500
	NXB-63 6KA	1P	С	6A	6KA	180	1.4	2, 300	2,400	2,500
	NXB-63 6KA	1P	С	10A	6KA	180	1.4	2,300	2,400	2,500
	NXB-63 6KA	1P	С	16A	6KA	180	1.4	2,300	2,400	2,500
CHNT NOS 622 @ CONTROL OF STATE OF STA	NXB-63 6KA	1P	С	20A	6KA	180	1.4	2,300	2,400	2,500
SCOOMS SCORES SCORES	NXB-63 6KA	1P	С	25A	6KA	180	1.4	2,300	2,400	2,500
	NXB-63 6KA	1P	С	32A	6KA	180	1.4	2,300	2,400	2,500
	NXB-63 6KA	1P	С	40A	6KA	180	1.4	2,300	2,400	2,500
	NXB-63 6KA	1P	С	63A	6KA	180	1.4	2,300	2,400	2,500
	NXB-63 6KA	1P	D	63A	6KA	180	1.5	2, 464	2, 571	2,679
	NXB-63 6KA	2P	С	3A	6KA	90	2.8	4,600	4,800	5,000
	NXB-63 6KA	2P	С	6A	6KA	90	2.8	4,600	4,800	5,000
	NXB-63 6KA	2P	С	10A	6KA	90	2.8	4,600	4,800	5,000
© S	NXB-63 6KA	2P	С	16A	6KA	90	2.8	4,600	4,800	5,000
CHNT 000-65 @ 000 100 100 100 100 100 100 1	NXB-63 6KA	2P	С	20A	6KA	90	2.8	4,600	4,800	5,000
33	NXB-63 6KA	2P	С	25A	6KA	90	2.8	4,600	4,800	5,000
	NXB-63 6KA	2P	С	32A	6KA	90	2.8	4,600	4,800	5,000
	NXB-63 6KA	2P	С	40A	6KA	90	2.8	4,600	4,800	5,000
	NXB-63 6KA	2P	С	63A	6KA	90	2.8	4,600	4,800	5,000
	NEW NXB-63 10KA	2P	С	63A	10KA	90	3	4, 929	5, 143	5, 357
CHNT NOA-4 ©	NXB-63 6KA	3P	С	6A	6KA	60	4. 2	6, 900	7, 200	7,500
200 1 1 20 333	NXB-63 6KA	3P	С	10A	6KA	60	4.2	6,900	7, 200	7, 500
* * *	NXB-63 6KA	3P	С	16A	6KA	60	4.2	6,900	7, 200	7, 500
	NXB-63 6KA	3P	С	20A	6KA	60	4.2	6,900	7, 200	7, 500

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXB-63 6KA	3P	С	25A	6KA	60	4.2	6,900	7, 200	7, 500
	NXB-63 6KA	3P	С	32A	6KA	60	4. 2	6, 900	7, 200	7,500
	NXB-63 6KA	3P	С	40A	6KA	60	4. 2	6,900	7, 200	7,500
	NXB-63 6KA	3P	С	50A	6KA	60	4. 2	6,900	7, 200	7, 500
	NXB-63 6KA	3P	С	63A	6KA	60	4. 2	6,900	7, 200	7, 500
	NEW NXB-63 6KA	3P	D	32A	6KA	60	5	8, 214	8, 571	8, 929
	NEW NXB-63 6KA	3P	D	40A	6KA	60	5	8, 214	8, 571	8, 929
	NEW NXB-63 6KA	3P	D	63A	6KA	60	5	8, 214	8, 571	8, 929
	NXB-63 6KA	4P	С	6A	6KA	45	5. 6	9, 200	9,600	10,000
	NXB-63 6KA	4P	С	10A	6KA	45	5.6	9, 200	9,600	10,000
	NXB-63 6KA	4P	С	16A	6KA	45	5. 6	9, 200	9,600	10,000
CHNT VCB 432 @C	NXB-63 6KA	4P	С	20A	6KA	45	5.6	9, 200	9,600	10,000
1100 3333	NXB-63 6KA	4P	С	25A	6KA	45	5. 6	9, 200	9,600	10,000
	NXB-63 6KA	4P	С	32A	6KA	45	5. 6	9, 200	9,600	10,000
	NXB-63 6KA	4P	С	40A	6KA	45	5.6	9, 200	9,600	10,000
	NXB-63 6KA	4P	С	63A	6KA	45	5. 6	9, 200	9,600	10,000
CONT.	AX-X3	Aux	ciliary Co	ntact		180	2	3, 286	3, 429	3, 571
1. C.	SHT-X1 AC230V/400V	S	Shunt Rele	ease		120	2.3	3, 779	3, 943	4, 107
39,	NXB-X Interlock						3	4,929	5, 143	5, 357
p10. p10.	NB1-63 DC 250V	1P	С	16A	6KA	180	3.6	5,914	6, 171	6, 429
	NB1-63 DC 250V	1P	С	20A	6KA	180	3.6	5,914	6, 171	6, 429
	NB1-63 DC 250V	1P	С	25A	6KA	180	3.6	5,914	6, 171	6, 429
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NB1-63 DC 250V	1P	С	32A	6KA	180	3.6	5,914	6, 171	6, 429
	NB1-63 DC 250V	1P	С	40A	6KA	180	3.6	5,914	6, 171	6, 429
	NB1-63 DC 250V	1P	С	63A	6KA	180	3.6	5,914	6, 171	6, 429
	NB1-63 DC 500V	2P	С	20A	6KA	90	7	11,500	12,000	12, 500
	NB1-63 DC 500V	2P	С	25A	6KA	90	7	11,500	12,000	12,500

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NB1-63 DC 500V	2P	С	32A	6KA	90	7	11,500	12,000	12,500
	NB1-63 DC 500V	2P	С	40A	6KA	90	7	11,500	12,000	12,500
	NB1-63 DC 500V	2P	С	63A	6KA	90	7	11,500	12,000	12,500
	NB1	1P	С	6A	10kA	180	2	3, 286	3, 429	3, 571
	NB1	1P	С	10A	10kA	180	2	3, 286	3, 429	3, 571
	NB1	1P	С	16A	10kA	180	2	3, 286	3, 429	3, 571
•	NB1	1P	С	20A	10kA	180	2	3, 286	3, 429	3, 571
OPPT man	NB1	1P	С	25A	10kA	180	2	3, 286	3, 429	3, 571
	NB1	1P	С	32A	10kA	180	2	3, 286	3, 429	3, 571
	NB1	1P	С	40A	10kA	180	2	3, 286	3, 429	3, 571
•	NB1	1P	С	63A	10kA	180	2	3, 286	3, 429	3, 571
	NB1	2P	С	10A	10kA	90	4	6, 571	6,857	7, 143
	NB1	2P	С	16A	10kA	90	4	6, 571	6, 857	7, 143
80	NB1	2P	С	20A	10kA	90	4	6, 571	6, 857	7, 143
COUNT OF STREET	NB1	2P	С	25A	10kA	90	4	6, 571	6, 857	7, 143
	NB1	2P	С	32A	10kA	90	4	6, 571	6, 857	7, 143
	NB1	2P	С	40A	10kA	90	4	6, 571	6, 857	7, 143
	NB1	2P	С	63A	10kA	90	4	6, 571	6, 857	7, 143
	NB1	3P	С	16A	10kA	60	6	9,857	10, 286	10, 714
10.0.0	NB1	3P	С	20A	10kA	60	6	9,857	10, 286	10, 714
DANT	NB1	3P	С	25A	10kA	60	6	9,857	10, 286	10,714
	NB1	3P	С	32A	10kA	60	6	9,857	10, 286	10, 714
	NB1	3P	С	40A	10kA	60	6	9,857	10, 286	10,714
	NB1	3P	С	50A	10kA	60	6	9,857	10, 286	10, 714
	NB1	3P	С	63A	10kA	60	6	9,857	10, 286	10,714
	NB1	4P	С	16A	10kA	45	8	13, 143	13, 714	14, 286
Door	NB1	4P	С	20A	10kA	45	8	13, 143	13, 714	14, 286
333	NB1	4P	С	25A	10kA	45	8	13, 143	13, 714	14, 286
	NB1	4P	С	32A	10kA	45	8	13, 143	13, 714	14, 286
	NB1	4P	С	40A _	10kA	45	8	13, 143	13, 714	14, 286

第3页

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	RCCB									
L Control N	NB1L-40 New Typ	pe 1P+N 300	mA AC RC	CB (R)		160	6	9,857	10, 286	10, 714
CHNT OUVR-3 BORDSZESIPB	NB1L-40 New T	ype 2P 300n	nA AC RCC	B (R)		126	6	9, 857	10, 286	10, 714
CINT OWNED TO ME CONTROL OF THE CONT	G OUVR-3 63	3A 1P+N b	ottom in, bo	ottom/top out		96	20	32, 857	34, 286	35, 714
00		S9 SHUNT	RELEASE		•	35	3	4, 929	5, 143	5, 357
	NBH8-40	1P+N	С	3A	4.5kA	144	3	4, 929	5, 143	5, 357
1 12	NBH8-40	1P+N	С	10A	4. 5kA	144	3	4, 929	5, 143	5, 357
DON'T		1P+N	C	16A	4. 5kA	144	3	4, 929	5, 143	5, 357
The second secon		1P+N	C	20A	4. 5kA	144	3	4, 929	5, 143	5, 357
		1P+N	С	25A	4. 5kA	144	3	4, 929	5, 143	5, 357
		1P+N	С	32A	4. 5kA	144	3	4, 929	5, 143	5, 357
	NIVE 40 4B N GC	1P+N	С	40A	4. 5kA	144	3	4, 929	5, 143	5, 357
	NXB-40 1P+N C6	1P+N	С	6A	4. 5kA	180	1.8	2,957	3,086	3, 214
	NXB-40 1P+N C10	1P+N	С	10A	4. 5kA	180	1.8	2,957	3,086	3, 214
CHNT CHNT CHNT CHNT CHNT CHNT CHNT CHNT	NXB-40 1P+N C16	1P+N	С	16A	4. 5kA	180	1.8	2,957	3,086	3, 214
10 10 10 10 10 10 10 10	NXB-40 1P+N C20	1P+N	С	20A	4. 5kA	180	1.8	2, 957	3,086	3, 214
* * * * * * * * * * * * * * * * * * *	NXB-40 1P+N C25	1P+N	С	25A	4. 5kA	180	1.8	2,957	3,086	3, 214
	NXB-40 1P+N C32 NXB-40 1P+N C40	1P+N	C C	32A	4. 5kA	180	1.8 1.8	2,957	3,086	3, 214
		1P+N	C	40A	4.5kA	180	1.8	2, 957	3, 086	3, 214
	RCD/ELCB	OD	10011	1.0.4	CIZA	00	1.0	10 714	00 571	01 400
	NL1-63 2P NL1 2P	2P 2P	100MA 300MA	16A 25A	6KA 6KA	90	12 12	19, 714 19, 714	20, 571	21, 429
9 9									20, 571	21, 429
	NL1E-63 2P	2P	30mA	25A	6KA	90	12	19, 714	20, 571	21, 429
Macrosity Macros	NL1 2P	2P	30MA	32A	6KA	90	12	19, 714	20, 571	21, 429
12 12 12 12 12 12 12 12 12 12 12 12 12 1	NL1-63 2P	2P	100MA	40A	6KA	90	12	19, 714	20, 571	21, 429
0 0	NL1E-63 2P	2P	30mA	40A	6KA	90	12	19, 714	20, 571	21, 429
	NL1-63 2P	2P	300MA	63A	6KA	90	12	19,714	20, 571	21, 429
	NL1 2P	2P	100MA	100A	6KA	90	15	24, 643	25, 714	26, 786

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NL1-63 4P	4P	300MA	25A	6KA	36	19	31, 214	32, 571	33, 929
	NL1-63 4P NL1-63 4P	4P 4P	30MA	32A	6KA	36	19	31, 214	32, 571	33, 929
CHNT—NL1 as	NL1-63 4P NL1-63 4P	4P 4P	100MA	32A 40A	6KA	36	19	31, 214	32, 571	33, 929
DCHIT IN I I I I I I I I I I I I I I I I I	NL1E-63 4P	4P	30mA	40A 40A	6KA	36	19	31, 214	32, 571	33, 929
	NL1-63 4P	4P	30/100MA	63A	6KA	36	19	31, 214	32, 571	33, 929
	NL1-100 4P	4P	100/300M	100A	6KA	36	23	37, 786	39, 429	41, 071
	Surge							•	,	,
Notice of the second of the se	Ex9UEP 20 2P 1000 (N) IEC	2P	DC	20-40KA	1000V	81	15	24, 643	25, 714	26, 786
L N	NU6-II	2P		15-40 KA	385V	90	14	23,000	24,000	25,000
CNNT DENT DENT DENT DENT DENT DENT DENT D	NU6-II	2P		25-60 65KA	460V	90	24	39, 429	41, 143	42, 857
	NXU-IIG	4P		20-40KA	440V	45	26	42, 714	44, 571	46, 429
* * * * *	NU6-II	4P		15-40 KA	460V	36	26	42, 714	44, 571	46, 429
	NU6-II	4P		25-60 KA	460V	36	40	65, 714	68, 571	71, 429
	NU6-II	4P		40-100KA	460V	12	77	126, 500	132,000	137, 500
	CONTACTORS									
	NEW NXC-09	1NO, 1NC		20A	230V	60	4.9	8,050	8, 400	8,750
		1NO, 1NC		20A	380V	60	4.9	8,050	8, 400	8, 750
MOST MOST	NEW NXC-12	1NO, 1NC		25A	230V	60	5 . 5	9,036	9, 429	9, 821
**		1NO, 1NC		25A	380V	60	5 . 5	9,036	9, 429	9, 821
0 0	NEW NXC-18	1NO, 1NC		32A	230V	60	7. 1	11,664	12, 171	12, 679
		1NO, 1NC		32A	380V	60	7. 1	11,664	12, 171	12, 679

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NEW NXC-22	1NO, 1NC		32A	230V	60	7. 7	12,650	13, 200	13, 750
		1NO, 1NC		32A	380V	60	7. 7	12,650	13, 200	13, 750
	NEW NXC-25	1NO, 1NC		40A	230V	32	7.8	12, 814	13, 371	13, 929
		1NO, 1NC		40A	380V	32	7.8	12, 814	13, 371	13, 929
	NEW NXC-32	1NO, 1NC		50A	230V	32	12.1	19,879	20, 743	21,607
-		1NO, 1NC		50A	380V	32	12.1	19,879	20, 743	21,607
The state of the s	NEW NXC-38	1NO, 1NC		50A	230V	32	13.2	21,686	22, 629	23, 571
		1NO, 1NC		50A	380V	32	13.2	21,686	22, 629	23, 571
U	NEW NXC-40	1NO, 1NC		60A	230V	16	20.9	34, 336	35, 829	37, 321
		1NO, 1NC		60A	380V	16	20.9	34, 336	35, 829	37, 321
	NEW NXC-50	1NO, 1NC		80A	220V	16	25. 3	41,564	43, 371	45, 179
		1NO, 2NC		80A	380V	16	25.3	41,564	43, 371	45, 179
	NEW NXC-65	1NO, 1NC		80A	220V	16	27.5	45, 179	47, 143	49, 107
		1NO, 1NC		80A	380V	16	27.5	45, 179	47, 143	49, 107
	NEW NXC-85	1NO, 1NC		100A	230V	12	41.8	68, 671	71,657	74, 643
		1NO, 1NC		100A	380V	12	41.8	68, 671	71,657	74, 643
	NEW NXC-100	1NO, 1NC		110A	230V	12	42.9	70, 479	73, 543	76, 607
. 6 . 6		1NO, 1NC		110A	380V	12	42.9	70, 479	73, 543	76, 607
DENTE NOC.160	NEW NXC-120	1NO, 1NC		200A	230V	12	94	154, 429	161, 143	167, 857
		1NO, 1NC		200A	380V	12	94	154, 429	161, 143	167, 857
271 6/12 6/13	NEW NXC-160	2NO, 2NC		200A	230V	2	95	156, 071	162, 857	169, 643
		2NO, 2NC		200A	380V	2	95	156, 071	162, 857	169, 643

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NEW NXC-185	2NO, 2NC		275A	230V	2	105	172, 500	180,000	187, 500
	NEW NXC-185	2NO, 2NC		275A	380V	2	105	172, 500	180,000	187, 500
	NEW NXC-225	2NO, 2NC		275A	230V	2	110	180, 714	188, 571	196, 429
	NEW NXC-225	2NO, 2NC		275A	380V	2	110	180, 714	188, 571	196, 429
	NEW NXC-265	2NO, 2NC		315A	230V	2	200	328, 571	342, 857	357, 143
	NEW NXC-330	2NO, 2NC	380A	AC/DC	230V	2	231	379, 500	396,000	412, 500
	NEW NXC-400	2NO, 2NC	450A	AC/DC	230V	2	245	402, 500	420,000	437, 500
TILL SILS	NEW NXC-400	2NO, 2NC	450A	AC/DC	380V	2	245	402, 500	420,000	437, 500
CHNT NXC-225	NEW NXC-500	2NO, 2NC	630A		230V	2	352	578, 286	603, 429	628, 571
	NEW NXC-500	2NO, 2NC	630A		380V	2	352	578, 286	603, 429	628, 571
WOOT NOWN	NEW NXC-630	2NO, 2NC	700A	AC/DC	220-240	2	407	668, 643	697, 714	726, 786
3/3/6	NEW NXC-630	2NO, 2NC	700A	AC/DC	380V	2	407	668, 643	697, 714	726, 786
4P CONTACTORS	NXC-25/4 220V	50/60Hz	4P			32	11	18,071	18, 857	19, 643
4P CONTACTORS	NXC-65/4 220V	50/60Hz	4P			12	45	73, 929	77, 143	80, 357
4P CONTACTORS	NXC-95/4 220V	50/60Hz	4P			12	65	106, 786	111, 429	116, 071
	NEW NXC-100/N		3P+3P		230V	1	88	144, 571	150, 857	157, 143
	NEW NXC-185/N		3P+3P		230V	1	200	328, 571	342, 857	357, 143
	NEW NXC-185/N		3P+3P		380V	1	200	328, 571	342, 857	357, 143
	NEW NXC-225/N		3P+3P	AC/DC	230V	1	218	358, 143	373, 714	389, 286
	NEW NXC-225/N		3P+3P	AC/DC	380V	1	218	358, 143	373, 714	389, 286
3P+3P	NEW NXC-400/N		3P+3P	AC/DC	220V	1	495	813, 214	848, 571	883, 929
	NEW NXC-400/N		3P+3P	AC/DC	380-415	1	495	813, 214	848, 571	883, 929
	NC1-0910	3P (3NO)	AC-3	20A	220V	63	5. 39	8,855	9, 240	9,625

第 7 页

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	380V			20A	380V	63	5.39	8,855	9, 240	9,625
الما راما الم	NC1-1210	3P (3NO)	AC-3	20A	220V	63	5. 72	9, 397	9,806	10, 214
	NC1-1810				AC230V		8	13, 143	13, 714	14, 286
20 20 20 20	NC1-2510			40A	230V	32	9.5	15,607	16, 286	16, 964
	NC1-3210	3P (3NO)	AC-3	50A	220V	32	14	23,000	24,000	25,000
	380V				380V	32	14	23,000	24,000	25,000
	NC1-4011	3P (3NO)	AC-3	60A	220V	16	24. 2	39, 757	41,486	43, 214
	NC1-6511	3P (3NO)	AC-3	80A	220V	16	36. 3	59,636	62, 229	64, 821
	NC1-8011	3P (3NO)	AC-3	95A	220V	12	53. 24	87, 466	91, 269	95,071
100 ft 10	NC1-9511	3P (3NO)	AC-3	95A	220V	16	54. 45	89, 454	93, 343	97, 232
0000	NC1-2504	4P (4NO)	AC-3	40A	230V	12	10.89	17, 891	18,669	19, 446
	NC1-4004	4P (4NO)	AC-3	60A	_	12	29.04	47, 709	49, 783	51,857
0 0 0 1001	NC1-4008	4P (2NO2NC)	AC-3	60A	_	12	29.04	47, 709	49, 783	51,857
CHATTY 31.2 0 51.3 13.85	NC1-5004	4P (4NO)	AC-3	80A		12	33.88	55,660	58,080	60,500
	NC1-6504	4P (4NO)	AC-3	80A	_	12	45.98	75, 539	78, 823	82, 107
NC1-4511 2/F1 4/T2 6/T3 22 NC	NC1-6508	4P (2NO2NC)	AC-3	80A	_	12	47. 19	77, 526	80, 897	84, 268
	NC1-8004	4P (4NO)	AC-3	95A	_	12	62.92	103, 369	107, 863	112, 357
	NC1-8008	4P (2NO2NC)	AC-3	95A	_	12	64. 13	105, 356	109, 937	114, 518
	NC1-9504	4P (4NO)	AC-3	95A	_	12	65 . 34	107, 344	112,011	116,679
	NC1-9508	4P (2NO2NC)	AC-3	95A	_	12	66. 55	109, 332	114, 086	118, 839
	NC2-115	3P (3NO)	AC-1	200A		2	92	151, 143	157, 714	164, 286
	NC2-150	3P (3NO)	AC-1	200A		2	93	152, 786	159, 429	166, 071
	NC2-185	3P (3NO)	AC-1	275A	_	2	118	193, 857	202, 286	210, 714
	NC2-225	3P (3NO)	AC-1	275A	_	2	121	198, 786	207, 429	216, 071
120000	NC2-265	3P (3NO)	AC-1	315A	_	2	175	287, 500	300,000	312, 500
	NC2-330	3P (3NO)	AC-1	380A	_	2	242	397, 571	414, 857	432, 143
	NC2-400	3P (3NO)	AC-1	450A	_	2	244	400, 857	418, 286	435, 714
	NC2-500	3P (3NO)	AC-1	630A	_	1	363	596, 357	622, 286	648, 214
	NC2-630	3P (3NO)	AC-1	800A	_	1	530	870, 714	908, 571	946, 429

第 8 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
4P	NC2-115	4P (4NO)	AC-1	200A	_	2	125	205, 357	214, 286	223, 214
0.0.0.0	NC2-150	4P (4NO)	AC-1	200A	_	2	127	208, 643	217, 714	226, 786
-	NC2-185	4P (4NO)	AC-1	275A	_	2	157	257, 929	269, 143	280, 357
	NC2-225	4P (4NO)	AC-1	275A	_	2	160	262, 857	274, 286	285, 714
1	NC2-265	4P (4NO)	AC-1	315A	_	2	232	381, 143	397, 714	414, 286
0000	NC2-330	4P (4NO)	AC-1	380A	_	2	326	535, 571	558, 857	582, 143
4P	NC2-400	4P (4NO)	AC-1	450A	_	2	332	545, 429	569, 143	592, 857
	NC2-630	4P (4NO)	AC-1	630A	_	1	720	1, 182, 857	1, 234, 286	1, 285, 714
	JZC4-22				220V	63	5.5	9,036	9, 429	9,821
	JZC1-44				230V	100	8.9	14,621	15, 257	15, 893
0 0	AX-3X/11		AC-15		1NO+1NC	400	1	1,643	1,714	1,786
	AX-3X/22		AC-15		2NO+2NC	240	1.8	2,957	3,086	3, 214
	AX-3C/11(R)					150	2.2	3,614	3, 771	3, 929
-	F5-T2	0. 1-30S	MAKING	TIME	RELAY	200	9.5	15,607	16, 286	16, 964
	F5-T4	10-180S	MAKING	TIME	RELAY	200	9.5	15,607	16, 286	16, 964
	F5-D2	0. 1-30S	BREAKING	TIME	RELAY	200	9.5	15, 607	16, 286	16, 964
	F5-D4	10-180S	BREAKING	TIME	RELAY	200	9.5	15,607	16, 286	16, 964
	CJX1-09/22	20A	40	230V 50Hz		50	7 0	19 014	13, 371	13, 929
	CJX1-09/22 CJX1-12/22	20A 20A	41	230V 50Hz		50	7.8	12, 814 13, 143	13, 714	13, 929
or or	CJX1 12/22 CJX1-16/22	31. 5A	42	230V 50Hz		50	11.5	18, 893	19, 714	20, 536
175 And And And	CJX1 10/22 CJX1-22/22	31. 5A	43	230V 50Hz		50	12. 1	19, 879	20, 743	21, 607
	CJX1-22/22	31. 5A	43	380V		50	12. 1	19,879	20, 743	21,607
	CJX1-32/22	40A	44	230V 50Hz		30	17	27, 929	29, 143	30, 357
	CJX1-45/22	63A	46	230V 50Hz		16	31	50, 929	53, 143	55, 357
1.1. 3.U. 5.U. 13wo 21wc 31wc 43wo	CJX1-63/22	80A	47	230V 50Hz		16	35	57,500	60,000	62, 500
CHNT 22E	CJX1-63/22			380V			35	57,500	60,000	62, 500
14 NO 22 NC 32 NC 44 NO 4 TO 6 TO	CJX1-75/22	100A	48	230V 50Hz		6	64	105, 143	109, 714	114, 286
And the state of t	CJX1-85/22	100A	49	230V 50Hz		6	75	123, 214	128, 571	133, 929

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	CJX1-110/22	160A	50	230V 50Hz		4	99	162, 643	169, 714	176, 786
	CJX1-110/22	160A	50	380V		4	99	162, 643	169, 714	176, 786
	CJX1-140/22	160A	51	230V 50Hz		4	104	170,857	178, 286	185, 714
	CJX1-140/22	160A	51	380V		4	104	170,857	178, 286	185, 714
	CJX1-170/22	210A	52	230V 50Hz		4	148	243, 143	253, 714	264, 286
	CJX1-205/22	210A	53	230V 50Hz		4	177	290, 786	303, 429	316,071
0 CHNT 90	CJX1-250/22	300A	54	230V 50Hz		2	254	417, 286	435, 429	453, 571
(a) 10 m	CJX1-300/22	300A	55	230V 50Hz		2	278	456, 714	476, 571	496, 429
o 🔊	CJX1-400/22	400A	56	230V 50Hz		1	380	624, 286	651, 429	678, 571
of another fact — The fact of	CJX1-630	700A		230V 50Hz		1	900	1, 478, 571	1, 542, 857	1,607,143
	CJX1-820	910A		230V 50Hz		1	1000	1, 642, 857	1,714,286	1, 785, 714
	COIL for CJX1-380V									
- 6	CJX1-09-22/22			380V 50Hz			2.4	3, 976	4, 149	4, 321
	CJX1-45-63/22			380V 50Hz			4.0	6, 560	6,845	7, 130
3	CJX1-110-140/22			380V 50Hz			9.7	15, 903	16, 594	17, 286
	CJX1-170-205/22			380V 50Hz			13.3	21,866	22,817	23, 768
	CJX1-250-300/22			380V 50Hz			19.4	31,806	33, 189	34, 571
	CJX1-400/22			380V 50Hz			24. 2	39, 757	41,486	43, 214
	COIL for CJX1-220V									
	CJX1-09-22/22			220V 50Hz			2.4	3, 976	4, 149	4, 321
	CJX1-45-63/22			220V 50Hz			4.0	6, 560	6,845	7, 130
	CJX1-110-140/22			220V 50Hz			9. 7	15, 903	16, 594	17, 286
CHINT: NC49-2011	CJX1-170-205/22			220V 50Hz			13.3	21,866	22, 817	23, 768
Marie Con Marie										
CHNTT WEST TO THE PARTY OF THE	NCH8-25/40 230V	25A		230V 50Hz		96	7.87	12, 921	13, 483	14,045
MON	NCH8-40/40 230V	40A		230V 50Hz		64	16. 94	27,830	29,040	30, 250
	NCH8-25/22 230V	25A		230V 50Hz		96	9.08	14, 909	15, 557	16, 205
Charles (Mar.)	CONTACTOR						0			
	NCK3-32/101 230V 5	0/60Hz				64	5. 45	8,945	9,334	9,723
The state of the s	NCK3-40/101 230V 5	0/60Hz				64	6.05	9,939	10, 371	10,804
	COIL (线圈)									

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	COIL NXC 06-22			230V 50/60Hz			1.70	2, 793	2,914	3,036
(b) 11 s				110V			1.70	2, 793	2,914	3,036
				36V			1.70	2, 793	2,914	3,036
				24V			1.70	2, 793	2,914	3,036
				380V			1.70	2, 793	2,914	3,036
	COIL NXC 25-38			230V 50/60Hz	;		2.00	3, 286	3, 429	3, 571
				110V			2.00	3, 286	3, 429	3, 571
				36V			2.00	3, 286	3, 429	3, 571
				380V			2.00	3, 286	3, 429	3, 571
				24V			2.00	3, 286	3, 429	3, 571
	COIL NXC 40-65			230V 50/60Hz	;		4.00	6, 571	6, 857	7, 143
				110V			4.00	6, 571	6, 857	7, 143
				380V			4.00	6, 571	6, 857	7, 143
				36V			4.00	6, 571	6,857	7, 143
is 11 si				24V			4.00	6, 571	6, 857	7, 143
	COIL NXC 75-100	С		230V 50/60Hz	;		4.00	6, 571	6, 857	7, 143
				110V			4.00	6, 571	6, 857	7, 143
				36V			4.00	6, 571	6,857	7, 143
				24V			4.00	6, 571	6, 857	7, 143
				380V			4.00	6, 571	6, 857	7, 143
	NXC-120-225 coil			220V 50Hz			9.00	14, 786	15, 429	16, 071
				380V 50Hz			9.00	14, 786	15, 429	16, 071
	NXC-265-400 Coil		AC/DC	220V-240V			30.00	49, 286	51, 429	53, 571
			AC/DC	380V-415V			30.00	49, 286	51, 429	53, 571

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXC-500-630 Coil		AC/DC	220V-240V			40.00	65, 714	68, 571	71, 429
			AC/DC	380V-415V			40.00	65, 714	68, 571	71, 429
	COIL 09-18	24V					1.57	2, 584	2, 697	2,809
		36V/48V					1.57	2, 584	2, 697	2,809
		110V					1.57	2, 584	2, 697	2,809
		230V					1.57	2, 584	2, 697	2,809
		380V					1.57	2,584	2, 697	2,809
		415V					1.57	2,584	2,697	2,809
	COIL 25-32	24V					1.94	3, 181	3, 319	3, 457
		36V/48V					1.94	3, 181	3, 319	3, 457
		110V					1.94	3, 181	3, 319	3, 457
		230V					1.94	3, 181	3, 319	3, 457
		380V					1.94	3, 181	3, 319	3, 457
		415V					1.94	3, 181	3, 319	3, 457
	COIL 40-95	24V	SEALEDCOIL			48	3.63	5, 964	6, 223	6, 482
		36V/48V	SEALEDCOIL			48	3.63	5, 964	6, 223	6, 482
		110V	SEALEDCOIL			48	3.63	5, 964	6, 223	6, 482
		220V	SEALEDCOIL			48	3.63	5, 964	6, 223	6, 482
		380V	SEALEDCOIL			48	3.63	5, 964	6, 223	6, 482
		415V	SEALEDCOIL			48	3.63	5, 964	6, 223	6, 482
	COIL 115-150 FF	110V	SEALEDCOIL			20	7. 26	11,927	12, 446	12, 964
		230V	SEALEDCOIL			20	7. 26	11,927	12, 446	12, 964
		380V	SEALEDCOIL			20	7.26	11,927	12, 446	12,964
	COIL 185-225/4 FG	220V	SEALEDCOIL			20	8. 47	13, 915	14, 520	15, 125
	COIL 185-225/4 FG	380V	SEALEDCOIL			20	8. 47	13, 915	14, 520	15, 125
	COIL 265 FH	220V	SEALEDCOIL			20	12. 10	19,879	20, 743	21,607
		380V	SEALEDCOIL			20	12. 10	19,879	20, 743	21,607
	COIL 400	230V	SEALEDCOIL				26.62	43, 733	45, 634	47, 536
0 0 0 0		400V					26.62	43, 733	45, 634	47, 536
	COIL 500	230V	SEALEDCOIL				29.04	47, 709	49, 783	51, 857

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	COIL 630 FL	220V	SEALEDCOIL				30. 25	49,696	51,857	54,018
		380V	SEALEDCOIL				30. 25	49,696	51,857	54,018
		415V	SEALEDCOIL				30. 25	49,696	51,857	54,018
	COIL 630/4 FL	230V	SEALEDCOIL				31.46	51,684	53, 931	56, 179
	OVER RELAYS									
	NXR-25	1-1.6A				60	5. 5	9,036	9, 429	9,821
	NXR-25	1.6-2.5A				60	5. 5	9,036	9, 429	9,821
	NXR-25	2. 5-4A				60	5. 5	9,036	9, 429	9,821
CHNT证券 热过载继电器	NXR-25	4-6A				60	5. 5	9,036	9, 429	9,821
 ・	NXR-25	5. 5-8A				60	5. 5	9,036	9, 429	9,821
0.63A-1A NXC-06-38 1A-1.6A NXC-06-38 1.25A-2A NXC-06-38 1.6A-2.5A NXC-06-38	NXR-25	7-10A				60	5. 5	9,036	9, 429	9,821
2.5A-4A NXC-06-38 NXC-06-38 NXC-06-38 NXC-06-38 NXC-09-38 NXC-09-38 NXC-09-38	NXR-25	9-13A				60	5 . 5	9,036	9, 429	9,821
12A-18A NXC-12-38 17A-25A NXC-18-38 23A-33A NXC-25-38 30A-38A NXC-32-38	NXR-25	12-18A				60	5 . 5	9,036	9, 429	9,821
	NXR-25	17-25A				60	5. 5	9,036	9, 429	9,821
	BASE FOR NXR (NR2)		MB-2	2 Base			2. 2	3, 614	3, 771	3, 929
指配展示 (Made Black Of Majo)	BASE FOR NXR-100	(NR2)	MB-4	4 Base			6	9, 857	10, 286	10, 714
	NXR-38	23-32A				40	7. 5	12, 321	12,857	13, 393
		30-38A				40	7. 5	12, 321	12, 857	13, 393
	NXR-100	23-32A				32	12	19, 714	20, 571	21, 429
		30-40A				32	12	19, 714	20, 571	21, 429
NXR-100 STOP RESET		37-50A				32	12	19, 714	20, 571	21, 429
		48-65A				32	12	19, 714	20, 571	21, 429
2775 4772 6773		55-70A				32	12.5	20, 536	21, 429	22, 321
		63-80A				32	13	21, 357	22, 286	23, 214

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXR-100	80-93A				32	13. 1	21, 521	22, 457	23, 393
		80-100A				32	13.3	21,850	22,800	23, 750
	NXR-150	110-150A				8	30	49, 286	51, 429	53, 571
	NXR-200	80-160A				8	65	106, 786	111, 429	116, 071
	NXR-200	100-200A				8	65	106, 786	111, 429	116, 071
	NXR-630	125-	250A			2	100	164, 286	171, 429	178, 571
	NXR-630	315-	630A			2	110	180, 714	188, 571	196, 429
	NR2-25G		AC-3	4A, 6A, 8A, 10A		92	4.84	7, 951	8, 297	8, 643
	NR2-25G		AC-3	13A, 18A, 25A	1NO+1NC	92	4.84	7,951	8, 297	8, 643
2 000	NIDO COC	FF 70A	10.0		1110 - 1110	0.0	0	0	0	0
0000	NR2-93G	55-70A	AC-3		1NO+1NC	36	12. 1	19,879	20, 743	21,607
	NR2-93G NR2-93G	63-80A 80-93A	AC-3		1NO+1NC 1NO+1NC	36 36	12. 1 12. 1	19, 879 19, 879	20, 743 20, 743	21, 607 21, 607
	NNZ-95G	60-95A	AC-3		TNOTING	30	14.1	19,019	20, 743	21,007
	NR2-150G	80-104A	AC-3		1NO+1NC	12	48. 4	79, 514	82, 971	86, 429
	NR2-150G	95-120A	AC-3		1NO+1NC	12	48. 4	79, 514	82, 971	86, 429
	NR2-150G	110A-150A	AC-3		1NO+1NC	12	48. 4	79, 514	82, 971	86, 429
								,	,	.,
	NR2-200G	100-160A	AC-3		1NO+1NC	4	76	124, 857	130, 286	135, 714
000	NR2-200G	125-200A	AC-3		1NO+1NC	4	76	124, 857	130, 286	135, 714
	NR2-630	160-250A	AC-3		1NO+1NC	4	121	198, 786	207, 429	216,071
May 600c mas	NR2-630	250-400A	AC-3		1NO+1NC		121	198, 786	207, 429	216, 071
	NR2-630	315-500A	AC-3		1NO+1NC		121	198, 786	207, 429	216, 071
	NR2-630	400-630A	AC-3		1NO+1NC	4	127	208, 643	217, 714	226, 786
	MOTOR STARTER									
	NEW NS2-25X	1-1.6A	3P	AC-3		60	14	23,000	24,000	25,000
	NEW NS2-25X	1. 6-2. 5A	3P	AC-3		60	14	23,000	24,000	25, 000
								·	·	
	NEW NS2-25X	2.5-4A	3P	AC-3		60	14	23,000	24,000	25,000

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NEW NS2-25X	4-6.3A	3P	AC-3		60	14	23,000	24,000	25,000
	NEW NS2-25X	6-10A	3P	AC-3		60	14	23,000	24,000	25,000
3 A 1 182-25X	NEW NS2-25X	9-14A	3P	AC-3		60	14	23,000	24,000	25,000
25-44	NEW NS2-25X	13-18A	3P	AC-3		60	14	23,000	24,000	25,000
SHALL	NEW NS2-25X	17-23A	3P	AC-3		60	14	23,000	24,000	25,000
	NEW NS2-25X	20-25A	3P	AC-3		60	14	23,000	24,000	25,000
	NEW NS2-32X	24-32A	3P	AC-3		60	15	24, 643	25, 714	26, 786
	G NS2-25	0.63-1A	3P	AC-3		64	12. 1	19,879	20,743	21,607
	G NS2-25	1-1.6A	3P	AC-3		64	12.1	19,879	20, 743	21,607
	G NS2-25	1. 6-2. 5A	3P	AC-3		64	12.1	19,879	20, 743	21,607
	G NS2-25	2.5-4A	3P	AC-3		64	12.1	19,879	20, 743	21,607
0.44.3A	G NS2-25	4-6.3A	3P	AC-3		64	12.1	19,879	20, 743	21,607
CHNT	G NS2-25	6-10A	3P	AC-3		64	12.1	19,879	20, 743	21,607
	G NS2-25	9-14A	3P	AC-3		64	12.1	19,879	20, 743	21,607
	G NS2-25	13-18A	3P	AC-3		64	12.1	19,879	20, 743	21,607
	G NS2-25	17-23A	3P	AC-3		64	12.1	19,879	20, 743	21,607
NS2-AE11	G NS2-25	20-25A	3P	AC-3		64	12.1	19, 879	20, 743	21,607
NSO-ART (III) II ACTS LOROGONY (III) ACTS LORO	NS2-AE11	1NO 1NC		Auxiliary		1200	2	3, 286	3, 429	3, 571
	NS2-AU11			Auxiliary		256	2.42	3, 976	4, 149	4, 321
	NS2-AU20	2N0		NS2-80B			2.66	4,370	4,560	4,750
	NS2-AU11		For	NS2-80B			2.66	4,370	4,560	4,750
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	G NS2- 80 Rotary	30-40A	3P	AC-3		24	37	60, 786	63, 429	66, 071
CHIT	G NS2- 80 Rotary	48-65A	3P	AC-3		24	37	60, 786	63, 429	66, 071
9 9 9	G NS2- 80 Rotary	63-80A	3P	AC-3		24	37	60, 786	63, 429	66, 071
	MCCB									
	NXB-125 1P 80A	1P		80A		108	3.88	6, 374	6,651	6, 929
	NXB-125 1P 100A	1P		100A		108	3.88	6, 374	6,651	6, 929
	NXB-125 1P 125A	1P		125A		108	4.84	7, 951	8, 297	8,643

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXB-125 2P 100A	2P	D	100A		54	8	13, 143	13, 714	14, 286
	NXB-125 2P 125A	2P	D	125A		54	9	14, 786	15, 429	16,071
\$ 9 9	DZ158	3P		63A	6kA	36	10.65	17, 496	18, 257	19,018
DZ158, 3P	DZ158	3P		80A	6kA	36	10.89	17,891	18,669	19, 446
4 = 4 = 4	NXB-125 3P 100A	3P	D	100A		36	10.89	17,891	18,669	19,446
	NXB-125 3P 125A	3P	D	125A		36	12. 1	19,879	20,743	21,607
	DZ158	4P		63A	6kA	27	13. 31	21,866	22,817	23, 768
	NXB-125 4P 80A	4P	D	80A		27	13. 31	21,866	22, 817	23, 768
	NXB-125 4P 100A	4P	D	100A		27	13.31	21,866	22,817	23, 768
	NXB-125 4P 125A	4P	D	125A		27	14.82	24, 347	25, 406	26, 464
	NXB-125 1P C100 DC110V	1P	С	DC100A	DC110V	108	3. 88	6, 374	6, 651	6, 929
DZ158, 4P	NXB-125 1P C125 DC110V	1P	С	DC125A	DC110V	108	4. 84	7, 951	8, 297	8, 643
4, 4	NXB-125 2P C100 DC220V	2P	С	DC100A	DC220V	54	8. 25	13, 554	14, 143	14, 732
	NXB-125 2P C125 DC220V	2P	С	DC125A	DC220V	54	9. 68	15, 903	16, 594	17, 286
CHNT MINOC 1753 WING CONTROL WING CONTROL	NM8N DC-250C TM 250 2P	2P	MCCB	DC 250A		8	50	82, 143	85, 714	89, 286
	DZ158LE-100	2P	30mA	100A	6KA	24	14. 52	23, 854	24, 891	25, 929
(a) (b) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	DZ158LE	3P		100A	6kA	18	20. 57	33, 794	35, 263	36, 732
	DZ158LE	4P	30mA	100A	6kA	16	21	34, 500	36,000	37, 500
	NXBLE-125	2P	30/300mA	100A	С	36	14. 52	23, 854	24, 891	25, 929

NXBLE-125 NXBLE-125	3P	100mA							
NXBLE-125		1001111	100A	С	27	20. 57	33, 794	35, 263	36, 732
	4P	300mA	100A	С	16	22	36, 143	37, 714	39, 286
DZ47LE-32	1P+N	30mA	16A	6kA	72	4. 23	6, 949	7, 251	7, 554
DZ47LE-32	1P+N	30mA	20A	6kA	72	4. 23	6, 949	7, 251	7, 554
NXBLE-63	1P+N	30mA	C10A	6kA	60	4. 7	7,721	8, 057	8, 393
NXBLE-63			C16A	6kA	60	4. 7	7, 721	8,057	8, 393
NXBLE-63	1P+N	30mA	C20A	6kA	60	4. 7	7, 721	8,057	8, 393
NXBLE-63	1P+N	30mA	C25A	6kA	60	4. 7	7, 721	8,057	8, 393
NXBLE-63	1P+N	30mA	C32A	6kA	60	4. 7	7, 721	8,057	8, 393
NXBLE-63	1P+N	30mA	C40A	6kA	60	4. 7	7,721	8,057	8, 393
NXBLE-63	1P+N	30mA	C63A	6kA	60	4. 7	7,721	8, 057	8, 393
NXBLE-32	2P	30mA	C10A	6kA	54	7	11,500	12,000	12, 500
NXBLE-32	2P	30mA	C16A	6kA	54	7	11,500	12,000	12, 500
NXBLE-32	2P	30mA	C20A	6kA	54	7	11,500	12,000	12,500
NXBLE-32	2P	30mA	C25A	6kA	54	7	11,500	12,000	12,500
NXBLE-32	2P	30mA	C32A	6kA	54	7	11,500	12,000	12,500
NXBLE-63	2P	30mA	C32A	6kA	54	7	11,500	12,000	12, 500
NXBLE-63	2P	30mA	C40A	6kA	54	7	11,500	12,000	12, 500
NXBLE-63	2P	30mA	C63A	6kA	54	7	11,500	12,000	12,500
	0-	106	000	01.	0.5		0	0	0 21, 429
	DZ47LE-32 NXBLE-63 NXBLE-63 NXBLE-63 NXBLE-63 NXBLE-63 NXBLE-63 NXBLE-32 NXBLE-32 NXBLE-32 NXBLE-32 NXBLE-32 NXBLE-32 NXBLE-32 NXBLE-63 NXBLE-63	DZ47LE-32 1P+N NXBLE-63 1P+N NXBLE-32 2P NXBLE-32 2P NXBLE-32 2P NXBLE-32 2P NXBLE-32 2P NXBLE-63 2P NXBLE-63 2P NXBLE-63 2P NXBLE-63 2P	DZ47LE-32 1P+N 30mA NXBLE-63 1P+N 30mA NXBLE-32 2P 30mA NXBLE-63 2P 30mA	DZ47LE-32 1P+N 30mA 20A NXBLE-63 1P+N 30mA C10A NXBLE-63 1P+N 30mA C16A NXBLE-63 1P+N 30mA C20A NXBLE-63 1P+N 30mA C25A NXBLE-63 1P+N 30mA C32A NXBLE-63 1P+N 30mA C40A NXBLE-63 1P+N 30mA C10A NXBLE-32 2P 30mA C10A NXBLE-32 2P 30mA C20A NXBLE-32 2P 30mA C25A NXBLE-32 2P 30mA C32A NXBLE-32 2P 30mA C32A NXBLE-63 2P 30mA C32A NXBLE-63 2P 30mA C40A NXBLE-63 2P 30mA C40A NXBLE-63 2P 30mA C40A	DZ47LE-32 1P+N 30mA 20A 6kA NXBLE-63 1P+N 30mA C10A 6kA NXBLE-63 1P+N 30mA C16A 6kA NXBLE-63 1P+N 30mA C20A 6kA NXBLE-63 1P+N 30mA C25A 6kA NXBLE-63 1P+N 30mA C32A 6kA NXBLE-63 1P+N 30mA C40A 6kA NXBLE-63 1P+N 30mA C40A 6kA NXBLE-63 1P+N 30mA C10A 6kA NXBLE-32 2P 30mA C10A 6kA NXBLE-32 2P 30mA C20A 6kA NXBLE-32 2P 30mA C25A 6kA NXBLE-32 2P 30mA C32A 6kA NXBLE-63 2P 30mA C32A 6kA NXBLE-63 2P 30mA C40A 6kA NXBLE-63 2P 30mA	DZ47LE-32 1P+N 30mA 20A 6kA 72 NXBLE-63 1P+N 30mA C10A 6kA 60 NXBLE-63 1P+N 30mA C16A 6kA 60 NXBLE-63 1P+N 30mA C20A 6kA 60 NXBLE-63 1P+N 30mA C25A 6kA 60 NXBLE-63 1P+N 30mA C32A 6kA 60 NXBLE-63 1P+N 30mA C40A 6kA 60 NXBLE-63 1P+N 30mA C40A 6kA 60 NXBLE-63 1P+N 30mA C63A 6kA 60 NXBLE-63 1P+N 30mA C63A 6kA 60 NXBLE-32 2P 30mA C10A 6kA 54 NXBLE-32 2P 30mA C20A 6kA 54 NXBLE-32 2P 30mA C32A 6kA 54 NXBLE-63 2P 30mA <td>DZ47LE-32 1P+N 30mA 20A 6kA 72 4.23 NXBLE-63 1P+N 30mA C10A 6kA 60 4.7 NXBLE-63 1P+N 30mA C16A 6kA 60 4.7 NXBLE-63 1P+N 30mA C20A 6kA 60 4.7 NXBLE-63 1P+N 30mA C25A 6kA 60 4.7 NXBLE-63 1P+N 30mA C32A 6kA 60 4.7 NXBLE-63 1P+N 30mA C40A 6kA 60 4.7 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 NXBLE-32 2P 30mA C10A 6kA 54 7 NXBLE-32 2P 30mA C20A 6kA 54 7 NXBLE-32 2P 30mA C25A 6kA 54</td> <td>DZ47LE-32 1P+N 30mA 20A 6kA 72 4.23 6,949 NXBLE-63 1P+N 30mA C10A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C16A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C20A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C25A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C32A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C40A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C10A 6kA 54 7 11,500 NXBLE-32 2P 30mA</td> <td>DZ47LE-32 1P+N 30mA 20A 6kA 72 4.23 6,949 7,251 NXBLE-63 1P+N 30mA C10A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C16A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C20A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C25A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C32A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C40A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 8,057 NXBLE-32 2P 30mA<</td>	DZ47LE-32 1P+N 30mA 20A 6kA 72 4.23 NXBLE-63 1P+N 30mA C10A 6kA 60 4.7 NXBLE-63 1P+N 30mA C16A 6kA 60 4.7 NXBLE-63 1P+N 30mA C20A 6kA 60 4.7 NXBLE-63 1P+N 30mA C25A 6kA 60 4.7 NXBLE-63 1P+N 30mA C32A 6kA 60 4.7 NXBLE-63 1P+N 30mA C40A 6kA 60 4.7 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 NXBLE-32 2P 30mA C10A 6kA 54 7 NXBLE-32 2P 30mA C20A 6kA 54 7 NXBLE-32 2P 30mA C25A 6kA 54	DZ47LE-32 1P+N 30mA 20A 6kA 72 4.23 6,949 NXBLE-63 1P+N 30mA C10A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C16A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C20A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C25A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C32A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C40A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 NXBLE-63 1P+N 30mA C10A 6kA 54 7 11,500 NXBLE-32 2P 30mA	DZ47LE-32 1P+N 30mA 20A 6kA 72 4.23 6,949 7,251 NXBLE-63 1P+N 30mA C10A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C16A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C20A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C25A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C32A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C40A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 8,057 NXBLE-63 1P+N 30mA C63A 6kA 60 4.7 7,721 8,057 NXBLE-32 2P 30mA<

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXBLE-32	3P	100mA	C25A	6kA	36	12	19, 714	20, 571	21, 429
* * * O	NXBLE-32	3P	100mA	C32A	6kA	36	12	19, 714	20, 571	21, 429
Appear	NXBLE-63	3P	30mA	C32A	6kA	36	12	19, 714	20, 571	21, 429
@ @ 9 550	NXBLE-63	3P	100mA	C40A	6kA	36	14	23,000	24,000	25,000
· SHIPM	NXBLE-63	3P	30mA	C63A	6kA	36	14	23,000	24,000	25,000
	NXBLE-63	3P	100mA	C63A	6kA	36	14	23,000	24,000	25,000
		45	100	2224	21.1	0.4		0.4.0.40	0= =11	00.700
	NEW NXBLE-63	4P	100mA	C20A	6kA	24	15	24, 643	25, 714	26, 786
	NEW NXBLE-63	4P	100mA	C25A	6kA	24	15	24, 643	25, 714	26, 786
	NEW NXBLE-63	4P	100mA	C32A	6kA	24	15	24, 643	25, 714	26, 786
	NEW NXBLE-63	4P	100mA	C40A	6kA	24	16	26, 286	27, 429	28, 571
	NEW NXBLE-63	4P	100mA	C63A	6kA	24	16	26, 286	27, 429	28, 571
	MCCB									
	NXM-250S/2300	250S	S	2P	250A	12	26	42, 714	44, 571	46, 429
								0	0	0
	NXM-125S/3300	125S	S	3P	32A	24	22	36, 143	37, 714	39, 286
0000	NXM-125S/3300	125S	S	3P	40A	24	22	36, 143	37, 714	39, 286
6	NXM-125S/3300	125S	S	3P	63A	24	22	36, 143	37, 714	39, 286
	NXM-125S/3300	125S	S	3P	100A	24	20	32, 857	34, 286	35, 714
	NXM-125S/3300	125S	S	3P	125A	24	20	32, 857	34, 286	35, 714
	NXM-160S/3300	160S	S	3P	160A	12	32	52, 571	54, 857	57, 143
	NXM-250S/3300	250S	S	3P	200A	12	36	59, 143	61,714	64, 286

第 18 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXM-250S/3300	250S	S	3P	250A	12	36	59, 143	61,714	64, 286
8 8	NXM-320S/3300	320S	S	3P	320A	12	55	90, 357	94, 286	98, 214
	NXM-400S/3300	400S	S	3P	320A	4	95	156, 071	162, 857	169, 643
0.00	NXM-400S/3300	400S	S	3P	400A	4	95	156, 071	162, 857	169, 643
	NXM-630S/3300	630S	S	3P	500A	4	121	198, 786	207, 429	216, 071
00000	NXM-630S/3300	630S	S	3P	630A	4	121	198, 786	207, 429	216, 071
	NXM-800S/3300	800S	S	3P	800A	2	181	297, 357	310, 286	323, 214
	NXM-1000S/3300	1000S	S	3P	1000A	2	266	437,000	456,000	475,000
0.00	NXM-1600S/3300	1600S	S	3P	1250A	1	580	952, 857	994, 286	1, 035, 714
	NM8N	1600H	Н	3P	1250A	1	650	1,067,857	1, 114, 286	1, 160, 714
	NXM-1600S/3300	1600S	S	3P	1600A	1	650	1,067,857	1, 114, 286	1, 160, 714
								0	0	0
	NXM-125S/4300B	125S	S	4P	32A	16	28. 5	46, 821	48, 857	50, 893
	NXM-125S/4300B	125S	S	4P	63A	16	28. 5	46, 821	48, 857	50, 893
المراجة والمراجة	NXM-125S/4300B	125S	S	4P	80A	16	28. 5	46, 821	48, 857	50, 893
	NXM-125S/4300B	125S	S	4P	100A	16	30	49, 286	51, 429	53, 571
	NXM-125S/4300B	125S	S	4P	125A	16	30	49, 286	51, 429	53, 571
000000	NXM-160S/4300B	160S	S	4P	160A	8	38. 5	63, 250	66,000	68, 750
	NXM-250H/4300B	250S	S	4P	200A	8	52.8	86, 743	90, 514	94, 286
	NXM-250S/4300B	250S	S	4P	250A	8	52.8	86, 743	90, 514	94, 286

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXM-400S/4300B	400S	S	4P	320A	2	122	200, 429	209, 143	217, 857
	NXM-400S/4300B	400S	S	4P	400A	2	122	200, 429	209, 143	217, 857
	NXM-630S/4300B	630S	S	4P	500A	2	145	238, 214	248, 571	258, 929
	NXM-630S/4300B	630S	S	4P	630A	2	145	238, 214	248, 571	258, 929
100000	NXM-800S/4300B	800S	S	4P	800A	2	242	397, 571	414, 857	432, 143
DATE OF THE PARTY OF	NXM-1000H/4300B	1000H	Н	4P	1000A	2	315	517, 500	540,000	562, 500
	NM8	1250S	S	4P	1250A	1	800	1, 314, 286	1, 371, 429	1, 428, 571
3-0	NM8N	1600H	Н	4P	1250A	1	856	1, 406, 286	1, 467, 429	1, 528, 571
DESERVED	NXM-1600H/4300B	1600H	Н	4P	1250A	1	856	1, 406, 286	1, 467, 429	1, 528, 571
	NXM-1600H/4300B	1600H	Н	4P	1600A	1	950	1, 560, 714	1, 628, 571	1, 696, 429
								0	0	0
	NXMLE-125S/4300	100A	S	4P	100A		60	98, 571	102, 857	107, 143
	NXMLE-125S/4300	125A	S	4P	125A		60	98, 571	102, 857	107, 143
	NXMLE-250S/4300	160A	S	4P	160A		90	147, 857	154, 286	160, 714
NXMLE漏电断路器	NXMLE-250S/4300	200A	S	4P	200A		90	147, 857	154, 286	160, 714
	NXMLE-250S/4300	225A	S	4P	225A		90	147, 857	154, 286	160, 714
	NXMLE-250S/4300	250A	S	4P	250A		90	147, 857	154, 286	160, 714
	NXMLE-400S/4300	400A	S	4P	400A		190	312, 143	325, 714	339, 286
	NXMLE-630S/4300	630A	S	4P	630A		350	575,000	600,000	625, 000

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXM-160 Motor-dri	ven mecha	nism	MD-M2 A1 S	DC 220V/	/AC 230V	115	188, 929	197, 143	205, 357
CHNT Non-acc Electric Operator	NXM-250-320 Motor-d	riven mec	hanism	MD-M3 D3/A1	DC 220V/	/AC 230V	116	190, 571	198, 857	207, 143
Reases common supply votinge	NXM-400-630 Motor-d	riven mec	hanism	MD-M4 D3/A1	DC 220V/	/AC 230V	205	336, 786	351, 429	366, 071
Section 1	NXM-800 Motor-dri	ven mecha	nism	MD-M5 D3/A1	DC 220V/	/AC 230V	230	377, 857	394, 286	410, 714
And a series of the Authorities	NXM-1000 Motor-dr	iven mecha	anism	MD-M6 D3/A1	DC 220V/	/AC 230V	266	437,000	456,000	475,000
	NXM-1600 Motor-dr	iven mecha	anism	MD-M7 D3/A1	DC 220V/	/AC 230V	278	456, 714	476, 571	496, 429
	NXM Shunt Release -SHT	T-M5 A1 R 2	20V-800A				24. 2	39, 757	41, 486	43, 214
	XM Shunt Release-SHTM	4 A1 R 220	V-400A/630				24. 2	39, 757	41, 486	43, 214
	NXM Shunt Release-SHT	M3 A1 R 2	20V-250S				21.8	35, 814	37, 371	38, 929
	NXM Shunt Release -SHT	M1 A1 R 2	220V-125S				18.2	29,900	31, 200	32, 500
	NXM AXM5 L Auxili	ary Contact	220V- L				12. 1	19,879	20, 743	21,607
	NXM AXM4 L Auxili	ary Contact	220V- L				12. 1	19,879	20, 743	21,607
	NM1	250	S	2P	250	12	26.6	43, 700	45,600	47, 500
	NM1	63	S	3P	40	27	16.5	27, 107	28, 286	29, 464
	NM1	63	S	3P	50	27	16.5	27, 107	28, 286	29, 464
1 4 4	NM1	63	S	3P	63	27	16 . 5	27, 107	28, 286	29, 464
	NM1	125	S	3P	80	12	19.8	32, 529	33, 943	35, 357
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NM1	125	S	3P	100	12	24. 2	39, 757	41, 486	43, 214
	NM1	125	S	3P	125	12	24. 2	39, 757	41, 486	43, 214
49.49.4	NM1	250	S	3P	250	8	44	72, 286	75, 429	78, 571
								0	0	0
	NM1	250	Н	4P	160	8	53. 57	88,008	91,834	95, 661
1/36.50(1900000000000000000000000000000000000								0	0	0
Banky)	NM8	125	S	3P	63	12	48.4	79, 514	82, 971	86, 429
MOT 14 11 11	NM8	125	S	3P	100	12	48.4	79, 514	82, 971	86, 429
	NM8	125	S	3P	125	12	48.4	79, 514	82, 971	86, 429
(3 72	NM8	250	S	3P	200	8	71.5	117, 464	122, 571	127,679

第 21 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
a garaca	NM8	1250	S	3P	1250	1	580	952, 857	994, 286	1, 035, 714
	NM8N	1600H	Н	3P	1250A	1	650	1,067,857	1, 114, 286	1, 160, 714
	NM8	125	S	4P	63	12	60	98, 571	102, 857	107, 143
	MMO	050	C	40	000	0	00	0	0	0
	NM8	250	S	4P	200	8	80	131, 429 0	137, 143	142, 857
(C.) (C.) (C.)	NM8 无外箱	800	S	4P	630	1	400	657, 143	685, 714	714, 286
	NM8 无外箱	800	S	4P	800	1	400	657, 143	685, 714	714, 286
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								0	0	0
preprint								0	0	0
4444	NM8	1250	S	4P	1250	1	800	1, 314, 286	1, 371, 429	1, 428, 571
	NM8N	1600H	Н	4P	1250	1	846	1, 389, 857	1, 450, 286	1, 510, 714
COMPT'S—	NM8L-250S/3 X1 T1	200LE		3P	200A	4	125	205, 357	214, 286	223, 214
	NM8L-250S/3 X1 T1	250LE		3P	250A	4	125	205, 357	214, 286	223, 214
	Air Circuit Breaker							0	0	0
	NEW NXA-16N10-MF4	1000A	Motor/Fixed	4P	230V	1	1150	1, 889, 286	1, 971, 429	2, 053, 571
	NEW NXA-16N12-MF4	1250A	Motor/Fixed	4P	230V	1	1200	1, 971, 429	2, 057, 143	2, 142, 857
	NEW NXA-16N16-MF4	1600A	Motor/Fixed	4P	230V	1	1320	2, 168, 571	2, 262, 857	2, 357, 143

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
The Court is a second of the court is a second	NEW NXA-20N20-MF4	2000A	Motor/Fixed	4P	230V	1	1600	2, 628, 571	2, 742, 857	2, 857, 143
	NXA32N25-MF4- UVT	2500A	Motor/Fixed	4P	230V	1	2200	3, 614, 286	3, 771, 429	3, 928, 571
	NXA32N32-MF4- UVT	3200A	Motor/Fixed	4P	230V	1	2400	3, 942, 857	4, 114, 286	4, 285, 714
	NXA40N40-MF4- UVT	4000A	Motor/Fixed	4P	230V	1	2900	4, 764, 286	4, 971, 429	5, 178, 571
	NXA-16N10-MF3	1000A	Motor/Fixed	3P	230V	1	970	1, 593, 571	1, 662, 857	1, 732, 143
	NXA16N12-MF3	1250A	Motor/Fixed	3P	230V	1	1000	1, 642, 857	1, 714, 286	1, 785, 714
The state of the s	NXA-16N16-MF3	1600A	Motor/Fixed	3P	230V	1	1100	1, 807, 143	1, 885, 714	1, 964, 286
	NXA-20N20-MF3	2000A	Motor/Fixed	3P	230V	1	1400	2, 300, 000	2, 400, 000	2, 500, 000
	new NXA32N25-MF3	2500A	Motor/Fixed	3P	230V	1	1900	3, 121, 428	3, 257, 143	3, 392, 857
	NXA32N32-MF3	3200A	Motor/Fixed	3P	230V	1	2000	3, 285, 714	3, 428, 571	3, 571, 429
	NXA40N40-MF3	4000A	Motor/Fixed	3P	230V	1	2400	3, 942, 857	4, 114, 286	4, 285, 714
	NEW NXA-16N16-MD3	1600A	Motor/DRAWEF	3P	230V	1	1512	2, 484, 000	2, 592, 000	2, 700, 000
	NXA16-ST-220V	$^{\sim}240$ VAC (F	RF)	Shun	t releas	se	24. 2	39, 757	41, 486	43, 214

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXA20/63-ST-220	OV [~] 240VAC	(RF)	Shun	t releas	se	34	55, 857	58, 286	60, 714
	NXA16-ASUVT-220	OV [~] 240VAC	(RF)	Under vo	ltage re	lease	90	147, 857	154, 286	160, 714
	NXA20/63-ASUVT-2	20V [~] 240V <i>P</i>	AC (RF)	Under vo	ltage re	lease	95	156, 071	162, 857	169, 643
	NXA16-0F-	CO4 (RF)		Auxilia	ry cocnt	tact	12. 1	19,879	20, 743	21,607
	NXA16-CC-220V	~240VAC (F	RF)	Colsed e	lectroma	ngnet	24. 2	39, 757	41, 486	43, 214
	NXA20/63-CC-220	NXA20/63-CC-220V ² 40VAC (RF)				ignet	34	55, 857	58, 286	60, 714
	NA1-2000/1000A	3P	AC380V	OR 230V	943	1, 549, 214	1, 616, 571	1, 683, 929		
	NA1-2000/1250A	1250A	Motor/Fixed	3P	AC380V	OR 230V	943	1, 549, 214	1, 616, 571	1, 683, 929
T 1	NA1-2000/1600A	1600A	Motor/Fixed	3P	AC380V	OR 230V	968	1, 590, 286	1,659,429	1, 728, 571
22	NA1-2000/2000A	2000A	Motor/Fixed	3P	AC380V	OR 230V	980	1,610,000	1,680,000	1,750,000
15	NA1-3200/2500A	2500A	Motor/Fixed	3P	AC380V	OR 230V	1573	2, 584, 214	2, 696, 571	2, 808, 929
100 100 100	NA1-3200/3200A	3200A	Motor/Fixed	3P	AC380V	1	1694	2, 783, 000	2,904,000	3, 025, 000
The state of the s	NA1-4000-4000M	4000A	Motor/Fixed	3P	AC380V	1	2662	4, 373, 286	4, 563, 429	4, 753, 571
								0	0	0
	NA1-2000-1250M/3P I	MOTOR DE	RAWER	3P	AC380V	1	950	1, 560, 714	1,628,571	1, 696, 429
	NA1-2000-1600M/3P I	MOTOR DE	RAWER	3P	AC380V	1	1512	2, 484, 000	2, 592, 000	2,700,000
	NA1-2000-2000M/3P	MOTOR DI	RAWER	3P	AC380V	1	1633	2, 682, 786	2, 799, 429	2, 916, 071
	NA1-3200-3200M/3P MOTOR DRAWER			3P	AC380V	1	2662	4, 373, 286	4, 563, 429	4, 753, 571
	NA1-4000-4000M/3P MOTOR DRAWER			3P	AC380V	1	2904	4, 770, 857	4, 978, 286	5, 185, 714
							0	0	0	
	NEW NXA-16N10-MF4 1000A Motor/Fixed			4P	230V	1	1089	1, 789, 071	1, 866, 857	1, 944, 643
	NA1-2000/1250A	1250A	Motor/Fixed	4P	AC380V	OR 230V	1210	1, 987, 857	2, 074, 286	2, 160, 714

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NA1-2000/1600A	1600A	Motor/Fixed	4P	AC380V	OR 230V	1331	2, 186, 643	2, 281, 714	2, 376, 786
	NA1-2000/2000A	2000A	Motor/Fixed	4P	AC380V	OR 230V	1452	2, 385, 429	2, 489, 143	2, 592, 857
	NA1-3200/2500A	2500A	Motor/Fixed	4P	AC380V	1	1936	3, 180, 571	3, 318, 857	3, 457, 143
	NA1-3200/3200A	3200A	Motor/Fixed	4P	AC380V	OR 230V	2057	3, 379, 357	3, 526, 286	3, 673, 214
	NA1-3200/3200A	3200A	Motor/Fixed	4P	AC230V	1	2057	3, 379, 357	3, 526, 286	3, 673, 214
	NA1-2000-1250M/4P	MOTOR DI	RAWER	4P	AC380V	1	1150	1, 889, 286	1, 971, 429	2, 053, 571
	NA1-2000-1600M/4P	MOTOR DI	RAWER	4P	AC380V	1	1755	2, 883, 214	3, 008, 571	3, 133, 929
	NA1-2000-2000M/4 N	MOTOR DR	AWER	4P	AC380V	1	1500	2, 464, 286	2, 571, 429	2, 678, 571
	SWITCH DISCONNECTOR							0	0	0
	NH4	2P	32A	20Ie, t=0.1s	400V	90	3.63	5, 964	6, 223	6, 482
	NH4	2P	63A	20Ie, t=0.1s	400V	90	3.63	5, 964	6, 223	6, 482
• •	NH4 (NXHB-125)	2P	100A	20Ie, t=0.1s	400V	90	4.84	7, 951	8, 297	8,643
CONT.	NH4	2P	125A	20Ie, t=0.1s	400V	90	4.84	7, 951	8, 297	8,643
Control of the contro								0	0	0
	NH4	3P	32A	20Ie, t=0.1s	400V	60	6.05	9, 939	10, 371	10,804
	NH4	3P	63A	20Ie, t=0.1s	400V	60	6.05	9, 939	10, 371	10,804
	NH4 (NXHB-125)	3P	100A	20Ie, t=0.1s	400V	60	7. 26	11,927	12, 446	12, 964
	NH4 (NXHB-125)	3P	125A	20Ie, t=0.1s	400V	60	7. 26	11,927	12, 446	12, 964
								0	0	0
	NH4	4P	32A	20Ie, t=0.1s	400V	45	7. 26	11,927	12, 446	12, 964
Cast.	NH4	4P	63A	20Ie, t=0.1s	400V	45	7. 26	11,927	12, 446	12, 964
Service Control of the Control of th	NH4	4P	100A	20Ie, t=0.1s	400V	45	9	14, 786	15, 429	16,071
0000	NH4 (NXHB-125)	4P	125A	20Ie, t=0.1s	400V	45	9	14, 786	15, 429	16,071
	TEMPERATURE	CONTROL						0	0	0
	TED-K2001	72*72	0-400° C	0-600° C	0-800° C	24	9. 7	15, 936	16, 629	17, 321
88.8.8	TEA-K 2001	96*96	0-400° C	0-600° C	0-800° C	12	11	18,071	18, 857	19,643
MITO BY A STATE OF	new XMTD-J 2001	72*72	Digital	0-400° C		24	21	34, 500	36,000	37, 500
CHNT MITGERCHICAGE	XMTD- K2001	72*72	Digital	0-400° C		24	21	34, 500	36,000	37, 500

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	XMTA-2001 J 400℃	96*96	Digital	0-400° C		6	21	34, 500	36,000	37, 500
	XMTA-3001 J 400°C	96*96	Digital	0-400° C		6	21	34, 500	36,000	37, 500
	CONTROL RELAY							0	0	0
CHNT	JSZ3-3 C-E	60S, 10M,	60M, 6H		AC220v	64	7. 5	12, 321	12,857	13, 393
	JSZ3-3 C-E	60S, 10M,	60M, 6H		AC380v	64	7. 5	12, 321	12,857	13, 393
. 4523 Col	JSZ3-3 C-B	1S, 10S,	60S,6M		AC220v	64	7. 5	12, 321	12,857	13, 393
	JS14P 99S 220V		1-99S		AC220v		9	14, 786	15, 429	16, 071
#560 # 10 m n n n n n n n n n n n n n n n n n n	JS14P 99S 380V		1-99S		AC380v		9	14, 786	15, 429	16, 071
GIANT -	NTE8-480B	30S-480S	Delay t	cime relay	AC230V	96	6.6	10, 843	11, 314	11, 786
	KG316T	3A	16-NO	16-0FF	AC220V	48	11	18, 071	18, 857	19, 643
	Motor Integrat	ed Protec	ctor					0	0	0
anni -	JD-5			2A-20A	AC200V	20	11	18,071	18, 857	19,643
COST - SOS SOS SOS	JD-5			20A-80A	AC220V	20	11	18,071	18, 857	19, 643
	JD-5			2A-20A	AC380V	20	11	18,071	18, 857	19, 643
	JD-5			20A-80A	AC380V	20	11	18,071	18, 857	19, 643
Some Some Some Some Some Some Some Some	JD-5	16	60A-400A <i>A</i>	AC380	AC380V	16	16	26, 286	27, 429	28, 571

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
OPT VIEW IN THE PROPERTY OF TH	JD1A-11 220V (A)				220V	8	37	60, 786	63, 429	66, 071
	JD1A-40 220V (A)				220V	8	37	60, 786	63, 429	66, 071
959	NJB1-X	Single-p	ohase Vol	tage Relay	220V	50	15.5	25, 464	26, 571	27, 679
707	NJB1-Y2	Single-p	ohase Vol	tage Relay	220V	48	18	29, 571	30, 857	32, 143
	ELECTROMAGNETIC	STARTER						0	0	0
	NQ3-5.5P 10A			380V		8	21	34,500	36,000	37,500
3	NQ3-5.5P 13A	9-13A		380V		8	21	34,500	36,000	37, 500
diant	NQ3-5.5P 10A			220V		8	21	34,500	36,000	37,500
	NQ3-5.5P 13A	9-13A		220V		8	21	34,500	36,000	37,500
	NQ3-11P 18A			380V		6	29	47,643	49, 714	51, 786
	NQ3-11P 25A	17-25A		380V		6	29	47,643	49, 714	51,786
	NQ3-11P 18A			220V		6	29	47,643	49, 714	51,786
	NQ3-11P 25A			220V		6	29	47,643	49, 714	51,786
	Distribution box	DB								
	NX9-4W		with a	ll switch		2	88	144, 571	150, 857	157, 143
(-	NX9-6W		with a	ll switch		2	100	164, 286	171, 429	178, 571
	NX9-8W		with a	ll switch		2	125	205, 357	214, 286	223, 214
10-4-420	NX9-10W		with a	ll switch		2	157	257, 929	269, 143	280, 357
	NX9-12W		with a	ll switch		2	170	279, 286	291, 429	303, 571
•	NX9-16W		with a	ll switch		2	230	377, 857	394, 286	410, 714
6.4	NX9-20W		with a	11 switch 第 27 页		2	302	496, 143	517, 714	539, 286

第 27 页

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NX9-24W		with a	ll switch		2	363	596, 357	622, 286	648, 214
	NX9-4M (MCCB)		with a	ll switch		2	133	218, 500	228,000	237, 500
	NX9-6M (MCCB-125A)		with a	ll switch	4M空	2	78 163. 35	128, 143 268, 361	133, 714 280, 029	139, 286 291, 696
	NX9-6M (MCCB-250A)				6M空		90	0 147, 857	0 154, 286	0 160, 714
	NX9-8M (MCCB-125A) NX9-8M (MCCB-250A)		with a	ll switch		2	217	356, 500 0	372,000 0	387, 500 0
	NX9-10M (MCCB)		with a	ll switch	8M空	2	115 223	188, 929 366, 357	197, 143 382, 286	205, 357 398, 214
	NX9-12M (MCCB-125A)		with a	ll switch	10M空	2	127 266	208, 643 437, 000	217, 714 456, 000	226, 786 475, 000
	NX9-12M (MCCB-250A)				12M空		145	0 238, 214	0 248, 571	0 258, 929
	NX9-16M (MCCB-125A) NX9-16M (MCCB-250A)		with a	ll switch		2	314	515, 857 0	538, 286 0	560, 714 0
					16M空		170	279, 286	291, 429	303, 571
4-LOOP	NEX5-C10400M		plastic	ounted)明装 panel, The rdant	•	20	3. 2	5, 257	5, 486	5, 714
6-LOOP	NEX5-C10600M		plastic	ounted)明装 panel, The rdant		10	5	8, 214	8, 571	8, 929

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
9-LOOP	NEX5-C10900M		plastic	ounted)明装 panel, The rdant		10	6. 2	10, 186	10, 629	11,071
13-LOOP	NEX5-C11300M		plastic	ounted)明装 panel, The rdant		10	7.7	12, 650	13, 200	13, 750
16-LOOP	NEX5-C11600M		plastic	ounted)明装 panel, The rdant		10	8.6	14, 129	14, 743	15, 357
20-LOOP	NEX5-C12000M		plastic	ounted)明装 panel, The rdant		5	10	16, 429	17, 143	17, 857
26-LOOP	NEX5-C12600M		plastic	ounted)明装 panel, The rdant		5	15	24, 643	25, 714	26, 786

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
32-LOOP	NEX5-C13200M		plastic	ounted)明装 panel, The rdant		5	17	27, 929	29, 143	30, 357
40-LOOP	NEX5-C14000M		plastic	ounted)明装 panel, The rdant		5	20	32, 857	34, 286	35, 714
26-LOOP	NEX5-C12600			ribution Bo e wall暗装)		5	15. 5	25, 464	26, 571	27, 679
32-LOOP	NEX5-C13200			ribution Bo e wall暗装)		5	17. 5	28, 750	30,000	31, 250
40-LOOP	NEX5-C14000			ribution Bo e wall暗装)		5	20	32, 857	34, 286	35, 714

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NX8-5-J					4	8	13, 143	13, 714	14, 286
GERTIN.	NX8-8-J					4	10	16, 429	17, 143	17,857
	NX8-12-J					3	15.7	25, 793	26, 914	28,036
	NX8-15-J					3	20	32,857	34, 286	35, 714
	NX8-20-J					2	23	37, 786	39, 429	41,071
	NX8-24-J					2	25	41,071	42,857	44,643
	INDICATOR									
	ND16-22DS/4			RED	220V	600	0.85	1,396	1, 457	1,518
				GREEN	220V	600	0.85	1,396	1, 457	1,518
Server (6)				BLUE	220V	600	0.85	1,396	1, 457	1,518
				YELLOW	220V	600	0.85	1, 396	1, 457	1,518
				ORANGE	220V	600	0.85	1, 396	1, 457	1, 518
				WHITE	220V	600	1.1	1,807	1,886	1,964
	PUSH BUTTON							0	0	0
	NP2-BA31			GREEN	220V	180	1.6	2,629	2,743	2,857
正委自动化 83535403066	NP2-BA42			RED	220V	180	1.6	2,629	2,743	2,857
GFIRT - MP2	NP2-BE101	NO	GREEN				0.46	756	789	821
	NP2-BE102	NC	RED				0.46	756	789	821
	NP2-BD21				220V	120	1.33	2, 185	2, 280	2, 375
	NP2-BD33				220V	120	1.57	2,579	2,691	2,804
	NP2-BD53				220V	120	1.77	2,908	3,034	3, 161
	NP2-BW3361	LED			220V	150	2.2	3,614	3,771	3, 929
	NP2-BW3462	LED			220V	150	2.2	3,614	3,771	3,929
	NP2-J174				220V	45	2.78	4, 567	4, 766	4,964
	NP2-B215				220V	30	3.63	5, 964	6, 223	6, 482
	NP2-B324				220V	30	4.84	7, 951	8, 297	8, 643
	NP2-B341H29				220V	30	4.84	7, 951	8, 297	8, 643
	NP2-BS542			RED	220V	180	2	3, 286	3, 429	3, 571
	LW32-20 YH5/3	volt	SWICH			90	7	11,500	12,000	12, 500
	LW32-20 YH3/3		SWICH			35	7	11,500	12,000	12, 500

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	CONTROL	TRANSFO	RMER	IN: 220V/38	0V/440V			0	0	0
	NDK-63VA		OUT:12/2	24/36/48V		12	14	23,000	24,000	25,000
	NDK-63VA		OUT:1	10/220V		12	14	23,000	24,000	25,000
	NDK-100VA		OUT:12/2	24/36/48V		12	15	24, 643	25, 714	26, 786
	NDK-100VA		OUT:1	10/220V		12	15	24, 643	25, 714	26, 786
	NEW NDK-100VA	OU	T:220/110	/48/36/24/1	2	12	15	24, 643	25, 714	26, 786
CONT NONATON NONATON	NDK-150VA	OU	T:220/110)/48/36/24/1	2	12	21	34, 500	36,000	37, 500
	NDK-150VA		OUT:12/2	24/36/48V		12	21	34, 500	36,000	37, 500
1	NDK-150VA		OUT:1	10/220V		12	21	34, 500	36,000	37, 500
	NDK-250VA		OUT: 48,	/36/24/12		4	30	49, 286	51, 429	53, 571
	NDK-250VA		OUT:2	20/110		4	30	49, 286	51, 429	53, 571
	NDK-400VA	OU	T:220/110)/48/36/24/1	2	4	48	78, 857	82, 286	85, 714
	NEW NDK-500VA		OUT:12/2	24/36/48V		4	50	82, 143	85, 714	89, 286
	NEW NDK-500VA		OUT:1	10/220V		4	50	82, 143	85, 714	89, 286
	NEW NDK-700VA		OUT:12/2	24/36/48V		2	66	108, 429	113, 143	117, 857
	NEW NDK-700VA		OUT:1	10/220V		2	66	108, 429	113, 143	117, 857
	NEW NDK-1000VA		OUT:12/2	24/36/48V		2	80	131, 429	137, 143	142, 857
	NEW NDK-1000VA		OUT:1	10/220V		2	80	131, 429	137, 143	142, 857
								0	0	0
	JBK5-63VA	OUT:12/2	4/36/48V			16	14	23,000	24,000	25,000
		OUT:110/2	220V			16	14	23,000	24,000	25,000
	JBK5-100VA	OUT:12/24	4/36/48V			8	18	29, 571	30, 857	32, 143
- Line Co		OUT:110/2	220V			8	18	29, 571	30, 857	32, 143
***************************************	JBK5-160VA	OUT:12/24	4/36/48V			6	24	39, 429	41, 143	42,857
		OUT:110/2	220V			6	24	39, 429	41, 143	42, 857
_6	JBK5-250VA	OUT:12/24	4/36/48V			6	33	54, 214	56, 571	58, 929
The same of		OUT:110/2	220V			6	33	54, 214	56, 571	58, 929
	JBK5-400VA	OUT:12/24	4/36/48V			6	50	82, 143	85, 714	89, 286

第 32 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
		OUT:110/2	220V			6	50	82, 143	85, 714	89, 286
	CURRENT TRANSFOR	MER						0	0	0
	BH-0.66 30I 60/5A 1Class	2 Turns				80	4.00	6, 571	6, 857	7, 143
	BH-0.66 30 I 100/5A 1C1	ass 2 Turns	11			60	4.00	6, 571	6,857	7, 143
	BH-0.66 30 I 150/5A 1C1	ass 1 Turns				60	4.00	6, 571	6, 857	7, 143
中国中国	BH (SDH) 0-0.66 40 II	100/ 5A	0.5 cla	ss 2 Turns		40	7.30	11,993	12, 514	13,036
age of the latest and	BH (SDH) 0-0.66 40 II	150/ 5A	0.5 cla	ss 1 Turns		50	7.30	11,993	12, 514	13,036
	BH (SDH) 0-0.66 40 II	200/ 5A	0.5 cla	ss 1 Turns		40	7.30	11,993	12, 514	13,036
• • •	BH (SDH) 0-0.66 40 II	250/ 5A	0.5 cla	ss 1 Turns		40	7.30	11,993	12, 514	13,036
	BH(SDH)0-0.66 40 II	300/ 5A	0.5 cla	ss 1 Turns		40	7.30	11,993	12, 514	13,036
	BH (SDH) 0-0.66 40 II	400/ 5A	0.5 cla	ss 1 Turns		40	7.60	12, 486	13,029	13, 571
	BH (SDH) 0-0.66 40 II	600/ 5A	0.5 cla	ss 1 Turns		40	8.80	14, 457	15,086	15, 714
	BH(SDH)0-0.66 60 II	800/ 5A	0.5 cla	ss 1 Turns		30	11.00	18,071	18, 857	19,643
	BH(SDH)0-0.66 80 II	1000/ 5A	0.5 cla	ss 1 Turns		30	13.00	21, 357	22, 286	23, 214
444.3	BH(SDH)0-0.66 80 II	1200/ 5A	0.5 cla	ss 1 Turns		30	13.00	21, 357	22, 286	23, 214
	BH (SDH) 0-0.66 50 II	1500/ 5A	0.5 cla	ss 1 Turns		32	13.00	21, 357	22, 286	23, 214
Section 1988	BH(SDH)0-0.66 60 II	1500/ 5A	0.5 cla	ss 1 Turns		30	16.00	26, 286	27, 429	28, 571
	BH(SDH)0-0.66 100 II	1600/5A	0.5 cla	ss 1 Turns		24	17.00	27, 929	29, 143	30, 357
	BH(SDH)0-0.66 100 II	2000/5A	0.5 cla	ss 1 Turns		30	17.00	27, 929	29, 143	30, 357
	BH(SDH)0-0.66 120 II	2500/5A	1class	s 1 Turns		16	19.00	31, 214	32, 571	33, 929
	BH(SDH)0-0.66 120 II	4000/5A	0.5 cla	ss 1 Turns		20	28.00	46,000	48,000	50,000
	voltage regulato	r						0	0	0
0	NEW TNS1(SVC)-9	9 KVA	Thre	e-phase		1	350	575,000	600,000	625,000
	TNS1 (SVC) -15	15 KVA		ase Digtal		1	787	1, 292, 107	1, 348, 286	1, 404, 464
	TNS1 (SVC) -20	20 KVA		ase Digtal		1	1089	1, 789, 071	1,866,857	1, 944, 643
	TNS1 (SVC) -30/AF	30 KVA		ase Digtal		1	1210	1, 987, 857	2, 074, 286	2, 160, 714
1	TNS1 (SVC) -45/AF	45 KVA		ase Digtal		1	2057	3, 379, 357	3, 526, 286	3, 673, 214
ų ·	TNS1 (SVC) -60/AF	60 KVA		ase Digtal		1	2420	3, 975, 714	4, 148, 571	4, 321, 429
	TNS1 (SBW)-100	100 KVA	Three-ph	ase Digtal 第 33 页	display	1	4840	7, 951, 428	8, 297, 143	8, 642, 857

第 33 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NEW TNSZ(SBW)-200	200 KVA	Three-ph	ase Digtal	display	1	8470	13, 915, 000	14, 520, 000	15, 125, 000
	TNSZ(SBW)-500	500 KVA	Three-ph	ase Digtal	display	1	15730	25, 842, 142	26, 965, 714	28, 089, 286
	FUSE									
, U.	RT36-00-160	40A				120	1.80	2, 957	3,086	3, 214
CONT NICES		63A				120	1.80	2, 957	3,086	3, 214
Marie Communication of the Com		100A				120	1.80	2, 957	3, 086	3, 214
ir .		125A				120	1.80	2, 957	3,086	3, 214
		160A				120	1.80	2, 957	3,086	3, 214
	RT36-1-250	200A				54	3.87	6, 361	6,638	6, 914
200		250A				54	3.87	6, 361	6,638	6, 914
CONTYS. All or and all and	RT36-2-400	315A				30	6. 29	10, 337	10, 786	11, 236
10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		400A				30	6. 29	10, 337	10, 786	11, 236
	RT36-3-630	500A				24	8. 47	13, 915	14, 520	15, 125
- u		630A				24	8.71	14, 313	14, 935	15, 557
	BASE FOR FUSE							0	0	0
	BASE RT36-00-160			1P		117	1.82	2, 982	3, 111	3, 241
	BASE RT36-1-250			1P		24	5. 45	8,945	9, 334	9, 723
	BASE RT36-2-400			1P		18	10.89	17, 891	18,669	19, 446
	BASE RT36-3-630			1P		18	14. 52	23, 854	24, 891	25, 929
								0	0	0
	BASE RT28N-32X 1P			1P		240	0.97	1,590	1,659	1,729
CHART?	RT28-32 2A			10*38			0. 24	398	415	432
0	RT28-32 4A			10*38			0. 24	398	415	432
	RT28-32 6A			10*38			0.24	398	415	432
	RT28-32 10A			10*38			0. 24	398	415	432
	RT28-32 16A			10*38			0. 24	398	415	432

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	RT28-32 20A			10*38			0.24	398	415	432
	RT28-32 32A			10*38			0. 24	398	415	432
TO REST	RT28-63-10A			14*51			0.33	542	566	589
	RT28-63-16A			14*51			0.33	542	566	589
	RT28-63-32A			14*51			0.33	542	566	589
Ü	CAPACITOR							0	0	0
	NWC6-0.45-25-3					6	85.00	139, 643	145, 714	151, 786
	NWC6 0.45-25-3YN	YN	分相补偿	星型带零线		6	100.00	164, 286	171, 429	178, 571
	NWC6-0.45-30-3					6	88.00	144, 571	150, 857	157, 143
and the same of th	BZMJ 0.4-30-3					6	60. 50	99, 393	103, 714	108, 036
	METER							0	0	0
	DDSY666J	5 (60) A	Class 1		230V	5	72.60	119, 271	124, 457	129, 643
	DT862 30-100A				220/380V	4	54. 45	89, 454	93, 343	97, 232
CANTILIS	DT862-4 3*2.5(10)A				220/380V	4	50.82	83, 490	87, 120	90,750
	DTS634 230/380V 10(4	10)A 50HZ	1 CLASS			5	60.50	99, 393	103, 714	108,036
	DDS666 230V2.5(10A)	50HZ 2 C	LASS 7021			20	12.10	19,879	20, 743	21,607
alibabe COM CO	DDS666 230V10(40A) 5	50HZ 2 CL	ASS 7021			20	12.10	19,879	20, 743	21,607
	DDS666 230V30(100A)	50HZ 2 C	LASS 7021			20	12. 10	19,879	20, 743	21,607
CHNT®	SWITCH DISCONNECTOR			Change Over				0	0	0
	NH40-100/4CSW			第 35 而		1	88.00	144, 571	150, 857	157, 143

第 35 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NH40-100/4CS	only the	e switch			1	25. 00	41,071	42, 857	44, 643
	PROTECTIVE RELAY									
A CAPT	XJ3-D AC380V				380V	54	13.00	21, 357	22, 286	23, 214
	XJ3-G AC380V				380V	36	7. 30	11, 993	12, 514	13, 036
10.00	NJXB3-05				AC380V	63	14. 52	23, 854	24, 891	25, 929
######################################	NJXB3-07				AC380V	56	14. 52	23, 854	24, 891	25, 929
3.000	NJXB3-08				AC380V	63	14. 52	23, 854	24, 891	25, 929
Marie	NJXB3-13				AC220V	63	14. 52	23, 854	24, 891	25, 929
	NJYB3-06				AC380V	31	14. 52	23, 854	24, 891	25, 929
1 1 1 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NЈYB3-07				AC380V	56	14. 52	23, 854	24, 891	25, 929
parate of control of c	NJYB3-08				AC380V	90	14. 52	23, 854	24, 891	25, 929
(1111)	NJYB3-17				AC380V	31	14. 52	23, 854	24, 891	25, 929
	NJYW1-NL2	quid Leve	1	water Level	AC220V/	32	8. 47	13, 915	14, 520	15, 125
Dell.	NJBK5-5J	10A	1HP		AC220V	24	9.68	15, 903	16, 594	17, 286
g judge di admin normalisi	NJBK5-5J	13A	1.5HP		AC220V	24	10.89	17, 891	18, 669	19, 446
0.00	NJBK5-5J	16A	2HP		AC220V	24	12. 10	19,879	20, 743	21,607
O ST	JDM1-48L8M AC/DC 100	OV-240V				45	15. 73	25, 842	26, 966	28, 089
NO DUB	JDM1-48L8 AC380V					45	15. 73	25, 842	26, 966	28, 089

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	G NEW7-001	1 GANG 1	WAY			144	0.61	994	1,037	1,080
	G NEW7-003	1 GANG 2				144	0.67	1,093	1, 141	1, 188
	G NEW7-005	2 GANG 1	WAY			144	0.85	1, 391	1,452	1,512
99	G NEW7-007	2 GANG 2				144	0.97	1, 590	1,659	1, 729
99	G NEW7-009	3 GANG 1				144	1.09	1, 789	1,867	1,945
	G NEW7-011	3 GANG 2	WAY			144	1.21	1,988	2,074	2, 161
30										
	G NEW7-015	4 GANG 2	WAY			144	1.45	2, 385	2, 489	2, 593
	G NEW7-029/CS	WITH LIG	HT	Silver 银色		144	2.54	4, 174	4, 356	4, 537
1	G NEW7-G029					144	2.20	3,614	3, 771	3, 929
E	G NEW7-301	SHAVER SO)CKET 110	V /940V		36	15. 73	25, 842	26, 966	28, 089
WASTS OFF	G NEW 7-301	SHAVER SO	JCKET TIO	V / 240V		30	10.75	20, 042	20, 900	20,009
						+				
(0)	G NEW7-302	DOORBELL				144	0.79	1, 292	1, 348	1,404
	G NEW7-302B	DOORBELL				120	0.97	1,590	1,659	1,729
						1				
	G NEW7-003B G00200A	1 GANG 2	WAY			120	1.12	1,840	1,920	2,000
	G NEW7-007B G00400A	2 GANG 2	WAY			120	1.60	2,629	2, 743	2,857
iferer								,	,	,
3774	G NEW7-011B G00600A	3 GANG 2	WAY			120	2.00	3, 286	3, 429	3, 571
	+					1				
	G NEW7-015B G00800A	4 GANG 2	WAY			120	2.81	4,616	4,817	5, 018

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	G NEW7-G001	1 GANG 1	WAY			144	0.61	994	1,037	1,080
	G NEW7-G003	1 GANG 2				144	0.67	1,093	1, 141	1, 188
								0	0	0
	G NEW7-G005	2 GANG 1	WAY			144	0.85	1,391	1, 452	1,512
	G NEW7-G007	2 GANG 2	WAY			144	0.97	1,590	1,659	1,729
								0	0	0
	G NEW7-G009	3 GANG 1				144	1.09	1,789	1,867	1,945
	G NEW7-G011	3 GANG 2	WAY			144	1.21	1,988	2,074	2, 161
30								0	0	0
83	G NEW7-G015	4 GANG 2	WAY			144	1.45	2, 385	2, 489	2, 593
- Ven								0	0	0
-0				<i>t</i> → <i>t</i> -				0	0	0
1	G NEW7-427K/CS	13A SOCKE	ET WITH L	银色	Silver	144	2.20	3,614	3, 771	3, 929
	G NEW7-G427KL	13A SOCKE	ET WITH L	IGHT			2.00	3, 286	3, 429	3, 571
								0	0	0
	NEW7-G429KL (42910)	15A SOCKE	ET WITH L	IGHT		144	2. 20	3,614	3,771	3, 929
								0	0	0
4 b	NEW7-G42368 (CS)		银色	Silver		120	2. 18	3, 578	3,734	3, 889
	G NEW7-G128	UNIVERSAL	SOCKET OU	TLET WITH 2	PIN	120	1.80	2,957	3, 086	3, 214
	NEW7-G42360	1-gang 2-1	pin+3-pin	Multi-functi	onal	120	1.80	2, 957	3, 086	3, 214
		13A						0	0	0
	G NEW7-G951	BLANK PLA	ATE			144	0.37	608	634	661
								0	0	0
								0	0	0
	NEW7-G20100A	TV TERMIN	NAL			144	1.60	2,629	2,743	2,857

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	G NEW7-G203	1 GANG TI	ELEPHONE	OUTLET 4 PIN	N RJ11	144	1.00	1,643	1,714	1, 786
	NEW7-203					180	1.00	1,643	1,714	1, 786
	NEW7-G20400A	1 GANG Co	omputer o	utel 8pin R	J45	180	2.00	3, 286	3, 429	3, 571
	G NEW7-41910	Double Swi	tched sock	2pin+N 13A 2	250V	72	3. 70	6,079	6, 343	6, 607
	G NEW7-G305	Light di	mmer 400W			84	3.87	6, 361	6, 638	6, 914
	G NEW7-G306	Fan speed	d control	switch 250	Эw	84	3. 87	6, 361	6, 638	6, 914
	NEW7-G307	sound 8		ontrol time OOW	delay	120	5. 20	8, 548	8, 919	9, 291
	NEW7-205	2 gang	; 8-Core I	Oata Cable S	ocket		2. 18	3, 578	3, 734	3, 889
	NEW7-G207	TV termin	nal socke	t+telephone	l socket	144	1.82	2, 982	3, 111	3, 241
	NEW7-208	2 gang to	elephonel	outlet 4pin	n RJ11	180	1.69	2, 783	2, 904	3,025

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NEW7-G212	TV termin	al socke	t+Computer (outlet 8	144	1.94	3, 181	3, 319	3, 457
	NEW7-314	Light dim	mer with	Switch 100V	V	144	5. 45	8, 945	9, 334	9, 723
	NEW7-315	Fan speed	control	switch with	n Switch	144	5. 45	8, 945	9, 334	9, 723
	NEW7-319	Gallery	LED lamp			120	2. 78	4, 572	4, 771	4, 970
	NEW7-G310	Touching	time dela	ay switch 10)Ow	144	5. 20	8, 548	8, 919	9, 291
	NEW7-G323	Doorbel1	_	ton"please turb"	do not	144	1.69	2, 783	2,904	3, 025
Will date to man	NEG1-0310	IC Card		Switch, Rati	ing:30A	72	12. 10	19, 879	20, 743	21,607
NEH1-193	NEH1-103		Weatherp	proof Box		80	1.09	1,789	1,867	1,945
9301	NEW7-G00208A	silver	86*86	1 GANG 2	2 WAY	144	1.82	2, 990	3, 120	3, 250

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
0.000	NEW7-G00408A/ G007B/CS	silver	86*86	2 GANG 2	2 WAY	144	2.40	3, 943	4, 114	4, 286
ORY	NEW7-G00608A	silver	86*86	3 GANG 2	2 WAY	144	3. 18	5, 221	5, 448	5, 675
CONT	NEW7-G00808A	silver	86*86	4 GANG 2	2 WAY	144	3. 66	6,016	6, 278	6, 539
	NEW7-G41920	White	146*86	2-gang 3 mutifuc switched so	tion cket 13A	72	4. 36	7, 156	7, 467	7, 779
	NEW7-G41928	silver	146*86	2-gang 3 mutifuc switched so	-pin tion cket 13A	72	4. 36	7, 156	7, 467	7, 779
	NEW7-G42728	silver	86*86	1-gang 3-pi functional 13A 250V w	socket ith USB	96	6. 05	9, 939	10, 371	10, 804
	NEW7-G60208		ned socke	V with 1-gan et with neon Silver)	ng 3-pin	72	6. 78	11, 132	11,616	12, 100
0	NEH1-001A	Flush	mounting	box (86type)	暗装	189	0. 50	821	857	893
CHART STRANZ	NEH1-201	Surface	mountin	g box(86type	e) 明装	207	0.62	1,019	1,063	1, 107

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NEH1-002	Flush	mounting	box (146type)暗装	120	0.65	1,068	1, 114	1, 161
	AC30-124	modular		on din-rail 6A 250V	socket	90	1.45	2, 385	2, 489	2, 593
	AC30-451			on din-rail 四孔25A导轨i			3.40	5, 586	5, 829	6, 071
	NEA7-411 Plug		4 Pin	25A Plug			3. 20	5, 257	5, 486	5, 714
	NED1-609000	146×140		pin multi-fun ule 13A 250V	ctional	20	39. 93	65, 599	68, 451	71, 304
FLOOR SOCKET	NED1-406002	120×120		pin multi-fun ule 10A 250V	ctional	20	36 . 30	59, 636	62, 229	64, 821
*	NED5-11500		SOCKET	13A		10	3.00	4, 929	5, 143	5, 357
	NET2-02101	Electrica		n tape 0.16mm ack	X18mmX10m	300	0.35	575	600	625
TO SET VILLED	NET2-02103	Electrica	l insulatio	n tape 0.16mm Red	X18mmX10m	300	0.35	575	600	625
	NET2-02104	Electrica		n tape 0.16mm 11ow	X18mmX10m	300	0.35	575	600	625

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
COMPANIES COMPAN	NET2-02105	Electrical		n tape 0.16mm REEN	X18mmX10m	300	0.35	575	600	625
	NET2-02106	Electrical		n tape 0.16mm ule	X18mmX10m	300	0.35	575	600	625
	LED STRIP LIGHT									
	NEP-DD07505060			nily decoratio 家装款 6.5W 65		100M	208.00	341,714	356, 571	371, 429
41.4	NEP-DD075050B0			mily decorati 家装款 6.5W 蓝		100M	208.00	341,714	356, 571	371, 429
	NEP-DDDY02	LED stri		rd, Applicate ower cord	to 5050	100	1.94	3, 181	3, 319	3, 457
	NEP-DDCZ03		ip Pin;Appl decoration	icate to 5050 & EPC 2	strip 位插针	2400	0. 18	298	311	324
	NEP-DDJC03		-	connection; A		400	0. 24	398	415	432
	NEP-DDKK04		p Clip Appl coration,El	licate to 5050 PC & RGB	strip 灯带固定	1600	0.02	40	41	43
	NEP-DDWS02		-	g;Applicate to tion & EPC	o 5050 尾塞	1200	0.02	40	41	43
	LED DOWN LIGHT							0	0	0
CHNT LED DOWN LIGHT	NEP-TD0202061	Ø 196 * 65		Light 02 COB 2 ED筒灯02 COB 2 6000K		20	15. 73	25, 842	26, 966	28, 089
LID STAN 1500m LIA time of 0000ms	NEP-TD0300331	Ø 98 ∗ 48		vn Light 03 3W D筒灯03 3W 黄		50	4. 84	7, 951	8, 297	8, 643
CHNT 100	NEP-TD0300332	Ø 98 * 48		Light 03 3W H D筒灯03 3W 黄		50	4. 84	7, 951	8, 297	8, 643
3\w	NEP-TD0300362	Ø 98*48		Light 03 3W H D筒灯03 3W 白		50	4. 84	7, 951	8, 297	8, 643
	NEP-TD1500362-1	ø 75		Light 3W Hi ED筒灯 3W 白光		50	3. 63	5, 964	6, 223	6, 482

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NEA8-103U-3	NEW	3-gang 3- socket w	pin British e ith USB 13A 2	xtension 50V [~] 3M	24	12. 10	19, 879	20, 743	21, 607
	G NEA2-3023	10A-250V		3M/0.75mm2		32	5.00	8, 214	8, 571	8, 929
	NEA8-6101	10A-250V		1.8M/O.75MM		34	6.00	9, 857	10, 286	10, 714
	NEA8-6103	10A-250V		3M/0.75mm2		32	7. 30	11, 993	12, 514	13, 036
	NEA8-8101	10A-250V		1.8M/0.75MM		25	6.80	11, 171	11,657	12, 143
. മ്മ ത്ര ത്ര ത്ര	NEA8-8103	10A-250V		3M/0.75MM		30	7. 70	12, 650	13, 200	13, 750
	Enclosure							0	0	0
	NXW5-2520/15						19.00	31, 214	32, 571	33, 929
	NXW5-3025/15						22.00	36, 143	37,714	39, 286
	NXW5-4030/20						32.00	52, 571	54, 857	57, 143
	NXW5-5040/20						46.00	75, 571	78, 857	82, 143
	NXW5-6040/15						48. 40	79, 514	82, 971	86, 429
	NXW5-6040/20						54.00	88, 714	92, 571	96, 429
0	NXW5-6050/20	new					66.00	108, 429	113, 143	117,857
4	NXW5-6050/25						70.00	115,000	120,000	125,000
	NXW5-7050/15			第 44 页			77.00	126, 500	132,000	137, 500

第 44 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXW5-7050/20	new					88.00	144, 571	150, 857	157, 143
	NXW5-7050/25						90.00	147,857	154, 286	160, 714
	NXW5-8060/25						110.00	180, 714	188, 571	196, 429
	NXW5-10060/25	new					145. 00	238, 214	248, 571	258, 929
	NXW5-10060/30						151.80	249, 386	260, 229	271,071
	NXW5-10080/20						169.40	278, 300	290, 400	302, 500
	NXW5-10080/25						178.00	292, 429	305, 143	317, 857
	NXW5-10080/30						189. 20	310, 829	324, 343	337, 857
	NXW5-12080/30						204.60	336, 129	350, 743	365, 357
	NXW5-12080/40						229. 90	377, 693	394, 114	410, 536
	NXW5-14080/30						309.10	507, 807	529, 886	551, 964
	NXW5-14080/40						338.80	556,600	580, 800	605,000
	NXW5-140100/40						345. 40	567, 443	592, 114	616, 786
	NX6-28W						60. 50	99, 393	103, 714	108, 036
	NX6-30W						62. 92	103, 369	107, 863	112, 357
	NX6-44W/4						104. 06	170, 956	178, 389	185, 821
	JZX-22F(D) 2Z PIN W	ITH LAMP	AC230			300	1.80	2,957	3,086	3, 214
			DC 12V			300	1.80	2, 957	3,086	3, 214
			DC 24V			300	1.80	2, 957	3,086	3, 214
	JZX-22F(D) 4Z PIN W	ITH LAMP	1			300	1.80	2, 957	3,086	3, 214
the contract of			AC 110V		<u> </u>	480	1.80	2, 957	3,086	3, 214
₹ ₹			DC 12V			300	1.80	2, 957	3,086	3, 214
			DC 24V			300	1.80	2, 957	3,086	3, 214
	JQX-13F(D) 2Z PIN W	ITH LAMP	AC230			480	2. 20	3,614	3, 771	3, 929
	JQX-13F(D) 2Z PIN W	ITH LAMP	DC220			480	2.20	3,614	3, 771	3, 929
	JQX-13F(D) 2Z PIN W	ITH LAMP	DC24V			480	2.20	3,614	3, 771	3, 929

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	JMK3P-1 AC230V					280	3. 33	5, 471	5, 709	5, 946
	JMK3P-1 DC12V					280	3.33	5, 471	5, 709	5, 946
	JMK3P-1 DC24V					280	3. 33	5, 471	5, 709	5, 946
	JMK2P-1 AC230V					280	3. 10	5, 093	5, 314	5, 536
	JMK2P-1 DC12V					280	3.10	5, 093	5, 314	5, 536
	JMK2P-1 DC24V					280	3. 10	5,093	5, 314	5, 536
	CZF11A-E		PF113	JMK3P		240	0.48	795	830	864
	CZF08A-E		PF083	JMK2P		360	0.48	795	830	864
	CZT08A-02			配 JZX-13F/2Z		100	0.73	1, 193	1, 245	1, 296
	SOFT STARTER							0	0	0
	NJR2-22D						352.00	578, 286	603, 429	628, 571
2	NJR2-30D						370.00	607, 857	634, 286	660, 714
and the same of th	NJR2-37D						460.00	755, 714	788, 571	821, 429
	NJR2-45D						472.00	775, 429	809, 143	842, 857
	NJR2-75D						740.00	1, 215, 714	1, 268, 571	1, 321, 429
	NJR2-90D						865.00	1, 421, 071	1, 482, 857	1, 544, 643
	NJR2-110D						885.00	1, 453, 929	1, 517, 143	1, 580, 357
	NJR2-160D						930.00	1, 527, 857	1, 594, 286	1,660,714
	NJR2-185D						968.00	1, 590, 286	1, 659, 429	1, 728, 571
	NJR2-220D						1150.00	1, 889, 286	1, 971, 429	2, 053, 571
	NJR2-250D						1200.00	1, 971, 429	2, 057, 143	2, 142, 857
								0	0	0
	AUTOMATIC CHAN	GEOVER	SWITCH					0	0	0

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NXZB-63H/4C 63A	4P	10KA	Intelligent	63A	D	157. 30	258, 421	269, 657	280, 893
2000 A	NXZ-125/4 100A/125A	4P	10KA	Intelligent	100/125A		254. 10	417, 450	435, 600	453, 750
	NXZ-250/4 250A	4P	10KA	Intelligent	250A		380.00	624, 286	651, 429	678, 571
	NXZ-630/4 400A	4P	10KA	Intelligent	400A		750.00	1, 232, 143	1, 285, 714	1, 339, 286
	NXZ-630/4B 630A	4P		Intelligent	630A	1	780.00	1, 281, 429	1, 337, 143	1, 392, 857
CONT BENEFIT	G NH40-800/4SZ	4P	PC		800A	1	2250.00	3, 696, 428	3, 857, 143	4, 017, 857
	G NH40-1250/4SZ III	4P	PC		1250A	1	2450.00	4, 025, 000	4, 200, 000	4, 375, 000
	G NH40-1600/4SZ	4P	PC		1600A	1	2800.00	4,600,000	4,800,000	5,000,000
	NZ7-125H/4 100A						278.30	457, 207	477, 086	496, 964
Sing Sing Sing Sing Sing Sing Sing Sing	NZ7-250H/4 225A						338.80	556,600	580, 800	605,000
CONTRACTOR OF THE PARTY OF THE	NZ7-400S/4 400A						580.80	954, 171	995, 657	1, 037, 143
	NZ7-630S/4 630A						726.00	1, 192, 714	1, 244, 571	1, 296, 429
	NVF2 Inverter							0	0	0
	NVF5-1.5/TD2-B		220V	单相		4	200.00	328, 571	342, 857	357, 143

第 47 页

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NVF5-2.2/TD2-B		220V	单相		4	210.00	345,000	360,000	375,000
	NVF300M-0.75/TS4					1	242.00	397, 571	414, 857	432, 143
	NVF300M-1.5/TS4					1	254. 10	417, 450	435, 600	453, 750
	NVF5- 1.5 /TS4-B		AC400V			1	254. 10	417, 450	435, 600	453, 750
	NVF2-2.2/TS4		AC400V			1	278.30	457, 207	477, 086	496, 964
	NVF2- 3.7 /TS4		AC400V			1	300.00	492, 857	514, 286	535, 714
	NVF3- 3.7 /TS4		AC400V	NEW		1	300.00	492, 857	514, 286	535, 714
	NVF5- 3.7 /TS4-B		AC400V			1	300.00	492, 857	514, 286	535, 714
	NVF2- 5.5 /TS4		AC400V			1	308.55	506, 904	528, 943	550, 982
	NVF5- 5.5 /TS4-B		AC400V			1	308.55	506, 904	528, 943	550, 982
heresee.	NVF2- 7.5 /TS4		AC400V			1	314.60	516, 843	539, 314	561, 786
GS26	NVF5- 7.5 /TS4-B		AC400V			1	314.00	515, 857	538, 286	560, 714
	NVF2G-15/TS4		AC400V			1	610.00	1,002,143	1, 045, 714	1,089,286
	NVF3- 15/TS4		AC400V	NEW		1	610.00	1,002,143	1, 045, 714	1,089,286
	NVF3- 18.5/TS4		AC401V	NEW		1	625.00	1, 026, 786	1,071,429	1, 116, 071
	NVF2G-18.5/TS4		AC400V			1	625.00	1, 026, 786	1,071,429	1, 116, 071
	NVF2-22/TS4		AC400V			1	1052.70	1, 729, 436	1, 804, 629	1, 879, 821
	NVF2-37/TS4		AC400V			1	1300.00	2, 135, 714	2, 228, 571	2, 321, 429
	NVF3-37/TS4		AC401V			1	1300.00	2, 135, 714	2, 228, 571	2, 321, 429
	NVF3-55/TS4		AC400V			1	1700.00	2, 792, 857	2, 914, 286	3, 035, 714
	NVF3-75/TS4		AC400V			1	2347. 40	3, 856, 443	4, 024, 114	4, 191, 786
	NVF3-90/TS54		AC400V			1	2482.00	4,077,571	4, 254, 857	4, 432, 143
	NVF2-132/TS4		AC400V			1	4622. 20	7, 593, 614	7, 923, 771	8, 253, 929
	SWITCH DISCONNECTOR	S								

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NHR40-160/3 Without	Fuse					133. 10	218, 664	228, 171	237, 679
	NHR40-250/3 Without Fuse						205. 70	337, 936	352, 629	367, 321
	NHR40-400/3 Without				278.30	457, 207	477, 086	496, 964		
10 11 10 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NHR40-400/3W With iron				363.00	596, 357	622, 286	648, 214		
		NHR40-630/3W With iron shield, W/O fuse					665. 50	1, 093, 321	1, 140, 857	1, 188, 393
								0	0	0
	ACCESSORIES FOR MO	ССВ						0	0	0
	NM1-125/3P Mechanical in	nterlock					18	29, 571	30, 857	32, 143
	NM1-250/3P Mechanical in	nterlock					22	36, 143	37, 714	39, 286
	NM1-400/3P Mechanical in	nterlock					26	42,714	44, 571	46, 429
	NM1-630/3P Mechanical in	nterlock					30	49, 286	51, 429	53, 571
and the same of	NM1-800/3P Mechanical in	nterlock					32	52, 571	54, 857	57, 143
							0.0	0	0	0
	NM1-125/4P Mechanical in						22	36, 143	37, 714	39, 286
	NM1-250/4P Mechanical in						25	41,071	42, 857	44, 643
	NM1-400/4P Mechanical in						29	47, 643	49, 714	51, 786
	NM1-630/4P Mechanical in						33	54, 214	56, 571	58, 929
	NM1-800/4P Mechanical in	nterlock					36	59, 143	61,714	64, 286
	NM1-63 Under Voltage Re	lease 230V					24. 20	39, 757	41, 486	43, 214
	NM1-125S.H.R Under Vol						24. 20	39, 757	41, 486	43, 214
	NM1-250.S.H.R Under Vo						24. 20	39, 757	41, 486	43, 214
	NM1-400S.H.R Under Vol						48.40	79, 514	82, 971	86, 429
								()	, O	Λ
	NM1-63 Left Shunt Releas						12. 10	19,879	20, 743	21,607
	NM1-125S.H.R Left Shunt		.0V				12. 10	19,879	20, 743	21,607
	NM1-250S.H.R Shunt Rele						12. 10	19,879	20, 743	21,607
	NM1-400S.H.R Shunt Rele						24. 20	39, 757	41,486	43, 214
	NM1-630S.H.R Shunt Rele						24. 20	39, 757	41, 486	43, 214
	NM1-800/3P/4P Shunt Rel						24. 20	39, 757	41, 486	43, 214
	NM1-1250 Shunt Release 2						36. 30	59,636	62, 229	64, 821
	NM1-100A Shunt Release	DC24V					12. 10	19,879	20, 743	21,607

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NM1-250A Shunt Releas	NM1-250A Shunt Release DC24V						19,879	20, 743	21,607
	NM1-400A Shunt Release DC24V						24. 20	39, 757	41, 486	43, 214
	NN 1 (2 I C A1 C	4 4 22017					C 05	0	0	0
	NM1-63 Left Alarm Cor					6.05	9,939	10, 371	10, 804	
	NM1-125 Alarm Contac						6.05	9,939	10, 371	10, 804
	NM1-250 Alarm Contac		2011				6.05	9,939	10, 371	10, 804
	NM1-400S.H,R Left Ala		30V				9.68	15, 903	16, 594	17, 286
	NM1-630S.H,R Alarm C	Contact 230V					9.68	15, 903	16, 594	17, 286
	NM1-125 Left Auxiliary				6.05	9, 939	10, 371	10,804		
	NM1-250 Auxiliary Con	tact					6.05	9, 939	10, 371	10, 804
	·	NM1-400H Auxiliary Contact					9.68	15, 903	16, 594	17, 286
	NM1-63/3p Extended rotar				19.36	31, 806	33, 189	34, 571		
	NM1-125/3P Extended r				19.36	31,806	33, 189	34, 571		
	NM1-250 Extended rotar	y handle					24. 20	39, 757	41, 486	43, 214
	NM1-400 Extended rotar	y handle					30. 25	49,696	51,857	54,018
	NM1-630/3P Extended r	otary handle					30. 25	49, 696	51,857	54,018
	NM1-630/4P Extended r	otary handle					30. 25	49,696	51,857	54, 018
	NM1-800/3P Extended r	otary handle					30. 25	49, 696	51,857	54,018
	ACCESSORIES FOR A	ACB						0	0	0
	KEY FOR NA1-630-400	00A					23.00	37, 786	39, 429	41,071
	Wire Cable Mechanical	Interlock					150.00	246, 429	257, 143	267, 857
	NA1 Shunt Release 630-	NA1 Shunt Release 630-3200A AC220V					36.30	59, 636	62, 229	64, 821
	NA1 Shunt Release 630-	NA1 Shunt Release 630-3200A AC380V					36.30	59, 636	62, 229	64, 821
	NA1 Under Voltage Inst	1 Under Voltage Instantaneous Release AC220V					65.00	106, 786	111, 429	116, 071
	NA1 Under Voltage Inst	VA1 Under Voltage Instantaneous Release AC380V					65.00	106, 786	111, 429	116, 071
		1 Under Voltage Time Delay Release AC220V					65.00	106, 786	111, 429	116, 071
	NA1 Under Voltage Tim	•					65.00	106, 786	111, 429	116, 071
	NA1 Closing Magnetic A	•	1				36. 30	59, 636	62, 229	64,821

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	NA1 Closing Magnetic A				36.30	59,636	62, 229	64, 821		
	NA1 Motor/HDZ 2500-40	NA1 Motor/HDZ 2500-4000A AC220V					100.00	164, 286	171, 429	178, 571
		380V					100.00	164, 286	171, 429	178, 571
A CONTRACTOR OF STREET	NA1 Motor/HDZ 630-200	NA1 Motor/HDZ 630-2000A AC220V					100.00	164, 286	171, 429	178, 571
- 4111-			380V				100.00	164, 286	171, 429	178, 571
	DRAWER SEAT DW45-	1600A/3P					300.00	492, 857	514, 286	535, 714
The last of the	DRAWER SEATDW45-2	000A/3P					400.00	657, 143	685, 714	714, 286
	ACCESSORIES FOR C	ONTACTO	R					0	0	0
	NC1-40-65 mechanical in	terlock					2.42	3, 976	4, 149	4, 321
	NC1-80-95 mechanical in	terlock					2.42	3,976	4, 149	4, 321
	NC2-265-500 mechanical	NC2-265-500 mechanical interlock					4.84	7, 951	8, 297	8,643
	NC2-630 mechanical interlock (horizontal)						4.84	7, 951	8, 297	8,643
••	CHANGEOVER SWITC	CHANGEOVER SWITCH						0	0	0
100 mg 1 m	NZK1-32/2(2P)R						5. 32	8, 747	9, 127	9, 507
	ACCESSORY FOR MCB							0	0	0
	MCB Shield	1P				200	0.85	1, 391	1,452	1,512
	MCB Shield	2P				140	1.21	1,988	2,074	2, 161
	MCB Shield	3P				100	1.45	2, 385	2, 489	2, 593
	MCB Shield	4P				100	1.69	2, 783	2,904	3,025
	BV Copper wire	1* 1 mm	black		100M		11.62	19, 083	19, 913	20, 743
			red		100M		11.62	19,083	19, 913	20, 743
			yellow		100M		11.62	19,083	19, 913	20, 743
	BV Copper wire	1* 1.5mm	black		100M		16.94	27,830	29,040	30, 250
			red		100M		16.94	27,830	29,040	30, 250

Picture	Item No.	Pole	Curve	ln	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
CHNT正素线缆			yellow		100M		16.94	27,830	29,040	30, 250
	BV Copper wire	1* 2.5mm	black		100M		31.00	50, 929	53, 143	55, 357
			red		100M		31.00	50, 929	53, 143	55, 357
			yellow		100M		31.00	50, 929	53, 143	55, 357
	BV Copper wire	1* 4mm	black		100M		45.00	73, 929	77, 143	80, 357
			red		100M		45.00	73, 929	77, 143	80, 357
			yellow		100M		45.00	73, 929	77, 143	80, 357
	BV Copper wire	1* 6mm	black		100M		65.00	106, 786	111, 429	116,071
			red		100M		65.00	106, 786	111, 429	116,071
			yellow		100M		65.00	106, 786	111, 429	116,071
	MY60	Digital multi-meter				16	26. 62	43, 733	45, 634	47, 536
	N266	Digi	tal Clamp	o meter		16	24. 20	39, 757	41, 486	43, 214
CHNTE聚 倒顺开关 INC 2008月72 - INC	HY2-20	Rever	3KW	20	7.00	11,500	12,000	12, 500		
CONTROL OF THE PARTY OF THE PAR	Din Rail Kwh Meter	DTSU666		hree phase (rmer type	Current	45	70.00	115,000	120,000	125, 000
	Din Rail Kwh Meter	DTS	ıse	45	70.00	115,000	120,000	125, 000		
	Din Rail Kwh Meter	DDSU	J666 5 * 80 <i>i</i>	A Single ph	ase	60	33. 00	54, 214	56, 571	58, 929

第 52 页

Picture	Item No.	Pole	Curve	In	lcs	PCS/CTN	经销商	Ex-factory	Wholesale	Online
	Solenoid Valve		-08 220V			6.50	10,679	11, 143	11,607	
COTT			-10 220V			9.00	14, 786	15, 429	16, 071	
			N4V410-	-15 220V			15.00	24, 643	25, 714	26, 786
CHATTER DC24V 线圈	Coil for Solenoid Valve		N4V coi	il DC24V			4. 00	6, 571	6, 857	7, 143
इन्।	D (1) 1	NKY1-S	W AC220V-DC	24V		20.00	32, 857	34, 286	35, 714	
	Power Switch	NKY1-S	OW AC220V-DO	C24V		24.00	39, 429	41, 143	42, 857	
CHINT证据			TD-15/1	2 15A			2.00	3, 286	3, 429	3, 571
	Terminal Block Connetcor		TD-20/1	0 20A			2.50	4, 107	4, 286	4, 464
			TD-30/1	0 30A			3.60	5, 914	6, 171	6, 429
CHNT正泰			TB-151	12 15A		300	1.80	2, 957	3, 086	3, 214
1 0 10 00 100 100 100 100 100 100 100 1	Terminal Block Connetcor 600V		TB-251	12 25A		160	2. 20	3,614	3, 771	3, 929
			TB-450	06 45A		128	2. 50	4, 107	4, 286	4, 464
			TB-600	04 60A		144	3. 50	5, 750	6,000	6, 250
接线端子 TB系列			TB-1000	04 100A		60	5.00	8, 214	8, 571	8, 929
ALISH ALISH			YBLX-N	ME/8104		144	4.60	7, 557	7,886	8, 214
	TRAVEL SWITCH		YBLX-N	ME/8108		120	4.60	7, 557	7,886	8, 214