WCAG 2.2 Level AAA Quick Reference

All 86 success criteria required for WCAG 2.2 AAA conformance (31 A + 24 AA + 31 AAA). 4.1.1 Parsing was removed in WCAG 2.2.

Criterion	Level	What it means
1. Perceivable		
1.1.1 **Non-text Content**	A	Images, icons, and other non-text content have a text alternative (e.g. alt text) that serves the same purpose. Decorative images are hidden from assistive tech.
1.2.1 **Audio-only and Video-only (Prerecorded)**	A	Prerecorded audio-only content has a transcript; prerecorded video-only content has a transcript or audio description.
1.2.2 **Captions (Prerecorded)**	A	Prerecorded video with audio has synchronized captions.
1.2.3 **Audio Description or Media Alternative (Prerecorded)**	A	Prerecorded video has audio description or a full text alternative describing the visual content.
1.2.4 **Captions (Live)**	AA	Live video with audio (e.g. webinars, streams) has real-time captions.
1.2.5 **Audio Description (Prerecorded)**	AA	Prerecorded video has audio description of important visual information not conveyed by the soundtrack.
1.2.6 **Sign Language (Prerecorded)**	AAA	Prerecorded video with audio includes sign language interpretation.
1.2.7 **Extended Audio Description (Prerecorded)**	AAA	Where pauses are too short for audio description, the video is paused to allow extended description.
1.2.8 **Media Alternative (Prerecorded)**	AAA	Prerecorded synchronized and video-only media have a full text alternative (e.g. a descriptive transcript).
1.2.9 **Audio-only (Live)**	AAA	Live audio-only content (e.g. radio, audio calls) has a text alternative such as real-time captions.
1.3.1 **Info and Relationships**	A	Structure shown visually (headings, lists, tables, form labels, groups) is also conveyed in code so assistive tech can understand it.
1.3.2 **Meaningful Sequence**	A	When the order of content matters, the reading/DOM order matches the meaningful visual order.
1.3.3 **Sensory Characteristics**	A	Instructions don't rely solely on shape, color, size, location, or sound (e.g. not just "click the round button on the right").
1.3.4 **Orientation**	AA	Content works in both portrait and landscape; it isn't locked to one orientation unless essential.
1.3.5 **Identify Input Purpose**	AA	Form fields collecting user info (name, email, address, etc.) use the correct autocomplete attribute so browsers can autofill.
1.3.6 **Identify Purpose**	AAA	The purpose of UI components, icons, and regions can be determined in code (e.g. landmarks, ARIA, metadata) so content can be personalized.
1.4.1 **Use of Color**	A	Color is not the only way information is conveyed (e.g. errors or links also use text, icons, or underlines).
1.4.2 **Audio Control**	A	Audio that auto-plays for more than 3 seconds can be paused, stopped, or have its volume controlled separately.

Criterion	Level	What it means
1.4.3 **Contrast (Minimum)**	AA	Text has a contrast ratio of at least 4.5:1 against its background (3:1 for large text: 18pt / 14pt bold).
1.4.4 **Resize Text**	AA	Text can be zoomed to 200% without loss of content or functionality.
1.4.5 **Images of Text**	AA	Use real text rather than images of text, except for logos or where a specific presentation is essential.
1.4.6 **Contrast (Enhanced)**	AAA	Text has a contrast ratio of at least 7:1 (4.5:1 for large text).
1.4.7 **Low or No Background Audio**	AAA	Prerecorded speech has no background sound, can turn it off, or background is at least 20 dB quieter than speech.
1.4.8 **Visual Presentation**	AAA	Users can choose text and background colors; line width is 80 characters or fewer; text isn't justified; line spacing is at least 1.5; text resizes to 200% without horizontal scrolling.
1.4.9 **Images of Text (No Exception)**	AAA	Images of text are used only for pure decoration or where essential (e.g. logos).
1.4.10 **Reflow**	AA	Content reflows to a 320 CSS px wide viewport (400% zoom) without horizontal scrolling or loss of content.
1.4.11 **Non-text Contrast**	AA	UI components (input borders, buttons, focus indicators) and meaningful graphics have at least 3:1 contrast against adjacent colors.
1.4.12 **Text Spacing**	AA	No content is lost or overlaps when users increase line height, paragraph, letter, and word spacing.
1.4.13 **Content on Hover or Focus**	AA	Tooltips/popovers shown on hover or focus can be dismissed (e.g. Esc), can be hovered without disappearing, and stay until dismissed.
2. Operable		
2.1.1 **Keyboard**	A	All functionality can be operated with a keyboard alone.
2.1.2 **No Keyboard Trap**	A	Keyboard focus can always be moved away from any component (no getting stuck in widgets or modals).
2.1.3 **Keyboard (No Exception)**	AAA	All functionality is keyboard-operable with no exceptions (even path-dependent input like freehand drawing).
2.1.4 **Character Key Shortcuts**	A	Single-key shortcuts (letters, numbers, punctuation) can be turned off, remapped, or only work when the component has focus.
2.2.1 **Timing Adjustable**	A	Users can turn off, adjust, or extend time limits (e.g. session timeout warnings with an option to extend).
2.2.2 **Pause, Stop, Hide**	A	Moving, blinking, scrolling, or auto-updating content lasting over 5 seconds can be paused, stopped, or hidden.
2.2.3 **No Timing**	AAA	Timing is not an essential part of any activity, except for real-time events or non-interactive media.
2.2.4 **Interruptions**	AAA	Users can postpone or suppress interruptions such as alerts and auto-updates, except emergencies.
2.2.5 **Re-authenticating**	AAA	When a session expires, users can re-authenticate and continue without losing data.

Criterion	Level	What it means
2.2.6 **Timeouts**	AAA	Users are warned how long inactivity can last before data is lost, unless data is kept for 20+ hours.
2.3.1 **Three Flashes or Below Threshold**	A	Nothing flashes more than three times per second.
2.3.2 **Three Flashes**	AAA	Nothing flashes more than three times per second, regardless of size or brightness.
2.3.3 **Animation from Interactions**	AAA	Motion animation triggered by interaction can be disabled (e.g. honor prefers-reduced-motion), unless essential.
2.4.1 **Bypass Blocks**	A	A way to skip repeated content is provided (e.g. a "Skip to main content" link or proper landmarks).
2.4.2 **Page Titled**	A	Each page has a descriptive, unique title.
2.4.3 **Focus Order**	A	Keyboard focus moves through content in a logical order that preserves meaning and operability.
2.4.4 **Link Purpose (In Context)**	A	The purpose of each link is clear from its text, or its text plus surrounding context (avoid bare "click here").
2.4.5 **Multiple Ways**	AA	There's more than one way to find a page within a site (e.g. navigation, search, sitemap).
2.4.6 **Headings and Labels**	AA	Headings and labels describe the topic or purpose of their content.
2.4.7 **Focus Visible**	AA	Keyboard focus is always visibly indicated.
2.4.8 **Location**	AAA	Users can tell where they are within a site (e.g. breadcrumbs, highlighted current nav item).
2.4.9 **Link Purpose (Link Only)**	AAA	The purpose of every link is clear from the link text alone.
2.4.10 **Section Headings**	AAA	Content is organized with section headings.
2.4.11 **Focus Not Obscured (Minimum)**	AA	The focused element is not entirely hidden by other content such as sticky headers, footers, or banners. (New in 2.2)
2.4.12 **Focus Not Obscured (Enhanced)**	AAA	No part of the focused element is hidden by author-created content. (New in 2.2)
2.4.13 **Focus Appearance**	AAA	Focus indicators are at least as large as a 2 CSS px perimeter of the component and have 3:1 contrast between focused and unfocused states. (New in 2.2)
2.5.1 **Pointer Gestures**	A	Anything using multipoint or path-based gestures (pinch, swipe) can also be done with a single tap/click.
2.5.2 **Pointer Cancellation**	A	Actions fire on release (up-event), not on press, or can be aborted or undone, preventing accidental activation.
2.5.3 **Label in Name**	A	The accessible name of a control includes its visible label text, so voice-control users can say what they see.
2.5.4 **Motion Actuation**	A	Features triggered by shaking or tilting the device can also be done via UI controls, and motion can be disabled.
2.5.5 **Target Size (Enhanced)**	AAA	Click/tap targets are at least 44×44 CSS px, with limited exceptions.

Criterion	Level	What it means
2.5.6 **Concurrent Input Mechanisms**	AAA	Users can switch between input methods (touch, mouse, keyboard, stylus) at any time.
2.5.7 **Dragging Movements**	AA	Anything done by dragging can also be done with single clicks/taps (e.g. arrow buttons for sliders or reordering). (New in 2.2)
2.5.8 **Target Size (Minimum)**	AA	Click/tap targets are at least 24×24 CSS px, or have enough spacing around them. (New in 2.2)
3. Understandable		
3.1.1 **Language of Page**	A	The page's default language is set in code (e.g. <html lang="en">).
3.1.2 **Language of Parts**	AA	Passages in a different language are marked with their own lang attribute.
3.1.3 **Unusual Words**	AAA	Definitions are available for jargon, idioms, and words used in an unusual way.
3.1.4 **Abbreviations**	AAA	The expanded form or meaning of abbreviations is available.
3.1.5 **Reading Level**	AAA	When text needs more than a lower-secondary reading level, a simpler version or supplementary content is provided.
3.1.6 **Pronunciation**	AAA	Pronunciation is available for words whose meaning is ambiguous without it.
3.2.1 **On Focus**	A	Moving focus to an element doesn't trigger an unexpected change of context (e.g. opening a new page).
3.2.2 **On Input**	A	Changing a setting or entering data doesn't automatically change context unless users are warned beforehand.
3.2.3 **Consistent Navigation**	AA	Navigation repeated across pages appears in the same relative order.
3.2.4 **Consistent Identification**	AA	Components with the same function are labeled consistently across pages (e.g. the same search icon and name).
3.2.5 **Change on Request**	AAA	Changes of context happen only when the user asks for them, or can be turned off.
3.2.6 **Consistent Help**	A	Help mechanisms (contact info, chat, FAQ link) appear in the same relative location across pages. (New in 2.2)
3.3.1 **Error Identification**	A	Input errors are identified and described to the user in text.
3.3.2 **Labels or Instructions**	A	Form fields have labels or instructions, including required formats.
3.3.3 **Error Suggestion**	AA	When an error is detected and a fix is known, a suggestion for correcting it is provided.
3.3.4 **Error Prevention (Legal, Financial, Data)**	AA	Legal, financial, or data-changing submissions are reversible, checked for errors, or confirmed before final submission.
3.3.5 **Help**	AAA	Context-sensitive help is available (e.g. hints, examples, help links next to fields).
3.3.6 **Error Prevention (All)**	AAA	All form submissions are reversible, checked for errors, or confirmed before final submission.

Criterion	Level	What it means
3.3.7 **Redundant Entry**	A	Information already entered in the same process is auto-filled or selectable rather than required again. (New in 2.2)
3.3.8 **Accessible Authentication (Minimum)**	AA	Login doesn't require a cognitive test (memorizing, transcribing, puzzles) unless an alternative exists; allow paste and password managers. (New in 2.2)
3.3.9 **Accessible Authentication (Enhanced)**	AAA	Login requires no cognitive test at all, not even object or personal-content recognition. (New in 2.2)
4. Robust		
4.1.2 **Name, Role, Value**	A	Custom controls expose their name, role, and state to assistive tech (use native elements or correct ARIA).
4.1.3 **Status Messages**	AA	Status messages (e.g. "Saved", "3 results", errors) are announced by screen readers without moving focus, via live regions.