

Heritage Aerial Applicators


2016

Work Order
Authorized By Brenda
5/12/2016

BWtest

5/12/2016

Application Date & Time		Applicators	
Start Time:			
Finish Time:			
Environmental			
Sky Condition:		Wind Speed:	Wind Direction:
Soil Condition:		Temperature:	Humidity:
Tank Information			
Size:	Carrier/Area:	Total Carrier:	Tank Count:
Notes			



Products

Heritage Aerial Applicators

2016

Work Order
Authorized By Brenda

BWtest

5/12/2016

5/12/2016

Name / Active	Reg # / Pest	REI / PHI	App. Method	App Area	Rate / ac.	Total
APSA-80		REI(h) *		207.91 ac.	0.12 fl oz	0.19 gal
		PHI(d) *				
In-Place	2935-50169	REI(h) *		207.91 ac.	1.50 fl oz	2.44 gal
TOTAL PRINCIPAL FUNCTIONING AGENTS, Modified vegetable oil, Aromatic Acid, Aliphatic Mineral Oil, Amine salts of organic acids		*				
		PHI(d)				
Affinity BroadSpec Herbicide (with TotalSol Soluble Granules)	352-661	12		207.91 ac.	8.00 fl oz	1,735.10 dry oz.
Tribenuron-methyl, Thifensulfuron-methyl		PHI(d) 12				
Cornbelt Defoamer		REI(h) *		207.91 ac.	0.03 fl oz	0.39 pt
Silicone fluid emulsion		PHI(d) *				
		*				
Bravo Zn	50534-204-100	REI(h)		207.91 ac.	1.50 pt	38.98 gal
Chlorothalonil		PHI(d) *				
Vydate C-LV Insecticide-Nematicide	352-532	REI(h)		207.91 ac.	1.50 gal	311.87 gal
Oxamyl		PHI(d) *				

Fields						207.91 ac.
Farm	Field	Crop Zone	Crop	Center Lat/Long	WO. Area	Actual Area
Chad Main	CM1	Wheat	Wheat	43.51482, -84.96148	75.44	
Chad Main	CM2	Wheat	Wheat	43.51064, -84.96507	6.07	
Chad Main	CM3	Wheat	Wheat	43.51611, -84.95414	18.15	
Chad Main	CM4	Wheat	Wheat	43.52182, -84.95172	108.26	

Signature

Date

Worker Protection

APSA-80

Signal Word RUP False

PPE

ReEntry

In-Place

Signal Word WARNING RUP False

PPE Wear rubber or chemical-resistant gloves.

Heritage Aerial Applicators

2016

Work Order
Authorized By Brenda

BWtest

5/12/2016

5/12/2016

ReEntry

Affinity BroadSpec Herbicide (with TotalSol Soluble Granules)

Signal Word	CAUTION	RUP	False
PPE	PERSONAL PROTECTIVE EQUIPMENT (PPE) Some materials that are chemical resistant to this product are listed below. If you want more options follow the instructions for Category A on an EPA chemical resistance category selection chart. Applicators and other handlers must wear: Long-sleeved shirt and long pants. Chemical Resistant Gloves Category A (such as butyl rubber, natural rubber, neoprene rubber or nitrile rubber) >= 14 mls. Shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.		
ReEntry	PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls. Chemical-resistant gloves made of any waterproof material. Shoes plus socks.		

Cornbelt Defoamer

Signal Word		RUP	False
PPE	Eye Protection: Proper eye protection should be worn in any type of industrial operation.		

ReEntry

Bravo Zn

Signal Word	WARNING	RUP	False
PPE	Personal Protective Equipment (PPE) Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for Category A on an EPA chemical resistance category selection chart. Mixers, Loaders, Applicators and all other handlers must wear: - long-sleeved shirt and long pants - chemical resistant gloves made of any waterproof material - shoes plus socks Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.		
ReEntry	PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: - coveralls - chemical resistant gloves made of any waterproof material - shoes plus socks - protective eyewear Special Eye Irritation Provisions: This product is a severe eye irritant. Although the restricted-entry interval expires after 12 hours, for the next 6.5 days entry is permitted only when the following safety measures are provided: (1) At least one container designed specifically for flushing eyes must be available in operating condition at the WPS-required decontamination site intended for workers entering the treated area. (2) Workers must be informed, in a manner they can understand: - that residues in the treated area may be highly irritating to their eyes - that they should take precautions, such as refraining from rubbing their eyes to keep the residues out of their eyes - that if they do get residues in their eyes, they should immediately flush their eyes using the eyeflush container that is located at the decontamination site, or using other readily available clean water - how to operate the eyeflush container		

Vydate C-LV Insecticide-Nematicide

Signal Word	DANGER	RUP	True
PPE	PERSONAL PROTECTIVE EQUIPMENT (PPE) Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category B on an EPA chemical-resistance category selection chart. Mixers, loaders, and applicators and other handlers must wear: Coveralls over long-sleeved shirt and long pants. Chemical-resistant gloves, such as barrier laminate or butyl rubber. Chemical-resistant footwear plus socks. Protective eyewear. Chemical-resistant headgear for overhead exposure. Chemical-resistant apron when cleaning equipment, mixing, or loading. A respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.		
ReEntry	PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls. Chemical-resistant gloves, made of any waterproof material. Socks and shoes.		