SR250 Release Notes

SR250_IOT4_RFP

2026.03.18 **Release Notes**

Document information

Info	Content
Keywords	System Release note, SR250
Abstract	These are the FW/MW release notes of the SR250. The purpose is to describe the available features, an overview of how they have been validated, the weaknesses identified and their impact on end users.

1. Revision history

Date	Description
2026.03.18	Release name: SR250_IOT4_RFP - MW : UWBIOT_SR250_v05.10.08 - FW : 1.41.04

Contact information

For more information, please visit: http://www.nxp.com

For sales office addresses, please send an email to: salesaddresses@nxp.com

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.

2. Contents

1. Revision history ... 2
2. Contents ... 3
3. Introduction ... 4
3.1 Purpose of This Document ... 4
3.2 Definition and Abbreviations ... 4
3.3 Reference platform ... 4
4. Material information ... 5
5. Platform configuration ... 6
6. Release revision history ... 7
6.1 UWB_SR250_IOT4_RFP ... 7
7. Known issues, limitations and information ... 8
8. Legal information ... 9
8.1 Definitions ... 9
8.2 Disclaimers ... 9
8.3 Trademarks ... 9

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.

3. Introduction

3.1 Purpose of This Document

The purpose of this document is to provide information on SR250 system. The details of the release are as described in the following sections.

This Release Note includes:

- UWB feature released list validated on reference platform
- Possible limitation and Issues foreseen on SR250 and integration.

3.2 Definition and Abbreviations

Ultra-Wide-Band Communication, UWB, is a technology that allows objects to respond to each other. Detailed technical information can be found in SR250 datasheet and user manual.

Table 1. Abbreviations

Abbreviation	Reference
DH	Device Host
FW	FirmWare
MW	MiddleWare
UWB	Ultra-Wide-Band

3.3 Reference platform

System level validation is done using SR250-ARD Development Board assembled to FRDM-RW612 EVK.

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.

4. Material information

Table 2. Material information detail

Description	Version
UWB FW	1.41.04
UWB MW	UWBIOT_SR250_v05.10.08
FIRA PHY/MAC/UCI specification	v3.0.0
NXP UCI specification	v3.0.04

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.

5. Platform configuration

The platform configuration should be set by the Host for the device to be ready.

NOTES: Please note that SR250 device will be waiting for the platform configuration information from the Host. It will not accept any other commands in this state.

The following platform values are validated.

Table 3. Platforms

Platform	Version	Platform Configuration Value	Comments
SR250-ARD	0x00	NXPREF	

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.

6. Release revision history

6.1 UWB_SR250_IOT4_RFP

Initial release of UWB IOT SR250 lite package for zephyr OS.

UWB Middleware memory requirements:

- Flash Size = 31 kB
- RAM size = 18 kB

Note: Memory requirements can be significantly reduced by disabling features that are useless according to the targeted application.

SR250 UWB Firmware image: 378 kB

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.

7. Known issues, limitations and information

Known issues, Limitations:

- AOA Elevation is reported as zero in RF test mode
- FW is not rejecting multi node mode as unicast for data only session
- Timeouts are observed after changing the block striding length in the middle of the ranging round
- Observed STATUS_UCI_MESSAGE_RETRY NTF for stop ranging command of ranging session
- In very close distance scenarios (< 30cm) the distance reported by the SR250 might not be accurate
- When in DCDC bypass mode (1.8V) slightly decreased gain table linearity can be observed (compared to non DCDC bypass mode)
- Device capability returns channel 10 support while it is not supported

Information:

- Only zephyr OS is supported by the current release version

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.

8. Legal information

8.1 Definitions

Draft — A draft status on a document indicates that the content is still under internal review and subject to formal approval, which may result in modifications or additions. NXP Semiconductors does not give any representations or warranties as to the accuracy or completeness of information included in a draft version of a document and shall have no liability for the consequences of use of such information.

8.2 Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

Suitability for use — NXP Semiconductors products are not designed, authorized or warranted to be suitable for use in life support, life-critical or safety-critical systems or equipment, nor in applications where failure or malfunction of an NXP Semiconductors product can reasonably be expected to result in personal injury, death or severe property or environmental damage. NXP Semiconductors and its suppliers accept no liability for inclusion and/or use of NXP Semiconductors products in such equipment or applications and therefore such inclusion and/or use is at the customer's own risk.

Applications — Applications that are described herein for any of these products are for illustrative purposes only. NXP Semiconductors makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification.

Customers are responsible for the design and operation of their applications and products using NXP Semiconductors products, and NXP Semiconductors accepts no liability for any assistance with applications or customer product design. It is customer's sole responsibility to determine whether the NXP Semiconductors product is suitable and fit for the customer's applications and products planned, as well as for the planned application and use of customer's third party customer(s). Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products.

NXP Semiconductors does not accept any liability related to any default, damage, costs or problem which is based on any weakness or default in the customer's applications or products, or the application or use by customer's third party customer(s). Customer is responsible for doing all necessary testing for the customer's applications and products using NXP Semiconductors products in order to avoid a default of the applications and the products or of the application or use by customer's third party customer(s). NXP does not accept any liability in this respect.

Terms and conditions of commercial sale — NXP Semiconductors products are sold subject to the general terms and conditions of commercial sale, as published at https://www.nxp.com/profile/terms, unless otherwise agreed in a valid written individual agreement. In case an individual agreement is concluded only the terms and conditions of the respective agreement shall apply. NXP Semiconductors hereby expressly objects to applying the customer's general terms and conditions with regard to the purchase of NXP Semiconductors products by customer.

Export control — This document as well as the item(s) described herein may be subject to export control regulations. Export might require a prior authorization from competent authorities.

Suitability for use in non-automotive qualified products — Unless this document expressly states that this specific NXP Semiconductors product is automotive qualified, the product is not suitable for automotive use. It is neither qualified nor tested in accordance with automotive testing or application requirements. NXP Semiconductors accepts no liability for inclusion and/or use of non-automotive qualified products in automotive equipment or applications.

In the event that customer uses the product for design-in and use in automotive applications to automotive specifications and standards, customer (a) shall use the product without NXP Semiconductors' warranty of the product for such automotive applications, use and specifications, and (b) whenever customer uses the product for automotive applications beyond NXP Semiconductors' specifications such use shall be solely at customer's own risk, and (c) customer fully indemnifies NXP Semiconductors for any liability, damages or failed product claims resulting from customer design and use of the product for automotive applications beyond NXP Semiconductors' standard warranty and NXP Semiconductors' product specifications.

HTML publications — An HTML version, if available, of this document is provided as a courtesy. Definitive information is contained in the applicable document in PDF format. If there is a discrepancy between the HTML document and the PDF document, the PDF document has priority.

Translations — A non-English (translated) version of a document, including the legal information in that document, is for reference only. The English version shall prevail in case of any discrepancy between the translated and English versions.

Security — Customer understands that all NXP products may be subject to unidentified vulnerabilities or may support established security standards or specifications with known limitations. Customer is responsible for the design and operation of its applications and products throughout their lifecycles to reduce the effect of these vulnerabilities on customer's applications and products. Customer's responsibility also extends to other open and/or proprietary technologies supported by NXP products for use in customer's applications. NXP accepts no liability for any vulnerability. Customer should regularly check security updates from NXP and follow up appropriately.

Customer shall select products with security features that best meet rules, regulations, and standards of the intended application and make the ultimate design decisions regarding its products and is solely responsible for compliance with all legal, regulatory, and security related requirements concerning its products, regardless of any information or support that may be provided by NXP.

NXP has a Product Security Incident Response Team (PSIRT) (reachable at PSIRT@nxp.com) that manages the investigation, reporting, and solution release to security vulnerabilities of NXP products.

NXP B.V. — NXP B.V. is not an operating company and it does not distribute or sell products.

8.3 Trademarks

Notice: All referenced brands, product names, service names, and trademarks are the property of their respective owners.

NXP — wordmark and logo are trademarks of NXP B.V.

All information provided in this document is subject to legal disclaimers.

© NXP B.V. 2021. All rights reserved.