# Example Configuration for Pandoc

# Contents

1	Introduction	2
2	PDF Generation	2
3	Emojis	2
4	Highlighted Code	2
5	Links	3
6	Lists           6.1 Unordered List            6.2 Ordered List            6.3 Configuration	3
7	Graphviz	4
8	Block Quotes	4
9	Code Highlighting9.1Within single backticks9.2Python Code9.3TypeScript Code9.4Bash & Shell	4
10	Nested Headings  10.1 Third Level	5
11	. TODOs	5
	11.1 Experiment with Fontsizes	5

See the  $source\ code\ of\ this\ Markdown\ file$  to see the configuration settings. Die Reihenfolge im YAML-Block ist sehr wichtig!

### 1 Introduction

This is an example Markdown configuration file with colored links and highlighted code using JetBrains Mono font<sup>1</sup>.

The configuration settings are placed in a so called YAML front matter block at the beginning of the file. The settings are used by the Pandoc document converter to create a PDF file from this Markdown file.

### 2 PDF Generation

If you use assets folder, then better change to the directory, where the markdown file is located and run the following command:

```
pandoc ExampleConfig.md \
   --pdf-engine=lualatex \
   --pdf-engine-opt=-shell-escape \
   --lua-filter=graphviz-svg.lua \
   --toc=true \
   --toc-depth=5 \
   --highlight=kate \
   --number-sections \
   -f markdown+emoji+pipe_tables+raw_html \
   --shift-heading-level-by=-1 \
   -s -o ExampleConfig.pdf
```

### 3 Emojis



You can create custom commands for emojis like this, see Pandoc/Offical-Documentations/twemojis.pdf.

```
1 % Light bulb (idea) - 1f4a1
2 \newcommand{\idea}{\twemoji{1f4a1}\space}
3 \newcommand{\ideatext}{\texttwemoji{1f4a1}\space}
4 \newcommand{\ideabig}{\twemoji[height=2em]{1f4a1}\space}
```

# 4 Highlighted Code

```
1 highlight:
   - tango
                 # Current
    - pygments
               # Python-style
                 # KDE editor style
    - kate
    - monochrome # Black and white
                 # Dark theme
    - espresso
    - zenburn
                 # Low contrast dark
    - haddock
                 # Haskell docs style
    - breezedark # KDE Breeze dark
               # Visual Studio style
    - VS
               # GitHub style
    - github
11
    - monokai # Sublime Text default
    - dracula
               # Dark theme popular in VS Code
```

<sup>&</sup>lt;sup>1</sup>You have to open this file in a text editor to see the configuration settings. BTW: This is a long footnote.

### 5 Links

Here's a blue link to Google.

## 6 Lists

### 6.1 Unordered List

- Item 1
  - Subitem 1
    - \* Subsubitem 1
      - · Subsubsubitem 1
      - · Subsubsubitem 2
- Item 2
  - Subitem 1
  - Subitem 2
    - \* Subsubitem 1
- Item 3
  - Subitem 1

### 6.2 Ordered List

- 1. Item 1
  - 1. Subitem 1
    - $1. \ \, {\rm Subsubitem} \,\, 1$ 
      - 1. Subsubsubitem 1
      - 2. Subsubsubitem 2
- 2. Item 2
  - 1. Subitem 1
  - 2. Subitem 2
    - 1. Subsubitem 1
- 3. Item 3
  - 1. Subitem 1

### 6.3 Configuration


```
makeatletter
renewcommand{\labelitemi}{---}

AtBeginDocument{
    \setlist[itemize,enumerate]{
    topsep=0.5em, % Space before and after the list
    }

renewcommand{\tightlist}{
    \setlength{\tiemsep}{0.25em} % Space between items
    \setlength{\parskip}{0.25em} % Paragraph spacing within items
}

makeatother
```

# 7 Graphviz



### 8 Block Quotes

Here's a block quote:

This is a block quote.

# 9 Code Highlighting

### 9.1 Within single backticks

Here's an example inline code in JetBrains Mono.

### 9.2 Python Code

Here's an example of Python code with syntax highlighting in JetBrains Mono:

```
def greet(name):
```

### 9.3 TypeScript Code

Here's an example of TypeScript code with syntax highlighting in JetBrains Mono:

```
function greet(name: string): void {
console.log(`Hello, ${name}!`);
}
```

### 9.4 Bash & Shell

And here's some bash code:

```
1 # bash code
2 echo "Hello, World!"
3 for i in {1..5}
4 do
```

```
s echo "Count: $i"
done
```

# 10 Nested Headings

### 10.1 Third Level

Some third level text.

### 10.1.1 Fourth Level

Some fourth level text.

### 10.1.1.1 Fifth Level

Some fifth level text.

### 11 TODOs

## 11.1 Experiment with Fontsizes

- 1 \usepackage{anyfontsize}
- 2 \fontsize{13pt}{15.6pt}\selectfont