Example Configuration for Pandoc

Contents

> See the *source code of this Markdown file* to see the configuration settings. Die Reihenfolge im YAML-Block ist sehr wichtig!

1 Introduction

This is an example Markdown configuration file with colored links and highlighted code using JetBrains Mono font[1].

The configuration settings are placed in a so called YAML front matter block at the beginning of the file. The settings are used by the Pandoc document converter to create a PDF file from this Markdown file.

2 PDF Generation

If you use assets folder, then better change to the directory, where the markdown file is located and run the following command:

```
pandoc ExampleConfig.md \
  --pdf-engine=lualatex \
  --pdf-engine-opt=-shell-escape \
  --lua-filter=graphviz-svg.lua \
  --toc=true \
  --toc-depth=5 \
  --highlight=tango \
  --number-sections \
  -f markdown+emoji+pipe_tables+raw_html \
  --shift-heading-level-by=-1 \
  -s -o ExampleConfig.pdf
```

3 Emojis

💣 👀 😇 🤭 💡 ✅ 🏆 💥 ⚠️ 🎇 🎯 🚫 🔑 🔥

- `\alertbig:` 🚨
- `\texttwemoji{smile}:` 😄

You can create custom commands for emojis like this, see Pandoc/Offical-Documentations/twemojis.pdf.

```
% Light bulb (idea) - 1f4a1
\newcommand{\idea}{\twemoji{1f4a1}\space}
\newcommand{\ideatext}{\texttwemoji{1f4a1}\space}
\newcommand{\ideabig}{\twemoji[height=2em]{1f4a1}\space}
```

4 Links

Here's a blue link to Google.

---

[1]You have to open this file in a text editor to see the configuration settings. BTW: This is a long footnote.

5 Graphviz

Some Description

Some → Text

Level 1

Level 2

Level 3

6 Block Quotes

Here's a block quote:

> **This is a block quote.**

7 Code Highlighting

7.1 Within single backticks

Here's an example `inline code` in JetBrains Mono.

7.2 Python Code

Here's an example of Python code with syntax highlighting in JetBrains Mono:

```python
def greet(name):
```

7.3 TypeScript Code

Here's an example of TypeScript code with syntax highlighting in JetBrains Mono:

```typescript
function greet(name: string): void {
  console.log(`Hello, ${name}!`);
}
```

7.4 Bash & Shell

And here's some bash code:

```bash
# bash code
echo "Hello, World!"
```

```
3  for i in {1..5}
4  do
5      echo "Count: $i"
6  done
```

8 Nested Headings

8.1 Third Level

Some third level text.

8.1.1 Fourth Level

Some fourth level text.

8.1.1.1 Fifth Level

Some fifth level text.

9 TODOs

9.1 Experiment with Fontsizes

```
1  \usepackage{anyfontsize}
2  \fontsize{13pt}{15.6pt}\selectfont
```