

# The rats, part 1

January 28, 2011

Data:

```
0 lived
1 died
2 lived
3 lived
4 died
5 died
```

SAS code and output:

```
data rat;
  infile "rat.dat";
  input dose survival $;

proc print;

proc logistic;
  class survival;
  model survival(event='lived') = dose;
  output out=rat2 pred=pred;

proc print data=rat2;
```

Obs	dose	survival
1	0	lived
2	1	died
3	2	lived
4	3	lived
5	4	died
6	5	died

The LOGISTIC Procedure

Model Information

Data Set	WORK.RAT
Response Variable	survival

Number of Response Levels	2
Model	binary logit
Optimization Technique	Fisher's scoring

Number of Observations Read	6
Number of Observations Used	6

Response Profile

Ordered Value	survival	Total Frequency
1	died	3
2	lived	3

Probability modeled is survival='lived'.

Model Convergence Status  
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics

Criterion	Intercept Only	Intercept and Covariates
AIC	10.318	10.773
SC	10.110	10.356
-2 Log L	8.318	6.773

Testing Global Null Hypothesis: BETA=0

Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1.5449	1	0.2139
Score	1.4286	1	0.2320
Wald	1.2037	1	0.2726

Analysis of Maximum Likelihood Estimates

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > ChiSq
Intercept	1	1.6841	1.7978	0.8774	0.3489
dose	1	-0.6736	0.6140	1.2037	0.2726

The LOGISTIC Procedure

Odds Ratio Estimates

Effect	Point Estimate	95% Wald Confidence Limits
dose	0.510	0.153 1.699

Association of Predicted Probabilities and Observed Responses

Percent Concordant	77.8	Somers' D	0.556
Percent Discordant	22.2	Gamma	0.556

Percent Tied	0.0	Tau-a	0.333
Pairs	9	c	0.778

Obs	dose	survival	_LEVEL_	pred
1	0	lived	lived	0.84344
2	1	died	lived	0.73310
3	2	lived	lived	0.58342
4	3	lived	lived	0.41658
5	4	died	lived	0.26690
6	5	died	lived	0.15656