1 ⟨OT2cmdh⟩\ProvidesFile{ot2cmdh.fd}
2 ⟨OT2cmfib⟩\ProvidesFile{ot2cmfib.fd}
3 ⟨OT2cmfr⟩\ProvidesFile{ot2cmfr.fd}
4 ⟨OT2cmr⟩\ProvidesFile{ot2cmr.fd}
5 ⟨OT2cmss⟩\ProvidesFile{ot2cmss.fd}
6 ⟨OT2cmtt⟩\ProvidesFile{ot2cmtt.fd}
7 ⟨OT2cmvtt⟩\ProvidesFile{ot2cmvtt.fd}
8 ⟨OT2lcmss⟩\ProvidesFile{ot2lcmss.fd}
9 ⟨OT2lcmtt⟩\ProvidesFile{ot2lcmtt.fd}
10 ⟨OT2cmbr⟩\ProvidesFile{ot2cmbr.fd}
11 ⟨OT2cmtl⟩\ProvidesFile{ot2cmtl.fd}
12 ⟨OT2ccr⟩\ProvidesFile{ot2ccr.fd}
13   [2001/08/11 v3.2c Computer Modern Cyrillic font definitions]

1 Fonts in old TEX text Cyrillic encoding (OT2)

These are the font definitions for Computer Modern Cyrillic fonts for old OT2 encoding, based on LH fonts. All font shapes and sizes provided by CM fonts are also supported by LH fonts, so this file is based on `cmfonts.fdd` and `slifonts.fdd`. See comments there.

The encoding name for the LH `wn*` fonts was 'LWN' in old versions of Babel. However, one should use the name 'OT2' for this encoding.

1.1 Computer Modern Roman

14 ⟨*OT2cmr⟩
15 \DeclareFontFamily{OT2}{cmr}{\hyphenchar\font45 }
16 \DeclareFontShape{OT2}{cmr}{m}{n}{%
17   <5><6><7><8><9><10><12>gen*wnr%
18   <10.95>wnr10%
19   <14.4>wnr12%
20   <17.28><20.74><24.88>wnr17}{}
21 \DeclareFontShape{OT2}{cmr}{m}{sl}{%
22   <5><6><7>wnsl8%
23   <8><9>gen*wnsl%
24   <10><10.95>wnsl10%
25   <12><14.4><17.28><20.74><24.88>wnsl12}{}
26 \DeclareFontShape{OT2}{cmr}{m}{it}{%
27   <5><6><7>wnti7%
28   <8>wnti8%
29   <9>wnti9%
30   <10><10.95>wnti10%
31   <12><14.4><17.28><20.74><24.88>wnti12}{}
32 \DeclareFontShape{OT2}{cmr}{m}{sc}{%
33   <5><6><7><8><9><10><10.95><12>%
34   <14.4><17.28><20.74><24.88>wncsc10}{}
35 \DeclareFontShape{OT2}{cmr}{m}{ui}{%
36   <5><6><7><8><9><10><10.95><12>%
37   <14.4><17.28><20.74><24.88>wnu10}{}
38 \DeclareFontShape{OT2}{cmr}{b}{n}{%
39   <5><6><7><8><9><10><10.95><12>%
40   <14.4><17.28><20.74><24.88>wnb10}{}

```
41 \DeclareFontShape{OT2}{cmr}{bx}{n}{%
42   <5><6><7><8><9>gen*wnbx%
43   <10><10.95>wnbx10%
44   <12><14.4><17.28><20.74><24.88>wnbx12}{}
45 \DeclareFontShape{OT2}{cmr}{bx}{sl}{%
46   <5><6><7><8><9>%
47   <10><10.95><12><14.4><17.28><20.74><24.88>wnbxsl10}{}
48 \DeclareFontShape{OT2}{cmr}{bx}{it}{%
49   <5><6><7><8><9>%
50   <10><10.95><12><14.4><17.28><20.74><24.88>wnbxti10}{}
51 \DeclareFontShape{OT2}{cmr}{bx}{ui}{%
```
52 ⟨-nowarn⟩   *<->sub*cmr/m/ui}{}*
53 ⟨+nowarn⟩   *<->ssub*cmr/m/ui}{}*
54 ⟨/OT2cmr⟩

1.2   Computer Modern Sans

55 ⟨*OT2cmss⟩
```
56 \DeclareFontFamily{OT2}{cmss}{\hyphenchar\font45 }
57 \DeclareFontShape{OT2}{cmss}{m}{n}{%
58   <5><6><7><8>wnss8%
59   <9>wnss9%
60   <10><10.95>wnss10%
61   <12><14.4>wnss12%
62   <17.28><20.74><24.88>wnss17}{}
63 \DeclareFontShape{OT2}{cmss}{m}{it}{%
```
64 ⟨-nowarn⟩   *<->sub*cmss/m/sl}{}*
65 ⟨+nowarn⟩   *<->ssub*cmss/m/sl}{}*
```
66 \DeclareFontShape{OT2}{cmss}{m}{sl}{%
67   <5><6><7><8>wnssi8<9>wnssi9%
68   <10><10.95>wnssi10%
69   <12><14.4>wnssi12%
70   <17.28><20.74><24.88>wnssi17}{}
71 \DeclareFontShape{OT2}{cmss}{m}{sc}{%
72   <->sub*cmr/m/sc}{}
73 \DeclareFontShape{OT2}{cmss}{m}{ui}{%
74   <->sub*cmr/m/ui}{}
75 \DeclareFontShape{OT2}{cmss}{sbc}{n}{%
76   <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wnssdc10}{}
77 \DeclareFontShape{OT2}{cmss}{bx}{n}{%
78   <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wnssbx10}{}
79 \DeclareFontShape{OT2}{cmss}{bx}{ui}{%
80   <->sub*cmr/bx/ui}{}
```
81 ⟨/OT2cmss⟩

1.3   Computer Modern Typewriter

82 ⟨*OT2cmtt⟩
```
83 \DeclareFontFamily{OT2}{cmtt}{\hyphenchar\font\m@ne}
84 \DeclareFontShape{OT2}{cmtt}{m}{n}{%
85   <5><6><7><8>wntt8<9>wntt9%
86   <10><10.95>wntt10%
87   <12><14.4><17.28><20.74><24.88>wntt12}{}
88 \DeclareFontShape{OT2}{cmtt}{m}{it}{%
89   <5><6><7><8><9>%
90   <10><10.95><12><14.4><17.28><20.74><24.88>wnitt10}{}
```

```
91 \DeclareFontShape{OT2}{cmtt}{m}{sl}{%
92    <5><6><7><8><9>%
93    <10><10.95><12><14.4><17.28><20.74><24.88>wnsltt10}{}
94 \DeclareFontShape{OT2}{cmtt}{m}{sc}{%
95    <5><6><7><8><9>%
96    <10><10.95><12><14.4><17.28><20.74><24.88>wntcsc10}{}
97 \DeclareFontShape{OT2}{cmtt}{m}{ui}{%
98 ⟨-nowarn⟩   <->sub*cmtt/m/it}{}
99 ⟨+nowarn⟩   <->ssub*cmtt/m/it}{}
100 \DeclareFontShape{OT2}{cmtt}{bx}{n}{%
101 ⟨-nowarn⟩   <->sub*cmtt/m/n}{}
102 ⟨+nowarn⟩   <->ssub*cmtt/m/n}{}
103 \DeclareFontShape{OT2}{cmtt}{bx}{it}{%
104 ⟨-nowarn⟩   <->sub*cmtt/m/it}{}
105 ⟨+nowarn⟩   <->ssub*cmtt/m/it}{}
106 \DeclareFontShape{OT2}{cmtt}{bx}{ui}{%
107 ⟨-nowarn⟩   <->sub*cmtt/m/it}{}
108 ⟨+nowarn⟩   <->ssub*cmtt/m/it}{}
109 ⟨/OT2cmtt⟩
```

1.4 Computer Modern Variable Typewriter

```
110 ⟨*OT2cmvtt⟩
111 \DeclareFontFamily{OT2}{cmvtt}{\hyphenchar\font45 }
112 \DeclareFontShape{OT2}{cmvtt}{m}{n}{%
113    <5><6><7><8><9><10><10.95>%
114    <12><14.4><17.28><20.74><24.88>wnvtt10}{}
115 \DeclareFontShape{OT2}{cmvtt}{m}{it}{%
116    <5><6><7><8><9><10><10.95>%
117    <12><14.4><17.28><20.74><24.88>wnvtti10}{}
118 ⟨/OT2cmvtt⟩
```

1.5 Computer Modern Funny

```
119 ⟨*OT2cmfr⟩
120 \DeclareFontFamily{OT2}{cmfr}{\hyphenchar\font45 }
121 \DeclareFontShape{OT2}{cmfr}{m}{n}{%
122    <10>wnff10}{}
123 \DeclareFontShape{OT2}{cmfr}{m}{it}{%
124    <10>wnfi10}{}
125 ⟨/OT2cmfr⟩
```

1.6 Computer Modern Dunhill

```
126 ⟨*OT2cmdh⟩
127 \DeclareFontFamily{OT2}{cmdh}{\hyphenchar\font45 }
128 \DeclareFontShape{OT2}{cmdh}{m}{n}{%
129    <10>wndunh10}{}
130 ⟨/OT2cmdh⟩
```

1.7 Computer Modern Fibonacci

```
131 ⟨*OT2cmfib⟩
132 \DeclareFontFamily{OT2}{cmfib}{\hyphenchar\font45 }
133 \DeclareFontShape{OT2}{cmfib}{m}{n}{%
134    <8>wnfib8}{}
135 ⟨/OT2cmfib⟩
```

1.8   Computer Modern Sans for SLiT_EX

```
136 ⟨*OT2lcmss⟩
137 \DeclareFontFamily{OT2}{lcmss}{\hyphenchar\font45 }
138 \DeclareFontShape{OT2}{lcmss}{m}{n}{%
139   <7><8><10><12>%
140   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>lwnss8}{}
141 \DeclareFontShape{OT2}{lcmss}{m}{In}{%
142   <7><8><10><12>%
143   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>ilwnss8}{}
144 \DeclareFontShape{OT2}{lcmss}{m}{sl}{%
145   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>lwnssi8}{}
146 \DeclareFontShape{OT2}{lcmss}{m}{Isl}{%
147   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>ilwnssi8}{}
148 \DeclareFontShape{OT2}{lcmss}{m}{it}{%
149   <->sub*lcmss/m/sl}{}
150 \DeclareFontShape{OT2}{lcmss}{m}{Iit}{%
151   <->sub*lcmss/m/Isl}{}
152 \DeclareFontShape{OT2}{lcmss}{bx}{n}{%
153   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>lwnssb8}{}
154 \DeclareFontShape{OT2}{lcmss}{bx}{In}{%
155   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>ilwnssb8}{}
156 \DeclareFontShape{OT2}{lcmss}{m}{ui}{%
157   <->sub*cmr/m/ui}{}
158 \DeclareFontShape{OT2}{lcmss}{bx}{ui}{%
159   <->sub*cmr/m/ui}{}
160 ⟨/OT2lcmss⟩
```

1.9   Computer Modern Typewriter for SLiT_EX

```
161 ⟨*OT2lcmtt⟩
162 \DeclareFontFamily{OT2}{lcmtt}{\hyphenchar\font\m@ne}
163 \DeclareFontShape{OT2}{lcmtt}{m}{n}{%
164   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>wntt8}{}
165 \DeclareFontShape{OT2}{lcmtt}{m}{In}{%
166   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>iwntt8}{}
167 \DeclareFontShape{OT2}{lcmtt}{m}{it}{%
168   <13.82><16.59><19.907><23.89><28.66><34.4><41.28>wnitt10}{}
169 \DeclareFontShape{OT2}{lcmtt}{m}{ui}{%
170   <->sub*cmtt/m/it}{}
171 \DeclareFontShape{OT2}{lcmtt}{bx}{ui}{%
172   <->sub*cmtt/m/it}{}
173 ⟨/OT2lcmtt⟩
```

1.10   Computer Modern Bright

```
174 ⟨*OT2cmbr⟩
175 \DeclareFontFamily{OT2}{cmbr}{\hyphenchar\font45 }
176 \DeclareFontShape{OT2}{cmbr}{m}{n}{%
177   <5><6><7><8>wnbr8%
178   <9>wnbr9%
179   <10><10.95><12><14.4>wnbr10%
180   <17.28><20.74><24.88><29.86><35.83>wnbr17%
181 }{}
182 \DeclareFontShape{OT2}{cmbr}{m}{sl}{%
183   <5><6><7><8>wnbrsl8%
```

4

```
184    <9>wnbrsl9%
185    <10><10.95><12><14.4>wnbrsl10%
186    <17.28><20.74><24.88><29.86><35.83>wnbrsl17%
187 }{}
188 \DeclareFontShape{OT2}{cmbr}{m}{it}{<->ssub*cmbr/m/sl}{}
189 \DeclareFontShape{OT2}{cmbr}{b}{n}{<->ssub*cmbr/bx/n}{}
190 \DeclareFontShape{OT2}{cmbr}{bx}{n}{%
191    <-9>sub*cmbr/m/n%
192    <9><10><10.95><12><14.4><17.28><20.74><24.88><29.86><35.83>wnbrbx10%
193 }{}
194 ⟨/OT2cmbr⟩
```

1.11 Computer Modern Typewriter Light

```
195 ⟨*OT2cmtl⟩
196 \DeclareFontFamily{OT2}{cmtl}{\hyphenchar\font\m@ne}
197 \DeclareFontShape{OT2}{cmtl}{m}{n}{%
198    <5><6><7><8><9><10><10.95><12><14.4><17.28>%
199    <20.74><24.88><29.86><35.83>wntl10%
200 }{}
201 \DeclareFontShape{OT2}{cmtl}{m}{sl}{%
202    <5><6><7><8><9><10><10.95><12><14.4><17.28>%
203    <20.74><24.88><29.86><35.83>wnsltl10%
204 }{}
205 \DeclareFontShape{OT2}{cmtl}{m}{it}{<->ssub*cmtl/m/sl}{}
206 ⟨/OT2cmtl⟩
```

1.12 Computer Modern Concrete

```
207 ⟨*OT2ccr⟩
208 \DeclareFontFamily{OT2}{ccr}{\hyphenchar\font45 }
209 \DeclareFontShape{OT2}{ccr}{m}{n}{%
210    <5><6><7><8><9>gen*wncr%
211    <10><10.95><12><14.4><17.28><20.74><24.88>wncr10%
212 }{}
213 \DeclareFontShape{OT2}{ccr}{m}{sl}{%
214    <5><6><7><8><9>wncsl9%
215    <10><10.95><12><14.4><17.28><20.74><24.88>wncsl10%
216 }{}
217 \DeclareFontShape{OT2}{ccr}{m}{it}{%
218    <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wncti10%
219 }{}
220 \DeclareFontShape{OT2}{ccr}{m}{sc}{%
221    <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wnccsc10%
222 }{}
223 \DeclareFontShape{OT2}{ccr}{bx}{n}{<->ssub*cmr/bx/n}{}
224 \DeclareFontShape{OT2}{ccr}{bx}{sl}{<->ssub*cmr/bx/sl}{}
225 \DeclareFontShape{OT2}{ccr}{bx}{it}{<->ssub*cmr/bx/it}{}
226 \DeclareFontShape{OT2}{ccr}{sbc}{n}{<->ssub*cmss/sbc/n}{}
227 \DeclareFontShape{OT2}{ccr}{sbc}{sl}{<->ssub*cmss/sbc/n}{}
228 \DeclareFontShape{OT2}{ccr}{sbc}{it}{<->ssub*cmss/sbc/n}{}
229 \DeclareFontShape{OT2}{ccr}{c}{sl}{%
230    <9>wncslc9%
231 }{}
232 ⟨/OT2ccr⟩
```