The bidi *Package*

Source documentation for version 33.0

to my Master, ***Ferdowsi The Great***

If you enjoy the bidi package and want to support the project, then please consider donating to the project. It allows me to spend more time working on the bidi package, encourages me to continue, and is the perfect way to say thank you!
You can use *My PayPal.Me* to donate to the bidi package at

https://www.paypal.me/persiantex

If you have a problem using *My PayPal.Me*, then please email me at persian-tex@tug.org.

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

https://gitlab.com/persian-tex/bidi/issues

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2018 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The bidi *Package*

Bidirectional typesetting in plain TEX and LATEX, using XeTEX engine

Source documentation for version 33.0

Vafa Khalighi
persian-tex@tug.org

June 15, 2018

Contents

1 File amsart-xetex-bidi.def 4
2 File adjmulticol-xetex-bidi.def 6
3 File algorithm2e-xetex-bidi.def 7
4 File amsbook-xetex-bidi.def 8
5 File amsmath-xetex-bidi.def 10
6 File amstext-xetex-bidi.def 11
7 File amsthm-xetex-bidi.def 11
8 File array-xetex-bidi.def 11
9 File article-xetex-bidi.def 12
10 File artikel1-xetex-bidi.def 16
11 File artikel2-xetex-bidi.def 21
12 File artikel3-xetex-bidi.def 26
13 File arydshln-xetex-bidi.def 32
14 File bidi.sty 34
15 File bidi.tex 39
16 File bidi2in1.sty 42
17 File bidicode.sty 43
18 File bidiftnxtra.sty 46
19 File bidimoderncv.cls 50
20 File biditools.sty 55
21 File bidituftefloat.sty 89
22 File bidituftesidenote.sty 101
23 File bidituftetoc.sty 111
24 File bidituftegeneralstructure.sty 114
25 File bidituftehyperref.sty 117
26 File bidituftetitle.sty 117
27 File biditufte-handout.cls 120
28 File biditufte-book.cls 121
29 File bidipoem.sty 122
30 File boek3-xetex-bidi.def 130
31 File boek-xetex-bidi.def 133
32 File bookest-xetex-bidi.def 137

33 File book-xetex-bidi.def 138
34 File breqn-xetex-bidi.def 142
35 File cals-xetex-bidi.def 143
36 File caption-xetex-bidi.def 144
37 File caption3-xetex-bidi.def 144
38 File colortbl-xetex-bidi.def 144
39 File color-xetex-bidi.def 145
40 File combine-xetex-bidi.def 146
41 File crop-xetex-bidi.def 146
42 File cutwin-xetex-bidi.def 148
43 File cuted-xetex-bidi.def 149
44 File cvthemebidicasual.sty 158
45 File cvthemebidiclassic.sty 160
46 File dblfnote-xetex-bidi.def 162
47 File diagbox-xetex-bidi.def 165
48 File draftwatermark-xetex-bidi.def 168
49 File eso-pic-xetex-bidi.def 168
50 File empheq-xetex-bidi.def 169
51 File extarticle-xetex-bidi.def 172
52 File extbook-xetex-bidi.def 175
53 File extletter-xetex-bidi.def 179
54 File extrafootnotefeatures-xetex-bidi.def 180
55 File extreport-xetex-bidi.def 219
56 File fancybox-xetex-bidi.def 222
57 File fancyhdr-xetex-bidi.def 223
58 File fix2col-xetex-bidi.def 223
59 File fleqn-xetex-bidi.def 225
60 File float-xetex-bidi.def 225
61 File floatrow-xetex-bidi.def 226
62 File flowfram-xetex-bidi.def 226
63 File footnote-xetex-bidi.def 229
64 File framed-xetex-bidi.def 236
65 File ftnright-xetex-bidi.def 239
66 File graphicx-xetex-bidi.def 242
67 File geometry-xetex-bidi.def 244
68 File hvfloat-xetex-bidi.def 245
69 File hyperref-xetex-bidi.def 251
70 File imsproc-xetex-bidi.def 263
71 File leqno-xetex-bidi.def 265
72 File letter-xetex-bidi.def 265
73 File lettrine-xetex-bidi.def 265
74 File lineno-xetex-bidi.def 268
75 File listings-xetex-bidi.def 268
76 File loadingorder-xetex-bidi.def 271
77 File longtable-xetex-bidi.def 276
78 File mathtools-xetex-bidi.def 279
79 File mdframed-xetex-bidi.def 279
80 File bidi-media9.sty 281
81 File memoir-xetex-bidi.def 293
82 File midfloat-xetex-bidi.def 296
83 File minitoc-xetex-bidi.def 301
84 File multicol-xetex-bidi.def 301
85 File multienum-xetex-bidi.def 304
86 File natbib-xetex-bidi.def 306
87 File newfloat-xetex-bidi.def 306
88 File ntheorem-xetex-bidi.def 307

89 File ntheorem-hyper-xetex-bidi.def 307
90 File overpic-xetex-bidi.def 308
91 File pdfbase-xetex-bidi.def 309
92 File pdfpages-xetex-bidi.def 309
93 File pgfcorescopes.code-xetex-bidi.def 310
94 File picinpar-xetex-bidi.def 312
95 File plain-xetex-bidi.def 314
96 File pstricks-xetex-bidi.def 316
97 File quotchap-xetex-bidi.def 317
98 File ragged2e-xetex-bidi.def 318
99 File rapport1-xetex-bidi.def 319
100 File rapport3-xetex-bidi.def 325
101 File refrep-xetex-bidi.def 330
102 File report-xetex-bidi.def 334
103 File rotating-xetex-bidi.def 338
104 File scrartcl-xetex-bidi.def 341
105 File scrbook-xetex-bidi.def 352
106 File scrlettr-xetex-bidi.def 364
107 File scrreprt-xetex-bidi.def 366
108 File sidecap-xetex-bidi.def 377
109 File soul-xetex-bidi.def 378
110 File stabular-xetex-bidi.def 379
111 File subfigure-xetex-bidi.def 379
112 File tabls-xetex-bidi.def 380
113 File tabularx-xetex-bidi.def 380
114 File tabulary-xetex-bidi.def 382
115 File tc-xetex-bidi.def 382
116 File tcolorbox-xetex-bidi.def 383
117 File titlesec-xetex-bidi.def 383
118 File titletoc-xetex-bidi.def 384
119 File tocbibind-xetex-bidi.def 385
120 File tocloft-xetex-bidi.def 387
121 File tocbasic-xetex-bidi.def 393
122 File tocstyle-xetex-bidi.def 406
123 File todonotes-xetex-bidi.def 411
124 File wrapfig-xetex-bidi.def 414
125 File xcolor-xetex-bidi.def 415
126 File latex-xetex-bidi.def 417
127 File xltxtra-xetex-bidi.def 435
128 Index 436

1 File amsart-xetex-bidi.def

```
\ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for XeT
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}


\long\def\@footnotetext#1{%
  \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
```

```
  \insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
```

```
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

2 File adjmulticol-xetex-bidi.def

```
\ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pac
\def\adjmulticols#1#2#3{\col@number#1\relax
  \def\@tempa{#2}%
  \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
  \def\@tempa{#3}%
  \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
  \ifnum\col@number<\@ne
     \PackageWarning{adjmulticol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use one columns instead}%
     \col@number\@ne\fi
  \ifnum\col@number>10
     \PackageError{adjmulticol}%
      {Too many columns}%
```

```
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
     \fi
     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
       \let\orig@RTLfootnotetext\@RTLfootnotetext
       \let\@RTLfootnotetext\mult@RTLfootnotetext
     \fi
  \@ifnextchar[\adjmult@cols{\adjmult@cols[]}}
\let\adjmc@page@sofar@orig=\page@sofar
```

3 File algorithm2e-xetex-bidi.def

```
\ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pac
\expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
\else%                                        else
\renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
\fi%

\def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
\def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}%
\def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\renewcommand{\@algocf@start}{%
  \@algoskip%
  \begin{bidi@lrbox}{\algocf@algobox}%
  \setlength{\algowidth}{\hsize}%
  \vbox\bgroup% save all the algo in a box
  \hbox to\algowidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
  \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
  % initialization
  \addtolength{\hsize}{-1.5\algomargin}%
  \let\@mathsemicolon=\;\def\;{\ifmmode\@mathsemicolon\else\@endalgoln\fi}%
  \raggedright\AlFnt{}%
  \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgocfslide}}{}%
  \@algoinsideskip%
%   \let\@emathdisplay=\]\def\]{\algocf@endline\@emathdisplay\nl}%
}%
\renewcommand{\@algocf@finish}{%
  \@algoinsideskip%
  \egroup%end of vtop which contain all the text
```

```
  \hfill\egroup%end of hbox wich contains [margin][vtop]
  \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
  %
  \egroup%end of main vbox
  \end{bidi@lrbox}%
  \algocf@makethealgo% print the algo
  \@algoskip%
  % restore dimension and macros
  \setlength{\hsize}{\algowidth}%
  \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
  \let\;=\@mathsemicolon%
  \let\]=\@emathdisplay%
}%
```

4 File amsbook-xetex-bidi.def

```
\ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for X
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
```

```
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}

\long\def\@footnotetext#1{%
  \insert\footins{%
   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
   \reset@font%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
   \@RTLtrue%
   \reset@font%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
   \@RTLfalse%
   \reset@font%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

```

```
290
291
292 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
293 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
294 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
295
296 \renewenvironment{thebibliography}[1]{%
297   \@bibtitlestyle
298   \normalfont\bibliofont\labelsep .5em\relax
299   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
300   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
301   \bidi@@thebibliography@font@hook%
302   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
303     \leftmargin\labelwidth \advance\leftmargin\labelsep
304     \usecounter{enumiv}}%
305   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
306   \sfcode`\.=\@m
307 }{%
308   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
309   \endlist
310 }
311 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
312   \begingroup
313   \fontsize{\@xivpt}{18}\bfseries\centering
314     \ifnum\c@secnumdepth>\m@ne
315       \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
316       \rlap{\vbox to\z@{\vss
317           \centerline{\normalsize\mdseries
318               \uppercase\@xp{\chaptername}\enspace\thechapter}
319           \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
320      #1\par \endgroup
321   \skip@34\p@ \advance\skip@-\normalbaselineskip
322   \vskip\skip@ }
323 \def\maketitle{\par
324   \@topnum\z@ % this prevents figures from falling at the top of page 1
325   \begingroup
326   \@maketitle
327   \endgroup
328   \c@footnote\z@
329   \def\do##1{\let##1\relax}%
330   \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
331   \do\author \do\@xauthor \do\address \do\@xaddress
332   \do\email \do\@xemail \do\curraddr \do\@xcurraddr
333   \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
334   \do\keywords \do\@keywords \do\subjclass \do\@subjclass
335 }
```

5 File amsmath-xetex-bidi.def

```
336 \ProvidesFile{amsmath-xetex-bidi.def}[2018/01/08 v1.1 bidi adaptations for amsmath package for
```

```
\let\veqno=\eqno
\iftagsleft@ \let\veqno=\leqno \fi
\renewcommand{\numberwithin}[3][\arabic]{%
  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
    \@ifundefined{c@#3}{\@nocnterr{#3}}{%
      \@addtoreset{#2}{#3}%
      \@xp\xdef\csname the#2\endcsname{%
        \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}}%
}
\def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@@italiccor
```

6 File amstext-xetex-bidi.def

```
\ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package fo
\def\textdef@#1#2#3{\hbox{{%
                    \everymath{#1}%
                    \let\f@size#2\selectfont
                    \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7 File amsthm-xetex-bidi.def

```
\ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
\def\@thmcountersep{\@SepMark}
```

8 File array-xetex-bidi.def

```
\ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for Xe
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
```

```
  \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
  \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
\def\@tabular{%
  \leavevmode
  \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                    \let\d@llarend\endgroup
  \@tabarray}
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname=\endtabular
\def\@array[#1]#2{%
  \@tempdima \ht \strutbox
  \advance \@tempdima by\extrarowheight
  \setbox \@arstrutbox \hbox{\vrule
             \@height \arraystretch \@tempdima
             \@depth \arraystretch \dp \strutbox
             \@width \z@}%
  \begingroup
  \@mkpream{#2}%
  \xdef\@preamble{\noexpand \ialign \@halignto
                  \bgroup \@arstrut \@preamble
                          \tabskip \z@ \cr}%
  \endgroup
  \@arrayleft
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
  \bgroup
  \let \@sharp ##\let \protect \relax
  \lineskip \z@
  \baselineskip \z@
  \m@th
  \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxRcor
\def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
\def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@preamb
\def\array{\col@sep\arraycolsep
  \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}%
  \@RTLtabfalse\@tabarray}
```

9 File `article-xetex-bidi.def`

```
\ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article cl
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
```

```
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
```

```
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
       \if@compatibility
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
```

```
    \endgroup
  \fi}
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname\nobreakspace\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
      \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
```

```
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\section*{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
```

10 File artikel1-xetex-bidi.def

```
\ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class for
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
```

```
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
```

```
672         \nobreak
673        \if@compatibility
674         \global\@nobreaktrue
675         \everypar{\global\@nobreakfalse\everypar{}}%
676       \fi
677     \endgroup
678   \fi}
679 \else
680    \renewcommand*\l@part{%
681      \ifnum \c@tocdepth >-2\relax
682      \addpenalty\@secpenalty
683      \addvspace{2.25em \@plus \p@}%
684      \@regtocline{0}%
685    \fi}
686 \fi
687 \if@oldtoc
688 \renewcommand*\l@section[2]{%
689     \addpenalty\@secpenalty
690     \addvspace{1.0em \@plus\p@}%
691     \setlength\@tempdima{1.5em}%
692     \begingroup
693     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
694     \parfillskip -\@pnumwidth
695     \leavevmode \bfseries
696     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
697     \hskip -\if@RTL\rightskip\else\leftskip\fi
698     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
699    \endgroup}
700 \else
701    \renewcommand*\l@section{\@regtocline{1}}
702 \fi
703 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
704 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
705 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
706 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
707 \renewenvironment{thebibliography}[1]
708      {\section*{\refname}%
709        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
710       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
711       \bidi@@thebibliography@font@hook%
712       \list{\@biblabel{\@arabic\c@enumiv}}%
713            {\settowidth\labelwidth{\@biblabel{#1}}%
714             \leftmargin\labelwidth
715             \advance\leftmargin\labelsep
716             \@openbib@code
717             \usecounter{enumiv}%
718             \let\p@enumiv\@empty
719             \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
720       \sloppy\clubpenalty4000\widowpenalty4000%
721       \sfcode`\.\@m}
```

```
    {\def\@noitemerr
      {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
```

```
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
```

```
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

11 File artikel2-xetex-bidi.def

```
\ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
```

```
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \advance\@tempdima by \othermargin
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
```

```
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \section*{\hskip\unitindent\small\SectFont\abstractname}%
        \list{}{\setlength\listparindent{\unitindent}%
                \setlength\parindent    {\z@}%
                \setlength\leftmargin   {\unitindent}%
                \setlength\rightmargin  {\unitindent}%
                \setlength\parsep       {\z@}}%
        \item[]%
      \fi}
      {\if@twocolumn\else\par\endlist\fi}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \hrule\@width 3\unitindent
  \kern 2.6\p@
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
```

```
  \kern 2.6\p@}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
```

```
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \long\def\@makefntext##1{\parindent\z@
      \def\labelitemi{\textendash}%
      \leavevmode\hb@xt@.5\unitindent{%
        \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
```

```
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

12 File artikel3-xetex-bidi.def

```
\ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
```

```
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
```

```
      \addvspace{2.25em \@plus \p@}%
      \@regtocline{0}%
    \fi}
\fi

\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup}
\else
    \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
```

```
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
```

```
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
```

```
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
              \def\and{%%% \begin{tabular} has already started
                       \end{tabular}\hskip 1em plus .17fil
                       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabula
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
     \vskip 1em {\large \TitleFont \@date}
 \fi
```

```
  \par
  \vskip 1.5em}
\fi
```

13 File arydshln-xetex-bidi.def

```
\ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package ]
\def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup]
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname\endtabular
\let\adl@array\@array
\def\@array{\adl@everyvbox\everyvbox
        \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
        \ifadl@inactive \adl@inactivate \else \adl@activate \fi
        \let\adl@noalign\noalign
        \adl@array}
\ifadl@usingarypkg
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
   \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
   \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}

\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
   \@addtopreamble{\ifcase \@chnum
      \hfil
```

```
      \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
   \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
        \adl@endmbox\or
   \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi}\prepnext@tok}
\def\adl@class@start{4}
\def\adl@class@iiiorvii{7}

\else
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
        \ifnum \@lastchclass=\thr@@ 5\relax \else
                \z@ \if #1c\@chnum \z@ \else
                    \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                    \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
                \@chclass
                    \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
                    \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
                    \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
                    \if #1@\tw@ \else
                    \if #1p\thr@@ \else \z@ \@preamerr 0\fi
        \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi}

\def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
                \ifcase \@chnum
                    \hfil\adl@putlrc{$\relax\@sharp$}\hfil
                \or \adl@putlrc{$\relax\@sharp$}\hfil
                \or \hfil\adl@putlrc{$\relax\@sharp$}\fi}}
\def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
        \ifcase \@chnum
                    \hfil\adl@putlrc{\@sharp\unskip}\hfil
                \or \adl@putlrc{\@sharp\unskip}\hfil
                \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
\def\adl@class@start{6}
\def\adl@class@iiiorvii{3}
\fi
\@ifpackageloaded{colortbl}{%
\def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
\def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
        \let\@endpbox\adl@org@endpbox}
\let\adl@CT@setup\CT@setup
\def\CT@setup{\adl@CT@setup
```

```
        \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
        \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
        \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
\let\adl@act@CT@setup\CT@setup
\def\@classz{\@classx
        \@tempcnta\count@ \prepnext@tok
        \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
        \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
        \expandafter\adl@extract@drsc
                \the\toks\@tempcnta\doublerulesepcolor!\@nil
        \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
        \@addtopreamble{\if@RTL\beginL\fi%
                \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
                \ifcase \@chnum
                        \hskip\stretch{.5}\kern\z@
                        \d@llarbegin
                        \insert@column
                        \d@llarend\hskip\stretch{.5}%
                \or \d@llarbegin \insert@column \d@llarend \hfill
                \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
                \or  $\vcenter
                        \@startpbox{\@nextchar}\insert@column \@endpbox $%
                \or  \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
                \or  \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
                \fi
                \if@RTL\endR\fi\egroup\egroup
                \begingroup
                        \CT@setup
                        \CT@column@color
                        \CT@row@color
                        \CT@cell@color
                        \CT@do@color
                \endgroup
                \@tempdima\ht\z@
                \advance\@tempdima\minrowclearance
                \vrule\@height\@tempdima\@width\z@
                \unhbox\z@\if@RTL\endL\fi}%
        \prepnext@tok}
\let\adl@act@classz\@classz
\let\adl@org@classz\@classz
}{}
```

14 File bidi.sty

```
\NeedsTeXFormat{LaTeX2e}
\def\bididate{2018/06/15}
\def\bidi@version{33.0}
\ProvidesPackage{bidi}[\bididate\space v\bidi@version\space
Bidirectional typesetting in plain TeX and LaTeX]
\edef\@bidi@info{**************************************************^^J%
```

```
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2009--2018 Vafa Khalighi^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://gitlab.com/persian-tex/bidi/issues^^J%
* ^^J%
* Support: persian-tex@tug.org^^J%
* ^^J%
**************************************************}
\typeout{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\typeout{\@bidi@info}}
\newcommand*{\bidiversion}{\ensuremath\bidi@version}
\newcommand*{\IfbidiPackageVersionLater}[1]{%
  \ifdim\bidi@version pt > #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersionBefore}[1]{%
  \ifdim\bidi@version pt < #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersion}[1]{%
  \ifdim\bidi@version pt = #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\RequirePackage{iftex}
\RequireXeTeX
\RequirePackage{biditools}
\RequirePackage{zref-abspage}
\RequirePackage{auxhook}
```

```
\RequirePackage{ltxcmds}
\RequirePackage{xkeyval}
\eqnewif{\if@RTLmain}{\if@rlmain}
\eqnewif{\if@RTL}{\if@rl}
\newif\if@nonlatin
\newcommand*{\setlatin}{\@nonlatinfalse}
\newcommand*{\setnonlatin}{\@nonlatintrue}
\eqnewif{\if@RTLtab}{\if@tab@rl}
\newif\if@hboxRconstruct
\newcommand*{\setRTLtable}{\@RTLtabtrue}
\newcommand*{\setLTRtable}{\@RTLtabfalse}
\newif\if@bidi@pdfm@mark
\newif\if@RTLmarginpar
\newif\if@LTRmarginpar
\newif\if@LTRbibitems
\newif\if@RTLbibitems
\newif\if@extrafootnotefeatures
\newif\if@parafootRTL
\newif\if@RTLcolumnfootnotes
\eqnewif{\if@RTL@footnote}{\if@rl@footnote}
\newif\if@bidi@list@minipage@parbox
\newif\if@bidi@list@minipage@parbox@not@nob
\newcommand*{\@bidi@pdfcreator}{%
  The bidi package, v\bidi@version, \bididate
}
\newcommand*{\@bidi@pdfproducer}{%
  The bidi package, v\bidi@version, \bididate
}
\@RTLmainfalse
\AtBeginDocument{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\bidi@newrobustcmd*{\RLE}{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
%\count\@bidi@copyins@=1000
\newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
\newcommand*{\@bidi@logo@hb@xt@}{%
  \if@RTLmain
```

```
    \hboxR to
  \else
    \hboxL to
  \fi
}
\newcommand*{\@bidi@logo}[1]{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
      }
    }%
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\newcommand*{\@bidi@logo@}{\@bidi@logo@hb@xt@\textwidth{\hss\LRE{\bfseries Typeset by the \tex
\input{latex-xetex-bidi.def}
\input{loadingorder-xetex-bidi.def}
\define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{%
  \ifcase\bidi@tempb\relax
    \@RTLtabtrue
  \or
    \@RTLtabfalse
  \fi}
\define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
  \ifcase\bidi@tempb\relax
    \@nonlatinfalse
  \or
    \@nonlatintrue
  \fi}
\define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
```

```
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,t
  \ifcase\bidi@tempb\relax
    \autofootnoterule
  \or
    \leftfootnoterule
  \or
    \rightfootnoterule
  \or
    \SplitFootnoteRule
  \or
    \textwidthfootnoterule
  \fi}
\define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright
  \ifcase\bidi@tempb\relax
    \@RTL@footnotetrue
  \or
    \@RTL@footnotefalse
  \fi}
\define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \footdir@debugtrue
  \or
    \footdir@debugfalse
  \fi}
\define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@extrafootnotefeaturestrue
  \or
    \@extrafootnotefeaturesfalse
  \fi}

\define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
  \def\bidi@firstcolumn@status@write{%
         \protected@write\@auxout{}%
              {\string\bidi@column@status
              {1}}}%
  \def\bidi@lastcolumn@status@write{%
         \protected@write\@auxout{}%
              {\string\bidi@column@status{2}}}%
  \or
    \let\bidi@firstcolumn@status@write\relax
    \let\bidi@lastcolumn@status@write\relax
  \fi}

\define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
```

```
  \ifcase\bidi@tempb\relax
    \AtBeginDocument{\@bidi@inslogo@}%
  \or
    \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
  \fi}

\define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@bidi@pdfm@marktrue
  \or
    \@bidi@pdfm@markfalse
  \fi}

\ExecuteOptionsX{%
    DetectColumn=off%
}

\ProcessOptionsX

\if@extrafootnotefeatures
  \input{extrafootnotefeatures-xetex-bidi.def}
\fi
\newcount\bidi@digits
\XeTeXinterchartokenstate=\@ne
\newXeTeXintercharclass\bidi@digits@charclass
\newXeTeXintercharclass\bidi@sepmark@charclass
\XeTeXcharclass `\. \bidi@sepmark@charclass
\XeTeXcharclass `\- \bidi@sepmark@charclass
\bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\bidi@digits=`\  \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\XeTeXinterchartoks \bidi@sepmark@charclass  \bidi@digits@charclass = {\DigitsDotDashInterChar
\newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
\AtEndDocument{%
  \if@bidi@pdfm@mark
    \special{pdf:%
      docinfo<<%
        /Creator(\@bidi@pdfcreator)%
        /Producer(\@bidi@pdfproducer)%
      >>%
    }%
  \fi
}
```

15 File bidi.tex

```
\def\bididate{2018/06/15}
\catcode`@=11
\def\bidi@version{33.0}
\let \protect \relax
\newlinechar`\^^J
```

```
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2009--2018 Vafa Khalighi^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://gitlab.com/persian-tex/bidi/issues^^J%
* ^^J%
* Support: persian-tex@tug.org^^J%
* ^^J%
**************************************************}
\message{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\message{\@bidi@info}}
\def\bidiversion{%
  \relax
  \ifmmode
    \bidi@version
  \else
    $\bidi@version$
  \fi
}
\input iftex.sty
\RequireXeTeX
\newif\if@bidi@pdfm@mark
\newif\if@RTLmain
\newif\if@RTL
\newif\if@hboxRconstruct
\newif\if@sentdir
\newif\if@RTL@footnote
\@RTLmainfalse
\def\setRTLmain{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
```

```
}
\let\n@xt=\
\protected\def\LRE{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\protected\def\RLE{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
\count\@bidi@copyins@=1000
\def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
\def\@bidi@logo@hb@xt@{%
  \if@RTLmain
    \hboxR to
  \else
    \hboxL to
  \fi
}
\def\@bidi@logo#1{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
      }
    }%
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bidi@
\def\nobidilogo{\let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty}
\def\@bidi@pdfcreator{%
  The bidi package, v\bidi@version, \bididate
}
\def\@bidi@pdfproducer{%
  The bidi package, v\bidi@version, \bididate
}
\def\bidi@pdfm@mark{%
  \if@bidi@pdfm@mark
    \special{pdf:%
      docinfo<<%
        /Creator(\@bidi@pdfcreator)%
        /Producer(\@bidi@pdfproducer)%
```

```
      >>%
    }%
  \fi
}
\def\bidipdfinfoon{\@bidi@pdfm@marktrue}
\def\bidipdfinfooff{\@bidi@pdfm@markfalse}
\input plain-xetex-bidi.def
\@bidi@inslogo@
\outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
\catcode`@=12
\bidipdfinfoon
```

16 File bidi2in1.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi2in1}
\pagestyle{plain}
\newcount\evenpage
\newcount\oddpage
\twocolumn
\def\@oddfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
\def\@evenfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
\textwidth 9.49in
\textheight 6.7in
\columnsep 0.9in
\columnseprule 0.125pt
\headheight 0cm
\topmargin 0in
\marginparwidth 0in
\marginparsep 0in
\hoffset 0.05in % Corrected
\voffset -0.5in %top margin space is 1.0in by default
\oddsidemargin 0in
\evensidemargin 0in
\headsep 0cm
\topskip 0cm
\parskip 0.15in       %
\headsep 0pt
\special{papersize=11.69in,8.26in}
\renewcommand\maketitle{\par
\begingroup
\renewcommand\thefootnote{\@fnsymbol\c@footnote}%
```

```
\def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
\long\def\@makefntext##1{\parindent 1em\noindent
\hb@xt@1.8em{%
\hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
\@maketitle
\@thanks
\endgroup
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
```

17 File bidicode.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidicode}
\RequirePackage{xcolor}
\RequirePackage{showexpl}
\definecolor{hellgelb}{rgb}{1,1,0.85}
\definecolor{colKeys}{rgb}{0,0,1}
\definecolor{colIdentifier}{rgb}{0,0,0}
\definecolor{colComments}{rgb}{1,0,0}
\definecolor{colString}{rgb}{0,0.5,0}
\lstset{
    language=[LaTeX]TEX,
    float=hbp,
    basicstyle=\ttfamily\small,
    identifierstyle=\color{colIdentifier},
    keywordstyle=\color{colKeys},
    stringstyle=\color{colString},
    commentstyle=\color{colComments},
    backgroundcolor=\color{hellgelb},
    columns=flexible,
    tabsize=4,
    extendedchars=true,
    showspaces=false,
    showstringspaces=false,
    numbers=left,
    numbersep=0.9em,
    numberstyle=\tiny, %
    frame=single,
```

```
    captionpos=b,
    xleftmargin=1em,
    breaklines=true,
    breakautoindent=false,
    breakindent=0pt,
    escapeinside=**,
    pos=r,
    explpreset={%
    xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
    morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
}
\newcommand\HLON{%
  \gdef\lst@alloverstyle##1{%
    \fboxrule=0pt
    \fboxsep=0pt
    \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
}}
\newcommand\HLOFF{%
  \xdef\lst@alloverstyle##1{##1}%
}
\newcommand\Larg [1]{{\normalfont\itshape#1\/}}
\newcommand\Larga[1]{$\langle$\Larg{#1}$\rangle$}
\newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
\newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
\newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
\newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
\newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}

\DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
\DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\{}}
\DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\}}}
\DeclareRobustCommand\lsb{{\normalfont\ttfamily[}}
\DeclareRobustCommand\rsb{{\normalfont\ttfamily]}}
\DeclareRobustCommand\lrb{{\normalfont\ttfamily(}}
\DeclareRobustCommand\rrb{{\normalfont\ttfamily)}}

\def\Lcs#1{\nxLcs{#1}}
\def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
\def\nxLcs#1{\texttt{\symbol{92}#1}}

\def\Coordx#1{$x_{#1}$}
\def\Coordy#1{$y_{#1}$}
\def\Coordz#1{$z_{#1}$}
\def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
\def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
\def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
\def\CAny{\Coordx{},\kern 1pt\Coordy{}}
\def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
\def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
\def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
```

```
\def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
\def\coordx#1{($x_{#1}$)}
\def\coordy#1{($y_{#1}$)}
\def\coordz#1{($z_{#1}$)}
\def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
\def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}

\newsavebox{\boxdef}
\newenvironment{BDef}
  {\begin{lrbox}\boxdef
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}

   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }

\newenvironment{BDef*}
  {\begin{lrbox}\boxdef
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}
   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }
\newenvironment{BCmd}{
  \@beginparpenalty-\@lowpenalty
  \topsep\BDefaboveskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty\@M
  \@topsepadd\BDefbelowskip
  \endflushleft}

\newenvironment{BCmd*}{
  \@beginparpenalty\@M
  \topsep\BDefinlineskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty5000
  \endflushleft}

\newskip\BDefaboveskip
\newskip\BDefbelowskip
\newskip\BDefinlineskip
\setlength\BDefaboveskip{10pt plus 4pt}
\setlength\BDefbelowskip{6pt}
```

```
\setlength\BDefinlineskip{6pt}

\def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
\def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
\def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
\def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}
```

18 File bidiftnxtra.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidiftnxtra}
\newtoks\bidi@p@ftn
\let\FN@sf@@footnote\footnote
\let\FN@sf@@LTRfootnote\LTRfootnote
\let\FN@sf@@RTLfootnote\RTLfootnote
\def\footnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\LTRfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@LTRfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\RTLfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@RTLfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\edef\FN@sf@gobble@opt{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
\expandafter\def\csname FN@sf@gobble@opt \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@twobracket
    \@gobble
}
\def\FN@sf@gobble@twobracket[#1]#2{}
\let\FN@sf@@footnotemark\footnotemark
\def\footnotemark{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnotemark
  \else
    \expandafter\FN@sf@gobble@optonly
  \fi
}
\edef\FN@sf@gobble@optonly{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
```

```
\expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@bracket
    {}%
}
\def\FN@sf@gobble@bracket[#1]{}
\def\@tabular{%
   \leavevmode \hbox \bgroup
   \let\@footnotetext\bidi@p@ftntext
   \let\@LTRfootnotetext\bidi@p@LTRftntext
   \let\@RTLfootnotetext\bidi@p@RTLftntext
   \let\@xfootnotenext\bidi@p@xftntext
   \let\@xfootnote\bidi@p@xfootnote
   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
   \let\@xLTRfootnote\bidi@p@xLTRfootnote
    \let\@xRTLfootnotenext\bidi@p@xRTLftntext
   \let\@xRTLfootnote\bidi@p@xRTLfootnote
   \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup $\if@RTLtab\endR\fi\egroup
                  \ifx\@captype\@undefined
                   \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
\long\def\bidi@p@ftntext#1{%
  \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
\long\def\bidi@p@LTRftntext#1{%
  \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
\long\def\bidi@p@RTLftntext#1{%
  \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%


\long\def\bidi@p@xftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidi@p@xLTRftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidi@p@xRTLftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}


\def\bidi@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
```

```
2148    \endgroup
2149    \@footnotemark\bidi@p@xftntext[#1]}
2150
2151
2152 \def\bidi@p@xLTRfootnote[#1]{%
2153    \begingroup
2154      \csname c@\@mpfn\endcsname #1\relax
2155      \unrestored@protected@xdef\@thefnmark{\thempfn}%
2156    \endgroup
2157    \@footnotemark\bidi@p@xLTRftntext[#1]}
2158
2159
2160 \def\bidi@p@xRTLfootnote[#1]{%
2161    \begingroup
2162      \csname c@\@mpfn\endcsname #1\relax
2163      \unrestored@protected@xdef\@thefnmark{\thempfn}%
2164    \endgroup
2165    \@footnotemark\bidi@p@xRTLftntext[#1]}
2166
2167 \def\@xfloat #1[#2]{%
2168   \@nodocument
2169   \def \@captype {#1}%
2170    \def \@fps {#2}%
2171    \@onelevel@sanitize \@fps
2172    \def \reserved@b {!}%
2173    \ifx \reserved@b \@fps
2174      \@fpsadddefault
2175    \else
2176      \ifx \@fps \@empty
2177        \@fpsadddefault
2178      \fi
2179    \fi
2180    \ifhmode
2181      \@bsphack
2182      \@floatpenalty -\@Mii
2183    \else
2184      \@floatpenalty-\@Miii
2185    \fi
2186   \ifinner
2187      \@parmoderr\@floatpenalty\z@
2188   \else
2189     \@next\@currbox\@freelist
2190       {%
2191        \@tempcnta \sixt@@n
2192        \expandafter \@tfor \expandafter \reserved@a
2193          \expandafter :\expandafter =\@fps
2194          \do
2195           {%
2196            \if \reserved@a h%
2197              \ifodd \@tempcnta
```

```
            \else
              \advance \@tempcnta \@ne
            \fi
          \fi
          \if \reserved@a t%
            \@setfpsbit \tw@
          \fi
          \if \reserved@a b%
            \@setfpsbit 4%
          \fi
          \if \reserved@a p%
            \@setfpsbit 8%
          \fi
          \if \reserved@a !%
            \ifnum \@tempcnta>15
              \advance\@tempcnta -\sixt@@n\relax
            \fi
          \fi
          }%
      \@tempcntb \csname ftype@\@captype \endcsname
      \multiply \@tempcntb \@xxxii
      \advance \@tempcnta \@tempcntb
      \global \count\@currbox \@tempcnta
      }%
    \@fltovf
  \fi
  \global \setbox\@currbox
    \color@vbox
      \normalcolor
      \vbox \bgroup
       \let\@footnotetext\bidi@p@ftntext
       \let\@LTRfootnotetext\bidi@p@LTRftntext
       \let\@RTLfootnotetext\bidi@p@RTLftntext
       \let\@xfootnotenext\bidi@p@xftntext
        \let\@xfootnote\bidi@p@xfootnote
        \let\@xLTRfootnotenext\bidi@p@xLTRftntext
        \let\@xLTRfootnote\bidi@p@xLTRfootnote
        \let\@xRTLfootnotenext\bidi@p@xRTLftntext
        \let\@xRTLfootnote\bidi@p@xRTLfootnote
        \hsize\columnwidth
        \@parboxrestore
        \@floatboxreset
}
\def \@endfloatbox{%
      \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
      \@minipagefalse
      \outer@nobreak
    \egroup                  %% end of vbox
    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
  \color@endbox
```

```
}
```

19 File bidimoderncv.cls

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{bidimoderncv}
\newif\if@DEBUG\@DEBUGfalse
\DeclareOption{a4paper}{
  \setlength\paperheight{297mm}
  \setlength\paperwidth{210mm}}
\DeclareOption{a5paper}{
  \setlength\paperheight{210mm}
  \setlength\paperwidth{148mm}}
\DeclareOption{b5paper}{
  \setlength\paperheight{250mm}
  \setlength\paperwidth{176mm}}
\DeclareOption{letterpaper}{
  \setlength\paperheight{11in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{legalpaper}{
  \setlength\paperheight{14in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{executivepaper}{
  \setlength\paperheight{10.5in}
  \setlength\paperwidth{7.25in}}
\DeclareOption{landscape}{
  \setlength\@tempdima{\paperheight}
  \setlength\paperheight{\paperwidth}
  \setlength\paperwidth{\@tempdima}}
\newcommand\@ptsize{}
\DeclareOption{10pt}{\renewcommand\@ptsize{0}}
\DeclareOption{11pt}{\renewcommand\@ptsize{1}}
\DeclareOption{12pt}{\renewcommand\@ptsize{2}}
\DeclareOption{draft}{\setlength\overfullrule{5pt}}
\DeclareOption{final}{\setlength\overfullrule{0pt}}
\newif\if@colour\@colourtrue
\DeclareOption{nocolour}{\@colourfalse}
\ExecuteOptions{a4paper,11pt,colour,final}
\ProcessOptions\relax
\input{size1\@ptsize.clo}
\RequirePackage{color}
\RequirePackage{graphicx}
\RequirePackage{ifthen}
\RequirePackage{marvosym}
\addtolength{\oddsidemargin}{-54pt}
\addtolength{\textwidth}{109pt}
\addtolength{\topmargin}{-70pt}
\addtolength{\textheight}{122pt}
\addtolength{\marginparsep}{-5pt}
\addtolength{\marginparwidth}{-10pt}
```

```
\RequirePackage{url}
\RequirePackage{hyperref}
\hypersetup{%
  breaklinks,
  baseurl       = http://,%
  pdfborder     = 0 0 0,%
  pdfpagemode   = UseNone,%
  pdfstartpage  = 1}
\AtEndOfClass{%
  \AtBeginDocument{%
    \hypersetup{%
      pdfauthor     = \@firstname~\@familyname,%
      pdftitle      = \@title,%
      pdfsubject    = \@firstname~\@familyname,%
      pdfkeywords   = \@resumename~\@firstname~\@familyname}}}
\urlstyle{tt}
\RequirePackage{fancyhdr}
\fancypagestyle{plain}{%
  \renewcommand{\headrulewidth}{0pt}
  \renewcommand{\footrulewidth}{0pt}
  \fancyhf{}}
\pagestyle{plain}
\setlength\lineskip{1\p@}
\setlength\normallineskip{1\p@}
\renewcommand\baselinestretch{}
\setlength{\parindent}{0pt}
\setlength{\parskip}{0pt}
\setlength\columnsep{10\p@}
\setlength\columnseprule{0\p@}
\pagestyle{empty}
\pagenumbering{arabic}
\raggedbottom
\onecolumn
\providecommand*{\listitemsymbol}{\textbullet}
\providecommand*{\addresssymbol}{}
\providecommand*{\mobilesymbol}{\Mobilefone}
\providecommand*{\phonesymbol}{\Telefon}
\providecommand*{\faxsymbol}{\FAX}
\providecommand*{\emailsymbol}{\Letter}
\definecolor{firstnamecolor}{rgb}{0,0,0}
\def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
\def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
\def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
\def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
\def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
\def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
\definecolor{sectionrectanglecolor}{rgb}{0,0,0}
\def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
\def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
\providecommand*{\firstnamefont}{}
```

```
\providecommand*{\familynamefont}{}
\providecommand*{\titlefont}{}
\providecommand*{\addressfont}{}
\providecommand*{\quotefont}{}
\providecommand*{\sectionfont}{}
\providecommand*{\subsectionfont}{}
\providecommand*{\hintfont}{\small}
\providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
\providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
\providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
\providecommand*{\addresstyle}[1]{{\addressfont\@addresscolour#1}}
\providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
\providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
\providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
\providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
\newcommand*{\cvtheme}[2][]{
  \def\@cvtheme{#2}
  \def\@cvthemeoptions{#1}}
\cvtheme{bidi-casual}
\AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
\newcommand*{\resumename}[1]{\def\@resumename{#1}}
\newcommand*{\firstname}[1]{\def\@firstname{#1}}
\newcommand*{\familyname}[1]{\def\@familyname{#1}}
\renewcommand*{\title}[1]{\def\@title{#1}}
\newcommand*{\address}[1]{\def\@address{#1}}
\newcommand*{\mobile}[1]{\def\@mobile{#1}}
\newcommand*{\phone}[1]{\def\@phone{#1}}
\renewcommand*{\fax}[1]{\def\@fax{#1}}
\newcommand*{\email}[1]{\def\@email{#1}}
\newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
\def\@photowidth{0pt}
\newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
\newcommand*{\quote}[1]{\def\@quote{#1}}
\newlength{\quotewidth}
\newlength{\hintscolumnwidth}
\newlength{\separatorcolumnwidth}
\setlength{\separatorcolumnwidth}{0.025\textwidth}
\newlength{\maincolumnwidth}
\newlength{\doubleitemmaincolumnwidth}
\newlength{\listitemsymbolwidth}
\settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
\newlength{\listitemmaincolumnwidth}
\newlength{\listdoubleitemmaincolumnwidth}
\newcommand*{\recomputethemelengths}{}
\newcommand*{\recomputelengths}{%
\setlength{\quotewidth}{0.65\textwidth}%
\setlength{\maincolumnwidth}{\textwidth}%
\addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
\addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
\setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
```

```
\addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
\setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
\renewcommand{\headwidth}{\textwidth}%
\recomputethemelengths}
\setlength{\hintscolumnwidth}{0.15\textwidth}
\recomputelengths
\title{}
\renewcommand*{\maketitle}{}
\newcommand*{\section}[1]{%
\vspace*{2.5ex \@plus 1ex \@minus .2ex}%
  \phantomsection{}%
  \addcontentsline{toc}{part}{#1}%
  \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangleco
  \hspace{\separatorcolumnwidth}%
  \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}
\newcommand*{\subsection}[1]{%
  \cvline[0.45em]{}{\subsectionstyle{#1}}}
\newcommand*{\cvline}[3][.25em]{%
  \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@
    \bidi@raggedleft\hintfont{#2} &{#3}%
  \end{tabular}\\[#1]}
\newcommand*{\cvdoubleitem}[4]{%
 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}%
 \hfill%
 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\se
\newcommand*{\cvlistitem}[2][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}
\newcommand*{\cvlistdoubleitem}[3][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}%
  \hfill%
  \ifthenelse{\equal{#3}{}}%
    {}%
    {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
\newcommand*{\cventry}[6]{%
  \cvline{#1}{%
    {\bfseries#2}%
    \ifx#3\else{, {\slshape#3}}\fi%
    \ifx#4\else{, #4}\fi%
    \ifx#5\else{, #5}\fi%
    .%
    \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
    }}%
\newcommand*{\cvlanguage}[3]{%
  \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{m
```

```
\newcommand*{\cvcomputer}[4]{%
  \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
\newcommand*{\link}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{#2}{#2}}%
    {\href{#2}{#1}}}
\newcommand*{\httplink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{http://#2}{#2}}%
    {\href{http://#2}{#1}}}
\newcommand*{\emaillink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{mailto:#2}{#2}}%
    {\href{mailto:#2}{#1}}}
\newif\if@displaypagenumbers\@displaypagenumberstrue
\newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
\AtBeginDocument{%
  \if@displaypagenumbers%
    \@ifundefined{r@lastpage}{}{%
      \ifthenelse{\pageref{lastpage} > 1}{%
      \fancypagestyle{plain}{%
        \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pager
      \pagestyle{plain}}{}}%
  \AtEndDocument{\label{lastpage}}%
  \fi}
\newlength{\bibindent}
\setlength{\bibindent}{1.5em}
\newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
\newenvironment{thebibliography}[1]%
  {%
    \section{\refname}%
    \small%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \begin{list}{\bibliographyitemlabel}%
      {%
        \setlength{\topsep}{0pt}%
        \setlength{\labelwidth}{\hintscolumnwidth}%
        \setlength{\labelsep}{\separatorcolumnwidth}%
        \leftmargin\labelwidth%
        \advance\leftmargin\labelsep%
        \@openbib@code%
        \usecounter{enumiv}%
        \let\p@enumiv\@empty%
        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
        \sloppy\clubpenalty4000\widowpenalty4000%
  }%
  {%
    \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
    \end{list}%
```

```
  }
\newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
\let\@openbib@code\@empty
```

20 File biditools.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{biditools}[2018/02/22 v1.4 Programming tools for bidi package]
\providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
  \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
  \ifx\@tempa\@tempb \global\let#2#1%
  \else
    \edef\@tempb{\meaning#2}%
    \ifx\@tempa\@tempb
    \else
      \@latex@error{Unable to properly define \string#2; primitive
      \noexpand#1no longer primitive}\@eha
    \fi
  \fi
  \endgroup}
\newtoks\@bidi@envbody
\newtoks\@bidi@emptytoks
\def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\def\bidi@collect@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\def\bidi@push@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@begins\fi
}
\def\bidi@collect@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@envbody{#1}%
  \else
    \bidi@addto@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\long\def\bidi@collect@long@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
```

```
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\long\def\bidi@push@long@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
}
\long\def\bidi@collect@long@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@st
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@long@envbody{#1}%
  \else
    \bidi@addto@long@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@new@ifnextchar#1#2#3{%
  \let\reserved@d= #1%
  \def\reserved@a{#2}\def\reserved@b{#3}%
  \futurelet\@let@token\bidi@new@ifnch
}
\def\bidi@new@ifnch{%
  \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
  \reserved@b
}
\def\bidi@matrix@check#1{%
  \expandafter\ifx\csname\@currenvir\endcsname#1%
  \else\bidi@matrix@error#1%
    \expandafter\@gobble
  \fi
}
\def\bidi@matrix@error#1{%
  \PackageError{biditools}{%
Old form `\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
  }{%
`\string#1{...}' is old bidi package syntax whose use is
ill-advised in the old versions of bidi package.%
  }%
}
\def\@tagsextension{clo}
\def\@definitionfileextension{def}
\def\@texfileextension{tex}
\def\@iftagsloaded{\@ifl@aded\@tagsextension}
\def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
\def\@iftexfileloaded{\@ifl@aded\@texfileextension}
\def\eqnewif#1#2{%
```

```
  \count@\escapechar \escapechar\m@ne
    \let#1\iffalse
    \let#2\iffalse
    \eq@if#1#2\iftrue
    \eq@if#1#2\iffalse
  \escapechar\count@}
\def\eq@if#1#2#3{%
  \expandafter\def\csname\expandafter\@gobbletwo\string#1%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#1#3%
                         \let#2#3}%
  \expandafter\def\csname\expandafter\@gobbletwo\string#2%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#2#3%
                         \let#1#3}}
\newcommand*{\SetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\csname#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\global\csname#1\@tempa\endcsname}}}
\newcommand*{\SetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\csname @#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\global\csname @#1\@tempa\endcsname}}}
\def\@bidi@removefromreset#1#2{{%
  \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
  \def\@elt##1{%
```

```
    \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
    \else
      \noexpand\@elt{##1}%
    \fi}%
  \expandafter\xdef\csname cl@#2\endcsname{%
    \csname cl@#2\endcsname}}}
\newcommand*{\ifRtoL}{%
  \if@RTL
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoR}{%
  \if@RTL
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLtable}{%
  \if@RTLtab
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRtable}{%
  \if@RTLtab
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLhboxconstruct}{%
  \if@hboxRconstruct
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRhboxconstruct}{%
  \if@hboxRconstruct
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\iflatin}{%
  \if@nonlatin
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifnonlatin}{%
  \if@nonlatin
```

```
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}

\newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
    \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}

\newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
    \dimexpr #1*65536/\dimexpr 1pt\relax}

\newcommand*{\if@bidi@csdef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\if@bidi@csundef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\ifx\csname#1\endcsname\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@def}[1]{%
  \ifdefined#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@undef}[1]{%
  \ifdefined#1%
    \ifx#1\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@blank}[1]{% from url.sty
  \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
\long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
```

```
\newcommand{\bidi@notblank}[1]{%
  \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
\newcommand{\if@bidi@defmacro}{}
\long\edef\if@bidi@defmacro#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefmacro
  \noexpand\meaning#1\detokenize{macro}:&}
\edef\bidi@ifdefmacro{%
  \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
\bidi@ifdefmacro{\bidi@notblank{#2}}
\newcommand*{\if@bidi@csmacro}[1]{%
  \if@bidi@csdef{#1}
    {\expandafter\if@bidi@defmacro\csname#1\endcsname}
    {\@secondoftwo}}
\newcommand{\if@bidi@defprimitive}[1]{%
  \ifprimitive#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@csprimitive}[1]{%
 \begingroup\expandafter\expandafter\expandafter\endgroup%
  \expandafter\ifprimitive\csname#1\endcsname%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\bidi@csdefcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
\newcommand*{\bidi@csletcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
\newcommand*{\bidi@cslet}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\endcsname#2}}
\newcommand{\bidi@namelongdef}[1]{%
  \long\expandafter\def\csname #1\endcsname}
\def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
\def\bidi@ensure@new@command#1{%
  \begingroup \escapechar\m@ne\xdef\@gtempa{{\string#1}}\endgroup
  \expandafter\if@bidi@csundef\@gtempa
     {\new@command#1}{\relax%
  \let\@ifdefinable\@rc@ifdefinable%
  \new@command#1}}
\def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}

\protected\def\bidi@error{\PackageError{bidi}}
\protected\def\bidi@warning{\PackageWarning{bidi}}
\protected\def\bidi@info{\PackageInfo{bidi}}

```

```
2792
2793 \newcommand*{\setbaselineskip}[1]{%
2794     \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\re
2795     \selectfont
2796 }
2797
2798
2799 \newcommand*{\bidi@newrobustcmd}{}
2800 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
2801
2802 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2803
2804 \def\bidi@newcommand#1[#2]{%
2805   \@ifnextchar[%]
2806     {\bidi@xargdef#1[#2]}
2807     {\ifx\l@ngrel@x\relax
2808        \let\l@ngrel@x\protected
2809      \else
2810        \protected\def\l@ngrel@x{\protected\long}%
2811      \fi
2812      \@argdef#1[#2]}}
2813
2814 \long\def\bidi@xargdef#1[#2][#3]#4{%
2815   \@ifdefinable#1{%
2816     \expandafter\protected
2817     \expandafter\def
2818     \expandafter#1%
2819     \expandafter{%
2820       \expandafter\@testopt
2821       \csname\string#1\endcsname{#3}}%
2822     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2823
2824 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
2825
2826 \def\bidi@renew@command#1{%
2827   \if@bidi@undef{#1}
2828      {\bidi@error{\string#1 undefined}\@ehc}
2829      {}%
2830   \let\@ifdefinable\@rc@ifdefinable
2831   \bidi@new@command#1}
2832
2833
2834
2835 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2836
2837 \def\bidi@provide@command#1{%
2838   \if@bidi@undef{#1}
2839     {\def\reserved@a{\bidi@new@command#1}}
2840     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2841   \reserved@a}
```

```
2842
2843 \newcommand*{\bidi@csuse}[1]{%
2844   \ifcsname#1\endcsname
2845     \csname#1\expandafter\endcsname
2846   \fi}
2847
2848 \newcommand{\bidi@expandonce}[1]{%
2849   \unexpanded\expandafter{#1}}
2850
2851 \def\bidi@protected{%
2852   \let\@@protect\protect
2853   \let\protect\@unexpandable@protect
2854   \afterassignment\restore@protect}
2855
2856 \bidi@newrobustcmd{\bidi@appto}[2]{%
2857   \if@bidi@undef{#1}
2858     {\edef#1{\unexpanded{#2}}}
2859     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2860 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2861   \if@bidi@undef{#1}
2862     {\edef#1{#2}}
2863     {\edef#1{\bidi@expandonce#1#2}}}
2864 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2865   \if@bidi@undef{#1}
2866     {\xdef#1{\unexpanded{#2}}}
2867     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2868 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2869   \if@bidi@undef{#1}
2870     {\xdef#1{#2}}
2871     {\xdef#1{\bidi@expandonce#1#2}}}
2872
2873 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2874 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2875
2876
2877
2878 \bidi@newrobustcmd{\bidi@preto}[2]{%
2879   \if@bidi@undef{#1}
2880     {\edef#1{\unexpanded{#2}}}
2881     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2882 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2883   \if@bidi@undef{#1}
2884     {\edef#1{#2}}
2885     {\edef#1{#2\bidi@expandonce#1}}}
2886 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2887   \if@bidi@undef{#1}
2888     {\xdef#1{\unexpanded{#2}}}
2889     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2890 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2891   \if@bidi@undef{#1}
```

```
    {\xdef#1{#2}}
    {\xdef#1{#2\bidi@expandonce#1}}}

\bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
\bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}



\bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
\bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}



\bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
\bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}



\bidi@newrobustcmd{\if@bidi@patchable}{%
  \bidi@dbg@trce\if@bidi@patchable
  \begingroup
  \@makeother\#%
  \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}

\long\def\bidi@ifpatchable#1#2{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \bidi@ifscanable{#1}
          {\bidi@ifhashcheck{#2}
             {\bidi@dbg@info{tok}%
              \bidi@ifpattern#1{#2}
                 {\bidi@dbg@info{pat}%
                  \bidi@dbg@info{pos}\@firstoftwo}
                 {\bidi@dbg@fail{pat}\@secondoftwo}}
             {\bidi@dbg@fail{hsh}\@secondoftwo}}
          {\bidi@dbg@fail{tok}\@secondoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}
```

```
\long\def\bidi@ifpatchable@i#1{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#1}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#1}
             {\bidi@dbg@info{tok}%
              \bidi@dbg@info{pos}\@firstoftwo}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#1}
             {\bidi@dbg@info{pro}}
             {}%
           \bidi@dbg@info{pos}\@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\bidi@newrobustcmd*{\bidi@patchcmd}{%
  \bidi@dbg@trce\bidi@patchcmd
  \begingroup
  \@makeother\#%
  \bidi@@patchcmd}

\newcommand{\bidi@@patchcmd}[4][########1]{%
  \bidi@ifpatchable#2{#3}
    {\bidi@dbg@succ{ret}%
     \begingroup
     \edef\bidi@resrvda{%
       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
         #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
       \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
         ####1\detokenize{#4}####2}%
       \edef\noexpand\bidi@resrvda{%
         \noexpand\bidi@resrvda\meaning#2&}}%
     \bidi@resrvda
     \bidi@patchcmd@scantoks\bidi@resrvda
     \let#2\bidi@resrvda
     \bidi@undef\bidi@resrvda
     \@firstoftwo}
    {\@secondoftwo}}

\def\bidi@patchcmd@scantoks#1{%
  \edef\bidi@resrvda{\endgroup
    \unexpanded{\makeatletter\scantokens}{#1}%
    \catcode\number`\@=\the\catcode`\@\relax}%
```

```
  \bidi@resrvda}
\newcommand\bidi@isloaded[2][]{
  \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
    \expandafter\newif\csname if@bidi@#2loaded@\endcsname
  \fi
  \@ifpackageloaded{#2}
    {\csname @bidi@#2loaded@true\endcsname #1}
    {\csname @bidi@#2loaded@false\endcsname}}

\protected\def\bidi@ifscanable#1{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda####2{####3}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
  \bidi@resrvda
  \makeatletter
  \scantokens\expandafter{\bidi@resrvda}%
  \expandafter\endgroup\ifx#1\bidi@resrvda
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}


\protected\long\def\bidi@ifhashcheck#1{%
  \begingroup
  \edef\bidi@resrvda{\detokenize{#1}}%
  \expandafter\endgroup
  \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}

\edef\bidi@ifhashcheck@i#1&{%
  \noexpand\expandafter
  \noexpand\bidi@ifhashcheck@ii
  \noexpand\strip@prefix#1\string#\string#&}

\edef\bidi@ifhashcheck@ii{%
  \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
\bidi@ifhashcheck@ii{\if@bidi@blank{#2}}


\protected\long\def\bidi@ifpattern#1#2{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
      \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
      \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
    \noexpand\bidi@resrvda}
```

```
  \bidi@resrvda\@secondoftwo\@firstoftwo}


\newcommand{\if@bidi@defparam}{}
\long\edef\if@bidi@defparam#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefparam
  \noexpand\meaning#1\detokenize{macro}:->&}
\edef\bidi@ifdefparam{%
  \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
\bidi@ifdefparam{\bidi@notblank{#2}}


\newcommand{\if@bidi@defprotected}{}
\long\edef\if@bidi@defprotected#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefprotected
  \noexpand\meaning#1\string\protected&}
\edef\bidi@ifdefprotected{%
  \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
\bidi@ifdefprotected{\bidi@notblank{#2}}


\bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}

\let\bidi@dbg@trce\@gobble
\let\bidi@dbg@init\@gobble
\let\bidi@dbg@info\@gobble
\let\bidi@dbg@succ\@gobble
\let\bidi@dbg@fail\@gobble


\bidi@newrobustcmd*{\bidi@apptocmd}{%
  \bidi@dbg@trce\bidi@apptocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@append}


\bidi@newrobustcmd*{\bidi@pretocmd}{%
  \bidi@dbg@trce\bidi@pretocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@prepend}

\long\def\bidi@hooktocmd#1#2#3{%
  \endgroup
  \bidi@dbg@init#2%
  \if@bidi@undef{#2}
    {\bidi@dbg@fail{def}\@secondoftwo}
```

```
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#2}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#2}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#2}
             {\bidi@ifhashcheck{#3}
                {\bidi@dbg@info{tok}%
                 \bidi@dbg@succ{ret}%
                 \bidi@hooktocmd@i#1#2{#3}%
                 \@firstoftwo}
                {\bidi@dbg@fail{hsh}\@secondoftwo}}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#2}
             {\bidi@dbg@info{pro}%
              \bidi@dbg@succ{red}%
              \protected}
             {\bidi@dbg@succ{red}}%
           \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
           \@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@hooktocmd@i#1#2#3{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
    \edef\noexpand\bidi@resrvda{%
      \noexpand\bidi@resrvda\meaning#2&}}%
  \bidi@resrvda
  \bidi@patchcmd@scantoks\bidi@resrvda
  \let#2\bidi@resrvda
  \bidi@undef\bidi@resrvda}

\long\def\bidi@append#1#2{#1#2}
\long\def\bidi@prepend#1#2{#2#1}

\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
\newcommand*{\bidi@endpreamblehook}{}

\bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipouth
\newcommand*{\bidi@beforeoutputpageshipouthook}{}

\bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
\newcommand*{\bidi@beforeheaderhook}{}

\bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpa
\newcommand*{\bidi@beforeoutputboxoutputpagehook}{}

```

```
\bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpage
\newcommand*{\bidi@afteroutputboxoutputpagehook}{}

\bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
\newcommand*{\bidi@beforefooterhook}{}

\bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
\newcommand*{\bidi@afterfooterhook}{}


\bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook
\newcommand*{\bidi@afteroutputpageshipouthook}{}

\bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
\newcommand*{\bidi@atendoutputpagehook}{}

\bidi@preto\document{%
  \endgroup
  \let\bidi@AtEndPreamble\@firstofone
  \bidi@endpreamblehook
  \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@endpreamblehook
  \begingroup}

\bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
\bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}

\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
\newcommand*{\bidi@afterendpreamblehook}{}

\bidi@appto\document{%
  \let\bidi@AfterEndPreamble\@firstofone
  \bidi@afterendpreamblehook
  \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@afterendpreamblehook
  \ignorespaces}

\AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}

\bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
\newcommand*{\bidi@afterlastshipouthook}{}

\bidi@patchcmd\enddocument
  {\clearpage}
  {\clearpage
   \let\bidi@AfterLastShipout\@firstofone
   \bidi@afterlastshipouthook}
  {}
  {\let\bidi@clearpage\clearpage
   \def\clearpage{%
```

```
      \bidi@clearpage
      \let\bidi@AfterLastShipout\@firstofone
      \bidi@afterlastshipouthook}}

\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
\newcommand*{\bidi@afterenddocumenthook}{}

\bidi@patchcmd\enddocument
  {\deadcycles}
  {\let\bidi@AfterEndDocument\@firstofone
   \bidi@afterenddocumenthook
   \deadcycles}
  {}
  {\let\bidi@@end\@@end
   \def\@@end{%
     \let\bidi@AfterEndDocument\@firstofone
     \bidi@afterenddocumenthook
     \bidi@@end}}

\bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@begin@#1@hook}}

\bidi@patchcmd\begin
  {\csname #1\endcsname}
  {\bidi@csuse{@bidi@begin@#1@hook}%
   \csname #1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@end@#1@hook}}

\bidi@patchcmd\end
  {\csname end#1\endcsname}
  {\bidi@csuse{@bidi@end@#1@hook}%
   \csname end#1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AtEndEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@beforebegin@#1@hook}}

```

```
\bidi@pretocmd\begin
  {\bidi@csuse{@bidi@beforebegin@#1@hook}}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@afterend@#1@hook}}

\bidi@patchcmd\end
  {\if@ignore}
  {\bidi@csuse{@bidi@afterend@#1@hook}%
   \if@ignore}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}

\chardef\bidi@backslash`\\
\def\bidics#1{\texttt{\char\bidi@backslash#1}}

% anonymous control sequences
\newcount\bidi@tempcountb
\newtoks\bidi@temptoksa
\newtoks\bidi@temptoksb

% Catcode (re)storing
%
\def\bidi@storecatcode#1%
   {\escapechar\m@ne
    \bidi@csarg\edef{bidi@restorecatcode\string#1}%
         {\catcode`\string#1=
               \the\catcode\expandafter`\string#1}%
    \catcode\expandafter`\string#1=12\relax
    \escapechar`\\\relax}
\def\bidi@restorecatcode#1%
   {\escapechar\m@ne
    \csname bidi@restorecatcode\string#1\endcsname
    \escapechar`\\\relax}

% Construct a control sequence inside \edef
%
\def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}

% Construct a control sequence out of #2, and give it to #1
%
\def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
```

```
3292
3293 % Pick an escapecharacter
3294 % this presumes that its argument is a character.
3295 %
3296 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
3297
3298 % Equality of strings.
3299 % the fast approach: does not work in expansion-only environment.
3300 %
3301 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
3302     \ifx\bidi@eqs@a\bidi@eqs@b}
3303
3304 % Test by expansion only
3305 %
3306 \def\bidi@EqualStringX#1#2{00\fi
3307     \csname if\@bidi@EqualStringX#1&$#2&$\endcsname}
3308 \def\@bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
3309         \ifx#1&true\else\bidi@hop@ES\@bidi@EqualStringX#2$#4$\fi
3310     \else false\fi}
3311 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
3312
3313 % Lexicographic ordering
3314 % note the use of \def
3315 % also note the characters 0,127,255 that are used,
3316 % these are not supposed to appear in the strings
3317 %
3318 {\catcode0=12 \catcode255=12 \catcode127=12
3319 \gdef\bidi@StringBeforeNC#1#2{00\fi
3320   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3321 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
3322   \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
3323   \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
3324       \else\ifnum\lccode`#1<\lccode`#3
3325              \def\bidi@next{\csname iftrue\endcsname}%
3326            \else\ifnum\lccode`#1>\lccode`#3
3327                   \def\bidi@next{\csname iffalse\endcsname}%
3328                 \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3329   \fi  \fi  \fi  \fi
3330   \bidi@next}
3331 \gdef\bidi@StringBefore#1#2{00\fi
3332   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3333 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
3334   \ifnum`#1<`#3
3335       \def\bidi@next{\csname iftrue\endcsname}%
3336   \else\ifnum`#1>`#3
3337       \def\bidi@next{\csname iffalse\endcsname}%
3338       \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3339   \fi\fi
3340   \bidi@next}
3341 }
```

```
3342
3343 % Null argument test
3344 %
3345 \def\bidi@empty{}
3346 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
3347 \def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
3348 %\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
3349 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
3350
3351 % Next character test
3352 %
3353 \def\bidi@NextChar#1#2#3{00\fi
3354     \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3355     \futurelet\bidi@nxt@c\@bidi@ifnxtc}
3356 \def\bidi@ifNextChar#1#2#3{%
3357     \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3358     \futurelet\bidi@nxt@c\@bidi@ifnxtc}
3359 \def\@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
3360     \else \expandafter\bidi@nxt@b \fi}
3361
3362 % Test for defined-ness of string as control sequence.
3363 % works inside \edef
3364 %
3365 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
3366
3367 % Define uniquely defined dummy macros,
3368 % usually to serve as bumper blocks at the end of a list
3369 %
3370 \newcount\bidi@dummies
3371 \def\DefNewDummy#1{
3372     \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}
3373         \advance\bidi@dummies\@ne
3374     \else
3375         \bidi@error{Attempt at second definition of `#1'}
3376     \fi}
3377
3378 % string case statement
3379 % use: \bidi@switch \iftest{...} in:
3380 %      item1 action1
3381 %      ...
3382 %      itemn actionn
3383 %      default defaultaction [optional]
3384 %      \endbidi@switch
3385 % inspired by Jonathan Fine: Some Basic Control Macros
3386 % Tugboat 12 #4
3387 %
3388 \let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
3389 \def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
3390 \def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3391   #1{#2}\bidi@switch@exit #3 \@bidi@fi
```

```
  \bidi@switch {#1}
}
% this version puts the test object in {}
\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@switch #1 in:
}
% this version assumes that the test object is just one character
\def\bidi@cswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2\bidi@switch@exit #3 \@bidi@fi
  \bidi@cswitch #1 in:
}
% this version assumes that the test object can have an optional space
\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@bswitch #1 in:
}
% this version can cope with significant spaces at the start of #3;
% #2 is macro argument
\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@mswitch #1 in:
}
% idem; #2 does not have to be enclosed in braces
\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@fswitch #1 in:
}

% Routines for taking the value of a string:
% if the string is defined as control sequence
% take the value of that, otherwise take the string itself

% String or value of control sequence
%
\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}

% String or control sequence
%
\def\@bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}

% String or \noexpand-ed control sequence;
% for use in \edef
%
\newif\ifbidi@in@label
\def\@bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
            \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
\newtoks\bidi@are@these@correct
\def\bidi@t@w@w#1{%
    \if\bidi@undefinedcs{#1}#1%
```

```
        \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
    \else
        \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}

% List Manipulation ................
% this assumes that #1 is a list of tokens, #2 is the name of a list
%
% Names of lists (and of items to pop into) are given as strings;
% not as control sequences.
%
\newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
% basic append/prepend macro
\long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@
\long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista\
\def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
% variations:
\long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{}{#2}}
\def\bidi@append@list@to@list#1#2{%
  \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\en
\def\bidi@append@cslist@to@cslist#1#2{%
  \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
\def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}

\let\bidi@willbeunhskip\unhskip

% A few list macros for the user
\def\NewList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
\def\EmptyList:#1 {\global\csname#1\endcsname{}}
\long\def\AppendToList:#1=#2 {\@bidi@append@to@list{#1}{}{#2}}
\def\TheList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\@empty
    \if\bidi@undefinedcs{#1}\bidi@error{List <#1> undefined}
    \else\bidi@csarg\the{#1}\fi
    \let\bidi@willbeunhskip\bidi@oldwbuskip}

\def\bidi@del@tok@from@list#1#2{\begingroup
    \long\def\bidi@cs@liste##1#2##2\bidi@tok@SM
       {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
        \edef\bidi@cs@listb{\global\bidi@csname{#1}=
                {\the\bidi@toks@lista\the\bidi@toks@listb}}%
        \bidi@cs@listb}%
    \edef\bidi@cs@lista{\noexpand\bidi@cs@liste{}\expandafter\the\csname#1\endcsname\noexpand
    \bidi@cs@lista \endgroup}
\def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@in@front@of@cslist\bidi@cs@lista}
\long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista
  \endgroup}
\long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
```

```
    \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafte
                {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter\
                 \expandafter\the\csname#1\endcsname}%
    }
\def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@set@cslist\bidi@cs@lista}
\long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
   \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}

%%%%%%%%%%%%%%%% Stack macros
%
% push in terms of prepending of lists
\def\bidi@push@cs@onto@cs#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\\\expandafte
\def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{#1}}
\def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1{}{\\{#2}}}
\def\bidi@local@push@onto#1#2{\let\\=\relax
    \bidi@local@in@front@of@list{#1}{\\{#2}}}
% pop via auxiliary macro: #1 is result, #2 is stack
% two cs arguments
\def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
% two string arguments
\def\bidi@pop@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@@bid
\long\def\@@bidi@popinto#1#2\\#3#4\@@bidi@pop{#1{#3}#2{#4}}
\def\bidi@copy@stacktop#1#2{%
    \edef\bidi@cs@e{\noexpand\@bidi@copy@stacktop
                    {#1}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}%
    \bidi@cs@e}
\def\@bidi@copy@stacktop#1\\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
\newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\\{}}
\def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
\def\bidi@length@of@csstack#1{\def\\##1{\advance\bidi@stack@length\@ne}%
  \bidi@stack@length\m@ne \the#1}
% turn a stack upside down
\def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
    \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
    \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
%    \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
%    \bidi@temptoksa\bidi@temptoksb
    \repeat% copy b to a
  #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
% invert a stack into a list
\def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
    \bidi@pop@into{bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
    \bidi@append@list@to@list{bidi@temptoksb}{bidi@temptoksa}\repeat
```

```
  \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}


% General loop macro:
% \looprepeat
%   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>
%               \untilcondition{<cond>} \whilecondition{<cond>}
%   \doloopbody { <loop body> }
% where all control sequences in between \looprepeat and \doloopbody are optional.
%
% var: characters to form a control sequence;
%    after \forvariable{index} you can access the loop counter as \index.
%    This is a count register; to print it use \number\index.
% start,step,end: integers with obvious relations to the loop counter;
%    start and step have a default value of 1
% cond: (sequence of commands ending in) any TeX \if... test.
%
% Count down instead of up with \downtovalue; the increment given in \bystep
% is always positive, and is added or subtracted accordingly.
%
% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
% at the beginning of the loop body.
%
% Exit from middle of loop: \breaklooprepeat
% use this at any place in the loop; in case of a conditional use
%   \ifsomething ... \expandafter \breaklooprepeat \fi
%
% Note that the line ends do not cause spaces in the output.
%
% Technical details:
% The loop body is not executed in a group: the braces are those
% of a token list.
% The `forvariable' variable is \let to a \count register.


% Auxiliary stuff
\def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
\def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
\def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepea

\newcount\bidi@looprepeat@depth
\let\endlooprepeat\relax \def\bidi@csprotect{}
% Trace switches may later be defined by PAC_utils
\let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax

% Main repeatloop macro
% - go to next level and allocate unique counter/toks if this is the
%   first time we visit this level
% - setup: gather bounds and termination conditions
```

```
% - scoop up body in token list; after the assignment define and
%   execute body
\def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
  \advance\bidi@looprepeat@depth\@ne\relax
  \bidi@looprepeat@csargromannumeral\ifx{bidi@looprepeat@count}\relax
    \bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{bidi@looprepeat
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
  \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@loopr
  \edef\bidi@looprepeat@tmp
     {\def\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}{\bidi@loopre
  \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}

% Define and execute loop body
% This is done with an \edef to construct the actual sequence
\def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumeral\edef{bidi@looprepeat@body}{%
    \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
      \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@toks}%
        \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@utest}%
    \global\bidi@looprepeat@csargromannumeral\advance{bidi@looprepeat@count} by \bidi@looprepe
    \noexpand\endlooprepeat
    \bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}}%
  \bidi@looprepeat@csromannumeral{bidi@looprepeat@body}\ignorespaces}

% Stop test
%% In order to stop, issue a
% \breaklooprepeat which scoops up the rest of the body and exits
\def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral\l
  \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
  }


% Setup
% gather bounds and termination conditions
\def\bidi@looprepeat@setup#1{%
  \begingroup
    \def\forvariable##1{%
      \edef\bidi@looprepeat@tmp{%
        \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{bidi@lo
      \bidi@looprepeat@tmp}%
    \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{bidi@looprepeat@count}##1\ignc
    \def\tovalue##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
       {\bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
        \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@count}\bidi
          \noexpand\expandafter \noexpand\breaklooprepeat
        \noexpand\fi}\ignorespaces}%
      \bidi@looprepeat@tmp}%
    \def\downtovalue##1{%
```

```
      \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
    \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}\@
               \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{-##1}\else
               \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{##1}\fi\ignorespac
    \def\untilcondition##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepe
         {\noexpand##1\relax
          \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
      \bidi@looprepeat@tmp}%
    \def\whilecondition##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepe
         {\noexpand##1\relax \noexpand\else
          \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
    \bidi@looprepeat@tmp}%
    \fromvalue{\@ne}\bystep{\@ne}#1%
  \endgroup}
\def\bidi@looprepeat@zero
   {\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{bidi
    \bidi@looprepeat@csargromannumeral\def{bidi@looprepeat@body}{}}

%\tracingmacros2
%\newcount\tmpcount % used in some examples below

%\looprepeat \forvariable{i}
%        \bystep{2}
%  \doloopbody {%
%     \ifnum\i=13 \expandafter\breaklooprepeat \fi
%     \number\i{} %
%}%

%\looprepeat \forvariable{iii}
%        \tovalue{8}
%   \doloopbody {}
%After loop: \number\iii%

%\looprepeat \forvariable{i}
%        \fromvalue{10}
%        \bystep{2}
%        \downtovalue{0}
%   \doloopbody {\number\i{} }

%\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
%   \doloopbody {\number\x{} }

%\looprepeat \tovalue{3} \doloopbody {Hello world! }

%\looprepeat \forvariable{j}
%        \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
%  \doloopbody {\number\j{} }

```

```
%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
% {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}
%  \doloopbody {(\number\i.\number\j) }
% }

% infinite loop
%\looprepeat \doloopbody {}

\CheckCommand{\InputIfFileExists}[2]{%
  \IfFileExists{#1}%
    {#2\@addtofilelist{#1}\@@input \@filef@und}}

\renewcommand{\InputIfFileExists}[2]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
    \expandafter\@secondoftwo
  \else
    \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
    \expandafter\@firstoftwo
  \fi
  {%
    \expandafter\InputIfFileExists\expandafter{\csname
      #1-@bidi@alias\endcsname}{#2}%
  }%
  {\IfFileExists{#1}{%
      \bidi@load@hook{before}{#1}%
      #2\@addtofilelist{#1}%
      \@@input \@filef@und
      \bidi@load@hook{after}{#1}%
    }}%
}

\newcommand*{\bidi@@loadwithoptions}{}
\newcommand*{\bidi@loadwithoptions}{}
\let\bidi@loadwithoptions\@loadwithoptions

\renewcommand*{\@loadwithoptions}[3]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
    \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
  \else
    \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
    \def\bidi@@loadwithoptions{%
      \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
    }%
  \fi
  \bidi@@loadwithoptions
}

\newcommand*{\bidi@onefilewithoptions}{}
```

```
\let\bidi@onefilewithoptions\@onefilewithoptions
\def\@onefilewithoptions#1[#2][#3]#4{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
    \def\bidi@@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
  \else
    \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
    \edef\bidi@@onefilewithoptions{%
      \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
  \fi
  \bidi@@onefilewithoptions[{#2}][{#3}]{#4}%
  \bidi@load@hook{lateafter}{#1.#4}%
}

\newcommand*{\bidi@ReplaceInput}[2]{%
  \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
}

\newcommand*{\bidi@UnReplaceInput}[1]{%
  \ifcsname #1-@bidi@alias\endcsname
    \expandafter\let\csname #1-@bidi@alias\endcsname\relax
  \fi
}

\newcommand*{\@bidi@replacefilewithext}[3]{%
  \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
 }
\newcommand*{\bidi@ReplacePackage}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@pkgextension
}
\newcommand*{\bidi@ReplaceClass}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@clsextension
}
\newcommand*{\@bidi@unreplacefilewithext}[2]{%
  \ifcsname #1.#2-@bidi@aliasname\endcsname
    \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
  \fi
}
\newcommand*{\bidi@UnReplacePackage}[1]{%
  \@bidi@unreplacefilewithext{#1}\@pkgextension
}
\newcommand*{\bidi@UnReplaceClass}[1]{%
  \@bidi@unreplacefilewithext{#1}\@clsextension
}
\newcommand*{\bidi@replacefile@msg}[2]{%
  \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
}

\newcommand*{\bidi@load@hook}[2]{%
  \@ifundefined{#2-@#1}{}{%
```

```
    \@nameuse{#2-@#1}%
    \expandafter\let\csname #2-@#1\endcsname=\relax}}
\newcommand*{\bidi@set@load@hook}[2]{%
  \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}{}%
  \expandafter\g@addto@macro\csname #2-@#1\endcsname}
\newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
\newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
\newcommand*{\bidi@BeforeClass}[1]{%
  \bidi@set@load@hook{before}{#1.\@clsextension}}
\newcommand*{\bidi@AfterClass}{%
  \@ifstar {\@s@bidi@AfterClass}{%
    \@ifnextchar +\@@bidi@AfterClass{%
      \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
    }%
  }%
}

\newcommand*{\@@@bidi@AfterClass}[2]{%
  \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterClass
  \else
    \aftergroup\bidi@AfterAtEndOfClass
  \fi
  \endgroup{#2}%
}

\newcommand*{\bidi@AfterAtEndOfClass}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
\newcommand*{\@@bidi@AfterClass}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterClass
    \else
      \aftergroup\@bidi@AfterClass
    \fi
  \endgroup{#2}%
}

\newcommand*{\@bidi@AfterClass}[1]{%
  \bidi@set@load@hook{after}{#1.\@clsextension}}
\newcommand*{\@s@bidi@AfterClass}[1]{%
  \begingroup
    \@ifclassloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterClass
    }%
  \endgroup
  {#1}%
}
```

```
3842
3843
3844 \newcommand*{\bidi@BeforePackage}[1]{%
3845   \bidi@set@load@hook{before}{#1.\@pkgextension}}
3846 \newcommand*{\bidi@AfterPackage}{%
3847   \@ifstar {\@s@bidi@AfterPackage}{%
3848     \@ifnextchar +\@@bidi@AfterPackage{%
3849       \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
3850     }%
3851   }%
3852 }
3853 \newcommand*{\@@@bidi@AfterPackage}[2]{%
3854   \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3855     \aftergroup\@s@bidi@AfterPackage
3856   \else
3857     \aftergroup\bidi@AfterAtEndOfPackage
3858   \fi
3859   \endgroup{#2}%
3860 }
3861 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
3862   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
3863 \newcommand*{\@@bidi@AfterPackage}[2]{%
3864   \begingroup
3865     \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3866       \aftergroup\@s@bidi@AfterPackage
3867     \else
3868       \aftergroup\@bidi@AfterPackage
3869     \fi
3870   \endgroup{#2}%
3871 }
3872 \newcommand*{\@bidi@AfterPackage}[1]{%
3873   \bidi@set@load@hook{after}{#1.\@pkgextension}}
3874 \newcommand*{\@s@bidi@AfterPackage}[1]{%
3875   \begingroup
3876     \@ifpackageloaded{#1}{%
3877       \aftergroup\@secondoftwo
3878     }{%
3879       \aftergroup\@bidi@AfterPackage
3880     }%
3881   \endgroup
3882   {#1}%
3883 }
3884
3885 \newcommand*{\bidi@excludedpackages}{}
3886 \let\bidi@excludedpackages\@empty
3887 \newcommand*{\bidi@saved@RequirePackage}{}
3888 \newcommand*{\bidi@PreventPackageFromLoading}{%
3889   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
3890           {\@bidi@PreventPackageFromLoading\PackageWarning}%
3891 }
```

```
\newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
  \@ifnextchar [%]
    {\@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}%
}
\newcommand*{\@@bidi@PreventPackageFromLoading}{}

\def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
  \edef\reserved@b{\zap@space#3 \@empty}%
  \ifx \reserved@b\@empty
    #1{biditools}{%
      \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
      argument ignored%
    }%
  \else
    \ifx\bidi@excludedpackages\@empty
      \let\bidi@saved@RequirePackage\RequirePackage
      \let\RequirePackage\bidi@RequirePackage
      \def\reserved@a##1##{%
        \@latex@error
        {\noexpand \usepackage before \string\documentclass}%
        {\noexpand \usepackage may only appear in the document
          preamble, i.e.,\MessageBreak
          between \noexpand\documentclass and
          \string\begin{document}.}%
        \@gobble}%
      \ifx\reserved@a\usepackage\else
        \ifx\usepackage\bidi@saved@RequirePackage\else
          \PackageWarning{biditools}{%
            Maybe serious problem: unexpected definition of\MessageBreak
            \string\usepackage
          }%
        \fi
        \let\usepackage\RequirePackage
      \fi
    \fi
    \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
    \reserved@b\do {%
      \ifx\reserved@a\@empty
        #1{biditools}{%
          empty package argument for
          \string\bidi@PreventPackageFromLoading\MessageBreak
          ignored%
        }%
      \else
        \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
          #1{biditools}{%
            package `\reserved@a' already loaded.\MessageBreak
            Cannot prevent it from beeing loaded%
          }%
        }{%
```

```
          \edef\bidi@excludedpackages{\bidi@excludedpackages,%
            \reserved@a}%
          \if\relax\detokenize{#2}\relax\else
            \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
              \@namedef{bidi@exclude@package@\reserved@a @do}{}%
            }{}%
            \expandafter\def
            \csname bidi@exclude@package@\reserved@a
                    @do\expandafter\expandafter\expandafter\endcsname
            \expandafter\expandafter\expandafter{%
              \csname bidi@exclude@package@\reserved@a @do\endcsname
              #2%
            }%
          \fi
        }%
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty
      \bidi@ResetPreventPackageFromLoading
    \fi
  \fi
}

\@onlypreamble\bidi@PreventPackageFromLoading
\newcommand*{\bidi@ResetPreventPackageFromLoading}{%
  \let\bidi@excludedpackages\@empty
  \ifx\RequirePackage\bidi@RequirePackage
    \ifx\usepackage\RequirePackage
      \let\usepackage\bidi@saved@RequirePackage
    \fi
    \let\RequirePackage\bidi@saved@RequirePackage
  \fi
}
\@onlypreamble\bidi@ResetPreventPackageFromLoading
\newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
  \let#1\bidi@excludedpackages
}
\@onlypreamble\bidi@StorePreventPackageFromLoading
\newcommand*{\bidi@UnPreventPackageFromLoading}{%
  \@ifstar {\@tempswatrue\@bidi@UnPreventPackageFromLoading}%
           {\@tempswafalse\@bidi@UnPreventPackageFromLoading}%
}

\newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
  \edef\reserved@b{\zap@space#1 \@empty}%
  \if@tempswa
    \@for\reserved@a:=\reserved@b\do {%
      \ifx\reserved@a\@empty \else
        \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
          \expandafter\let
```

```
          \csname bidi@exclude@package@\reserved@a @do\endcsname
          \undefined
        \fi
      \fi
    }%
  \fi
  \ifcsname bidi@excludedpackages\endcsname
    \let\reserved@a\bidi@excludedpackages
    \let\bidi@excludedpackages\@empty
    \expandafter\@for\expandafter\reserved@c
    \expandafter:\expandafter=\reserved@a
    \do{%
      \ifx\reserved@c\@empty\else
        \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,}%
        \ifin@
        \else
          \edef\bidi@excludedpackages{%
            \bidi@excludedpackages,\reserved@c
          }%
        \fi
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
  \fi
}


\newcommand*{\bidi@RequirePackage}[2][]{%
  \let\reserved@c\@empty
  \let\reserved@d\@empty
  \edef\reserved@b{\zap@space#2 \@empty}%
  \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
  \do {%
    \begingroup
      \@tempswatrue
      \@for\reserved@a:=\bidi@excludedpackages\do {%
        \ifx\reserved@a\reserved@b
          \@tempswafalse
        \fi
      }%
      \if@tempswa
        \xdef\reserved@c{\reserved@c,\reserved@b}%
      \else
        \ifx\reserved@b\@empty\else
          \PackageInfo{biditools}{Excluding package `\reserved@b'\MessageBreak
            from loading}%
          \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
          }{%
            \expandafter\g@addto@macro\expandafter\reserved@d
            \csname bidi@exclude@package@\reserved@b @do\endcsname
```

```
          }%
        \fi
      \fi
    \endgroup
  }%
  \ifx\reserved@c\@empty
    \let\reserved@a\bidi@gobbleopt
  \else
    \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
        \expandafter\@gobble\reserved@c\@empty}}%
  \fi
  \expandafter\reserved@d
  \reserved@a
}

\newcommand{\bidi@gobbleopt}[1][]{}
\AtEndDocument{%
  \let\bidi@saved@checkend=\@checkend
  \renewcommand*{\@checkend}[1]{%
    \def\reserved@a{#1}\def\reserved@b{document}%
    \bidi@saved@checkend{#1}%
    \ifx\reserved@a\reserved@b
      \let\bidi@saved@clearpage=\clearpage
      \renewcommand*{\clearpage}{\bidi@saved@clearpage
        \bidi@hook@bcma
        \bidi@restore@newpage
        \let\clearpage=\bidi@saved@clearpage}%
    \fi%
    \let\bidi@saved@dofilelist\@dofilelist
    \def\@dofilelist{%
      \bidi@hook@acma
      \let\@dofilelist\bidi@saved@dofilelist
      \bidi@saved@dofilelist
    }%
  }%
}


\newcommand*{\bidi@saved@checkend}{}
\newcommand*{\bidi@saved@dofilelist}{}
\newcommand*{\bidi@redefine@newpage}{%
  \let\bidi@saved@newpage\newpage
  \def\bidi@restore@newpage{%
    \renewcommand*{\newpage}{%
      \PackageWarningNoLine{%
        biditools%
      }{%
        \string\newpage\space at main aux file!\MessageBreak
        You have output material at the main aux file.\MessageBreak
        Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
```

```
        are processed before the output from aux file%
      }%
      \let\newpage\bidi@saved@newpage
      \newpage
    }%
  }%
  \renewcommand*{\newpage}{%
    \PackageError{%
      biditools%
    }{%
      \string\newpage\space at \string\bidi@BeforeClosingMainAux
    }{%
      You should never use \string\newpage\space or
      \string\clear(double)page or other output material at the\MessageBreak
      argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
      If you'll continue, the \string\newpage\space will be ignored to
      avoid corruption of\MessageBreak
      every prior use of \string\bidi@BeforeClosingMainAux.
    }%
  }%
}

\newcommand*{\bidi@restore@newpage}{}
\newcommand*{\bidi@hook@bcma}{}
\newcommand*{\bidi@hook@acma}{}
\newcommand*{\bidi@BeforeClosingMainAux}{%
  \ifx\bidi@hook@bcma\@empty
    \gdef\bidi@hook@bcma{%
      \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
      \bidi@redefine@newpage
    }%
  \fi
  \g@addto@macro\bidi@hook@bcma%
}

\newcommand*{\bidi@AfterReadingMainAux}{%
  \ifx\bidi@hook@acma\@empty
    \gdef\bidi@hook@acma{%
      \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
    }%
  \fi
  \g@addto@macro\bidi@hook@acma%
}

\long\def\bidi@protected@immediate@write#1#2#3{%
  \begingroup
    #2%
    \let\protect\@unexpandable@protect
```

```
    \edef\reserved@a{\immediate\write#1{#3}}%
    \reserved@a
  \endgroup
  \if@nobreak\ifvmode\nobreak\fi\fi
}

\def\bidi@patch@counter{0}%
\if@bidi@csundef{numexpr}{%
  \def\bidi@patch@stepcounter{%
    \begingroup
      \count@\bidi@patch@counter\relax
      \advance\count@\@ne\relax
    \edef\x{\endgroup
      \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
    }%
    \x
  }%
}{%
  \def\bidi@patch@stepcounter{%
    \edef\bidi@patch@counter{%
      \the\numexpr\bidi@patch@counter+\@ne\relax
    }%
  }%
}
\def\bidi@patch@list{}
\def\bidi@patch@Add{%
  \bidi@appto\bidi@patch@list
}
\def\bidi@patch@AfterPackage#1{%
  \@ifpackageloaded{#1}{%
    \@firstofone
  }{%
    \@bidi@patch@AfterPackage{#1}%
  }%
}
\def\@bidi@patch@AfterPackage#1{%
  \edef\bidi@patch@temp{#1}%
  \bidi@patch@stepcounter
  \expandafter\bidi@patch@@AfterPackage
  \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
    \bidi@patch@temp
  }%
}
\def\bidi@patch@@AfterPackage#1#2#3{%
  \begingroup
    \toks@{#3}%
    \xdef\bidi@patch@gtemp{%
      \noexpand\@ifpackageloaded{#2}{%
        \noexpand\let\noexpand#1\noexpand\relax
        \the\toks@
```

```
      }{}%
    }%
  \endgroup
  \let#1\bidi@patch@gtemp
  \bidi@patch@Add#1%
  \bidi@patch@try{bidi@AfterPackage}{#2}#1%
}

\def\bidi@patch@try#1#2#3{%
  \if@bidi@csundef{#1}{}{%
    \csname #1\endcsname{#2}{#3}%
  }%
}

\AtBeginDocument{\bidi@patch@list}

\bidi@AtEndPreamble{\bidi@patch@list}%

\bidi@AfterEndPreamble{%
  \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
  \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
  \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
  \let\bidi@patch@OrgIfClassLater\@ifclasslater
  \bidi@patch@list
  \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
  \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
  \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
  \let\@ifclasslater\bidi@patch@OrgIfClassLater
}%
```

21 File bidituftefloat.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
bidi implementation of tufte float]
\RequirePackage{xifthen}
\newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
\newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
\newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bidit
\newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
\newboolean{@bidituftefloat@reversegeometry}
\setboolean{@bidituftefloat@reversegeometry}{false}
\DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
\newboolean{@bidituftefloat@afourpaper}
\DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
\newboolean{@bidituftefloat@bfivepaper}
\DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}
\newboolean{@bidituftefloat@symmetric}
\newboolean{@bidituftefloat@twoside}
\DeclareOption{twoside}{%
```

```
\@twosidetrue  \@mparswitchtrue%
\setboolean{@bidituftefloat@twoside}{true}%
\setboolean{@bidituftefloat@symmetric}{true}%
}
\DeclareOption{oneside}{%
\@twosidefalse  \@mparswitchfalse%
\setboolean{@bidituftefloat@twoside}{false}%
\setboolean{@bidituftefloat@symmetric}{false}%
}
\@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
\newboolean{@bidituftefloat@debug}
\newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect
\ProcessOptions
%% Globally sets the length
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}

%% Set the font sizes and baselines to match bidituftefloat's books
\renewcommand\normalsize{%
   \@setfontsize\normalsize\@xpt{14}%
   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
   \abovedisplayshortskip \z@ \@plus3\p@
   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
   \belowdisplayskip \abovedisplayskip
   \let\@listi\@listI}
\normalbaselineskip=14pt
\normalsize
\renewcommand\footnotesize{%
   \@setfontsize\footnotesize\@viiipt{10}%
   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus\p@
   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 3\p@ \@plus\p@ \@minus\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
%% Paragraph indentation and separation for marginal text
\newcommand{\@bidituftefloat@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
\RequirePackage{ragged2e}
\ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
\RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpars
```

```
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpars
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,m
  {}}{%
\RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginparse
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,ma
  {}}
\ifthenelse{\boolean{@bidituftefloat@symmetric}}
  {}
  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
\setlength\marginparpush{10pt}
%% Font for margin items
\newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
\newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
\newcommand{\@bidituftefloat@justification}{\justifying}%
\setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
\setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
\newboolean{@bidituftefloat@changepage}
\IfFileExists{changepage.sty}{%
  \bidituftefloatDebugInfoNL{Found changepage.sty}
  \RequirePackage[strict]{changepage}
  \setboolean{@bidituftefloat@changepage}{true}
}{%
  \bidituftefloatDebugInfoNL{Found chngpage.sty}
  \RequirePackage[strict]{chngpage}
  \setboolean{@bidituftefloat@changepage}{false}
}
\newboolean{@bidituftefloat@odd@page}
\setboolean{@bidituftefloat@odd@page}{true}
\newcommand*{\@bidituftefloat@checkoddpage}{%
  \checkoddpage%
  \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
    \ifoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }{%
    \ifcpoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
```

```
  }%
}
\newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running heads
\newlength{\@bidituftefloat@fullwidth}
\newlength{\@bidituftefloat@caption@fill}
\newcommand{\bidituftefloatRecalculate}{%
  \setlength{\@bidituftefloat@overhang}{\marginparwidth}
  \addtolength{\@bidituftefloat@overhang}{\marginparsep}

  \setlength{\@bidituftefloat@fullwidth}{\textwidth}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}

  \setlength{\@bidituftefloat@caption@fill}{\textwidth}
  \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
}
\AtBeginDocument{\bidituftefloatRecalculate}
\RequirePackage{optparams}%  provides multiple optional arguments for commands
\RequirePackage{placeins}
\newsavebox{\@bidituftefloat@margin@floatbox}
\newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
  {\FloatBarrier% process all floats before this point so the figure/table numbers stay in orc
  \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
  \begin{minipage}{\marginparwidth}%
    \@bidituftefloat@caption@font%
    \def\@captype{#2}%
    \hbox{}\vspace*{#1}%
    \@bidituftefloat@caption@justification%
    \@bidituftefloat@margin@par%
    \noindent%
  }
  {\end{minipage}%
  \end{lrbox}%
  \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
  }
\newenvironment{marginfigure}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{figure}}
  {\end{@bidituftefloat@margin@float}}
\newenvironment{margintable}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{table}}
  {\end{@bidituftefloat@margin@float}}
\newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%

\newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float i
\newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
  \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}%
    {\def\@bidituftefloat@float@debug@info{#1}}%
    {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak#1}}%
}
\newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
```

```
\newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug
\newboolean{@bidituftefloat@float@recto}
\newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftef
\newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftef
\newsavebox{\@bidituftefloat@figure@box}
\newsavebox{\@bidituftefloat@caption@box}
\let\@bidituftefloat@orig@float\@float
\let\@bidituftefloat@orig@endfloat\end@float
\newlength{\@bidituftefloat@caption@vertical@offset}
\setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
\newcommand{\@bidituftefloat@stored@shortcaption}{}
\newcommand{\@bidituftefloat@stored@caption}{}
\newcommand{\@bidituftefloat@stored@label}{}
\long\def\@bidituftefloat@caption[#1][#2]#3{%
  \ifthenelse{\isempty{#1}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
  \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}% we want a positive offset to low
  \gdef\@bidituftefloat@stored@caption{#3}%
}
\newcommand{\@bidituftefloat@label}[1]{%
  \gdef\@bidituftefloat@stored@label{#1}%
}
\newcommand{\@bidituftefloat@fps}{}
\newboolean{@bidituftefloat@float@star}
\newlength{\@bidituftefloat@float@contents@width}
\newenvironment{@bidituftefloat@float}[3][htbp]%
  {% begin @bidituftefloat@float
    % Should this float be full-width or just text-width?
    \ifthenelse{\equal{#3}{star}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
    % Check page side (recto/verso) and store detected value -- can be overriden in environmen
    \@bidituftefloat@checkoddpage%
    \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detect
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detec
    % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
    \renewcommand{\@bidituftefloat@fps}{#1}%
    \@bidituftefloat@float@debug{Allowed positions: [#1]}%
    \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
      {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [botto
      {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]}
    % Capture the contents of the \caption and \label commands to use later
    \global\let\@bidituftefloat@orig@caption\caption%
    \global\let\@bidituftefloat@orig@label\label%
    \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[][0pt]}}%
    \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
    % Handle subfigure package compatibility
    \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
```

```
      \bidi@patchcmd{\subfigure}{%
      \let\subfig@oldlabel=\label
      }{%
      \let\subfig@oldlabel=\@bidituftefloat@orig@label
      }
      {}
      {}
      \let\subtable=\subfigure
    }{}% subfigure package is not loaded
    \@bidituftefloat@orig@float{#2}[#1]%
    \ifthenelse{\boolean{@bidituftefloat@float@star}}%
      {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
      {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
    \begin{lrbox}{\@bidituftefloat@figure@box}%
      \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
}{% end @bidituftefloat@float
      \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% ali
      \end{minipage}%
    \end{lrbox}%
    % build the caption box
    \begin{lrbox}{\@bidituftefloat@caption@box}%
      \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}{\@bidituftefloat@orig@capti
        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}{\@bidituftefloat@orig@label{\
        \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
      \end{minipage}%
    \end{lrbox}%
    % now typeset the stored boxes
    \begin{fullwidth}%
      \begin{minipage}[\floatalignment]{\linewidth}%
        \ifthenelse{\boolean{@bidituftefloat@float@star}}%
          {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@biditu
          {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@biditu
      \end{minipage}%
    \end{fullwidth}%
    \@bidituftefloat@orig@endfloat% end original LaTeX float environment
    % output debug info
    \ifthenelse{\boolean{@bidituftefloat@debug}}{%
      \typeout{^^J^^J---------- bidituftefloat package float information ----------}%
      \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}%
        {\typeout{Warning: Float unlabeled!}}%
        {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
      \typeout{Page number: [\thepage]}%
      \def\MessageBreak{^^J}%
      \typeout{\@bidituftefloat@float@debug@info}%
      \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
        {\typeout{Symmetric: [true]}}%
        {\typeout{Symmetric: [false]}}%
      \typeout{-----------------------------------------------------^^J^^J}%
    }{}%
```

```
    % reset commands and temp boxes and captions
    \gdef\@bidituftefloat@float@debug@info{}%
    \let\caption\@bidituftefloat@orig@caption%
    \let\label\@bidituftefloat@orig@label%
    \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
    \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
    \gdef\@bidituftefloat@stored@shortcaption{}%
    \gdef\@bidituftefloat@stored@caption{}%
    \gdef\@bidituftefloat@stored@label{}%
    \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
  }
\newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
  \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}
    % asymmetric or page is odd, so caption is on the right
    \hbox{%
      \usebox{#2}%
      \hspace{\marginparsep}%
      \smash{\raisebox{#1}{\usebox{#3}}}%
    }
    \@bidituftefloat@float@debug{Caption position: [right]}%
  }{% symmetric pages and page is even, so caption is on the left
    \hbox{%
      \smash{\raisebox{#1}{\usebox{#3}}}%
      \hspace{\marginparsep}%
      \usebox{#2}%
    }
    \@bidituftefloat@float@debug{Caption position: [left]}%
  }%
}
\newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
  \ifthenelse{\equal{\floatalignment}{b}}%
    {% place caption above figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rec
        {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{
        {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{
    }{% place caption below figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rec
        {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug{
        {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{
    }%
}
\renewenvironment{figure}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table}[1][htbp]
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{figure*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}}
  {\end{@bidituftefloat@float}}
```

```
\renewenvironment{table*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}}
  {\end{@bidituftefloat@float}}
\newenvironment{fullwidth}
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefl
     {\begin{adjustwidth}{}{-\@bidituftefloat@overhang}}%
  }%
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
    {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}
    {\end{adjustwidth}}%
  }
\long\def\@caption#1[#2]#3{%
  \par%
  \addcontentsline{\csname ext@#1\endcsname}{#1}%
    {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
  \begingroup%
    \@parboxrestore%
    \if@minipage%
      \@setminipage%
    \fi%
    \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
    \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
    %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
  \endgroup}
%%
% Turns newlines into spaces.  Based on code from the `titlesec' package.
\DeclareRobustCommand{\@bidituftefheading@newlinetospace}{%
  \@ifstar{\@bidituftefheading@newlinetospace@i}{\@bidituftefheading@newlinetospace@i}%
}
\def\@bidituftefheading@newlinetospace@i{%
  \ifdim\lastskip>\z@\else\space\fi
  \ignorespaces%
}
\DeclareRobustCommand{\newlinetospace}[1]{%
  \let\@bidituftefheading@orig@cr\\% save the original meaning of \\
  \def\\{\@bidituftefheading@newlinetospace}% turn \\ and \\* into \space
  \let\newline\\% turn \newline into \space
  #1%
  \let\\\@bidituftefheading@orig@cr% revert to original meaning of \\
}
\RequirePackage{fancyhdr}
\pagestyle{fancy}
\AtBeginDocument{%
  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhfoffset[LE,RO]{\@bidituftefloat@overhang}}
    {\fancyhfoffset[RE,RO]{\@bidituftefloat@overhang}}
}
% The running heads/feet don't have rules
\renewcommand{\headrulewidth}{0pt}
```

```
\renewcommand{\footrulewidth}{0pt}
% The 'fancy' page style is the default style for all pages.
\fancyhf{} % clear header and footer fields
    \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
    \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
    {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
% The `plain' page style is used on chapter opening pages.
% In Tufte's /Beautiful Evidence/ he never puts page numbers at the
% bottom of pages -- the folios are unexpressed.
\fancypagestyle{plain}{
  \fancyhf{} % clear header and footer fields
  % Uncomment the following five lines of code if you want the opening page
  % of the chapter to express the folio in the lower outside corner.
  %  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
  %  {\fancyfoot[LE,RO]{\thepage}}
  %  {\fancyfoot[RE,RO]{\thepage}}
}
% The `empty' page style suppresses all headers and footers.
% It's used on title pages and `intentionally blank' pages.
\fancypagestyle{empty}{
  \fancyhf{} % clear header and footer fields
}
\def\morefloats{% provides a total of 52 floats
  \ifthenelse{\isundefined{\bx@S}}{%
    \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
    \newinsert\bx@S
    \newinsert\bx@T
    \newinsert\bx@U
    \newinsert\bx@V
    \newinsert\bx@W
    \newinsert\bx@X
    \newinsert\bx@Y
    \newinsert\bx@Z
    \newinsert\bx@a
    \newinsert\bx@b
    \newinsert\bx@c
    \newinsert\bx@d
    \newinsert\bx@e
    \newinsert\bx@f
    \newinsert\bx@g
    \newinsert\bx@h
    \newinsert\bx@i
    \newinsert\bx@j
    \newinsert\bx@k
    \newinsert\bx@l
    \newinsert\bx@m
    \newinsert\bx@n
    \newinsert\bx@o
    \newinsert\bx@p
```

```
    \newinsert\bx@q
    \newinsert\bx@r
    \newinsert\bx@s
    \newinsert\bx@t
    \newinsert\bx@u
    \newinsert\bx@v
    \newinsert\bx@w
    \newinsert\bx@x
    \newinsert\bx@y
    \newinsert\bx@z
    \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                    \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                    \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                    \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                    \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                    \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                    \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                    \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                    \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                    \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                    \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                    \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
}{% we've already added another 34 floats, so we'll add 26 more, but that's it!
  \ifthenelse{\isundefined{\bx@AA}}{%
    \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
    \newinsert\bx@AA
    \newinsert\bx@BB
    \newinsert\bx@CC
    \newinsert\bx@DD
    \newinsert\bx@EE
    \newinsert\bx@FF
    \newinsert\bx@GG
    \newinsert\bx@HH
    \newinsert\bx@II
    \newinsert\bx@JJ
    \newinsert\bx@KK
    \newinsert\bx@LL
    \newinsert\bx@MM
    \newinsert\bx@NN
    \newinsert\bx@OO
    \newinsert\bx@PP
    \newinsert\bx@QQ
    \newinsert\bx@RR
    \newinsert\bx@SS
    \newinsert\bx@TT
    \newinsert\bx@UU
    \newinsert\bx@VV
    \newinsert\bx@WW
    \newinsert\bx@XX
    \newinsert\bx@YY
```

```
      \newinsert\bx@ZZ
      \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                      \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                      \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                      \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                      \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                      \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                      \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                      \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                      \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                      \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                      \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                      \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
                      \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
                      \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
                      \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
                      \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
                      \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
                      \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
    }{%
      \bidituftefloatError{You may only call \string\morefloats\space twice. See the\MessageBr
        {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\M
    }%
  }%
}
\newboolean{@bidituftefloat@packages@subfigure}
\setboolean{@bidituftefloat@packages@subfigure}{false}
\AtBeginDocument{%
  \@ifpackageloaded{subfigure}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
}
\AtBeginDocument{%
  \@ifpackageloaded{float}{%
    % Save the redefined float environment (instead of the LaTeX float environment)
    \let\@bidituftefloat@orig@float\@float
    \let\@bidituftefloat@orig@endfloat\end@float

    % Define Tuftian float styles (with the caption in the margin)
    \newcommand{\floatc@bidituftefloatplain}[2]{%
      \begin{lrbox}{\@bidituftefloat@caption@box}%
        \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
          \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
        \end{minipage}%
      \end{lrbox}%
      \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
    }
    \newcommand{\fs@bidituftefloatplain}{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
```

```
      \def\@fs@pre{}%
      \def\@fs@post{}%
      \def\@fs@mid{}%
      \let\@fs@iftopcapt\iftrue%
    }
    \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
    \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
    \newcommand\floatc@bidituftefloatruled[2]{%
      {\@fs@cfont #1} #2\par%
    }
    \newcommand\fs@bidituftefloatruled{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
      \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
      \def\@fs@mid{}%
      \let\@fs@iftopcapt\iftrue%
    }
    \newcommand\fs@bidituftefloatboxed{%
      \def\@fs@cfont{}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{%
        \setbox\@currbox\vbox{\hbadness10000
        \moveleft3.4pt\vbox{\advance\hsize by6.8pt
          \hrule \hbox to\hsize{\vrule\kern3pt
            \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
      }%
      \def\@fs@mid{\kern2pt}%
      \def\@fs@post{}%
      \let\@fs@iftopcapt\iftrue%
    }
  }{%
    % Nothing to do
  }
}
\AtBeginDocument{%
  \@ifpackageloaded{algorithm}{%
    % Set the float style to the Tuftian version
    \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@
      \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak
      \floatstyle{bidituftefloat\ALG@floatstyle}%
      \restylefloat{algorithm}%
    }{}%
  }{%
    % Nothing to do
  }
}
\PassOptionsToPackage{caption=false}{subfig}
```

22 File bidituftesidenote.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
bidi implementation of tufte sidenote]
\RequirePackage{xifthen}
\RequirePackage{ragged2e}
\RequirePackage{setspace}
\RequirePackage{biditools}
\def\bidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
\long\def\@bidituftesidenotexmpar[#1]#2{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \@bidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@bidituftesidenoteympar#1{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@bidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@bidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@bidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
```

```
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
}
\def\LTRbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteympar}
\long\def\@LTRbidituftesidenotexmpar[#1]#2{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRbidituftesidenoteympar#1{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
```

```
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteympar}
\long\def\@RTLbidituftesidenotexmpar[#1]#2{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLbidituftesidenoteympar#1{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
```

```
\newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
\newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1}}
\newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
\newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
\newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{
\newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{
\newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
\newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
\newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
\newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@aut
\newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@a
\newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@aut
\newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
\newcommand{\@bidituftesidenote@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
%%
% Globally sets the length
\@ifundefined{gsetlength}{%
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}%
}{}

%%
% A function that removes leading and trailling spaces from the supplied macro.
% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
% Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
% being trimmed of leading and trailing white space.
\catcode`\Q=3
\def\@bidituftesidenote@trim@spaces#1{%
  % Use grouping to emulate a multi-token afterassignment queue
  \begingroup%
  % Put `\toks 0 {' into the afterassignment queue
  \aftergroup\toks\aftergroup0\aftergroup{%
  % Apply \trimb to the replacement text of #1, adding a leading
  % \noexpand to prevent brace stripping and to serve another purpose
  % later.
  \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
  % Transfer the trimmed text back into #1.
  \edef#1{\the\toks0}%
}
% \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
```

```
% clean up any leftover bizarre Qs, and trim a leading space. In
% order for \trimc to work properly we need to put back a Q first.
\def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
% Execute \vfuzz assignment to remove leading space; the \noexpand
% will now prevent unwanted expansion of a macro or other expandable
% token at the beginning of the trimmed text. The \endgroup will feed
% in the \aftergroup tokens after the \vfuzz assignment is completed.
\def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
\catcode`\Q=11
%%
% Citations should go in the margin as sidenotes

\RequirePackage{natbib}
\RequirePackage{bibentry}        % allows bibitems to be typeset outside thebibliography envi
% Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
\renewcommand\BR@b@bibitem[2][]{%
  \ifthenelse{\isempty{#1}}%
    {\BR@bibitem{#2}}%
    {\BR@bibitem[#1]{#2}}%
  \BR@c@bibitem{#2}%
}
\bidi@AtEndPreamble{\nobibliography*}                % pre-loads the bibliography keys
%%
% Normal \cite behavior
\newcounter{@bidituftesidenote@num@bibkeys}%
\newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \sidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
\newcommand{\@bidituftelTRsidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \LTRsidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
```

```
    \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
\newcommand{\@biditufteRTLsidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \RTLsidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% Macros for holding the list of cite keys until after the \sidenote
\gdef\@bidituftesidenote@citations{}% list of cite keys
\newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite k
  \ifx\@bidituftesidenote@citations\@empty\else
    \g@addto@macro\@bidituftesidenote@citations{,}% separate by commas
  \fi
  \g@addto@macro\@bidituftesidenote@citations{#1}
}
\newcommand{\@bidituftesidenote@print@citations}[1][0pt]{% puts the citations in a margin note
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \marginpar{%
    \hbox{}\vspace*{#1}%
    \@bidituftesidenote@citation@font%
    \@bidituftesidenote@citation@justification%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
```

```
    \vspace*{-1\baselineskip}%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% \cite behavior when executed within a sidenote
\newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
\newcommand{\@bidituftesidenote@infootnote@cite}[1]{%
  \@bidituftesidenote@add@citation{#1}
}
%%
% Set the default \cite style.  This is set and reset by the \sidenote command.
\let\cite\@bidituftesidenote@normal@cite
\let\LTRcite\@biditufteLTRsidenote@normal@cite
\let\RTLcite\@biditufteRTLsidenote@normal@cite
%%
% Transform existing \footnotes into \sidenotes
% Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
\RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argume
\providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote
\renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@
% Override footmisc's definition to set the sidenote marks (numbers) inside the
% sidenote's text block.
\bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote@s
% Set the in-text footnote mark in the same typeface as the body text itself.
\bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesi
\providecommand*{\multiplefootnotemarker}{3sp}
\providecommand*{\multfootsep}{,}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\@footnotemark}{%
  \leavevmode%
  \ifhmode%
    \edef\@x@sf{\the\spacefactor}%
    \@bidituftesidenote@check@multiple@sidenotes%
    \nobreak%
  \fi%
  \@makefnmark%
  \ifhmode\spacefactor\@x@sf\fi%
  \relax%
}%
```

```
}
\newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
  \ifdim\lastkern=\multiplefootnotemarker\relax%
    \edef\@x@sf{\the\spacefactor}%
    \unkern%
    \textsuperscript{\multfootsep}%
    \spacefactor\@x@sf\relax%
  \fi
}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand\@footnotetext[2][Opt]{%
  \bidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@LTRfootnotetext[2][Opt]{%
  \LTRbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@RTLfootnotetext[2][Opt]{%
  \RTLbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
```

```
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
}
%
% Define \sidenote command.  Can handle \cite.
\newlength{\@bidituftesidenote@sidenote@vertical@offset}
\setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
% #1 = footnote num, #2 = vertical offset, #3 = footnote text
\long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
```

```
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite commar
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
```

```
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}%
}
%%
% Sidenote without the footnote mark
\newcommand\marginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituft
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
}
\newcommand\LTRmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@bi
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
}
\newcommand\RTLmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@RTLmarginnote@font\@bi
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
}
```

23 File bidituftetoc.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
bidi implementation of tufte toc]
```

```
\RequirePackage{titlesec,titletoc,xifthen,biditools}
\newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
\newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
%%
% Turn off section numbering
\setcounter{secnumdepth}{-1}
\newboolean{@bidituftetoc@toc}
\setboolean{@bidituftetoc@toc}{true}
\DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
\DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
\ProcessOptions
%%
% Make Tuftian-style section headings and TOC formatting
\bidi@patch@AfterPackage{bidi}{%
\titleformat{\chapter}%
  [display]% shape
  {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}}% format ap
  {\itshape\huge\thechapter}% label
  {0pt}% horizontal separation between label and title body
  {\huge\rmfamily\itshape}% before the title body
  [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}]% after the title b
\titleformat{\section}%
  [hang]% shape
  {\normalfont\Large\itshape}% format applied to label+text
  {\thesection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\subsection}%
  [hang]% shape
  {\normalfont\large\itshape}% format applied to label+text
  {\thesubsection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\paragraph}%
  [runin]% shape
  {\normalfont\itshape}% format applied to label+text
  {\theparagraph}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titlespacing*{\chapter}{0pt}{50pt}{40pt}
\titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
\titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
}
% Subsubsection and following section headings shouldn't be used.
% See Bringhurst's _The Elements of Typography_, section 4.2.2.
\renewcommand\subsubsection{%
  \bidituftetocError{\noexpand\subsubsection is undefined by this class.%
```

```
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subsubsection was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the mar
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
\renewcommand\subparagraph{%
  \bidituftetocError{\noexpand\subparagraph is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subparagraph was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the mar
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
% Formatting for main TOC (printed in front matter)
% {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
\ifthenelse{\boolean{@bidituftetoc@toc}}{%
 \bidi@patch@AfterPackage{bidi}{%
 \titlecontents{part}% FIXME
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
    {\contentslabel{2em}} % before w/label (label = ``II'')
    {} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{chapter}%
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
    {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
    {\hspace*{0em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{section}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatti
    {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
    {\hspace*{2em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{subsection}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatti
    {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
    {\hspace*{4em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{paragraph}% FIXME
    [0em] % distance from left margin
```

```
    {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global for
    {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
    {\hspace*{6em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
}%
}{}
%%
% Format lists of figures/tables
\renewcommand\listoffigures{%
  \@ifundefined{chapter}%
    {\section*{\listfigurename}}%
    {\chapter*{\listfigurename}}%
%  \begin{fullwidth}%
    \@starttoc{lof}%
%  \end{fullwidth}%
}
\renewcommand\listoftables{%
  \@ifundefined{chapter}%
    {\section*{\listtablename}}%
    {\chapter*{\listtablename}}%
%  \begin{fullwidth}%
    \@starttoc{lot}%
%  \end{fullwidth}%
}
\newcommand{\@bidituftetoc@lof@line}[2]{%
  % #1 is the figure/table number and its caption text
  % #2 is the page number on which the figure/table appears
  \leftskip 0.0em
  \rightskip 0em
  \parfillskip 0em plus 1fil
  \parindent 0.0em
  \@afterindenttrue
  \interlinepenalty\@M
  \leavevmode
  \@tempdima 2.0em
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
  {#1}\nobreak\qquad\nobreak#2%
  \par%
}
\renewcommand*\l@figure{\@bidituftetoc@lof@line}
\let\l@table\l@figure
```

24 File bidituftegeneralstructure.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
bidi implementation of tufte general structure]
\renewcommand\small{%
```

```
  \@setfontsize\small\@ixpt{12}%
  \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
  \abovedisplayshortskip \z@ \@plus2\p@
  \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
  \def\@listi{\leftmargin\leftmargini
              \topsep 4\p@ \@plus2\p@ \@minus2\p@
              \parsep 2\p@ \@plus\p@ \@minus\p@
              \itemsep \parsep}%
  \belowdisplayskip \abovedisplayskip
}
\renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
\renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
\renewcommand\large{\@setfontsize\large\@xipt{15}}
\renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
\renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
\renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
\renewcommand\Huge{\@setfontsize\Huge{24}{36}}
\setlength\leftmargini   {1pc}
\setlength\leftmarginii  {1pc}
\setlength\leftmarginiii {1pc}
\setlength\leftmarginiv  {1pc}
\setlength\leftmarginv   {1pc}
\setlength\leftmarginvi  {1pc}
\setlength\labelsep      {.5pc}
\setlength\labelwidth    {\leftmargini}
\addtolength\labelwidth{-\labelsep}
\setlength{\parindent}{1.0pc}%
\setlength{\parskip}{0pt}%
\RequirePackage{ragged2e}
\setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
% Paragraph indentation and separation for normal text
\newcommand{\@bidituftegeneralstructure@reset@par}{%
  \setlength{\RaggedRightParindent}{1.0pc}%
  \setlength{\JustifyingParindent}{1.0pc}%
  \setlength{\parindent}{1pc}%
  \setlength{\parskip}{0pt}%
}
\@bidituftegeneralstructure@reset@par
% Require paralist package for tighter lists
\RequirePackage{paralist}
% Add rightmargin to compactenum
\def\@compactenum@{%
  \expandafter\list\csname label\@enumctr\endcsname{%
    \usecounter{\@enumctr}%
    \rightmargin=2em% added this
    \parsep\plparsep
    \itemsep\plitemsep
    \topsep\pltopsep
    \partopsep\plpartopsep
    \def\makelabel##1{\hss\llap{##1}}}}
```

```
%%
% An environment for paragraph-style section
\providecommand\newthought[1]{%
   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
   \noindent\textbf{#1}%
}
%%
% Redefine the display environments (quote, quotation, etc.)
\renewenvironment{verse}
               {\let\\\@centercr
                \list{}{\itemsep      \z@
                        \itemindent   -1pc%
                        \listparindent\itemindent
                        \rightmargin  \leftmargin
                        \advance\leftmargin 1pc}%
                \small%
                \item\relax}
               {\endlist}
\renewenvironment{quotation}
               {\list{}{\listparindent 1pc%
                        \itemindent    \listparindent
                        \rightmargin   \leftmargin
                        \parsep        \z@ \@plus\p@}%
                \small%
                \item\relax\noindent\ignorespaces}
               {\endlist}
\renewenvironment{quote}
               {\list{}{\rightmargin\leftmargin}%
                \small%
                \item\relax}
               {\endlist}
% Italicize description run-in headings (instead of the default bold)
\renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
%%
% Redefine \bibsection to not mark the running heads.
% (Code modified from natbib.sty.)
\@ifundefined{chapter}%
  {\renewcommand\bibsection{\section*{\refname}}}
  {\@ifundefined{NAT@sectionbib}%
    {\renewcommand\bibsection{\chapter{\bibname}}}
    {\renewcommand\bibsection{\section*{\bibname}}}}
\RequirePackage{multicol}
\renewenvironment{theindex}{%
\@ifundefined{chapter}%
    {\section*{\indexname}}%
    {\chapter{\indexname}}%
  \begin{fullwidth}%
  \small%
  \parskip0pt%
  \parindent0pt%
```

```
  \let\item\@idxitem%
  \begin{multicols}{3}%
}{%
  \end{multicols}%
  \end{fullwidth}%
}
\AtBeginDocument{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
\renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
\renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}}
\renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
\newcommand{\lettergroup}[1]{}% swallow the letter heading in the index
```

25 File bidituftehyperref.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
bidi implementation of tufte hyperref]
%%
% Color
\RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
\newboolean{@bidituftehyperref@loadhyper}
\setboolean{@bidituftehyperref@loadhyper}{true}
\DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
\DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
\ProcessOptions
%% Loads the hyperref package and sets some default options.
\newcommand{\bidituftehyperrefLoadHyperref}{%
\RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
  \hypersetup{%
    bookmarksdepth = section,
    citecolor = DarkGreen,
    linkcolor = DarkBlue,
%    pagecolor = DarkBlue,
    urlcolor = DarkGreen,
  }%
}
\ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
  \bidituftehyperrefLoadHyperref%
}{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
  \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
}
```

26 File bidituftetitle.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
bidi implementation of tufte title]
\RequirePackage{biditools}
%%
```

```
% `titlepage' option -- creates a full title page with \maketitle
\newboolean{@bidituftetitle@titlepage}
\DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
\DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
% Default `book' and `handout' options
\@ifclassloaded{book}{%
\ExecuteOptions{titlepage}}{%
\@ifclassloaded{article}{%
\ExecuteOptions{notitlepage}}%
{}}
\ProcessOptions
%%
% Modified \title, \author, and \date commands.  These store the
% (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
\newcommand{\plaintitle}{}%     plain-text-only title
\newcommand{\plainauthor}{}%    plain-text-only author
\newcommand{\plainpublisher}{}% plain-text-only publisher
\newcommand{\thanklesstitle}{}%     full title text minus \thanks{}
\newcommand{\thanklessauthor}{}%    full author text minus \thanks{}
\newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
\newcommand{\@publisher}{}% full publisher with \thanks{}
\newcommand{\thedate}{\today}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\thanks}[1]{\footnote{#1}}
\renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
\renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
}
\renewcommand{\title}[2][]{%
  \gdef\@title{#2}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesstitle{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
    {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
}
\let\@author\@empty% suppress default latex.ltx ``no author'' warning
\renewcommand{\author}[2][]{%
  \ifthenelse{\isempty{#2}}{}{\gdef\@author{#2}}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
```

```
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklessauthor{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
    {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
}
\renewcommand{\date}[1]{%
  \gdef\@date{#1}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thedate{#1}%
  \endgroup%
}
%%
% Provides a \publisher command to set the publisher
\newcommand{\publisher}[2][]{%
  \gdef\@publisher{#2}%
  \begingroup%
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesspublisher{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}
    {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
    {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
}
%%
% Produces a full title page
\newcommand{\maketitlepage}[0]{%
  \cleardoublepage%
  {%
  \bfseries%
  \begin{fullwidth}%
  \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
  \vspace{11.5pc}%
  \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
  \vfill%
  \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
  \end{fullwidth}%
  }
  \thispagestyle{empty}%
  \clearpage%
```

```
}
%%
% Title block
\bidi@AfterEndPreamble{%
\renewcommand{\maketitle}{%
  \newpage%
  \global\@topnum\z@% prevent floats from being placed at the top of the page
  \begingroup%
    \setlength{\parindent}{0pt}%
    \setlength{\parskip}{4pt}%
    \let\@@title\@empty%
    \let\@@author\@empty%
    \let\@@date\@empty%
      \gdef\@@title{\LARGE\itshape\@title\par}%
      \gdef\@@author{\Large\itshape\@author\par}%
      \gdef\@@date{\Large\itshape\@date\par}%
    \@@title%
    \@@author%
    \@@date%
  \endgroup%
  \thispagestyle{plain}% suppress the running head
}%
}
%%
% Title page (if the `titlepage' option was passed to the bidituftetitle-handout
% class.)
\bidi@AfterEndPreamble{%
\ifthenelse{\boolean{@bidituftetitle@titlepage}}
  {\renewcommand{\maketitle}{\maketitlepage}}
  {}
}
%%
% When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
% without headers and footers
\def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
  \hbox{}
  %\vspace*{\fill}
  %\begin{center}
  %  This page intentionally contains only this sentence.
  %\end{center}
  %\vspace{\fill}
  \thispagestyle{empty}
  \newpage
  \if@twocolumn\hbox{}\newpage\fi\fi\fi}
```

27 File biditufte-handout.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
```

```
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{article}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
\renewenvironment{abstract}
  {\begin{quotation}}
  {\end{quotation}}
\AtBeginDocument{%
\IfFileExists{biditufte-handout.cfg}
  {\input{biditufte-handout.cfg}
   \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
  {}%
}
```

28 File `biditufte-book.cls`

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{book}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
%%
% Set up any book-specific stuff now
%%
% The front matter in Tufte's /Beautiful Evidence/ contains everything up
% to the opening page of Chapter 1.  The running heads, when they appear,
% contain only the (arabic) page number in the outside corner.
%\newif\if@mainmatter \@mainmattertrue
\renewcommand\frontmatter{%
  \cleardoublepage%
  \@mainmatterfalse%
  \pagenumbering{arabic}%
```

```
  %\pagestyle{plain}%
  \fancyhf{}%
    \ifthenelse{\boolean{@bidituftefloat@twoside}}%
    {\fancyhead[LE,RO]{\thepage}}%
    {\fancyhead[RE,RO]{\thepage}}%
}
%%
% The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
% numbering---it continues where it left off in the front matter.
\renewcommand\mainmatter{%
  \cleardoublepage%
  \@mainmattertrue%
  \fancyhf{}%
  \ifthenelse{\boolean{@bidituftefloat@twoside}}%
      {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
      \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
      \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}}% chapter title
      {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
}
%%
% The back matter contains appendices, indices, glossaries, endnotes,
% biliographies, list of contributors, illustration credits, etc.
\renewcommand\backmatter{%
  \if@openright%
    \cleardoublepage%
  \else%
    \clearpage%
  \fi%
  \@mainmatterfalse%
}
%%
% Only show the chapter titles in the table of contents
\setcounter{tocdepth}{0}
\AtBeginDocument{%
\IfFileExists{biditufte-book.cfg}
  {\input{biditufte-book.cfg}
   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
  {}%
}
```

29 File bidipoem.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidipoem}%
[2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]

% Usage:
%
% \Setversedim #1#2  % define the layout (within a group):
% #1 = length of both half-verses
```

```
% #2 = separation distance = length of a connection, if present
%  Variant:
% \Setversedim #1[#2]#3  % for half-verses of unequal length
% #1 = length of first (=right) half-verse
% #2 = length of second (=left) half-verse
% #3 = separation distance = length of a connection, if present
%
% \traditionalhalfverses #1#2 % typeset two separated half-verses
% #1 = text of first (=right) half-verse
% #2 = text of second (=left) half-verse
%  Variant:
% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
% #1 = text of first (=right) half-verse
% #2 = text of connection
% #3 = text of second (=left) half-verse
%
% Alternative (if preferred):
%
% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3


\newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}

% define the layout, verses will be centered

\newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
\newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen

\newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
\bidipoem@hvind \textwidth
\bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
\ifx [#2\def \bidipoem@next {\bidipoem@set@verseI [}\else
\bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@

\def \bidipoem@set@verseI [#1]{% optional parameter
\bidipoem@@hvlen #1\relax \bidipoem@set@@verse }

\newcommand*{\bidipoem@set@@verse}[1]{% separation
\advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
\advance \bidipoem@hvind -\bidipoem@hvsep  \divide \bidipoem@hvind 2 }

\newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
\ifdim 0pt > \bidipoem@hvind %
\bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
\else
\noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
\bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
\bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
\par }

```

```
% macro for two half verses
\newcommand*{\traditionalhalfverses}[2]{% optional parameter?
\ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[}%
\else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
\bidipoem@half@verses@next}

\def \bidipoem@half@verses #1[#2]#3{% first[mid]second
\traditionalconnverses {#1}{#2}{#3}}


{\catcode`\^^M=\active % these lines must end with %
  \gdef\traditionalpoem@obeylines{\catcode`\^^M\active \let^^M\traditionalpoem@par}%
  \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
{\catcode`\^^M=\active % these lines must end with %
  \gdef\modernpoem@obeylines{\catcode`\^^M\active \let^^M\modernpoem@par}%
  \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
\def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
\def\poemmarginskip{1em plus 1fil minus 1em}
\def\poemextrabaselineskip{0\baselineskip}
\def\poemskip{\medskip}
\newcommand{\bidipoem@openbox}{\leavevmode
  \hbox to.77778em{%
  \hfil\vrule
  \vbox to.675em{\hrule width.6em\vfil\hrule}%
  \vrule\hfil}}
\def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
\newdimen\versewidth
\newtoks\bidipoem@p@ftn
\def\poem@verse#1{%
\ifdim\wd#1>\new@poem@width
\xdef\new@poem@width{\the\wd#1}%
\ifdim\new@poem@width>\poem@width
\xdef\poem@width{\new@poem@width}%
\global\let\poem@needrun\relax
\fi
\fi
\hbox to\poem@width{\unhbox#1}%
\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
}
\def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
\def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
\def\poem@lineversesep{%
\nobreak
\hskip\z@ plus 1filll%
\penalty600%
\hskip\poemcolsepskip
\hskip\z@ plus -2filll%
\vadjust{}%
\nobreak
\hskip\z@ plus 1filll%
```

```
}
\def\poem@lineparsebegin{%
\halign\bgroup
\global\setbox\verse@i=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}&&
\global\setbox\verse@ii=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}
\cr
}
\def\poem@lineparseend{%
\crcr\egroup
\vskip-\baselineskip
}
\def\traditionalpoem@cr{%
  \cr\poem@line
}
\newbox\verse@i
\newbox\verse@ii
\newif\ifpoem@started

\def\poem@line{%
\poem@lineparseend
\ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
\ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
\ifpoem@started
  \ifdim\wd\verse@ii>\z@\else
  \nopagebreak[3]
  \fi
  \leavevmode
  \poem@linebegin
  \poem@verse\verse@i
  \ifdim\wd\verse@ii>\z@
```

```
  \poem@lineversesep
  \poem@verse\verse@ii
  \fi
  \poem@lineend
%  \nopagebreak
  \par
  \vskip\poemextrabaselineskip
\fi
\poem@lineparsebegin
}
\def\@traditionalpoem{%
\stepcounter{poem@no}
        \ifnum\max@poem@no<\number\c@poem@no%
\xdef\poem@width{\z@}%
        \else
\xdef\poem@width{\poem@prop{poem@width}}%
\fi
\xdef\new@poem@width{\z@}%
\global\versewidth=\poem@width
\poemskip\par
\begingroup
\tabskip=\z@
\parskip=\z@
\parindent=\z@
\parfillskip=\z@
\rightskip=\z@
\leftskip=\z@
\widowpenalty=10000% No break between verses of the same line.
\clubpenalty=10000% Same as above.  Not really needed.
\def\newblock{\hfil\poemblocksep\hfil\null}%
\def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
\def\\{\global\poem@startedtrue\traditionalpoem@cr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\poem@lineparsebegin
}
\def\@endtraditionalpoem{%
\cr
\ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
\noalign{%
\skip0=\poemextrabaselineskip
\vskip-\skip0
\vskip-\baselineskip
}%
\fi\fi
\poem@lineparseend
\endgroup
\par
\vskip\baselineskip
```

```
\poemskip
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
\ifdim\new@poem@width<\poem@width
\global\let\poem@needrun\relax
\fi
        \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
\ifx\AtEndDocument\undefined\poem@finish\fi
}


\long\def\bidipoem@p@ftntext#1{%
  \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
\long\def\bidipoem@p@LTRftntext#1{%
  \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
\long\def\bidipoem@p@RTLftntext#1{%
  \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]
  \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%

\long\def\bidipoem@p@xftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidipoem@p@xLTRftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidipoem@p@xRTLftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}

\def\bidipoem@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xftntext[#1]}

\def\bidipoem@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xLTRftntext[#1]}

```

```
\def\bidipoem@p@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xRTLftntext[#1]}


\newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
\expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyli
\expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
\def\poem@finish{%
\poem@write@aux{max@poem@no}{\number\c@poem@no}%
\ifx\poem@needrun\relax
\PackageWarning{bidipoem}{Unjustified poem.  Rerun XeLaTeX to get poem right}%
\global\let\poem@needrun\undefined
\fi
}
\ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
\newcounter{poem@no}\setcounter{poem@no}{\z@}
\ifx\max@poem@no\undefined
        \def\max@poem@no{0}%
\fi
\newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
\newcommand{\poem@write@aux}[2]{%
        \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
        \@x
}
\def\@modernpoem{%
\par
\begingroup
\parskip=\z@
\parindent=\z@
\def\[{\@settab\@tabplus\ignorespaces}%
\def\]{\@tabminus\ignorespaces}%
\def\newblock{\poemblocksep}%
\let\newpoem@tabcr\@tabcr
\def\modernpoem@par{% Redefine \par for possible \obeylines
  \ifpoem@started\else
    \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
      \@stopfield
      \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
      \@contfield
    \fi
  \fi
  \ifpoem@started\newpoem@tabcr\fi}%
\def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
```

```
\let\poem@obeylines\relax
\begin{tabbing}%
}
\def\@endmodernpoem{%
\global\poem@startedfalse
\ifdim\wd\@curline>\z@\global\poem@startedtrue\else
  \@stopfield
  \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
  \@contfield
\fi
\ifpoem@started\else\let\@stopline\@stopfield\fi
\end{tabbing}%
\endgroup
\par
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
}
\newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
\expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\moderr
\expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
\gdef\@startfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup}
\gdef\@stopfield{%
  \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
\gdef\@contfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
```

```
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup\unhbox\@curfield}
```

30 File boek3-xetex-bidi.def

```
\ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTeX
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
```

```
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
```

```
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
```

```
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

31 File boek-xetex-bidi.def

```
\ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX e
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
```

```
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
```

```
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
```

```
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
```

```
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

32 File bookest-xetex-bidi.def

```
\ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for X
\def\@makechapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        {\colorA\huge\scshape \@chapapp\space \thechapter}
        \par\nobreak
        \vskip 10\p@
      \fi
    \fi
    \interlinepenalty\@M
  {\colorB\hrule}
  \vskip 15\p@
   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
     {\colorA\Huge \bfseries #1}\par\nobreak
   \if@RTL\end{flushleft}\else\end{flushright}\fi
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \raggedright \normalfont
  {\colorB\hrule}
  \vskip 15\p@
   \begin{center}
     {\colorA\Huge \bfseries #1}\par\nobreak
   \end{center}
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
```

33 File book-xetex-bidi.def

```
\ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class fo
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\@ifclassloaded{bookest}{}{%
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
```

```
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
```

```
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi}
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
```

```
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
```

```
            {\settowidth\labelwidth{\@biblabel{#1}}%
             \leftmargin\labelwidth
             \advance\leftmargin\labelsep
             \@openbib@code
             \usecounter{enumiv}%
             \let\p@enumiv\@empty
             \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

34 File breqn-xetex-bidi.def

```
\ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for XeT
\def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
  \everydisplay\expandafter{\the\everydisplay \display@setup}%
  \if@noskipsec \leavevmode \fi
  \if@inlabel \leavevmode \global\@inlabelfalse \fi
  \if\eq@group\else\eq@prelim\fi
  \setkeys{breqn}{#1}%
  \the\eqstyle
  \eq@setnumber
  \begingroup
  \eq@setup@a
  \eq@startup
}
\def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
  \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
  \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
  \global\let\GRP@label\@empty
  \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
  \global\grp@linewidth\z@\global\grp@wdNum\z@
  \global\let\grp@eqs@numbered\@False
  \global\let\grp@aligned\@True
  \global\let\grp@shiftnumber\@False
  \eq@prelim
  \setkeys{breqn}{#1}%
  \if\grp@hasNumber \grp@setnumber \fi
}
\def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
  \let\display@setup\dseries@display@setup
  % Question: should this be the default for dseries???
  \global\eq@wdCond\z@
  \@dmath[layout={M},#1]%
  \mathsurround\z@\@@math \penalty\@Mi
```

```
  \let\endmath\ends@math
  \def\premath{%
    \ifdim\lastskip<.3em \unskip
    \else\ifnum\lastpenalty<\@M \dquad\fi\fi
}%
  \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
\ignorespaces
}
\def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
\renewenvironment{dsuspend}{%
  \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
    \parshape 1 \displayindent \displaywidth\relax
    \hsize=\columnwidth \noindent\ignorespaces
}{%
  \par\egroup
  \global\setbox\GRP@box\vbox{%
    \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
    \unvbox\GRP@box
  }%
  \global\GRP@queue\@xp{\the\GRP@queue
     \@elt{\let\eq@isIntertext\@True}%
  }%
}
```

35 File cals-xetex-bidi.def

```
\ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTeX
\renewcommand\cals@setup@alignment[1]{%
\if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
\if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
\if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
}
\renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
\renewenvironment{calstable}[1][\cals@table@alignment]{%
\if@RTLtab\cals@activate@rtl\fi
\let\cals@thead@tokens=\relax
\let\cals@tfoot@tokens=\relax
\let\cals@tbreak@tokens=\relax
\cals@tfoot@height=0pt \relax
\let\cals@last@context=n%
\let\cals@current@context=b%
\parindent=0pt \relax%
\cals@setup@alignment{#1}%
\cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
%% Alignment inside is independent on center/flushright outside
\parfillskip=0pt plus1fil\relax
\let\cals@borderL=\relax
\let\cals@borderR=\relax
\let\cals@borderT=\relax
\let\cals@borderB=\relax
```

```
\setbox\cals@backup@row=\box\voidb@x\relax
\cals@AtBeginTable
}{% End of the table
\cals@tfoot@tokens\lastrule\cals@AtEndTable}
\renewcommand\alignL{%
\if@RTLtab
  \cals@vfillAdd\cals@paddingL
\else
  \cals@vfillDrop\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
\renewcommand\alignR{%
\if@RTLtab
  \cals@vfillDrop\cals@paddingL
\else
  \cals@vfillAdd\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
```

36 File caption-xetex-bidi.def

```
\ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for
\let\@makecaption\caption@makecaption
```

37 File caption3-xetex-bidi.def

```
\ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package f
\renewcommand*\caption@@par{%
  \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%
```

38 File colortbl-xetex-bidi.def

```
\ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package f
\def\CT@setup{%
  \@tempdimb\col@sep
  \@tempdimc\col@sep
  \def\CT@color{%
    \global\let\CT@do@color\CT@@do@color
    \bidicolor}}
\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
\expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
   \@addtopreamble{\if@RTLtab\beginL\fi%
    \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
      \ifcase \@chnum
      \hskip\stretch{.5}\kern\z@
      \d@llarbegin
      \insert@column
      \d@llarend\hskip\stretch{.5}\or
```

```
      \d@llarbegin \insert@column \d@llarend \hfill \or
      \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
   $\vcenter
   \@startpbox{\@nextchar}\insert@column \@endpbox $\or
   \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi
 \if@RTLtab\endR\fi\egroup\egroup
\begingroup
  \CT@setup
  \CT@column@color
  \CT@row@color
  \CT@cell@color
  \CT@do@color
\endgroup
        \@tempdima\ht\z@
        \advance\@tempdima\minrowclearance
        \vrule\@height\@tempdima\@width\z@
        \unhbox\z@\if@RTLtab\endL\fi}%
  \prepnext@tok}
```

39 File color-xetex-bidi.def

```
\ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeT
\long\def\color@b@x#1#2#3{%
 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
 \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
      \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\
\DeclareRobustCommand\color{%
  \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@declaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\@undeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor{%
  \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2{%
```

```
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ignorespaces}
\def\@bidideclaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ignorespaces}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3{%
  \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\
```

40 File combine-xetex-bidi.def

```
\ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for X
\renewcommand{\c@ll@chapsecii}[2]{%
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
  #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
}
\renewcommand{\c@ll@chapseci}{%
  \setlength\@tempdima{0em}%
  \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode
}
\renewenvironment{tocindent}[1]{%
  \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}
```

41 File crop-xetex-bidi.def

```
\ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX
\renewcommand*\CROP@@ulc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
```

```
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@urc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@llc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
```

```
        \put(-35,0){\line(1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@lrc{%
    \if@RTLmain%
        \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\@ifpackagewith{crop}{cam}{%
\CROP@execopt{cam}%
}{}
```

42 File cutwin-xetex-bidi.def

```
\ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for X
\renewcommand*{\c@twcompctr}[2]{%
  \def\c@twfirst{1}
  \loop\advance\c@twwinlines\m@ne
  \setbox\c@twslicea=\vsplit#1 to\baselineskip
  \setbox\c@twsliceb=\vsplit#1 to\baselineskip
  \c@twprune{\c@twslicea}{\c@twlftside}%
  \c@twprune{\c@twsliceb}{\c@twrtside}%
  \ifnum\c@twfirst=\@ne
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twsl
  \else
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box
```

```
  \fi
  \def\c@twfirst{2}
  \ifnum\c@twwinlines>\z@\repeat}
\renewcommand*{\c@twcompoddctr}[2]{%
  \def\c@twrounds{1}
  \def\c@twfirst{1}
  \@for\c@twlspec:=\c@twb\do{%
    \ifnum\c@twrounds=1
      \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
      \c@twprune{\c@twslicea}{\c@twlspec}%
      \def\c@twrounds{2}
    \else
      \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
      \c@twprune{\c@twsliceb}{\c@twlspec}%
      \ifnum\c@twfirst=1
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\bo
        \def\c@twfirst{2}
      \else
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else
      \fi
      \def\c@twrounds{1}
    \fi}}
```

43 File cuted-xetex-bidi.def

```
\ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for XeT

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
```

```
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                               \box\hold@viper
                               \box\@outputbox
                               \vss
                               }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
      \else
        \global\setbox\@viper\vbox{%
                   \vskip-\stripsep
                   \unvbox\@viper
                   }%
        \@viperoutput
      \fi
    \endgroup
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
```

```
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                              \box\hold@viper
                              \box\@outputbox
                              \vss
                              }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
      \else
        \global\setbox\@viper\vbox{%
                  \vskip-\stripsep
                  \unvbox\@viper
                  }%
        \@viperoutput
      \fi
    \endgroup
  \fi}%
```

```
7271
7272
7273 \def \@addviper {%
7274   \if@firstcolumn
7275     \@insertfalse
7276     \@reqcolroom .5\@pageht
7277     \ht@viper\@reqcolroom
7278     \advance \@reqcolroom \ht\@viper
7279     \advance \@reqcolroom \stripsep
7280     \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
7281 %%
7282     \@tempdimb \ht@viper
7283     \loop
7284     \setbox\v@aaa\copy\@holdpg
7285     \setbox\v@ccc\vbox to\@tempdimb{%
7286               \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
7287     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7288     \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
7289     \loop
7290     \setbox\v@aaa\copy\@holdpg
7291     \setbox\v@ccc\vbox to\@tempdimb{%
7292               \vsplit\v@aaa to\@tempdimb\vss}%
7293     \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
7294     \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
7295     \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
7296     \setbox\v@ccc\vbox to\@tempdimb{%
7297               \vsplit\@holdpg to\@tempdimb\vss}%
7298 %%
7299     \setbox\@tempboxa \vbox {%
7300        \hb@xt@\textwidth {%
7301          \if@RTLmain%
7302          \hskip \columnwidth
7303           \hfil \vrule width\columnseprule \hfil
7304           \hb@xt@\columnwidth {%
7305                   \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7306            \hskip -\textwidth
7307            \hb@xt@\columnwidth {%
7308                   \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7309             \hskip \columnsep
7310             \hskip \columnwidth
7311              \else%
7312               \hb@xt@\columnwidth {%
7313                   \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7314                   \hfil
7315                   \vrule \@width\columnseprule
7316                   \hfil
7317                   \hb@xt@\columnwidth {%
7318                   \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7319                         \fi}%
7320                      }%
```

```
\ifvoid\hold@viper
   \global\setbox\hold@viper \vbox {%
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\else
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\fi
\ifdim \@colroom>\@reqcolroom
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \box\@viper
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
   \@inserttrue
   \advance\@tempdima by-\ht\hold@viper
   \global \advance \@colht \@tempdima
   \ifdim \@colht<2.5\baselineskip
      \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
           too tall on page \thepage (1 stulpelis)}%
      \@emptycol
      \if@firstcolumn
      \else
        \@emptycol
      \fi
      \global\@lastvipertrue
   \else
      \global \vsize \@colht
      \global \@colroom \@colht
      \check@floats
      \ifdim\@tempdima>\z@
              \global\advance\@colroom by-\@tempdima
      \fi
      \ifdim\@colroom<\z@
              \global\@colroom 1pt
              \ifdim\@tempdima>\@colht
                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
```

```
                                  netelpa lape \thepage (1 stulpelis)}%
                \fi
                \@emptycol
                \if@firstcolumn
                \else
                  \@emptycol
                \fi
                \global\@lastvipertrue
          \fi
        \fi
    \fi
  \else
    \@insertfalse
    \@reqcolroom\@colht
    \advance\@reqcolroom \@pageht
    \ht@viper.5\@reqcolroom
    \@reqcolroom\ht@viper
    \advance \@reqcolroom \ht\@viper
    \advance \@reqcolroom \stripsep
     \if@flushend@auto@baselineskip
      \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
        \global\lastskip@d\lastskip
        \global\lastskip@b\lastskip
        \loop
          \global\lastskip@a\lastskip@b
          \unskip\unpenalty
          \global\lastskip@b\lastskip
          \global\advance\lastskip@d by\lastskip
        \ifdim\lastskip@b=-\lastskip@a
          \global\advance\lastskip@d by-\lastskip
        \else
        \repeat
        \ifdim\lastskip@b=-\lastskip@a
          \ifdim\lastskip@b=\z@
            \setbox\lastbox@a\lastbox
            \global\advance\lastskip@d by\ht\lastbox@a
            \global\advance\lastskip@d by\lastskip
            \unskip\unpenalty
            \setbox\lastbox@a\lastbox
            \global\advance\lastskip@d by\dp\lastbox@a
          \else
            \global\lastskip@d\lastskip
            \global\advance\lastskip@d by\topskip
          \fi
        \fi
        \global\advance\lastskip@d by-\topskip
        }%
      \ifdim\ht\@holdpg>\@colht
        \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
          \par\eject
```

```
          \vbox to \@colht{\unvbox\@holdpg\unskip}%
          }%
      \else
        \global\setbox\@holdpg\vbox{%
          \unvbox\@leftcolumn\unskip\unpenalty
          \vskip\lastskip@d
          \the\At@ViperColsBreak
          \unvbox\@holdpg
          \unskip
          }%
      \fi
    \else
      \global\setbox\@holdpg\vbox{%
                \unvbox\@leftcolumn
                \setbox\@tempboxa\lastbox
                \on@stripcols@break
                \the\At@ViperColsBreak
                \unvbox\@holdpg
                }%
    \fi
    \global\At@ViperColsBreak{}%
    \ht@viper .5\ht\@holdpg
    \ifdim \ht@viper>\@colht
       \ht@viper \@colht
    \fi
    \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
    \@tempdimb \ht@viper
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{%
                \vsplit\v@aaa to\@tempdimb
                \vss
                \vsplit\v@aaa to\@tempdimb
                }%
      \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
    \ifvoid\v@aaa
    \else
      \advance\@tempdimb 1\p@
    \repeat
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
      \wlog{(2)Left:\the\ht\v@ccc\space
              Right:\the\ht\v@aaa\space
             Output:\the\@tempdimb
           }%
    \ifdim\ht\v@ccc<\ht\v@aaa
      \@tempdimb \the\ht\v@aaa
    \repeat
```

```
\wlog{- LAST -^^JLeft:\the\ht\v@ccc
             ^^JRight:\the\ht\v@aaa
            ^^JOutput:\the\@tempdimb
     }%
\setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
\setbox\@tempboxa\vbox{%
   \hb@xt@\textwidth {%
      \if@RTLmain%
      \hskip \columnwidth
      \hfil \vrule width\columnseprule \hfil
      \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
      \hskip -\textwidth
      \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
      \hskip \columnsep
      \hskip \columnwidth
      \else
       \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
       \hfil
       \vrule \@width\columnseprule
       \hfil
       \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
      \fi%
       }%
   }%
\ifvoid\hold@viper
   \global\setbox\hold@viper \vbox {%
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\else
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\fi
\ifdim \@colht>\@reqcolroom
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \box\@viper
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
```

```
                    }%
      \@inserttrue
      \global\@firstcolumntrue
      \advance\@tempdima by-\ht\hold@viper
      \global \advance \@colht \@tempdima
      \ifdim \@colht<2.5\baselineskip
          \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
                                   too tall on page \thepage (2 stulpelis)}%
          \@emptycol
          \if@firstcolumn
          \else
              \@emptycol
          \fi
          \global\@lastvipertrue
      \else
          \global \vsize \@colht
          \global \@colroom \@colht
          \check@floats
          \ifdim\@tempdima>\z@
              \global\advance\@colroom by-\@tempdima
          \fi
          \ifdim\@colroom<\z@
              \global\@colroom 1pt
              \ifdim\@tempdima>\@colht
              \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
                                netelpa lape \thepage (2 stulpelis)}%
              \fi
              \@emptycol
              \if@firstcolumn
              \else
                  \@emptycol
              \fi
              \global\@lastvipertrue
          \fi
      \fi
    \fi
\fi
\if@insert
\else
    \advance\@tempdima by-\ht\hold@viper
    \global \advance \@colht \@tempdima
    \global\setbox\hold@viper \vbox {%
                                     \unvbox\hold@viper
                                     \csname viper@top@hook\endcsname
                                     \vsplit\@viper to \@colht
                                     \vss
                                    }%
    \vbox{}%
    \global\@firstcolumnfalse
    \newpage
```

```
  \fi
  }
```

44 File cvthemebidicasual.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidicasual}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidicasual}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
\familynamecolour{808080}
\firstnamecolour{A9A9A9}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\definecolor{rulecolour}{gray}{0.6}
\definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
\definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
\if@colourorange
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
\if@colourgreen
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}
  \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
\if@colourred
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
```

```
  \subsectioncolour{FF0000}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
\if@colourgrey
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}
  \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
  \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\renewcommand*{\maketitle}{%
  {%
    \ifthenelse{\isundefined{\@photo}}%
      {}%
      {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
    \hfill%
    \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\\[-.35em]}%
   {\color{firstnamecolor}\rule{\textwidth}{.25ex}\\[2.5em]}%
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
  }%
\newif\if@firstfooterelement\@firstfooterelementtrue
\providecommand*{\footersymbol}{}
\renewcommand*{\footersymbol}{%
  \if@firstfooterelement%
  \else%
    { ~~\color{footersymbolcolor}\textbullet~~~}\fi}
\providecommand*{\makefooter}{}
\renewcommand*{\makefooter}{%
  \fancypagestyle{plain}{%
    \fancyfoot[c]{%
      \parbox{0.8\textwidth}{%
      \centering%
      \addressfont\@addresscolour%
      \ifthenelse{\isundefined{\@address}}{}{%
        \addresssymbol~\@address\\%
        \@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelem
      \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfals
      \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@firs
      \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfal
```

```
  }%
  \pagestyle{plain}}
\AtBeginDocument{\makefooter}
```

45 File cvthemebidiclassic.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidiclassic}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidiclassic}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\firstnamecolour{}
\familynamecolour{}
\titlecolour{808080}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\if@colourorange
  \addresscolour{FF8C00}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}\fi
\if@colourgreen
  \addresscolour{008000}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}\fi
\if@colourred
  \addresscolour{FF0000}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}\fi
\if@colourgrey
```

```
  \addresscolour{808080}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
\renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\newlength{\maketitlenamemaxwidth}
\setlength{\maketitlenamemaxwidth}{.525\textwidth}
\newlength{\maketitlenamefullwidth}
\settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familynam
\newlength{\maketitlenamewidth}
\ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitle
\newlength{\maketitlepicturewidth}
\setlength{\maketitlepicturewidth}{\@photowidth}
\newlength{\maketitledetailswidth}
\renewcommand*{\recomputethemelengths}{%
  \setlength{\maketitledetailswidth}{\textwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
  \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}
\recomputethemelengths
\newif\if@firstdetailselement\@firstdetailselementtrue
\newcommand*{\maketitledetailsnewline}{
  \if@firstdetailselement%
    \@firstdetailselementfalse%
  \else%
    \\[.2em]\fi}
\renewcommand*{\maketitle}{%
  % name and title
  \begin{minipage}[b]{\maketitlenamewidth}%
    \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
    \ifthenelse{\equal{\@title}{}}{}{\\[1.25em]\titlestyle{\@title}}%
  \end{minipage}%
  % optional data
  \begin{minipage}[b]{\maketitledetailswidth}%
    \bidi@raggedleft\addressfont\@addresscolour%
   \ifthenelse{\isundefined{\@address}}{}{%
      \maketitledetailsnewline%
      \addresssymbol~\\\@address}%
    \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
    \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
    \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
    \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emaillink{\@ema
```

```
    \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
  \end{minipage}%
  % optional photo
  \ifthenelse{\isundefined{\@photo}}%
    {}%
    {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\ma
  % optional quote
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
  }
```

46 File dblfnote-xetex-bidi.def

```
\ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package f
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width  \DFNcolumnwidth \kern 2.6\p@}%
\AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
\let\@footnotetext\dfn@footnotetext}
\long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
\let\@LTRfootnotetext\dfn@LTRfootnotetext}
\long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
```

```
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
\let\@RTLfootnotetext\dfn@RTLfootnotetext}
\def\dfn@RTLmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                 \hskip \DFNcolumnwidth
                 \hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}
                \hskip -\textwidth
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}
```

```
                                \hskip \DFNcolumnsep
                                \hskip \DFNcolumnwidth}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\def\dfn@LTRmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
```

```
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                    \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                    \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
\newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
\newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
\DFNalwaysdouble
```

47 File diagbox-xetex-bidi.def

```
\ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package for
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@double@ii}{}{}
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@double@iii}{}{}
\newcommand*{\bidi@@diagbox@double@ii}{%
  \if@RTL
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi
}
\newcommand*{\bidi@@diagbox@double@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
```

```
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
  \if@RTL
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi}
\let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@i}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
  \if@RTL
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
  \fi
}
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
  \else
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
\bidi@patchcmd{\diagbox@double@pict@SE}{%
```

```
  \diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
}{}{}
\let\diagbox@double@pict@NW\diagbox@double@pict@SE
\bidi@patchcmd{\diagbox@double@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
}{}{}
\let\diagbox@double@pict@SW\diagbox@double@pict@NE
\bidi@patchcmd{\diagbox@triple@pict@NW}{%
  \diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SW}{%
  \diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SE}{%
  \diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)}%
```

```
}{}{}
```

48 File draftwatermark-xetex-bidi.def

```
\ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterma
\renewcommand\SetWatermarkText[1]{%
  \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

49 File eso-pic-xetex-bidi.def

```
\ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for
\renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
  \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}

\ESO@isMEMOIR{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \ifodd\c@page
        \@tempdima=\spinemargin
      \else
        \@tempdima=\paperwidth
        \advance\@tempdima-\textwidth
        \advance\@tempdima-\spinemargin
      \fi
      \@tempdimb=-\uppermargin
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \@tempdima=1in\relax
      \ifodd\c@page
        \advance\@tempdima\oddsidemargin
      \else
        \advance\@tempdima\evensidemargin
      \fi
      \@tempdimb=-1in\relax
      \advance\@tempdimb-\topmargin
      \advance\@tempdimb-\headheight
      \advance\@tempdimb-\headsep
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}
```

50 File empheq-xetex-bidi.def

```
\ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for X
\MHInternalSyntaxOn
\def\EQ_tag_plus_endmark:{%
  \iftagsleft@
    \gdef\maketag@@@##1{%
      \hfuzz\displaywidth
      \if@RTL\makebox[\widthof{##1}][r]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}
      \else\makebox[\widthof{##1}][l]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}\fi}%
  \MH_else:
    \gdef\maketag@@@##1{%
      \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
        \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}%
        \MH_addtolength:dn \@tempdima
          {\g_EQ_bottomtag_depth_dim+\mintagvsep}
        \setlength{\@tempdimb}
          {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
            +\depthof{\EQ_innerbox:{}}}
        \MH_if_dim:w \@tempdima>\@tempdimb
          \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
            -\@tempdima+\g_EQ_bottomrow_depth_dim}
          \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}%
          \def\EQ_next:{\raisebox{\@tempdima}}%
        \MH_else:
          \def\EQ_next:{
            \raisebox{-\dp\EQ_mathdisplay_box
                      -\depthof{\EQ_outerbox:{}}}}%
        \MH_fi:\EQ_next:}}}}%
  \MH_fi:}
\def\EQ_post_process:{%
  \EQ_initialize:
  \EQ_begin_equation:
  \MH_if_boolean:nT {outer_mult}{
    \setkeys{\MT_options_name:}{
      firstline-afterskip=0pt,
      lastline-preskip=0pt,
      multlined-width=0pt,
    }
    \ifodd \l_EQ_alignmentmode_int
      \setkeys{\MT_options_name:}{multlined-pos=b}
    \MH_else:
```

```
      \setkeys{\MT_options_name:}{multlined-pos=t}
    \MH_fi:
      \g@addto@macro\EQ_complete_mathdisplay:{
        \begin{MTmultlined}\relax}
}
\g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
\MH_if_boolean:nT {outer_mult}{
  \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
}
\EQ_end_equation:
\edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
\savecounters@
\EQ_typeset_tags:
\edef\l_EQ_equation_fint{\number\c@equation}
\restorecounters@
\Hy@linkcounter=\EQ_hyperref_link_fint
\settowidth\l_EQ_totalwidth_dim{%
  $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
\MH_if_boolean:nTF {outer_mult}
  { \def\EQ_next:{_mult} }
  { \def\EQ_next:{} }
\@nameuse{EQ_modify_linewidth_
          \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
\EQ_typeset_display:
\@nameuse{EQ_find_displaywidth_
         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
\MH_addtolength:dn
  \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
\savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
  $\EQ_left_side:
  \EQ_innerbox:{%
    \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
            \kern-\@mathmargin
          \MH_fi:
        \MH_fi:
        \usebox{\EQ_mathdisplay_box}}%
      \else\makebox[\l_EQ_displaywidth_dim][l]{%
        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
            \kern-\@mathmargin
          \MH_fi:
```

```
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \MH_or:
        \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}
        \else\makebox[\l_EQ_displaywidth_dim][l]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \MH_fi:}%
    \EQ_right_side:$}%
  \begin{AmSequation*}
  \@nameuse{EQ_place_display_
           \romannumeral\l_EQ_equationtype_int\EQ_next: :}
  \MH_if_dim:w \g_EQ_widesttag_dim>\z@
  \MH_set_boolean_T:n {show_manual_tags}
    \MH_if_case:w \l_EQ_alignmentmode_int
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
    \MH_fi:
  \MH_fi:
  \end{AmSequation*}
  \global\c@equation=\l_EQ_equation_fint\relax
}
\AtBeginDocument{%
  \@ifpackageloaded{fancybox}{%
    \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
    {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
    \renewcommand*\shadowbox{%
      \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}
              {\MH_set_boolean_F:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}}
    \def\EQ_shadowbox:n #1{%
      \sbox{\z@}{\fbox{#1}}%
      \MH_if_boolean:nTF {shadowbox_star}{
        \MH_setlength:dn \@tempdima{\z@}%
      }{
        \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
      }
```

```
      \raisebox{\@tempdima}{%
        \if@RTL\makebox[\z@][r]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }%
        \else\makebox[\z@][l]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }\fi%
        \usebox\z@\textcolor{shadowcolor}{%
          \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
  }{}%
}
\MHInternalSyntaxOff
```

51 File extarticle-xetex-bidi.def

```
\ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
  \renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
    \endgroup
  \fi}
  \def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
```

```
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname~\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
 \def\@spart#1{%
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \huge \bfseries #1\par}%
     \nobreak
     \vskip 3ex
     \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname
        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
         \bidi@@thebibliography@font@hook%
         \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
    \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
```

```
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
```

```
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%
```

52 File extbook-xetex-bidi.def

```
\ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for X
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
```

```
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
```

```
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
```

```
8544          \global\@nobreaktrue
8545          \everypar{\global\@nobreakfalse\everypar{}}%
8546     \endgroup
8547   \fi}
8548 \renewcommand\theequation
8549   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
8550 \renewcommand \thefigure
8551      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
8552 \renewcommand \thetable
8553      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
8554 \renewcommand \thechapter {\@arabic\c@chapter}
8555 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
8556 \renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
8557 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
8558 \renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8559 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
8560 \def\@makechapterhead#1{%
8561   \vspace*{50\p@}%
8562   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8563     \ifnum \c@secnumdepth >\m@ne
8564       \if@mainmatter
8565         \huge\bfseries \@chapapp\space \thechapter
8566         \par\nobreak
8567         \vskip 20\p@
8568       \fi
8569     \fi
8570     \interlinepenalty\@M
8571     \Huge \bfseries #1\par\nobreak
8572     \vskip 40\p@
8573   }}
8574
8575 \def\@makeschapterhead#1{%
8576   \vspace*{50\p@}%
8577   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8578     \normalfont
8579     \interlinepenalty\@M
8580     \Huge \bfseries  #1\par\nobreak
8581     \vskip 40\p@
8582   }}
8583 \renewcommand\backmatter{%
8584   \if@openright
8585     \cleardoublepage
8586   \else
8587     \clearpage
8588   \fi
8589   \@mainmatterfalse}
8590 \renewenvironment{thebibliography}[1]
8591      {\chapter*{\bibname
8592         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8593       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
```

```
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

53 File extletter-xetex-bidi.def

```
\ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class f
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignoresp
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
  \stopbreaks
  \noindent
  \ifx\@empty\fromaddress\else
  \hspace*{\longindentation}\fi
  \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
       \ignorespaces #1\\[6\medskipamount]%
       \ifx\@empty\fromsig
           \fromname
       \else \fromsig \fi\strut}%
   \par}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
```

```
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

54 File extrafootnotefeatures-xetex-bidi.def

```
\ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2017/05/19 v1.1 bidi extra footnote featur
\newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\@@H@@footnotetext\@footnotetext
  \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@@H@@mpfootnotetext\@mpfootnotetext
  \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
\fi
}%
}%
}
\newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\H@@footnotetext\@footnotetext
  \let\@footnotetext\@@H@@footnotetext
  \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
  \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\@mpfootnotetext\@@H@@mpfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
\fi
}%
}%
}
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
\bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
```

```
\renewcommand{\@footnotetext}[1]{%
    \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \foottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@RTLfootnotetext}[1]{%
    \insert\footins{%
    \@RTLtrue%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \RTLfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@LTRfootnotetext}[1]{%
    \insert\footins{%
    \@RTLfalse%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \LTRfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@mpfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
```

```
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \foottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\renewcommand{\@mpLTRfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \LTRfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\renewcommand{\@mpRTLfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \RTLfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\let\m@mold@footnotetext\@footnotetext
\let\m@mold@LTRfootnotetext\@LTRfootnotetext
\let\m@mold@RTLfootnotetext\@RTLfootnotetext
\let\m@mold@mpfootnotetext\@mpfootnotetext
\let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
\let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
\bidi@ensure@newcommand{\normalfootnotes}{%
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\m@mold@footnotetext
  \let\@LTRfootnotetext\m@mold@LTRfootnotetext
  \let\@RTLfootnotetext\m@mold@RTLfootnotetext
  \let\@mpfootnotetext\m@mold@mpfootnotetext
  \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
```

```
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes}
\@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
\bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
\bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
\bidi@ensure@newcommand*{\setSingleSpace}[1]{%
  \def\m@m@singlespace{#1}%
  \def\m@m@footnote@spacing{#1}%
  \def\m@m@float@spacing{#1} %
}
\setSingleSpace{1}
\bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
\bidi@ensure@newcommand*{\m@mmf@prepare}{%
  \kern-\multiplefootnotemarker
  \kern\multiplefootnotemarker\relax}
\bidi@ensure@newlength{\footmarkwidth}
\bidi@ensure@newlength{\footmarksep}
\bidi@ensure@newlength{\footparindent}
\bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
\bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
\bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
\bidi@ensure@newcommand{\footfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\footscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\footscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\LTRfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\LTRfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\LTRfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\RTLfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\RTLfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
```

```
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\RTLfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
    \fi
  \fi}
\footmarkstyle{\textsuperscript{#1}}
\LTRfootmarkstyle{\textsuperscript{#1}}
\RTLfootmarkstyle{\textsuperscript{#1}}
\setlength{\footmarkwidth}{1em plus.4em minus.4em}
\setlength{\footparindent}{1em}
\bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
\bidi@ensure@newcommand*{\extrafeetins}{%
  \setbox\@outputbox \vbox{%
    \boxmaxdepth \@maxdepth
    \unvbox\@outputbox
    \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
    \extrafeetinshook}}
\bidi@ensure@newcommand{\extrafeetinshook}{}
\bidi@ensure@newcommand{\foottextfont}{\footnotesize}
\bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
\bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
\bidi@ensure@newlength{\footinsdim}
  \setlength{\footinsdim}{8in}   % standard for \dimen\footins
\bidi@ensure@newcommand{\@preamfntext}{%
  \interlinepenalty\interfootnotelinepenalty
  \floatingpenalty \@MM
  \splittopskip=\footnotesep
  \splitmaxdepth=\dp\strutbox
  \@parboxrestore}
\bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
  \extrafeetminihook}
\bidi@ensure@newcommand{\extrafeetendmini}{%
  \ifvoid\@mpfootinsv@r\else
    \vskip\skip\@mpfootins
    \normalcolor\footnoterule\mp@footgroupv@r
  \fi
  \extrafeetendminihook}
\bidi@ensure@newcommand{\extrafeetendminihook}{}
\bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
\def\endminipage{%
  \par
  \unskip
  \ifvoid\@mpfootins\else
    \vskip\skip\@mpfootins
    \normalcolor
    \footnoterule
    \unvbox\@mpfootins
  \fi
```

```
  \m@mdoextrafeetendmini
  \@minipagefalse
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\bidi@ensure@newcommand{\m@make@footstart}[1]{%
  \@namedef{@footstart#1}{%
   \bidi@mopfn@bottom
    \vskip\bigskipamount
    \leftskip=\z@
    \rightskip=\z@
    \footnoterule}}
\newinsert\footinsv@r
  \skip\footinsv@r\bigskipamount
  \count\footinsv@r=1000 % no magnifcation
  \dimen\footinsv@r=\footinsdim
\m@make@footstart{v@r}
\bidi@ensure@newcommand{\@footgroupv@r}{}
\newinsert\@mpfootinsv@r
\bidi@ensure@newcommand{\mp@footgroupv@r}{}
\newcount\m@m@k \newdimen\m@m@h
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \hsize\textwidth
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
\bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
  \global\advance\m@m@k-1\cr\m@mdosplits\fi}
\bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
  \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
  \setbox2 \vsplit0 to \dimen0
  \unvbox2 }
\bidi@ensure@newcommand{\twocolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@twocolfootnotetext
  \let\@LTRfootnotetext\@twocolLTRfootnotetext
  \let\@RTLfootnotetext\@twocolRTLfootnotetext
  \dimen\footinsv@r=2\footinsdim
  \count\footinsv@r=500\relax
  \m@make@twocol@footgroup{v@r}%
  \let\@footgroupv@r\@twocol@footgroupv@r
  \let\@mpfootnotetext\@mptwocolfootnotetext
  \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
```

```
8938   \m@make@mptwocol@footgroup{v@r}%
8939   \let\mp@footgroupv@r\@mptwocol@footgroupv@r}
8940 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
8941   \def\baselinestretch{\m@m@footnote@spacing}%
8942   \reset@font\foottextfont
8943   \@preamfntext
8944   \protected@edef\@currentlabel{%
8945     \csname p@footnote\endcsname\@thefnmark}%
8946   \color@begingroup
8947     \@twocolfootfmt{#1}%
8948   \color@endgroup}%
8949   \m@mmf@prepare}
8950 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
8951   \def\baselinestretch{\m@m@footnote@spacing}%
8952   \reset@font\LTRfoottextfont
8953   \@preamfntext
8954   \protected@edef\@currentlabel{%
8955     \csname p@footnote\endcsname\@thefnmark}%
8956   \color@begingroup
8957     \@twocolLTRfootfmt{#1}%
8958   \color@endgroup}%
8959   \m@mmf@prepare}
8960 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8961   \def\baselinestretch{\m@m@footnote@spacing}%
8962   \reset@font\RTLfoottextfont
8963   \@preamfntext
8964   \protected@edef\@currentlabel{%
8965     \csname p@footnote\endcsname\@thefnmark}%
8966   \color@begingroup
8967     \@twocolRTLfootfmt{#1}%
8968   \color@endgroup}%
8969   \m@mmf@prepare}
8970 \bidi@ensure@newcommand{\@preamtwofmt}{%
8971   \hsize .45\hsize
8972   \parindent=\z@
8973   \tolerance=5000\relax
8974   \leavevmode}
8975 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
8976   \@preamtwofmt
8977   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8978 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
8979   \@preamtwofmt
8980   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8981 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
8982   \@preamtwofmt
8983   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8984 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
8985   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8986     \unvbox\@mpfootinsv@r
8987     \def\baselinestretch{\m@m@footnote@spacing}%
```

```
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
  \m@make@twocolfootnotetext{#1}%
  \m@make@mptwocolfootnotetext{#1}%
  \m@make@twocolfootfmt{#1}%
  \m@make@twocol@footgroup{#1}%
  \m@make@mptwocol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@twocolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mptwocolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@twocol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptwocol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
  \bidi@namelongdef{@twocolfootnotetext#1}##1{%
```

```
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@twocolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
\bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@twocolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
  \@namedef{@twocolfootfmt#1}##1{%
    \@preamtwofmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
  \@namedef{@twocol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
\@namedef{@mptwocol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\threecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@threecolfootnotetext
  \let\@LTRfootnotetext\@threecolLTRfootnotetext
  \let\@RTLfootnotetext\@threecolRTLfootnotetext
  \dimen\footinsv@r=3\footinsdim
  \count\footinsv@r=333\relax
  \m@make@threecol@footgroup{v@r}%
  \let\@footgroupv@r\@threecol@footgroupv@r
  \let\@mpfootnotetext\@mpthreecolfootnotetext
  \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
```

```
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpthreecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r}
\bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@preamthreefmt}{%
  \hsize .3\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
  \@preamthreefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
  \@preamthreefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
  \@preamthreefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
```

```
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
  \m@make@threecolfootnotetext{#1}%
  \m@make@mpthreecolfootnotetext{#1}%
  \m@make@threecolfootfmt{#1}%
  \m@make@threecol@footgroup{#1}%
  \m@make@mpthreecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
    \@nameuse{@threecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpthreecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@threecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpthreecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
  \expandafter\count\csname footins#1\endcsname=333\relax}
\bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
\bidi@namelongdef{@threecolfootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
```

```
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
\bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
\bidi@namelongdef{@threecolfootfmt#1}##1{%
  \@preamthreefmt
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
\@namedef{@threecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
\@namedef{@mpthreecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\fourcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fourcolfootnotetext
  \let\@LTRfootnotetext\@fourcolLTRfootnotetext
  \let\@RTLfootnotetext\@fourcolRTLfootnotetext
  \dimen\footinsv@r=4\footinsdim
  \count\footinsv@r=250\relax
  \m@make@fourcol@footgroup{v@r}%
  \let\@footgroupv@r\@fourcol@footgroupv@r
  \let\@mpfootnotetext\@mpfourcolfootnotetext
  \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfourcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
\bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
```

```
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfourfmt}{%
  \hsize .25\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
  \@preamfourfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
  \@preamfourfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
  \@preamfourfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
  \m@make@fourcolfootnotetext{#1}%
  \m@make@mpfourcolfootnotetext{#1}%
  \m@make@fourcolfootfmt{#1}%
  \m@make@fourcol@footgroup{#1}%
  \m@make@mpfourcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fourcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfourcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fourcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfourcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
  \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
```

```
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fourcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
\bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fourcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
  \@namedef{@fourcolfootfmt#1}##1{%
    \@preamfourfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
  \@namedef{@fourcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
\@namedef{@mpfourcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\fivecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fivecolfootnotetext
  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
  \dimen\footinsv@r=5\footinsdim
  \count\footinsv@r=200\relax
  \m@make@fivecol@footgroup{v@r}%
  \let\@footgroupv@r\@fivecol@footgroupv@r
  \let\@mpfootnotetext\@mpfivecolfootnotetext
  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfivecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
\bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
```

```
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfivefmt}{%
  \hsize .2\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
  \@preamfivefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
  \@preamfivefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
  \@preamfivefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
```

```
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
  \m@make@fivecolfootnotetext{#1}%
  \m@make@mpfivecolfootnotetext{#1}%
  \m@make@fivecolfootfmt{#1}%
  \m@make@fivecol@footgroup{#1}%
  \m@make@mpfivecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fivecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfivecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fivecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfivecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
  \bidi@namelongdef{@fivecolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
```

```
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fivecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
\bidi@namelongdef{@mpfivecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fivecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
  \@namedef{@fivecolfootfmt#1}##1{%
    \@preamfivefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
  \@namedef{@fivecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
\@namedef{@mpfivecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\sixcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sixcolfootnotetext
  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
  \dimen\footinsv@r=6\footinsdim
  \count\footinsv@r=166\relax
  \m@make@sixcol@footgroup{v@r}%
  \let\@footgroupv@r\@sixcol@footgroupv@r
  \let\@mpfootnotetext\@mpsixcolfootnotetext
  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsixcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
\bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
```

```
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsixfmt}{%
  \hsize .16\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
  \@preamsixfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
  \@preamsixfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
  \@preamsixfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
  \m@make@sixcolfootnotetext{#1}%
  \m@make@mpsixcolfootnotetext{#1}%
  \m@make@sixcolfootfmt{#1}%
  \m@make@sixcol@footgroup{#1}%
  \m@make@mpsixcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sixcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpsixcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@sixcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsixcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
  \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
```

```
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sixcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
\bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sixcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
  \@namedef{@sixcolfootfmt#1}##1{%
    \@preamsixfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
  \@namedef{@sixcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
\@namedef{@mpsixcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\sevencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sevencolfootnotetext
  \let\@LTRfootnotetext\@sevencolLTRfootnotetext
  \let\@RTLfootnotetext\@sevencolRTLfootnotetext
  \dimen\footinsv@r=7\footinsdim
  \count\footinsv@r=142\relax
  \m@make@sevencol@footgroup{v@r}%
  \let\@footgroupv@r\@sevencol@footgroupv@r
  \let\@mpfootnotetext\@mpsevencolfootnotetext
  \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsevencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsevencol@footgroupv@r}
```

```
\bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsevenfmt}{%
  \hsize .142\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
  \@preamsevenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
  \@preamsevenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
  \@preamsevenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
```

```
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
  \m@make@sevencolfootnotetext{#1}%
  \m@make@mpsevencolfootnotetext{#1}%
  \m@make@sevencolfootfmt{#1}%
  \m@make@sevencol@footgroup{#1}%
  \m@make@mpsevencol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sevencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpsevencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@sevencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsevencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
  \bidi@namelongdef{@sevencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
```

```
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sevencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
\bidi@namelongdef{@mpsevencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sevencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
  \@namedef{@sevencolfootfmt#1}##1{%
    \@preamsevenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
  \@namedef{@sevencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
\@namedef{@mpsevencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\eightcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@eightcolfootnotetext
  \let\@LTRfootnotetext\@eightcolLTRfootnotetext
  \let\@RTLfootnotetext\@eightcolRTLfootnotetext
  \dimen\footinsv@r=8\footinsdim
  \count\footinsv@r=125\relax
  \m@make@eightcol@footgroup{v@r}%
  \let\@footgroupv@r\@eightcol@footgroupv@r
  \let\@mpfootnotetext\@mpeightcolfootnotetext
  \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpeightcol@footgroup{v@r}%
```

```
  \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
\bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preameightfmt}{%
  \hsize .125\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
  \@preameightfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
  \@preameightfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
  \@preameightfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
```

```
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
  \m@make@eightcolfootnotetext{#1}%
  \m@make@mpeightcolfootnotetext{#1}%
  \m@make@eightcolfootfmt{#1}%
  \m@make@eightcol@footgroup{#1}%
  \m@make@mpeightcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@eightcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpeightcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@eightcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpeightcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
  \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
```

```
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@eightcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
\bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@eightcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
  \@namedef{@eightcolfootfmt#1}##1{%
    \@preameightfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
  \@namedef{@eightcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
\@namedef{@mpeightcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\ninecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@ninecolfootnotetext
  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
  \dimen\footinsv@r=9\footinsdim
  \count\footinsv@r=111\relax
  \m@make@ninecol@footgroup{v@r}%
  \let\@footgroupv@r\@ninecol@footgroupv@r
  \let\@mpfootnotetext\@mpninecolfootnotetext
  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
```

```
  \m@make@mpninecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpninecol@footgroupv@r}
\bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamninefmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
  \@preamninefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
  \@preamninefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
  \@preamninefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
```

```
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
  \m@make@ninecolfootnotetext{#1}%
  \m@make@mpninecolfootnotetext{#1}%
  \m@make@ninecolfootfmt{#1}%
  \m@make@ninecol@footgroup{#1}%
  \m@make@mpninecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@ninecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpninecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@ninecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpninecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
  \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
```

```
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@ninecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
\bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@ninecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
  \@namedef{@ninecolfootfmt#1}##1{%
    \@preamninefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
  \@namedef{@ninecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
\@namedef{@mpninecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\tencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@tencolfootnotetext
  \let\@LTRfootnotetext\@tencolLTRfootnotetext
  \let\@RTLfootnotetext\@tencolRTLfootnotetext
  \dimen\footinsv@r=10\footinsdim
  \count\footinsv@r=100\relax
  \m@make@tencol@footgroup{v@r}%
  \let\@footgroupv@r\@tencol@footgroupv@r
  \let\@mpfootnotetext\@mptencolfootnotetext
  \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
```

```
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mptencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptencol@footgroupv@r}
\bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtenfmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
  \@preamtenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
  \@preamtenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
  \@preamtenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
```

```
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
  \m@make@tencolfootnotetext{#1}%
  \m@make@mptencolfootnotetext{#1}%
  \m@make@tencolfootfmt{#1}%
  \m@make@tencol@footgroup{#1}%
  \m@make@mptencol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@tencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mptencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@tencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
```

```
  \bidi@namelongdef{@tencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@tencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
\bidi@namelongdef{@mptencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@tencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
  \@namedef{@tencolfootfmt#1}##1{%
    \@preamtenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
  \@namedef{@tencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
\@namedef{@mptencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@munvxh}[1]{%
  \setbox0=\vbox{\unvbox#1%
    \global\setbox1=\lastbox}%
  \unhbox1
  \unskip
  \unskip
  \unpenalty
  \hskip\m@mipn@skip}
\bidi@ensure@newcommand{\m@mungebox}{%
  \setbox0=\hbox{\m@munvxh0}%
  \dp0=\z@
  \ht0=\footfudgefactor\wd0
```

```
  \box0
  \penalty0}
\newskip\m@mipn@skip
\bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
  {\foottextfont\global\m@mipn@skip=#1\relax}}
\m@minterparanoteglue{1em plus.4em minus.4em}
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \hsize\textwidth%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}
}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}}
\bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
  \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
\bidi@ensure@newcommand*{\footfudgefiddle}{64}
\bidi@ensure@newcommand{\paragraphfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@parafootnotetext
  \let\@LTRfootnotetext\@paraLTRfootnotetext
  \let\@RTLfootnotetext\@paraRTLfootnotetext
  \dimen\footinsv@r=\footinsdim
  \count\footinsv@r=1000\relax
  \m@make@para@footgroup{v@r}%
  \let\@footgroupv@r\@para@footgroupv@r
  \let\@mpfootnotetext\@mpparafootnotetext
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mppara@footgroup{v@r}%
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \@tempdima\normalbaselineskip
```

```
    \multiply \@tempdima \@cclvi
    \@tempdimb \columnwidth
    \divide \@tempdimb \@cclvi
    \divide \@tempdima \@tempdimb
    \xdef\footfudgefactor{\strip@pt\@tempdima}%
    \endgroup
  }
\bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\el
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
 \let\bidi@RTL@everypar\@empty%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@parafootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\footfootmark\strut {\foottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
```

```
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
    \let\bidi@RTL@everypar\@empty%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\el
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
  \m@make@parafootnotetext{#1}%
  \m@make@mpparafootnotetext{#1}%
```

```
  \m@make@parafootfmt{#1}%
  \m@make@para@footgroup{#1}%
  \m@make@mppara@footgroup{#1}%
  \m@make@para@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
    \@nameuse{@parafootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpparafootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@para@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mppara@footgroup#1}}%
  \@namedef{@footstart#1}{\@nameuse{@para@footstart#1}}%
  \expandafter\dimen\csname footins#1\endcsname=\footinsdim
  \expandafter\count\csname footins#1\endcsname=1000\relax
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \@nameuse{foottextfont#1}%
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
  }
\bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
\bidi@namelongdef{@parafootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@nameuse{@parafootfmt#1}{##1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
\bidi@namelongdef{@mpparafootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
        \noindent \@nameuse{@parafootfmt#1}{##1}%
      \color@endgroup}%
```

```
    \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
\bidi@namelongdef{@parafootfmt#1}##1{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\penalty-10}}}
\bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
\@namedef{@para@footgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
\@namedef{@mppara@footgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
\@namedef{@para@footstart#1}{%
  \vskip\bigskipamount
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\@nameuse{footins#1}%
  \footnoterule}}
\bidi@ensure@newcommand*{\m@m@makecolfloats}{%
  \xdef\@freelist{\@freelist\@midlist}%
  \global\let\@midlist\@empty
  \@combinefloats}
\bidi@ensure@newcommand*{\m@m@makecoltext}{%
  \ifvbox\@kludgeins
    \@makespecialcolbox
  \else
    \setbox\@outputbox \vbox to\@colht{%
      \@texttop
      \dimen@ \dp\@outputbox
      \unvbox \@outputbox
      \vskip -\dimen@
      \@textbottom}%
  \fi}
\bidi@ensure@newcommand*{\m@m@makecolintro}{}
\bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
```

```
  \@tempdima\dp\@cclv
  \unvbox\@cclv
  \vskip-\@tempdima
  \bidi@mopfn@bottom
  \vskip \skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\newcommand*{\bidi@mopfootnotebf}{%
  \setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \unvbox\@outputbox
  \bidi@mopfn@bottom
  \vskip\skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\gdef\mem@makecol{%
  \m@m@makecolintro
  \ifvoid\footins
    \setbox\@outputbox \box\@cclv
  \else
    \m@mopfootnote
  \fi
  \m@mdoextrafeet
  \m@m@makecolfloats
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\gdef\bidi@makecolbf{%
  \m@m@makecolintro
  \setbox\@outputbox \box\@cclv
  \m@m@makecolfloats
  \ifvoid\footins
  \else
    \bidi@mopfootnotebf
  \fi
  \m@mdoextrafeet
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
\newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
\newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
\newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
\FeetAboveFloat
\FeetBelowRagged
```

55 File extreport-xetex-bidi.def

```
\ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class f
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
```

```
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand\maketitle{\begin{titlepage}%
\let\footnotesize\small
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let \footnote \thanks
\null\vfil
\vskip 60\p@
\begin{center}%
  {\LARGE \@title \par}%
  \vskip 3em%
  {\large
   \lineskip .75em%
    \begin{tabular}[t]{c}%
      \@author
    \end{tabular}\par}%
    \vskip 1.5em%
  {\large \@date \par}%       % Set date in \large size.
\end{center}\par
\@thanks
```

```
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
```

```
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand\thefigure{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
```

56 File `fancybox-xetex-bidi.def`

```
\ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package f
\def\fancy@@oval#1#2#3{%
  \boxmaxdepth \maxdimen
  \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
  \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
  \@ovxx#1\relax
  \advance\@ovxx-\@wholewidth
  \@ovyy#2\relax
  \advance\@ovyy-\@wholewidth
  \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
  \advance\@tempdimb-2\p@
  \ifdim\@tempdimb>\the@cornersize\relax
    \@tempdimb=\the@cornersize
  \fi
  \@getcirc\@tempdimb
  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
  \@circlefnt
```

```
  \setbox\@tempboxa\hbox{\beginL%
    \if@ovr \@ovvert32\kern -\@tempdima \fi
    \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
    \if@ovt \@ovhorz \kern -\@ovxx \fi
    \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
  \advance\@ovdx\@ovro
  \advance\@ovdy\@ovro
  \advance\@ovxx\@wholewidth
  \wd\@tempboxa=\@ovxx
  \dp\@tempboxa=\z@}
```

57 File fancyhdr-xetex-bidi.def

```
\ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package f

\let\f@nch@everypar\everypar

\def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\headheight{\hbox
      {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[b]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}

\def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\footskip{\footrule
      \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[t]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}}#5}

```

58 File fix2col-xetex-bidi.def

```
\ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package for
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
```

```
    \fi
\else  \global\@firstcolumntrue
\setbox\@outputbox \vbox {\hbox to\textwidth {%
\hskip \columnwidth
\hfil \vrule width\columnseprule \hfil
\hbox to\columnwidth {%
\bidi@firstcolumn@status@write%
\box\@leftcolumn \hss}%
\hskip -\textwidth
\hbox to\columnwidth{%
\bidi@lastcolumn@status@write%
\box\@outputbox \hss}%
\hskip \columnsep
\hskip \columnwidth }}%
\@combinedblfloats \@setmarks \@outputpage
\begingroup \@dblfloatplacement \@startdblcolumn
\@whilesw\if@fcolmade \fi
{\@outputpage \@startdblcolumn }\endgroup
\fi}
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        \vrule \@width\columnseprule
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
```

```
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
    \endgroup
  \fi}
```

59 File `fleqn-xetex-bidi.def`

```
\ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX e
\renewcommand\[{\relax
                \ifmmode\@badmath
                \else
                  \begin{trivlist}%
                    \@beginparpenalty\predisplaypenalty
                    \@endparpenalty\postdisplaypenalty
                    \item[]\leavevmode
                    \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
                      \hskip\mathindent\bgroup
                \fi}
\renewcommand\]{\relax
                \ifmmode
                      \egroup $\hfil% $
                    \endL\egroup
                  \end{trivlist}%
                \else \@badmath
                \fi}
\renewenvironment{equation}%
    {\@beginparpenalty\predisplaypenalty
     \@endparpenalty\postdisplaypenalty
     \refstepcounter{equation}%
     \trivlist \item[]\leavevmode
       \hb@xt@\linewidth\bgroup\beginL $\m@th% $
         \displaystyle
         \hskip\mathindent}%
        {$\hfil % $
         \displaywidth\linewidth\hbox{\@eqnnum}%
       \endL\egroup
     \endtrivlist}
```

60 File `float-xetex-bidi.def`

```
\ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeT
\renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{{\@fs@cfont #1:} #2}%
  \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
    \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
\def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
```

```
    \expandafter\edef\csname the#1\endcsname{%
      \expandafter\noexpand\csname
        the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
    {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

61 File floatrow-xetex-bidi.def

```
\ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package f
\renewcommand\flnew@within[1]{\@addtoreset{\FB@captype}{#1}%
  \expandafter\edef\csname the\FB@captype\endcsname{%
     \expandafter\noexpand\csname
       the#1\endcsname\@SepMark\noexpand\arabic{\FB@captype}}}
```

62 File flowfram-xetex-bidi.def

```
\ProvidesFile{flowfram-xetex-bidi.def}[2018/02/22 v0.3 bidi adaptations for flowfram package f
\def\@outputdblcol{%
\@nxtcol=\c@thisframe
\c@curpg=\c@page
\@g@tnextcol{\@nxtcol}%
\if@ff@nwpg % next flow frame starts on new page
  \global\@firstcolumntrue
  \@setcolbox\c@thisframe
  \if@specialpage
    \global\@specialpagefalse
    \@nameuse{ps@\@specialstyle}\relax
  \fi
  \if@twoside
    \ifodd\count\z@
      \let\@thehead\@oddhead
      \let\@thefoot\@oddfoot
    \else
      \let\@thehead\@evenhead
      \let\@thefoot\@evenfoot
    \fi
  \else
    \let\@thehead\@oddhead
    \let\@thefoot\@oddfoot
  \fi
  \@begindvi
  \@dodynamicthehead\@dodynamicthefoot
  \vbadness=\@M
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
  \@combinedblfloats
  \@outputpage
\advance\c@curpg by -\c@page\relax
  \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
\@outputpage}
  \begingroup
```

```
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw \if@fcolmade \fi
       {\@outputpage \@startdblcolumn }\endgroup
  \@resetst@tics
  \@resetdyn@mics
\else % still on same page, save contents of box255
  \global\@firstcolumnfalse
  \@setcolbox\c@thisframe
\fi
\global\c@thisframe=\@nxtcol
\@setcol{\c@thisframe}\relax
\global\@colht\vsize
}
\def\@outputpage{%
\begingroup
  \let\protect\noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse\@parboxrestore
  \global\let\bidi@BeforeOutputPageShipOut\@firstofone
  \bidi@beforeoutputpageshipouthook
  \shipout\vbox{\set@typeset@protect
    \aftergroup
    \endgroup
    \aftergroup
    \set@typeset@protect
    \reset@font\normalsize\normalsfcodes
    \let\label\@gobble
    \let\index\@gobble
    \let\glossary\@gobble
    \baselineskip\z@skip
    \lineskip\z@skip
    \lineskiplimit\z@
    \vskip\topmargin\moveright\@themargin
    \vbox{%
      \global\let\bidi@BeforeHeader\@firstofone
      \bidi@beforeheaderhook
      \vskip\headheight
      \vskip\headsep
      \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
      \bidi@beforeoutputboxoutputpagehook
      \box\@outputbox
      \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
      \bidi@afteroutputboxoutputpagehook
      \ifvoid\@bidi@copyins@
      \else
        \vskip\skip\@bidi@copyins@
        \unvbox\@bidi@copyins@
      \fi
```

```
    }}%
  \global\let\bidi@AfterOutputPageShipOut\@firstofone
  \bidi@afteroutputpageshipouthook
  \global\let\if@newlist\@@if@newlist
  \stepcounter{page}%
  \setcounter{displayedframe}{0}%
  \let\firstmark\botmark
  \global\let\bidi@AtEndOutputPage\@firstofone
  \bidi@atendoutputpagehook
  }


\newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
\expandafter\bidicolor\ff@txtcol}}

\newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
{\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}


\renewcommand*{\@docolbox}[1]{%
\edef\ff@frametype{%
\csname @ff@frametype@\romannumeral#1\endcsname}%
\edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
\edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
\edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
\@ff@setoffset{#1}%
\rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
\ifthenelse{\boolean{columnframe\romannumeral#1}}{%
\@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}{%
\csname\ff@frametype\endcsname}%
}{%
\bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}%
}}}
\@ifclassloaded{book}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
```

```
\@ifclassloaded{report}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\renewcommand{\rotateframe}[2]{\if@ttb@rotate
\rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
\else
#2\relax
\fi}
```

63 File `footnote-xetex-bidi.def`

```
\ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
\if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
\newif\ifbidi@autofootnoterule
\def\bidi@mpfootnoterule{\footnoterule}
\newcounter{footdir@label}
\renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
\newcommand*{\footdir@write}{%
  \stepcounter{footdir@label}%
  \zref@labelbyprops{\thefootdir@label}{abspage}%
}
\newif\iffootdir@debug
\newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
\newtoks\footdir@toks
\newcommand*{\footdir@debug}[1]{%
  \iffootdir@debug
    \typeout{[footdir] #1}%
  \fi
}
%\@ifpackagelater{zref-abspage}{2012/10/27}{%
%  \newcommand*{\footdir@LeftRightElse}{%
%    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
%      \footdir@debug{abspage \the\value{zabspage}: else}%
%      \ltx@thirdofthree
%    }{%
%      \if\csname footdir@\the\value{zabspage}\endcsname L%
%        \footdir@debug{abspage \the\value{zabspage}: left}%
%        \expandafter\ltx@firstofthree
%      \else
%        \footdir@debug{abspage \the\value{zabspage}: right}%
```

```
%         \expandafter\ltx@secondofthree
%       \fi
%     }%
%   }%
%}{%
  \providecommand*{\c@zabspage}{\c@abspage}%
  \newcommand*{\footdir@LeftRightElse}{%
    \footdir@write
    \zifrefundefined{\thefootdir@label}{%
      \footdir@debug{abspage ??: else}%
      \ltx@thirdofthree
    }{%
      \edef\footdir@abspage{%
        \zref@extractdefault{\thefootdir@label}{abspage}{0}%
      }%
      \ltx@ifundefined{footdir@\footdir@abspage}{%
        \footdir@debug{\footdir@abspage: else}%
        \ltx@thirdofthree
      }{%
        \if\csname footdir@\footdir@abspage\endcsname L%
          \footdir@debug{\footdir@abspage: left}%
          \expandafter\ltx@firstofthree
        \else
          \footdir@debug{\footdir@abspage: right}%
          \expandafter\ltx@secondofthree
        \fi
      }%
    }%
  }%
%}
\newcommand*{\footdir@fntext}[1]{%
  \zifrefundefined{\thefootdir@label}{%
  }{%
    \edef\footdir@name{%
      footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
    }%
    \@ifundefined{\footdir@name}{%
      \expandafter\gdef\csname\footdir@name\endcsname{#1}%
    }{}%
  }%
}

\newcommand*{\footdir@temp}[3]{%
  \@ifdefinable{#1}{%
    \let#1#2%
    \renewcommand{#2}[1]{%
      \footdir@write
      \footdir@fntext{#3}%
      \stepcounter{footdir@label}%
      \footdir@fntext{#3}%
```

```
      \footdir@toks{##1}%
      \footdir@toks\expandafter{%
        \the\expandafter\footdir@toks
        \expandafter
        \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
      }%
      \expandafter#1\expandafter{\the\footdir@toks}%
    }%
  }%
}

\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\def\left@footnoterule{\kern-3\p@
  \hrule \@width .4\columnwidth \kern 2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\def\leftfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\left@footnoterule}}
\let\LRfootnoterule=\leftfootnoterule
\def\rightfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\right@footnoterule}}
\def\textwidthfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\textwidth@footnoterule}}



\def\auto@footnoterule{%
\footdir@LeftRightElse%
\left@footnoterule%
\right@footnoterule%
\left@footnoterule%
}


\def\autofootnoterule{%
\bidi@autofootnoteruletrue%
\def\footnoterule{\auto@footnoterule}%
}

\newcommand*{\SplitFootnoteRule}{%
  \gdef\split@prev{0}
  \let\pagefootnoterule\footnoterule
  \let\mpfootnoterule\footnoterule
```

```
  \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
  \def\footnoterule{\relax
    \ifx \@listdepth\@mplistdepth
      \mpfootnoterule
    \else
      \ifnum\split@prev=\z@
        \pagefootnoterule
      \else
        \splitfootnoterule
      \fi
      \xdef\split@prev{\the\insertpenalties}%
    \fi
  }%
}


\def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
     \protected@xdef\@thefnmark{\thempfn}%
     \@footnotemark\@RTLfootnotetext}}
\def\@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\@RTLfootnotetext}
\def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
     \protected@xdef\@thefnmark{\thempfn}%
     \@footnotemark\@LTRfootnotetext}}
\def\@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\@LTRfootnotetext}


\def\setfootnoteRL{\@RTL@footnotetrue}
\def\unsetfootnoteRL{\@RTL@footnotefalse}
\def\setfootnoteLR{\unsetfootnoteRL}

\newcommand*{\bidi@@footnotetext@font}{\footnotesize}
\newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
\newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}

\long\def\@footnotetext#1{\insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize
```

```
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%


\long\def\@RTLfootnotetext#1{\insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\long\def\@LTRfootnotetext#1{\insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\AtBeginDocument{%
\if@RTL@footnote
  \newcommand*{\bidi@footdir@footnote}{R}
\else
  \newcommand*{\bidi@footdir@footnote}{L}
```

```
\fi%
}

\footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%

\long\def\@mpRTLfootnotetext#1{%
  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpLTRfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnote
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoteru
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\def\@iiiminipage#1#2[#3]#4{%
```

```
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
  \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
  \setlength\@tempdima{#4}%
  \def\@mpargs{{#1}{#2}[#3]{#4}}%
  \setbox\@tempboxa\vbox\bgroup
    \color@begingroup
      \hsize\@tempdima
      \textwidth\hsize \columnwidth\hsize
      \@parboxrestore
      \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
      \let\@footnotetext\@mpfootnotetext
      \let\@LTRfootnotetext\@mpLTRfootnotetext
      \let\@RTLfootnotetext\@mpRTLfootnotetext
      \let\@listdepth\@mplistdepth \@mplistdepth\z@
      \@minipagerestore
      \@setminipage}
\def\endminipage{%
    \par
    \unskip
    \ifvoid\@mpfootins\else
      \vskip\skip\@mpfootins
      \normalcolor
      \bidi@mpfootnoterule
      \unvbox\@mpfootins
    \fi
    \@minipagefalse   %% added 24 May 89
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\def\LTRthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
}
\def\LTRfootnotetext{%
     \@ifnextchar [\@xLTRfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@LTRfootnotetext}}
\def\@xLTRfootnotenext[#1]{%
  \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@LTRfootnotetext}
\def\RTLthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
}
\let\@thanks\@empty
```

```
\def\RTLfootnotetext{%
    \@ifnextchar [\@xRTLfootnotenext
      {\protected@xdef\@thefnmark{\thempfn}%
    \@RTLfootnotetext}}
\def\@xRTLfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@RTLfootnotetext}
\leftfootnoterule
```

64 File framed-xetex-bidi.def

```
\ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for X
\renewcommand\TitleBarFrame[3][]{\begingroup
  \ifx\delimiter#1\delimiter
    \let\TF@conlab\@empty
  \else
    \def\TF@conlab{% continuation label
     \nointerlineskip
     \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
  \fi
  %\let\TF@savecolor\current@color
  \textcolor{TFFrameColor}{%
  \CustomFBox
    {\TF@Title{#2}}{\TF@conlab}%
    \fboxrule\fboxrule\fboxrule\fboxrule
    %{\let\current@color\TF@savecolor\set@color #3}%
    {\normalcolor #3}%
  }\endgroup
}
\renewenvironment{titled-frame}[1]{%
  \def\FrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1}}}%
  \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
  \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (cont)
  \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1\ (cont)}}}%
  \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
%  note: 8 + 2 + 8 + 2 = 20.  Don't use \width because the frame title
%  could interfere with the width measurement.
 {\endMakeFramed}
\chardef\FrameRestore=\catcode`\| % for debug
\catcode`\|=\catcode`\% % (debug: insert space after backslash)
\def\fb@put@frame#1#2{\relax
 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
|   \message{=============== Entering putframe ====================^^J
```

```
11458 |     \pagegoal=\the\pagegoal,  \pagetotal=\the\pagetotal. }%
11459  \ifinner
11460    \fb@putboxa#1%
11461    \fb@afterframe
11462  \else
11463   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
11464   \ifdim\dimen@<2\baselineskip % Too little room on page
11465 |   \message{Page has only \the\dimen@\space room left; eject. }%
11466     \eject \fb@adjheight \fb@put@frame#1#2%
11467   \else % there's appreciable room left on the page
11468     \fb@sizeofframe#1%
11469 |   \message{\string\pagetotal=\the\pagetotal,
11470 |       \string\pagegoal=\the\pagegoal,
11471 |       \string\pagestretch=\the\pagestretch,
11472 |       \string\pageshrink=\the\pageshrink,
11473 |       \string\fb@frh=\the\fb@frh. \space}
11474 |   \message{^^JBox of size \the\ht\@tempboxa\space}%
11475     \begingroup % temporarily set \dimen@ to be...
11476     \advance\dimen@.8\pageshrink  % maximum space available on page
11477     \advance\dimen@-\fb@frh\relax % max space available for frame's contents
11478 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
11479     \expandafter\endgroup
11480     % expand \ifdim, then restore \dimen@ to real room left on page
11481     \ifdim\dimen@>\ht\@tempboxa % whole box does fit
11482 |      \message{fits in \the\dimen@. }%
11483        % ToDo: Change this to use vsplit anyway to capture the marks
11484        % MERGE THIS WITH THE else CLAUSE!!!
11485        \fb@putboxa#1%
11486        \fb@afterframe
11487     \else % box must be split
11488 |      \message{must be split to fit in \the\dimen@. }%
11489        % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11490        \fb@sizeofframe#2%
11491        \setbox\@tempboxa\vbox{% simulate frame and flexiblity of the page:
11492           \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
11493           \kern137sp\kern-137sp\penalty-30
11494           \unvbox\@tempboxa}%
11495        \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
11496                           \splittopskip\the\splittopskip}%
11497        \boxmaxdepth\z@ \splittopskip\z@
11498 |     \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
11499        % Split box here
11500        \setbox\tw@\vsplit\@tempboxa to\dimen@
11501 |      \toks99\expandafter{\splitfirstmark}%
11502 |      \toks98\expandafter{\splitbotmark}%
11503 |      \message{Marks are: \the\toks99, \the\toks98. }%
11504        \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
11505 |      \message{Natural height of split box is \the\ht\tw@, leaving
11506 |         \the\ht\@tempboxa\space remainder. }%
11507        % If the split-to size > (\vsize-\topskip), then set box to full size.
```

```
11508         \begingroup
11509         \advance\dimen@\topskip
11510         \expandafter\endgroup
11511         \ifdim\dimen@>\pagegoal
11512 |         \message{Frame is big -- Use up the full column. }%
11513           \dimen@ii\pagegoal
11514           \advance\dimen@ii -\topskip
11515           \advance\dimen@ii \FrameHeightAdjust\relax
11516         \else  % suspect this is implemented incorrectly:
11517           % If the split-to size > feasible room_on_page, rebox it smaller.
11518           \advance\dimen@.8\pageshrink
11519           \ifdim\ht\tw@>\dimen@
11520 |           \message{Box too tall; rebox it to \the\dimen@. }%
11521             \dimen@ii\dimen@
11522           \else % use natural size
11523             \dimen@ii\ht\tw@
11524           \fi
11525         \fi
11526         % Re-box contents to desired size \dimen@ii
11527         \advance\dimen@ii -\fb@frh
11528         \setbox\tw@\vbox to\dimen@ii \bgroup
11529         % remove simulated frame and page flexibility:
11530         \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
11531         \unvbox\tw@ \unpenalty\unpenalty
11532         \ifdim\lastkern=-137sp % whole box went to next page
11533 |          \message{box split at beginning! }%
11534            % need work here???
11535            \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11536            \fb@adjheight
11537            \fb@put@frame#1#2% INSERTED ???
11538         \else % Got material split off at the head
11539            \egroup \fb@resto@set
11540            \ifvoid\@tempboxa % it all fit after all
11541 |             \message{box split at end! }%
11542               \setbox\@tempboxa\box\tw@
11543               \fb@putboxa#1%
11544               \fb@afterframe
11545            \else % it really did split
11546 |             \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11547               \ifdim\wd\tw@>\z@
11548                 \wd\tw@\wd\@tempboxa
11549                 \centerline{#2{\hboxL{\box\tw@}}}%  ??? \centerline bad idea
11550               \else
11551 |               \message{Zero width means likely blank. Don't frame it (guess)}%
11552                 \box\tw@
11553               \fi
11554               \hrule \@height\z@ \@width\hsize
11555               \eject
11556               \fb@adjheight
11557               \fb@put@frame\LastFrameCommand\MidFrameCommand
```

```
  \fi\fi\fi\fi\fi
}
\def\fb@putboxa#1{%
  \ifvoid\@tempboxa
    \PackageWarning{framed}{Boxa is void -- discard it. }%
  \else
|   \message{Frame and place boxa. }%
|   %{\showoutput\showbox\@tempboxa}%
    \centerline{#1{\hboxL{\box\@tempboxa}}}%
  \fi
}
\catcode`\|=\FrameRestore
\def\FrameRestore{%
   \let\if@nobreak\iffalse
   \let\if@noskipsec\iffalse
   \let\-\@dischyph
   \let\'\@acci\let\`\@accii\let\=\@acciii
   %  \message{FrameRestore:
   %    \@totalleftmargin=\the \@totalleftmargin,
   %    \rightmargin=\the\rightmargin,
   %    \@listdepth=\the\@listdepth.  }%
   % Test if we are in a list (or list-like paragraph)
   \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
          \ifdim\rightmargin>\z@ 1\fi
          \ifnum\@listdepth>\z@ 1\fi 0>\z@
     %     \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmar
     %       \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
     %       \labelwidth=\the\labelwidth. }%
     \@setminipage % snug fit around the item
     % Now try to propageate changes of width from \hsize to list parameters.
     % This is deficient, but a more advanced way to indicate modification to text
     % dimensions is not (yet) provided; in particular, no separate left/right
     % adjustment.
     \advance\linewidth-\columnwidth \advance\linewidth\hsize
     \parshape\@ne \@totalleftmargin \linewidth
   \else % Not in list
     \linewidth=\hsize
     %\message{No list, set \string\linewidth=\the\hsize. }%
   \fi
   \sloppy
}
```

65 File ftnright-xetex-bidi.def

```
\ProvidesFile{ftnright-xetex-bidi.def}[2017/05/06 v0.5 bidi adaptations for ftnright package f

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
```

```
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
```

```
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\let\leftfootnoterule\@empty
\let\rightfootnoterule\@empty
\let\textwidthfootnoterule\@empty
\let\autofootnoterule\@empty
```

```
\let\footnoterule\@empty
\long\def\@makefntext#1{\parindent 1em
  \noindent\hbox to 2em{}%
  \llap{\@thefnmark\hbox{.}\,\,}#1}
```

66 File graphicx-xetex-bidi.def

```
\ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package f
\def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\e
  \Grot@x\z@
  \Grot@y\z@
  \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
\long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
    \Grot@x\width \divide\Grot@x\tw@
    \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
    \setkeys{Grot}{#1}%
    \setbox\z@\box\@tempboxa
    \Grot@setangle{#2}%
    \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
  \@end@tempboxa}
\long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{#3}}%
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\Gin@iii[#1,#2][#3,#4]#5{%
  \begingroup
  \ifmmode\else\if@RTL\beginL\fi\fi
  \Gin@bboxtrue
  \Gin@defaultbp\Gin@llx{#1}%
  \Gin@defaultbp\Gin@lly{#2}%
  \Gin@defaultbp\Gin@urx{#3}%
  \Gin@defaultbp\Gin@ury{#4}%
  \Ginclude@graphics{#5}%
```

```
  \ifmmode\else\if@RTL\endL\fi\fi
  \endgroup}
\def\Gin@ii[#1]#2{%
    \def\@tempa{[}\def\@tempb{#2}%
    \ifx\@tempa\@tempb
      \def\@tempa{\Gin@iii[#1][}%
      \expandafter\@tempa
    \else
     \begingroup
       \ifmmode\else\if@RTL\beginL\fi\fi
       \@tempswafalse
       \toks@{\Ginclude@graphics{#2}}%
       \setkeys{Gin}{#1}%
       \Gin@esetsize
       \the\toks@
       \ifmmode\else\if@RTL\endL\fi\fi
     \endgroup
     \fi}
\def\reflectbox{\bidiGscale@box-1[1]}
\long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\e
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\scalebox#1{%
  \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
\def\resizebox{%
  \leavevmode
  \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
\def\bidiGscale@@box#1#2#3{%
  \let\@tempa\Gin@exclamation
  \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
  \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
  \ifx\@tempb\@tempa
    \ifx\@tempc\@tempa
      \toks@{\mbox}%
    \else
```

```
      \toks@{\bidiGscale@box@dd{#3}#1}%
    \fi
  \else
    \ifx\@tempc\@tempa
      \toks@{\bidiGscale@box@dd{#2}\width}%
    \else
      \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
    \fi
  \fi
  \the\toks@}
\long\def\bidiGscale@box@dd#1#2#3{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
  \@end@tempboxa}
\long\def\bidiGscale@box@dddd#1#2#3#4#5{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \setlength\@tempdima{#3}%
    \setlength\@tempdimb{#4}%
    \Gscale@div\@tempb\@tempdima\@tempdimb
    \ifGin@iso
      \ifdim\@tempa\p@>\@tempb\p@
        \let\@tempa\@tempb
      \else
        \let\@tempb\@tempa
      \fi
    \fi
    \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
  \@end@tempboxa}
```

67 File geometry-xetex-bidi.def

```
\ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package f
\renewcommand*{\Gm@vrules@mpi}{%
\if@RTLmain%
        \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
        \llap{\Gm@vrule}\ignorespaces
        \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
        \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
    \else%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
\renewcommand*{\Gm@vrules@mpii}{%
\if@RTLmain%
```

```
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}%
\else%
  \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
  \llap{\Gm@vrule}\ignorespaces
  \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
  \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
\bidi@patchcmd{\Gm@pageframes}{%
    \ifodd\count\z@
      \let\@themargin\oddsidemargin
    \else
      \let\@themargin\evensidemargin
    \fi
}{%
    \ifodd\count\z@
      \if@RTLmain
        \let\@themargin\evensidemargin
      \else
        \let\@themargin\oddsidemargin
      \fi
    \else
      \if@RTLmain
        \let\@themargin\oddsidemargin
      \else
        \let\@themargin\evensidemargin
      \fi
    \fi
}{}{}
```

68 File hvfloat-xetex-bidi.def

```
\ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for
\def\do@@hvFloat[#1]#2#3{%
\def\hv@shortCap{#1}
\def\hv@longCap{#2}
\def\hv@label{#3}
%\newcommand*{\hvFloat}[5][]{%
% [#1]: keyvalues
% #2: type  figure | table | ...
% #3: float contents
% [#4]: short caption
% #5: caption
% #6: label
% \setDefaults%
% \def\@tempa{#1}%
% \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
  \def\@tempa{90}%
  \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
  \else                      \setlength{\hvMaxCapWidth}{\linewidth}
```

```
  \fi
%
% First we save the object in \hvObjectBox
%
  \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
    \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
  \else
    \savebox{\hvObjectBox}{%
    \rotatebox{\hvSet@objectAngle}{%
    \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
  \fi
  \setlength{\hvObjectWidth}{\wd\hvObjectBox}
%
% Now we save the caption with its defined \hvCapWidth
%
  \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
  \else
    \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
    \else
      \setlength{\hvCapWidth}{\hvObjectWidth}
      \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
\setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
      \else
\setlength{\hvCapWidth}{\hvMaxCapWidth}
      \fi
    \fi
  \fi
%
% now we have the object and the caption with the right
% rotated angles saved in boxes
%
  \def\fps@figure{\hvSet@floatPos}
  \ifhv@nonFloat\begingroup% Start the nonfloat part
  \else         \begin{\hv@floatType}% Start the floating environment
  \fi%
  \saveCaptionSkip% we put this space ourselve
  \ifx\hvSet@capAngle\hv@Width % need rotation?
    \sbox{\hvCaptionBox}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
        \ifhv@nonFloat%
  \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
```

```
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
\fi%
\label{#3}%
      \end{minipage}%
    }%
  \else%
    \sbox{\hvCaptionBox}{%
      \rotatebox{\hvSet@capAngle}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
\ifhv@nonFloat%
     \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
        \fi%
        \label{#3}%
      \end{minipage}%
      }%
    }%
  \fi%
%%
  \restoreCaptionSkip% save old values
  \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
  \else%
    \ifx\hvSet@objectPos\hv@Center
      \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
    \fi%
  \fi%
%
% to rotate object and caption together, we save all in another box
% the caption comes first, if its on the left or the top
%
  \savebox{\@tempboxa}{%
  \ifx\hvSet@capPos\hv@Left  %  caption on left side
\if@RTL%
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
```

```
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi%
\else% not RTL
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
```

```
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
\fi% end of RTL
  \fi%
  \else
\ifx\hvSet@capPos\hv@Top
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
\fbox{\usebox{\hvObjectBox}}
\else
\usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
\usebox{\hvObjectBox}
\fi%
\end{minipage}
\else
\ifx\hvSet@capPos\hv@Bottom
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
\fbox{\usebox{\hvCaptionBox}}
\else
\usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
\usebox{\hvCaptionBox}
\fi%
\end{minipage}
\else% the last option: put the caption on the right
\if@RTL%
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
```

```
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
  \fi%
\else% not RTL
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
```

```
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi
\fi% end of RTL
\fi
\fi
\fi
}% End savebox Object and caption
%
% now we rotate the object and caption, if needed
%
\ifx\hvSet@rotAngle\hv@Zero
\usebox{\@tempboxa}
\else
\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
\fi
\ifhv@nonFloat
\ifx\hvSet@objectPos\hv@Center
\ifhv@nonFloat
\hspace{\fill}
\fi
\fi
\endgroup% End the nonfloat part
\else
\end{\hv@floatType}% End the floating environment
\fi
}
```

69 File hyperref-xetex-bidi.def

```
\ProvidesFile{hyperref-xetex-bidi.def}[2017/08/09 v1.0 bidi adaptations for hyperref package f
\AtBeginDocument{%
\def\contentsline#1#2#3#4{%
  \ifx\\#4\\%
    \csname l@#1\endcsname{#2}{#3}%
  \else
    \ifcase\Hy@linktoc % none
      \csname l@#1\endcsname{#2}{#3}%
    \or % section
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{#3}%
    \or % page
      \csname l@#1\endcsname{{#2}}{%
```

```
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \else % all
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \fi
  \fi
}
\ifHy@hyperfootnotes
  \let\H@@footnotetext\@footnotetext
  \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
  \def\@xfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \ifx\@footnotetext\@mpfootnotetext
    \expandafter\H@@mpfootnotetext
  \else
    \expandafter\H@@footnotetext
  \fi
}%
  \def\@xRTLfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \ifx\@RTLfootnotetext\@mpRTLfootnotetext
    \expandafter\HRTL@@mpRTLfootnotetext
  \else
    \expandafter\HRTL@@RTLfootnotetext
  \fi
}%
  \def\@xLTRfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \ifx\@LTRfootnotetext\@mpLTRfootnotetext
    \expandafter\HLTR@@mpLTRfootnotetext
  \else
    \expandafter\HLTR@@LTRfootnotetext
  \fi
}%
  \def\@xfootnotemark[#1]{%
  \begingroup
```

```
      \c@footnote #1\relax
      \unrestored@protected@xdef\@thefnmark{\thefootnote}%
    \endgroup
    \H@@footnotemark
  }%
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
    \long\def\@mpfootnotetext#1{%
    \H@@mpfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
  \long\def\@mpRTLfootnotetext#1{%
    \HRTL@@mpRTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
    \long\def\@mpLTRfootnotetext#1{%
    \HLTR@@mpLTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
    \long\def\@footnotetext#1{%
    \H@@footnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }%
        \let\@currentHlabel\Hy@footnote@currentHlabel
```

```
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \long\def\@RTLfootnotetext#1{%
  \HRTL@@RTLfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \long\def\@LTRfootnotetext#1{%
  \HLTR@@LTRfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \@ifpackageloaded{tabularx}{%
  \let\HyOrg@TX@endtabularx\TX@endtabularx
  \def\Hy@tabularx@hook{%
    \let\@footnotetext\H@@footnotetext
    \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
    \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
    \let\@footnotemark\H@@footnotemark
    \let\@mpfootnotetext\H@@mpfootnotetext
    \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
    \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
  }%
  \begingroup
    \toks@\expandafter{\TX@endtabularx}%
    \xdef\Hy@gtemp{%
```

```
      \noexpand\Hy@tabularx@hook
      \the\toks@
    }%
  \endgroup
  \let\TX@endtabularx\Hy@gtemp
}{}%
  \@ifpackageloaded{longtable}{%
  \CheckCommand*{\LT@p@LTRftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\LTRfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@LTRftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@LTRfootnotetext#1#2{%
   \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
  \CheckCommand*{\LT@p@RTLftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\RTLfootnotetext[\the\c@footnote]%
    }%
```

```
      \global\LT@p@ftn\expandafter{\@tempa{#1}}%
    }%
    \long\def\LT@p@RTLftntext#1{%
      \edef\@tempa{%
        \the\LT@p@ftn
        \begingroup
          \noexpand\c@footnote=\the\c@footnote\relax
          \noexpand\protected@xdef\noexpand\@thefnmark{%
            \noexpand\thempfn
          }%
          \noexpand\Hy@LT@RTLfootnotetext{%
            \Hy@footnote@currentHref
          }%
      }%
      \global\LT@p@ftn\expandafter{%
          \@tempa{#1}%
        \endgroup
      }%
    }%
    \long\def\Hy@LT@RTLfootnotetext#1#2{%
     \HRTL@@RTLfootnotetext{%
        \ifHy@nesting
          \hyper@@anchor{#1}{#2}%
        \else
          \Hy@raisedlink{%
            \hyper@@anchor{#1}{\relax}%
          }%
          \def\@currentHref{#1}%
          \let\@currentlabelname\@empty
          #2%
        \fi
      }%
    }%
  }{}%
    \@ifpackageloaded{bidipoem}{%
    \long\def\bidipoem@p@ftntext#1{%
      \edef\@tempx{%
        \the\bidipoem@p@ftn
        \begingroup
          \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
          \noexpand\protected@xdef\noexpand\@thefnmark{%
            \noexpand\thempfn
          }%
          \noexpand\Hy@bidipoem@footnotetext{%
            \Hy@footnote@currentHref
          }%
      }%
      \global\bidipoem@p@ftn\expandafter{%
          \@tempx{#1}%
        \endgroup
```

```
    }%
  }%
  \long\def\Hy@bidipoem@footnotetext#1#2{%
    \H@@footnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
      \long\def\bidipoem@p@LTRftntext#1{%
    \edef\@tempxi{%
      \the\bidipoem@p@ftn
      \begingroup
        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@bidipoem@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempxi{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
    \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
      \long\def\bidipoem@p@RTLftntext#1{%
    \edef\@tempxii{%
      \the\bidipoem@p@ftn
```

```
      \begingroup
        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@bidipoem@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempxii{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
    \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
}{}%
\let\HyOrg@maketitle\maketitle
\def\maketitle{%
  \let\Hy@saved@footnotemark\@footnotemark
  \let\Hy@saved@footnotetext\@footnotetext
  \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
  \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
  \let\@footnotemark\H@@footnotemark
  \let\@footnotetext\H@@footnotetext
  \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
  \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
  \@ifnextchar[\Hy@maketitle@optarg{% ]
    \HyOrg@maketitle
    \Hy@maketitle@end
  }%
}%
\def\Hy@maketitle@optarg[#1]{%
  \HyOrg@maketitle[{#1}]%
  \Hy@maketitle@end
}%
\def\Hy@maketitle@end{%
  \ifx\@footnotemark\H@@footnotemark
```

```
      \let\@footnotemark\Hy@saved@footnotemark
    \fi
    \ifx\@footnotetext\H@@footnotetext
      \let\@footnotetext\Hy@saved@footnotetext
    \fi
    \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
      \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
    \fi
    \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
    \fi
  }%
  \def\realfootnote{%
    \@ifnextchar[\@xfootnote{%
      \stepcounter{\@mpfn}%
      \protected@xdef\@thefnmark{\thempfn}%
      \H@@footnotemark\H@@footnotetext
    }%
  }%
\fi
\def\Hy@BeginAnnot#1{%
  \ifmmode\else\beginL\fi%
  \global\advance\c@Hy@AnnotLevel\@ne
  \ifnum\c@Hy@AnnotLevel=\@ne
    #1%
  \fi
}
\def\Hy@EndAnnot{%
  \ifnum\c@Hy@AnnotLevel=\@ne
    \Hy@endcolorlink
    \@pdfm@mark{eann}%
  \fi
  \global\advance\c@Hy@AnnotLevel\m@ne
  \ifmmode\else\endL\fi%
}
\def\hyper@link#1#2#3{%
  \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi\H
}
\def\hyper@linkfile#1#2#3{%
  \leavevmode
  \Hy@BeginAnnot{%
    \def\Hy@pstringF{#2}%
    \Hy@CleanupFile\Hy@pstringF
    \Hy@pstringdef\Hy@pstringF\Hy@pstringF
    \Hy@pstringdef\Hy@pstringD{#3}%
    \Hy@MakeRemoteAction
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
```

```
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@filebordercolor\relax
        \else
          /C[\@filebordercolor]%
        \fi
        /A<<%
          /S/GoToR%
          /F(\Hy@pstringF)%
          /D%
          \ifx\\#3\\%
            [\Hy@href@page\@pdfremotestartview]%
          \else
            (\Hy@pstringD)%
          \fi
          \Hy@SetNewWindow
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@filecolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\@hyper@launch run:#1\\#2#3{% filename, anchor text linkname
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringF{#1}%
    \Hy@pstringdef\Hy@pstringP{#3}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@runbordercolor\relax
        \else
          /C[\@runbordercolor]%
        \fi
        /A<<%
          /F(\Hy@pstringF)%
          /S/Launch%
          \Hy@SetNewWindow
          \ifx\\#3\\%
          \else
            /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
          \fi
          \Hy@href@nextactionraw
        >>%
```

```
      >>%
    }%
    \Hy@colorlink\@runcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\hyper@linkurl#1#2{%
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringURI{#2}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@urlbordercolor\relax
        \else
          /C[\@urlbordercolor]%
        \fi
        /A<<%
          /S/URI%
          /URI(\Hy@pstringURI)%
          \ifHy@href@ismap
            /IsMap true%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@urlcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\Acrobatmenu#1#2{%
  \Hy@Acrobatmenu{#1}{#2}{%
    \Hy@BeginAnnot{%
      \EdefEscapeName\Hy@temp@menu{#1}%
      \@pdfm@mark{%
        bann<<%
          /Type/Annot%
          /Subtype/Link%
          \ifHy@pdfa /F 4\fi
          \Hy@setpdfborder
          \ifx\@menubordercolor\relax
          \else
            /C[\@menubordercolor]%
          \fi
```

```
          /A<<%
            /S/Named%
            /N/\Hy@temp@menu
            \Hy@href@nextactionraw
          >>%
        >>%
      }%
      \Hy@colorlink\@menucolor
    }%
    \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
    \Hy@EndAnnot
  }%
}
\def\hyper@natlinkstart#1{%
  \Hy@backout{#1}%
  \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
  \def\hyper@nat@current{#1}%
}
\def\hyper@natlinkend{%
  \if@RTL\endR\fi\hyper@linkend
}
\def\hyper@natlinkbreak#1#2{%
  \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
}%
}
\pdfstringdefDisableCommands{%
\let\LRE\@firstofone
\let\LR\@firstofone
\let\RLE\@firstofone
\let\RL\@firstofone
\def\XeTeX{Xe\TeX}
\def\XeLaTeX{Xe\LaTeX}
}
\@ifpackageloaded{longtable}{%
  \begingroup
    \def\y{\LT@array}%
    \@ifundefined{scr@LT@array}{%
      \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
    }{\def\y{\scr@LT@array}}%
    \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
      \expandafter\endgroup
      \expandafter\def\y[##1]##2{%
        \H@refstepcounter{#1}%
        \hyper@makecurrent{table}%
        \let\Hy@LT@currentHref\@currentHref
        #2\@sharp#####4%
      }%
    }%
  \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
  \begingroup
```

```
    \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
      \endgroup
      \def\LT@start{%
        #1%
        \ifvoid\LT@foot#2\fi
        \let\@currentHref\Hy@LT@currentHref
        \Hy@raisedlink{%
          \hyper@anchorstart{\@currentHref}\hyper@anchorend
        }%
        #3%
      }%
    }%
  \expandafter\x\LT@start\@nil
}{}
```

70 File imsproc-xetex-bidi.def

```
\ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for X
\newenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}

\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}

\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
```

```
12790   \kern11\p@\kern-\footnotesep}
12791 \def\left@footnoterule{\kern-.4\p@
12792         \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
12793 \def\@makefnmark{%
12794   \leavevmode
12795   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
12796 }
12797
12798 \def\part{\@startsection{part}{0}%
12799   \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
12800   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
12801 \def\@tocline#1#2#3#4#5#6#7{\relax
12802   \ifnum #1>\c@tocdepth % then omit
12803   \else
12804     \par \addpenalty\@secpenalty\addvspace{#2}%
12805     \begingroup \hyphenpenalty\@M
12806     \@ifempty{#4}{%
12807       \@tempdima\csname r@tocindent\number#1\endcsname\relax
12808     }{%
12809       \@tempdima#4\relax
12810     }%
12811     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
12812     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
12813     #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
12814     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
12815     \nobreak
12816     \endgroup
12817   \fi}
12818 \renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
12819 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
12820 \renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
12821 \renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
12822 \def\maketitle{\par
12823   \@topnum\z@ % this prevents figures from falling at the top of page 1
12824   \@setcopyright
12825   \thispagestyle{firstpage}% this sets first page specifications
12826   \uppercasenonmath\shorttitle
12827   \ifx\@empty\shortauthors \let\shortauthors\shorttitle
12828   \else \andify\shortauthors
12829   \fi
12830   \@maketitle@hook
12831   \begingroup
12832   \@maketitle
12833   \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
12834   \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
12835   \edef\@tempa{%
12836     \@nx\markboth{\the\toks4
12837       \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
12838   \@tempa
12839   \endgroup
```

```
  \c@footnote\z@
  \@cleartopmattertags
}
```

71 File leqno-xetex-bidi.def

```
\ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX e
\renewcommand\@eqnnum{\hb@xt@.01\p@{}%
                      \rlap{\hskip -\displaywidth
                        {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi
```

72 File letter-xetex-bidi.def

```
\ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter clas
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

73 File lettrine-xetex-bidi.def

```
\ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package f
\def\@lettrine[#1]#2#3{%
  \setcounter{L@lines}{\theDefaultLines}%
  \setcounter{L@depth}{\theDefaultDepth}%
  \renewcommand*{\L@hang}{\DefaultLhang}%
  \renewcommand*{\L@oversize}{\DefaultLoversize}%
  \renewcommand*{\L@raise}{\DefaultLraise}%
  \renewcommand*{\L@ante}{}%
  \setlength{\L@Findent}{\DefaultFindent}%
  \setlength{\L@Nindent}{\DefaultNindent}%
  \setlength{\L@slope}{\DefaultSlope}%
  \setlength{\L@novskip}{\DiscardVskip}%
```

```
\ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
\ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
\if\DefaultOptionsFile\relax
\else
  \begingroup
  \InputIfFileExists{\DefaultOptionsFile}%
    {}%
    {\PackageWarning{lettrine.sty}%
       {File \DefaultOptionsFile\space not found}%
    }%
  \def\color##1##{\l@color{##1}}%
  \let\l@color\@gobbletwo
  \def\textcolor##1##{\l@textcolor{##1}}%
  \def\l@textcolor##1##2##3{##3}%
  \expandafter\ifx\csname l@#2-keys\endcsname\relax
                \gdef\l@LOKeys{}%
              \else
                \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
              \fi
  \endgroup
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
  \sbox{\L@lbox}{\LettrineFont #2}%
  \setlength{\LettrineWidth}{\wd\L@lbox}%
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
\fi
\setkeys{L}{#1}%
\ifL@image
   \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
\else
   \sbox{\L@lbox}{\LettrineFont #2}%
\fi
\sbox{\L@tbox}{\LettrineTextFont{#3}}%
 \@tempdima=\baselineskip
 \ifnum\theL@lines=1
   \setlength{\L@first}{\ht\L@lbox}%
   \addtolength{\L@first}{-\ht\L@tbox}%
   \setlength{\L@lraise}{\z@}%
 \else
   \setlength{\L@first}{-\theL@lines\@tempdima}%
   \addtolength{\L@first}{\@tempdima}%
   \sbox{\@tempboxa}{\LettrineTextFont x}%
   \addtolength{\L@first}{-\ht\@tempboxa}%
   \setlength{\L@lraise}{-\L@raise\L@first}%
   \addtolength{\L@first}{\L@lraise}%
   \addtolength{\L@first}{\ht\L@lbox}%
   \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
```

```
    \addtolength{\L@lraise}{\@tempdima}%
  \fi
  \par
  \ifdim\L@first>\L@novskip
    \ifL@grid
      \@tempdima=\baselineskip
      \@tempdimb=\@tempdima
      \advance\@tempdimb by \L@novskip
      \@tempcnta=1
      \loop\ifdim\L@first>\@tempdimb
        \advance\@tempcnta by 1
        \advance\L@first by -\@tempdima
      \repeat
      \vskip\@tempcnta\baselineskip
    \else
      \vskip\L@first
    \fi
  \fi
\setlength{\L@Pindent}{\wd\L@lbox}%
\addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
\settowidth{\L@first}{\L@ante}%
\addtolength{\L@Pindent}{\L@first}%
\addtolength{\L@Pindent}{\L@Findent}%
\setlength{\L@first}{\linewidth}%
\addtolength{\L@first}{-\L@Pindent}%
\addtolength{\L@Nindent}{\L@Pindent}%
\setlength{\L@next}{\linewidth}%
\addtolength{\L@next}{-\L@Nindent}%
\addtolength{\L@Pindent}{\rightmargin}%
\addtolength{\L@Nindent}{\rightmargin}%
\setlength{\LettrineWidth}{\wd\L@lbox}%
\setlength{\LettrineHeight}{\ht\L@lbox}%
\setlength{\LettrineDepth}{\dp\L@lbox}%
\addtocounter{L@lines}{1}%
\addtocounter{L@lines}{\the\c@L@depth}%
\if@RTL\def\L@parshape{\c@L@lines 0pt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@Pi
\@tempcnta=\tw@
\@whilenum \@tempcnta<\c@L@lines\do{%
   \if@RTL\edef\L@parshape{\L@parshape 0pt \the\L@next}\else\edef\L@parshape{\L@parshape \th
   \addtolength{\L@Nindent}{\L@slope}%
   \addtolength{\L@next}{-\L@slope}%
   \advance\@tempcnta\@ne}%
\if@RTL \edef\L@parshape{\L@parshape 0pt \the\linewidth}\else\edef\L@parshape{\L@parshape \r
\noindent
\parshape=\L@parshape\relax
\smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}%
        \hskip \the\L@Findent}}%
\usebox{\L@tbox}%
}
```

74 File lineno-xetex-bidi.def

```
\ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for X
\bidi@patchcmd{\MakeLineNo}{%
  \hb@xt@\z@{\makeLineNumber}%
}{%
  \hboxL to \z@{\makeLineNumber}%
}{}{}

\bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
  \if@RTL
    \hb@xt@\linenumberwidth{\LineNumber\hss}%
  \else
    \LineNumber
  \fi
}{}{}

\bidi@patchcmd{\makeLineNumberRight}{%
  \hb@xt@\linenumberwidth{\hss\LineNumber}%
}{%
  \if@RTL
    \LineNumber
  \else
    \hb@xt@\linenumberwidth{\hss\LineNumber}%
  \fi
}{}{}

\bidi@AfterPreamble{%
  \if@RTLmain
    \rightlinenumbers*
  \else
    \leftlinenumbers*
  \fi
  \@ifpackagewith{lineno}{left}{%
    \leftlinenumbers*
  }{}
  \@ifpackagewith{lineno}{right}{%
    \rightlinenumbers*
  }{}
}

```

75 File listings-xetex-bidi.def

```
\ProvidesFile{listings-xetex-bidi.def}[2017/01/14 v1.4 bidi adaptations for listings package f
\lst@Key{captiondirection}{textdirection}{%
    \lstKV@SwitchCases{#1}%
    {textdirection&\\%
     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
     LTR&\chardef\bidi@lst@caption@direction\z@%
```

```
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\lst@Key{captionscript}{textscript}{%
    \lstKV@SwitchCases{#1}%
    {textscript&\\%
     latin&\chardef\bidi@lst@caption@script\@ne\\%
     nonlatin&\chardef\bidi@lst@caption@script\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
   \@ifundefined{bidi@lst@caption@direction}{}{%
    \ifnum\bidi@lst@caption@direction=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@direction=\@ne%
             #2%
         \fi%
     \fi%
}}

\newcommand*{\bidi@lst@ensure@caption@script}[2]{%
   \@ifundefined{bidi@lst@caption@script}{}{%
    \ifnum\bidi@lst@caption@script=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@script=\@ne%
             #2%
         \fi%
     \fi%
}}

\long\def\@bidi@lst@makecaption#1#2{%
   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
   \vskip\abovecaptionskip
   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
   \sbox\@tempboxa{%
   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
   #1: #2%
   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
   }%
   \ifdim \wd\@tempboxa >\hsize
     #1: #2\par
   \else
     \global \@minipagefalse
     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
   \fi
   \vskip\belowcaptionskip}%
\def\lst@makecaption{\@bidi@lst@makecaption}
\def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
\bidi@AtEndPreamble{%
```

```
\bidi@patchcmd{\lst@MakeCaption}{%
    \ifx #1t%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                    \expandafter\refstepcounter
        \fi {lstlisting}%
}{%
    \ifx #1t%
       \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                    \expandafter\refstepcounter
        \fi {lstlisting}%
        \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
}{}{}%
\bidi@patchcmd{\lst@MakeCaption}{%
                 \addcontentsline{lol}{lstlisting}%
                     {\protect\numberline{\thelstlisting}\lst@@caption}%
}{%
\begingroup%
                \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
                 \addcontentsline{lol}{lstlisting}%
                     {\protect\numberline{\thelstlisting}\lst@@caption}%
\endgroup%
}{}{}%
}
\@ifpackageloaded{caption}{%
  \AtBeginCaption{%
  \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
  \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
}
  \let\@bidi@lst@makecaption\caption@makecaption%
  \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
}{%
\AtBeginDocument{%
\@ifundefined{captionlabelfalse}{}{%
  \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
\@ifundefined{caption@startrue}{}{%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
}%
}
\AtBeginDocument{
  \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
  \lst@ifnumberbychapter
      \gdef\thelstlisting%
           {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
  \else
      \gdef\thelstlisting{\@arabic\c@lstlisting}
  \fi}
```

76 File loadingorder-xetex-bidi.def

```
\ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
\bidi@isloaded{amsmath}
\bidi@isloaded{amstext}
\bidi@isloaded{amsthm}
\bidi@isloaded{animate}
\bidi@isloaded{breqn}
\bidi@isloaded{cals}
\bidi@isloaded{caption}
\bidi@isloaded{crop}
\bidi@isloaded{cuted}
\bidi@isloaded{cutwin}
\bidi@isloaded{color}
\bidi@isloaded{dblfnote}
\bidi@isloaded{diagbox}
\bidi@isloaded{xcolor}
\bidi@isloaded{colortbl}
\bidi@isloaded{float}
\bidi@isloaded{floatrow}
\bidi@isloaded{flowfram}
\bidi@isloaded{framed}
\bidi@isloaded{ftnright}
\bidi@isloaded{xltxtra}
\bidi@isloaded{xunicode}
\bidi@isloaded{wrapfig}
\bidi@isloaded{graphicx}
\bidi@isloaded{geometry}
\bidi@isloaded{hvfloat}
\bidi@isloaded{mdframed}
\bidi@isloaded{midfloat}
\bidi@isloaded{ntheorem}
\bidi@isloaded{ntheorem-hyper}
\bidi@isloaded{hyperref}
\bidi@isloaded{fancybox}
\bidi@isloaded{fancyhdr}
\bidi@isloaded{fix2col}
\bidi@isloaded{draftwatermark}
\bidi@isloaded{empheq}
\bidi@isloaded{overpic}
\bidi@isloaded{pdfpages}
\bidi@isloaded{listings}
\bidi@isloaded{lettrine}
\bidi@isloaded{lineno}
\bidi@isloaded{media9}
\bidi@isloaded{pstricks}
\bidi@isloaded{pgf}
\bidi@isloaded{picinpar}
\bidi@isloaded{quotchap}
\bidi@isloaded{tikz}
```

```
\bidi@isloaded{titlesec}
\bidi@isloaded{titletoc}
\bidi@isloaded{array}
\bidi@isloaded{soul}
\bidi@isloaded{stabular}
\bidi@isloaded{subfig}
\bidi@isloaded{subfigure}
\bidi@isloaded{supertabular}
\bidi@isloaded{xtab}
\bidi@isloaded{longtable}
\bidi@isloaded{arydshln}
\bidi@isloaded{multicol}
\bidi@isloaded{multienum}
\bidi@isloaded{minitoc}
\bidi@isloaded{natbib}
\bidi@isloaded{newfloat}
\bidi@isloaded{ragged2e}
\bidi@isloaded{rotating}
\bidi@isloaded{tabls}
\bidi@isloaded{tabulary}
\bidi@isloaded{tocbasic}
\bidi@isloaded{tocstyle}
\bidi@isloaded{tocbibind}
\bidi@isloaded{fontspec}
\bidi@isloaded{arabxetex}
\bidi@isloaded{polyglossia}
\bidi@isloaded{fancyvrb}
\AtBeginDocument{
  \if@bidi@amsmathloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packag
  \fi%
    \if@bidi@amstextloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi packag
  \fi%
  \if@bidi@amsthmloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package
  \fi%
  \if@bidi@animateloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi packag
  \fi%
  \if@bidi@breqnloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package.
  \fi%
    \if@bidi@calsloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package.
  \fi%
  \if@bidi@captionloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi packag
  \fi%
  \if@bidi@croploaded@\else
```

```
13221   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package.
13222 \fi%
13223 \if@bidi@colorloaded@\else
13224 \@ifpackageloaded{hyperref}{}{%
13225   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package
13226 \fi%
13227 \if@bidi@cutwinloaded@\else
13228   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package
13229 \fi%
13230   \if@bidi@cutedloaded@\else
13231   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package
13232 \fi%
13233 \if@bidi@dblfnoteloaded@\else
13234   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi packa
13235 \fi%
13236 \if@bidi@diagboxloaded@\else
13237   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi packag
13238 \fi%
13239 \if@bidi@xcolorloaded@\else
13240   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package
13241 \fi%
13242 \if@bidi@colortblloaded@\else
13243   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi packa
13244 \fi%
13245 \if@bidi@floatloaded@\else
13246   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package
13247 \fi%
13248   \if@bidi@floatrowloaded@\else
13249   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi packa
13250 \fi%
13251 \if@bidi@flowframloaded@\else
13252   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi packa
13253 \fi%
13254 \if@bidi@framedloaded@\else
13255   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package
13256 \fi%
13257   \if@bidi@ftnrightloaded@\else
13258   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi packa
13259 \fi%
13260 \if@bidi@xltxtraloaded@\else
13261   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi packag
13262 \fi%
13263 \if@bidi@xunicodeloaded@\else
13264   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi packa
13265 \fi%
13266 \if@bidi@wrapfigloaded@\else
13267   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packag
13268 \fi%
13269 \if@bidi@graphicxloaded@\else
13270   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi packa
```

```
\fi%
  \if@bidi@geometryloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi packa
\fi%
\if@bidi@hvfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packag
\fi%
    \if@bidi@mdframedloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi packa
\fi%
      \if@bidi@midfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi packa
\fi%
  \if@bidi@ntheoremloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi packa
\fi%
\if@bidi@hyperrefloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi packa
\fi%
  \if@bidi@fancyboxloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi packa
\fi%
\if@bidi@fancyhdrloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi packa
\fi%
\if@bidi@draftwatermarkloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi
\fi%
\if@bidi@empheqloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package
\fi%
  \if@bidi@overpicloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi packag
\fi%
\if@bidi@pdfpagesloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi packa
\fi%
\if@bidi@lettrineloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi packa
\fi%
\if@bidi@linenoloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi package
\fi%
\if@bidi@listingsloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi packa
\fi%
\csname if@bidi@media9loaded@\endcsname\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package
\fi%
\if@bidi@pstricksloaded@\else
```

```
13321   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi packa
13322 \fi%
13323 \if@bidi@pgfloaded@\else
13324   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. P
13325 \fi%
13326 \if@bidi@picinparloaded@\else
13327   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi packa
13328 \fi%
13329 \if@bidi@quotchaploaded@\else
13330   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi packa
13331 \fi%
13332 \if@bidi@tikzloaded@\else
13333   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
13334 \fi%
13335 \if@bidi@titlesecloaded@\else
13336   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi packa
13337 \fi%
13338 \if@bidi@titletocloaded@\else
13339   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi packa
13340 \fi%
13341 \if@bidi@arrayloaded@\else
13342   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package.
13343 \fi%
13344 \if@bidi@stabularloaded@\else
13345   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi packa
13346 \fi%
13347 \if@bidi@soulloaded@\else
13348   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.
13349 \fi%
13350 \if@bidi@subfigloaded@\else
13351   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package
13352 \fi%
13353 \if@bidi@subfigureloaded@\else
13354   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pack
13355 \fi%
13356 \if@bidi@supertabularloaded@\else
13357   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi p
13358 \fi%
13359 \if@bidi@xtabloaded@\else
13360   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
13361 \fi%
13362 \if@bidi@longtableloaded@\else
13363   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pack
13364 \fi%
13365 \if@bidi@arydshlnloaded@\else
13366   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi packa
13367 \fi%
13368 \if@bidi@multicolloaded@\else
13369   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi packa
13370 \fi%
```

```
\if@bidi@multienumloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pack
\fi%
\if@bidi@minitocloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packag
\fi%
\if@bidi@natbibloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package
\fi%
  \if@bidi@newfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi packa
\fi%
\csname if@bidi@ragged2eloaded@\endcsname\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi packa
\fi%
  \if@bidi@rotatingloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi packa
\fi%
\if@bidi@tablsloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi package.
\fi%
\if@bidi@tabularyloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi packa
\fi%
\if@bidi@tocbasicloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi packa
\fi%
\if@bidi@tocstyleloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi packa
\fi%
\if@bidi@tocbibindloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pack
\fi%
\if@bidi@fontspecloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi packa
\fi%
\if@bidi@arabxetexloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pack
\fi%
\if@bidi@polyglossialoaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi pa
\fi%
\if@bidi@fancyvrbloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi packa
\fi%
}
```

77 File longtable-xetex-bidi.def

```
\ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package
```

```
\def\LT@array[#1]#2{%
  \refstepcounter{table}\stepcounter{LT@tables}%
  \if l#1%
    \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
  \else\if r#1%
    \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
  \else\if c#1%
    \LTleft\fill \LTright\fill
  \fi\fi\fi
  \let\LT@mcol\multicolumn
  \let\LT@@tabarray\@tabarray
  \let\LT@@hl\hline
  \def\@tabarray{%
    \let\hline\LT@@hl
    \LT@@tabarray}%
  \let\\\LT@tabularcr\let\tabularnewline\\%
  \def\newpage{\noalign{\break}}%
  \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
  \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
  \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
  \@tempdima\ht\strutbox
  \let\@endpbox\LT@endpbox
  \ifx\extrarowheight\@undefined
    \let\@acol\@tabacol
    \let\@classz\@tabclassz \let\@classiv\@tabclassiv
    \def\@startpbox{\vtop\LT@startpbox}%
    \let\@@startpbox\@startpbox
    \let\@@endpbox\@endpbox
    \let\LT@LL@FM@cr\@tabularcr
  \else
    \advance\@tempdima\extrarowheight
    \col@sep\tabcolsep
    \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
  \fi
  \setbox\@arstrutbox\hbox{\vrule
    \@height \arraystretch \@tempdima
    \@depth \arraystretch \dp \strutbox
    \@width \z@}%
  \let\@sharp##\let\protect\relax
   \begingroup
    \@mkpream{#2}%
    \xdef\LT@bchunk{%
       \global\advance\c@LT@chunks\@ne
       \global\LT@rows\z@\setbox\z@\vbox\bgroup
       \LT@setprevdepth
       \tabskip\LTleft \noexpand\halign to\hsize\bgroup
      \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
  \endgroup
  \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
  \LT@make@row
```

```
  \m@th\let\par\@empty
  \everycr{}\lineskip\z@\baselineskip\z@
  \LT@bchunk}
\def\LT@makecaption#1#2#3{%
  \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
    \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
    \ifdim\wd\@tempboxa>\hsize
      #1{#2: }#3%
    \else
      \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
    \fi
    \endgraf\vskip\baselineskip}%
  \hss}}}
\@ifpackageloaded{caption}{%
  \renewcommand\LT@makecaption[3]{%
    \caption@LT@make{%
      \caption@settype*\LTcaptype
      \ifdim\LTcapwidth=4in \else
        \setcaptionwidth\LTcapwidth
      \fi
      \caption@setoptions{longtable}%
      \caption@setoptions{@longtable}%
      \caption@LT@setup
      \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
      \caption@startrue#1\caption@starfalse
      \caption@prepare@stepcounter\LTcaptype{LT}%
      \caption@begin\LTcaptype
        \caption@normalsize
        \vskip-\ht\strutbox
        \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
        \caption@@make{#2}{#3}\endgraf
        \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
      \caption@end}}%
}{}
\def\LT@startpbox#1{%
  \bgroup
    \let\@footnotetext\LT@p@ftntext
    \let\@LTRfootnotetext\LT@p@LTRftntext
    \let\@RTLfootnotetext\LT@p@RTLftntext
    \setlength\hsize{#1}%
    \@arrayparboxrestore
    \vrule \@height \ht\@arstrutbox \@width \z@}
\def\LT@p@LTRftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
\def\LT@p@RTLftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%

```

```
\def\LT@output{%
  \ifnum\outputpenalty <-\@Mi
    \ifnum\outputpenalty > -\LT@end@pen
      \LT@err{floats and marginpars not allowed in a longtable}\@ehc
    \else
      \setbox\z@\vbox{\unvbox\@cclv}%
      \ifdim \ht\LT@lastfoot>\ht\LT@foot
        \dimen@\pagegoal
        \advance\dimen@-\ht\LT@lastfoot
        \ifdim\dimen@<\ht\z@
          \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
          \@makecol
          \@outputpage
          \setbox\z@\vbox{\box\LT@head}%
        \fi
      \fi
      \global\@colroom\@colht
      \global\vsize\@colht
      \vbox
        {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot
    \fi
  \else
    \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot\
    \@makecol
    \@outputpage
      \global\vsize\@colroom
    \copy\LT@head\nobreak
  \fi}
```

78 File mathtools-xetex-bidi.def

```
\ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package
\MHInternalSyntaxOn
\def\MT_define_tagform:nwnn #1[#2]#3#4{
  \@namedef{MT_tagform_#1:n}##1
    {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@@italiccorr#4\if
}
\renewtagform{default}{(}{)}
\MHInternalSyntaxOff
```

79 File mdframed-xetex-bidi.def

```
\ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package f
\newif\if@bidi@mdf@RTL
\def\mdf@lrbox#1{%
  \mdf@patchamsthm%patch amsthm
   \if@RTL\@bidi@mdf@RTLtrue\fi%
   \@RTLfalse%
 \setbox#1\vbox\bgroup%
   \color@begingroup%
```

```
    \if@bidi@mdf@RTL\@RTLtrue\fi%
     \mdf@horizontalmargin@equation%
     \columnwidth=\hsize%
     \textwidth=\hsize%
     \let\if@nobreak\iffalse%
     \let\if@noskipsec\iffalse%
     \let\par\@@par%
     \let\-\@dischyph%
     \let\'\@acci\let\`\@accii\let\=\@acciii%
     \parindent\z@ \parskip\z@skip%
     \linewidth\hsize%
     \@totalleftmargin\z@%
     \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
     \parfillskip\@flushglue \lineskip\normallineskip%
     \baselineskip\normalbaselineskip%
%%   \sloppy%
     \let\\\@normalcr%
     \mdf@par@local%New feature to restore parskip/parindent local in save box
     \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
     \@afterindentfalse%
    %\@afterheading%
}
\renewrobustcmd\mdfframedtitleenv[1]{%
    \mdf@lrbox{\mdf@frametitlebox}%
     \mdf@frametitlealignment%
       \leavevmode{\color{\mdf@frametitlefontcolor}%
           \normalfont\mdf@frametitlefont{#1}
       \ifbool{mdf@ignorelastdescenders}%
         {%
          \par\strut\par
          \unskip\unskip\setbox0=\lastbox
          \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
         }{}}%
    \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
    \endmdf@lrbox\relax%
   \mdf@ignorevbadness%
   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
   \mdfframetitleboxtotalheight=\dimexpr
                                    \ht\mdf@frametitlebox
                                    +\dp\mdf@frametitlebox%
                                    +\mdf@frametitleaboveskip@length
                                    +\mdf@frametitlebelowskip@length
                                  \relax%
}

\renewrobustcmd*\mdf@footnoteoutput{%
     \ifvoid\@mpfootins\else%
```

```
          \nobreak%
          \vskip\mdf@footenotedistance@length%
          \normalcolor%
          \bidi@mpfootnoterule%
          \unvbox\@mpfootins%
      \fi%
}


\renewrobustcmd*\mdf@footnoteinput{%
   \def\@mpfn{mpfootnote}%
   \def\thempfn{\thempfootnote}%
   \c@mpfootnote\z@%
   \let\@footnotetext\@mpfootnotetext%
    \let\@LTRfootnotetext\@mpLTRfootnotetext%
    \let\@RTLfootnotetext\@mpRTLfootnotetext%
}
```

80 File bidi-media9.sty

```
\ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
{bidi fixes for media9 package for the XeTeX engine}

\keys_define:nn{media9/mbtn}{
  draft .code:n = {},
  final .code:n = {},

  tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
  tooltip .value_required:n = {true},

  overface .code:n = {
    \sbox\l_mix_poster_box{
      \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
  },
  overface .value_required:n = {true},

  downface .code:n = {
    \sbox\l_mix_poster_box{
      \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
  },
  downface .value_required:n = {true},

  3Dgotoview .code:n = {
    \tl_set:Nx\l_tmpa_tl{#1}              %extract ref
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl
    \tl_trim_spaces:N\l_tmpa_tl
```

```
  \tl_if_exist:cTF{ann@\l_tmpa_tl}{
    \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
      \tl_set:Nx\l_tmpb_tl{#1}          %extract idx
      \regex_replace_once:nnN{[^:]+:?}{}\l_tmpb_tl
      \tl_trim_spaces:N\l_tmpb_tl
      \tl_if_blank:VF\l_tmpb_tl{
        \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
          \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
        }{
          \regex_match:nVTF{^\d+$}\l_tmpb_tl{
            \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
          }{
            \regex_replace_once:nnN{^\(\s*}{}\l_tmpb_tl
            \regex_replace_once:nnN{\s*\)$}{}\l_tmpb_tl
            \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
          }
        }
      }
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_tmpb_tl{
          /Next~<<
            /S/GoTo3DView
            /TA~\tl_use:c{ann@\l_tmpa_tl}
            /V\l_mix_vidx_tl
          >>
        }
      }
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  }{
    \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
    \cs_if_exist:NF\g_mix_refundefwarned_tl{
      \tl_new:N\g_mix_refundefwarned_tl
      \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
    }
  }
},
3Dgotoview .value_required:n = {true},

mediacommand .code:n = {
  \tl_set:Nx\l_tmpa_tl{#1}
  \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
```

```
  \tl_trim_spaces:N\l_tmpa_tl
  \tl_if_exist:cTF{ann@\l_tmpa_tl}{
    \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
      \tl_set:Nx\l_tmpb_tl{#1}
      \regex_replace_once:nnN{[^:]+\:?}{}\l_tmpb_tl
      \tl_trim_spaces:N\l_tmpb_tl
      \regex_replace_all:nnN{^\{|\}$}{}\l_tmpb_tl
      \tl_set:Nx\l_mix_cmd_tl{
        \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
      \tl_trim_spaces:N\l_mix_cmd_tl
      \tl_set:Nx\l_mix_arg_tl{
        \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
      \tl_trim_spaces:N\l_mix_arg_tl
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_mix_cmd_tl{
          /Next~<<
            /S/RichMediaExecute
            /TA~\tl_use:c{ann@\l_tmpa_tl}
            /TI~\tl_use:c{main@\l_tmpa_tl}
            /CMD~<<
              /C~(\l_mix_cmd_tl)
              \tl_if_blank:VF\l_mix_arg_tl{
                /A~[\l_mix_arg_tl]
              }
            >>
          >>
        }
      }
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  }{
    \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
    \cs_if_exist:NF\g_mix_refundefwarned_tl{
      \tl_new:N\g_mix_refundefwarned_tl
      \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
    }
  }
},
mediacommand .value_required:n = {true},

jsaction .code:n = {
  \tl_set:Nx\l_tmpa_tl{#1}
```

```
    \regex_match:nVTF{^[^\{:]+:.*$}\l_tmpa_tl{
      \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
      \tl_trim_spaces:N\l_tmpa_tl
    }{\tl_clear:N\l_tmpa_tl}
    \tl_set:Nx\l_tmpb_tl{#1}
    \tl_if_blank:VF\l_tmpa_tl{
      \tl_if_exist:cF{ann@\l_tmpa_tl}{
        \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
        \cs_if_exist:NF\g_mix_refundefwarned_tl{
          \tl_new:N\g_mix_refundefwarned_tl
          \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
        }
      }
      \regex_replace_once:nnN{[^:]+\:}{}\l_tmpb_tl
    }
    \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
    \tl_trim_spaces:N\l_tmpb_tl
    \tl_if_blank:VF\l_tmpb_tl{
    \mix_pdfobj:nnn{}{dict}{
      /S/JavaScript/JS~(
        try{\l_tmpb_tl}catch(e){console.show();console.println(e)})}}
    \bool_lazy_and:nnT{
      \tl_if_exist_p:c{ann@\l_tmpa_tl}
    }{
      !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
    }{
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
      }
    }
    \bool_if:nT{
      \bool_lazy_and_p:nn{
        \tl_if_exist_p:c{ann@\l_tmpa_tl}
      }{
        !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
      }
      || !\tl_if_blank_p:V\l_tmpb_tl
    }{
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  },
  jsaction .value_required:n = {true},
```

```
13809
13810   unknown .code:n = {
13811     \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
13812   }
13813 }
13814
13815 \RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
13816   \mix_uriend:
13817   \group_begin:
13818   \mix_beginLTR:
13819   \leavevmode
13820   %empty stream as appearance dummy
13821   \cs_if_exist:NF\g_mix_appearance_tl{
13822     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
13823     \mix_pdfxform:n{\l_mix_poster_box}
13824     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
13825   }
13826   \mix_reset:
13827   \mix_uribegin: %treat URI characters correctly
13828   \keys_set:nn{media9/user}{#1}
13829   \mix_uriend:
13830   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
13831   \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
13832   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
13833   \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
13834   \tl_gtrim_spaces:N\g_mix_flashvars_tl
13835
13836   \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
13837
13838   %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
13839   %\hbox_set:Nn\l_mix_poster_box{#2}
13840   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
13841   \mix_scale:n{\l_mix_poster_box}
13842   \bool_if:nT{
13843     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
13844     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
13845   }{
13846     \tl_gset:Nn\g_mix_usrpbtn_tl{none}
13847   }
13848   \bool_if:NTF\g_mix_usrdraft_bool{
13849     \tl_if_empty:NF\g_mix_usrlabel_tl{
13850       \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
13851     }
13852     \tl_if_blank:oTF{#2}{
13853       \mix_uribegin: %treat URI characters correctly
13854       \mix_draftbox:n{\tl_to_str:n{#3}}
13855       \mix_uriend:
13856     }{
13857       \hbox_to_wd:nn{\g_mix_wd_tl}{
13858         \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
```

```
13859       \box_use:N\l_mix_poster_box\hss
13860     }
13861   }
13862 }{
13863   \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
13864     %attach script that switches off play button overlay upon activation
13865     \mix_pdfobj:nnn{}{stream}{
13866       {}{
13867         var~ocgs=host.getOCGs(host.pageNum);
13868         for(var~i=0;i<ocgs.length;i++){
13869           if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
13870             ocgs[i].state=false;
13871           }
13872         }
13873       }
13874     }
13875     \mix_pdfobj:nnn{}{dict}{
13876       /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
13877     }
13878     \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
13879     \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
13880     %enforce plain playbutton overlay for XeTeX
13881     \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
13882   }
13883   %embed main asset
13884   \mix_uribegin:
13885   \mix_embedasset:n{#3}
13886   \bool_if:nTF{
13887     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
13888   }{
13889     \bool_gset_true:N\g_mix_iiid_bool
13890     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
13891   }{
13892     \str_case_x:nnF{\l_mix_base_tl}{
13893       {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13894       {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13895       {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13896       {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13897       {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13898     }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
13899   }
13900   \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
13901   \mix_uriend:
13902   %secondary assets (added by addresource)
13903   \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
13904   \seq_map_inline:Nn\g_mix_script_seq{
13905     \mix_embedasset:n{##1}
13906     \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
13907   }
13908   %attach 3D calculation script
```

```
\bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
  \mix_embedasset:n{3Dmenu.js}
  \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
}
%create 3D views from file (option 3Dviews)
\bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
  \tl_set:Nn\l_mix_level_tl{\c_minus_one}
  \int_zero:N\l_mix_viewcnt_int
  \int_zero:N\l_mix_lineno_int

  \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
  \ior_map_inline:Nn\l_mix_vfile_stream{
    \int_incr:N\l_mix_lineno_int
    \keys_set:nn{media9/views}{##1} %process input line
  }
  \ior_close:N\l_mix_vfile_stream
}
\bool_if:nT{ %create default 3D view if required
  \g_mix_iiid_bool &&
  (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
}{
  \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
  \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
  \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
  \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
  \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
  \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
  \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl

  \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
  \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
  \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
  \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp

  \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
  \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
  \tl_clear:N\l_mix_naarray_tl

  \bool_if:NF\l_mix_ciiw_bool{
    \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
    \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
  }

  \tl_clear:N\l_mix_naarray_tl
  \tl_clear:N\l_mix_saarray_tl
  \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl

  \mix_view:n{Default}
  \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}

```

```
13959   }
13960   \mix_pdfobj:nnn{}{dict}{
13961     /Type/RichMediaInstance
13962     /Subtype/\g_mix_mainassetsub_tl
13963     /Asset~\g_mix_mainasset_tl
13964     \bool_if:NF\g_mix_iiid_bool{
13965       /Params~<<
13966         /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
13967           /Foreground
13968         }{
13969           /Background
13970         }
13971         \tl_if_blank:VF\g_mix_flashvars_tl{
13972           /FlashVars~(\g_mix_flashvars_tl)
13973         }
13974       >>
13975     }
13976   }
13977   \tl_if_empty:NF\g_mix_usrlabel_tl{
13978     \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
13979   }
13980   \mix_pdfobj:nnn{}{dict}{
13981     /Type/RichMediaConfiguration
13982     /Subtype/\g_mix_mainassetsub_tl
13983     /Instances~[\mix_pdflastobj:]
13984   }
13985   \mix_pdfobj:nnn{}{dict}{
13986     /Type/RichMediaContent
13987     /Assets~<</Names~[\g_mix_assets_tl]>>
13988     /Configurations~[\mix_pdflastobj:]
13989     \bool_if:nT{
13990       \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
13991     }{
13992       /Views~[\l_mix_iiidviewarray_tl]
13993     }
13994   }
13995   \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
13996   \bool_if:nT{
13997     \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
13998   }{
13999     \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
14000   }
14001   %determine floating window size
14002   \bool_if:NT\g_mix_opt_windowed_bool{
14003     \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
14004   }
14005   \mix_pdfobj:nnn{}{dict}{
14006     /Activation~<<
14007       /Condition\g_mix_act_tl
14008       \bool_if:nT{
```

```
14009         \g_mix_iiid_bool &&
14010         !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
14011       }{%seems to work only with 3D content
14012         /Animation~<<
14013           /Subtype/\g_mix_playtpe_tl
14014           /PlayCount~\g_mix_playcnt_tl
14015           /Speed~\g_mix_playspd_tl
14016         >>
14017       }
14018       \bool_if:nT{
14019         \g_mix_iiid_bool && (
14020           \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
14021         )
14022       }{/View~\l_mix_dfltview_tl}
14023       /Presentation~<<
14024         /Transparent~\g_mix_transp_tl
14025         \bool_if:NTF\g_mix_opt_windowed_bool{
14026           /Style/Windowed
14027           /Window~<<
14028             /Width~<</Default~\tl_mix_fltwd>>
14029             /Height~<</Default~\tl_mix_fltht>>
14030             /Position~<<
14031               /HOffset~0/VOffset~0
14032               \str_case_x:nnF{\g_mix_winpos_tl}{
14033                 {tl}{/VAlign/Near/HAlign/Near}
14034                 {cl}{/VAlign/Center/HAlign/Near}
14035                 {bl}{/VAlign/Far/HAlign/Near}
14036                 {bc}{/VAlign/Far/HAlign/Center}
14037                 {br}{/VAlign/Far/HAlign/Far}
14038                 {cr}{/VAlign/Center/HAlign/Far}
14039                 {tr}{/VAlign/Near/HAlign/Far}
14040                 {tc}{/VAlign/Near/HAlign/Center}
14041               }{/HAlign/Center/VAlign/Center}
14042             >>
14043           >>
14044         }{
14045           /Style/Embedded
14046         }
14047         \bool_if:NTF\g_mix_iiid_bool{
14048           /Toolbar~\g_mix_tools_tl
14049           /NavigationPane~\g_mix_nav_tl
14050         }{
14051           /PassContextClick~\g_mix_contextclick_tl
14052         }
14053       >>
14054       \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
14055     >>
14056     /Deactivation~<</Condition\g_mix_deact_tl>>
14057   }
14058   \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
```

```
\tl_if_empty:NF\g_mix_usrlabel_tl{
  \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
}
% #1:width, #2:height, #3:depth, #4:content (key-value)
\mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
  /Subtype/RichMedia
  /F~4
  /BS~<</W~0/S/S>>
  /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
  /NM~(\g_mix_label_tl)
  /AP~<</N~\g_mix_appearance_tl>>
  /RichMediaSettings~\l_mix_settings_tl
  /RichMediaContent~\l_mix_content_tl
}
\tl_if_empty:NF\g_mix_usrlabel_tl{
  \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
  \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
    \noexpand\the\g@mix@page@int}
}
\mix_pdfobj:nnn{}{dict}{
  /S/JavaScript/JS~(
    try{
      if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
      if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
        annotRM['\g_mix_label_tl']=
          this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
      }
      \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
        if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
          var~ocgs=this.getOCGs(this.pageNum);
          for(var~i=0;i<ocgs.length;i++){
            if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
               var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
            }
          }
        }
        if(
          !annotRM['\g_mix_label_tl'].activated&&(
            app.viewerType=='Reader'||
            app.viewerType=='Exchange'||
            app.viewerType=='Exchange-Pro'
          )&&app.viewerVersion>=9
        ){
          ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
        }
      }
    }catch(e){}
    this.dirty=false;
  )
}
```

```
    \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{
      /Subtype/Widget
      /FT/Btn/Ff~65537/F~2
      /BS~<</W~0>>
      /T~(fd@\g_mix_label_tl)
      /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
    \str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
      \hbox_to_wd:nn{\g_mix_wd_tl}{
        \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
      }
    }{%insert play button overlay
      \mix_insert_btnocg: %create OCG
      \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
      \group_begin:
      \cs_if_exist:NT\textdir{\textdir TLT}
        \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
        \box_move_down:nn{\g_mix_dp_tl}{
          \hbox_to_wd:nn{\g_mix_wd_tl}{
            \vbox_to_ht:nn{\g_mix_tt_tl}{
              \vss
              \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
              \box_use:N\l_mix_pbtn_box
              \ocgbase_oc_emc:
            }
          }
        }
      \group_end:
    }
    \int_gincr:N\g_mix_rmcnt_int
  }
  \mix_endLTR:
  \group_end:
}
\tl_set_eq:NN\l_mix_includemedia_tl\includemedia
\tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}

\RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
  \mix_uriend:
  \group_begin:
  \mix_beginLTR:
  \leavevmode
  %reset various variables
  \tl_gclear:N\g_mix_overbtn_tl
  \tl_gclear:N\g_mix_downbtn_tl
  \tl_gclear:N\g_mix_btnactions_tl
  \tl_gclear:N\g_mix_tooltip_tl
  %process options
```

```
  \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
  \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
  \mix_uriend:
  %normal button appearance
  %\hbox_set:Nn\l_mix_poster_box{#2}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
  \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
  \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
  \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
  \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
    \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
      \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
    %insert widget annotation
    \mix_pdfannot:nnnn{\width}{\height}{\depth}{
      /Subtype/Widget
      /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
      \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
      /FT/Btn/Ff~65536
      \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
      /AP~<<
        /N~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
      >>
      /MK~<<
        /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
        /I~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
      >>
      /A~<<
        /S/JavaScript/JS~(app.focusRect=false;)
        %sequence of actions to perform
        \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
      >>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_to_wd:nn{\width}{
      \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
    }
    \int_gincr:N\g_mix_mbtncnt_int
  }
  \mix_endLTR:
  \group_end:
}

```

```
\tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
\tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}


```

81 File memoir-xetex-bidi.def

```
\ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for XeT
\renewcommand{\keepthetitle}{%
  \@bsmtitlempty
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\and\relax
  \global\let\andnext\relax
  \global\let\@thanks\@empty
  \global\let\@title\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty}
\renewcommand{\maketitle}{\par
  \begingroup
    \@bsmarkseries
    \def\@makefnmark{\@textsuperscript{%
       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
    \long\def\@makefntext##1{\makethanksmark ##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \ifdim\pagetotal>\z@
        \newpage
      \fi
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{title}\@thanks
  \endgroup
  \@bscontmark  %  \setcounter{footnote}{0}%
  }
\renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
\renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
\renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
\renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
\renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*{\thesubsection}{%
```

```
14256               \thesection\@SepMark\@arabic\c@subsection}
14257 \renewcommand*{\thesubsubsection}{%
14258               \thesubsection\@SepMark\@arabic\c@subsubsection}
14259 \renewcommand*{\theparagraph}{%
14260               \thesubsubsection\@SepMark\@arabic\c@paragraph}
14261 \renewcommand*{\thesubparagraph}{%
14262               \theparagraph\@SepMark\@arabic\c@subparagraph}
14263 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
14264 \renewcommand{\theequation}{%
14265   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14266 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
14267 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
14268 \ifartopt
14269   \chapterstyle{article}
14270   \counterwithout{figure}{chapter}
14271   \counterwithout{table}{chapter}
14272   \counterwithout{footnote}{chapter}
14273   \counterwithout{equation}{chapter}
14274   \renewcommand{\chaptername}{}
14275   \renewcommand{\maketitlehookb}{%
14276     \vskip -1.5\topsep\vskip -1.5\partopsep}
14277   \renewcommand{\maketitlehookc}{%
14278     \vskip -1.5\topsep\vskip -1.5\partopsep}
14279 \fi
14280 \long\def\@makecaption#1#2{\let\@memtempa\relax
14281   \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
14282   \else \def\@memtempa{\vbox to\topskip{}}\fi
14283   \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
14284   \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
14285   \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
14286   \let\footnote\@contfnote
14287   \let\footnotemark\@contfmark
14288   \ifdim\wd\@tempboxa<\linewidth \centering \fi
14289   \if@contcw
14290     \centering
14291     \parbox{\@contcwidth}{%
14292     \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
14293   \fi
14294   \ifdim\wd\@tempboxa<\linewidth
14295     \@contpre
14296     {\@contnfont #1\@contdelim}\@memtempa
14297     {\@contcshortstyle \@conttfont #2\@contfinal\par}
14298   \else
14299     \if@conthang
14300       \sbox\@tempboxa{\@contnfont #1\@contdelim}
14301       \@contpre%
14302       {\@contcstyle\hangindent=\wd\@tempboxa
14303        \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
14304     \else
14305       \if@contindent
```

```
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle\hangindent=\@contindw
                      \hangafter=\@ne\@conttfont #2\@contfinal\par}% <- v1.4
      \else
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle \@conttfont #2\@contfinal\par}
      \fi
    \fi
  \fi
  \@contpost
  \if@contcw
    \par
    }  % end of the \parbox
  \fi
  \vskip\belowcaptionskip}
\@ifpackageloaded{caption}{%
\AtBeginPackage{caption}{
\ClassWarningNoLine{memoir}{%
  You are using the caption package with the memoir \MessageBreak
  class. This may cause unexpected or inconsistent \MessageBreak
  results if you use any of memoir's captioning facilities}

\long\def\@makecaption##1##2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
  \fi
  \vskip\belowcaptionskip}

\def\caption{%
   \ifx\@captype\@undefined
     \@latex@error{\noexpand\caption outside float}\@ehd
     \expandafter\@gobble
   \else
     \refstepcounter\@captype
     \expandafter\@firstofone
   \fi
   {\@dblarg{\@caption\@captype}}%
}

\long\def\@caption##1[##2]##3{%
  \par
  \addcontentsline{\csname ext@##1\endcsname}{##1}%
    {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
```

```
  \begingroup
    \@parboxrestore
    \if@minipage
      \@setminipage
    \fi
    \normalsize
    \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
  \endgroup}
}}{}
\renewenvironment{thebibliography}[1]{%
  \bibsection
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}
```

82 File midfloat-xetex-bidi.def

```
\ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package f
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
        \fi
        \global\advance\@colht by\cor@height
        \global\cor@height=0pt
    \fi
    \global \setbox\@rightcolumn \vbox{}%
  \else
    \ifdim\c@colht>\@colht
```

```
14403           \@tempdima\@colht
14404           \ifdim\@colht>\z@
14405           \global\setbox\@rightcolumn \vbox{%
14406                       \unvbox\@rightcolumn
14407                       \vbox to\@tempdima{%
14408                               \vskip\c@addvipersep\unvbox\@outputbox}%
14409                       \vskip\stripsep
14410                       \vrule height\the\juo@ht width 0pt depth 0pt
14411                       \vskip\stripsep
14412                       }%
14413           \global\c@addvipersep\m@addvipersep
14414           \else
14415           \global\setbox\@rightcolumn \vbox{%
14416                       \unvbox\@rightcolumn
14417                       \vrule height\the\juo@ht width 0pt depth 0pt
14418                       \vskip\stripsep
14419                       }%
14420           \fi
14421           \ifnum\juo@sk>0
14422               \remove@strip\juo@sar
14423               \global\@colht\the\juo@pr
14424               \global\advance\@colht by -\ht\@rightcolumn
14425               \global\advance\@colht by\cor@height
14426               \global\cor@height=0pt
14427           \else
14428               \global\advance\c@colht by-\ht\@rightcolumn
14429               \global\@colht\c@colht
14430           \fi
14431   \else
14432   \global\@firstcolumntrue
14433    \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14434                       \unvbox\@rightcolumn
14435                       \vskip\c@addvipersep
14436                       \unvbox\@outputbox
14437                       }%
14438    \setbox\@outputbox \vbox {%
14439                        \hb@xt@\textwidth {%
14440                         \hskip \columnwidth
14441                         \hfil
14442                          \vrule \@width\columnseprule
14443                          \hfil
14444                          \hb@xt@\columnwidth {%
14445                            \bidi@firstcolumn@status@write%
14446                            \box\@leftcolumn \hss}%
14447                          \hskip-\textwidth
14448                          \hb@xt@\columnwidth {%
14449                            \bidi@lastcolumn@status@write%
14450                            \box\@outputbox \hss}%
14451                          \hskip\columnwidth
14452                          \hskip\columnsep}%
```

```
                                }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
        \fi
        \global\advance\@colht by\cor@height
        \global\cor@height=0pt
    \fi
    \global \setbox\@rightcolumn \vbox{}%
  \else
    \ifdim\c@colht>\@colht
```

```
14503           \@tempdima\@colht
14504           \ifdim\@colht>\z@
14505           \global\setbox\@rightcolumn \vbox{%
14506                       \unvbox\@rightcolumn
14507                       \vbox to\@tempdima{%
14508                               \vskip\c@addvipersep\unvbox\@outputbox}%
14509                       \vskip\stripsep
14510                       \vrule height\the\juo@ht width 0pt depth 0pt
14511                       \vskip\stripsep
14512                       }%
14513           \global\c@addvipersep\m@addvipersep
14514           \else
14515           \global\setbox\@rightcolumn \vbox{%
14516                       \unvbox\@rightcolumn
14517                       \vrule height\the\juo@ht width 0pt depth 0pt
14518                       \vskip\stripsep
14519                       }%
14520           \fi
14521           \ifnum\juo@sk>0
14522               \remove@strip\juo@sar
14523               \global\@colht\the\juo@pr
14524               \global\advance\@colht by -\ht\@rightcolumn
14525               \global\advance\@colht by\cor@height
14526               \global\cor@height=0pt
14527           \else
14528               \global\advance\c@colht by-\ht\@rightcolumn
14529               \global\@colht\c@colht
14530           \fi
14531   \else
14532    \global\@firstcolumntrue
14533    \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14534                       \unvbox\@rightcolumn
14535                       \vskip\c@addvipersep
14536                       \unvbox\@outputbox
14537                       }%
14538    \setbox\@outputbox \vbox {%
14539                        \hb@xt@\textwidth {%
14540                          \hb@xt@\columnwidth {%
14541                            \bidi@firstcolumn@status@write%
14542                            \box\@leftcolumn \hss}%
14543                          \hfil
14544                          \vrule \@width\columnseprule
14545                          \hfil
14546                          \hb@xt@\columnwidth {%
14547                            \bidi@lastcolumn@status@write%
14548                            \box\@outputbox \hss}%
14549                                          }%
14550                         }%
14551    \@combinedblfloats
14552    \@setmarks
```

```
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
  \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\v
        \hsize\textwidth
        \@parboxrestore
        \col@number \@ne
        \vrule height\topskip width0pt depth0pt
}

\def\endstrip{%
        \egroup\egroup
        \if@firstcolumn
                \ifdim\pagetotal>\z@
                        \vskip\stripsep
                        \global\ht@strip\pagegoal
                        \global\advance\ht@strip by-\pagetotal
                        \global\advance\ht@strip by-\stripsep
                        \global\advance\ht@strip by-\ht\@viper
                        \global\advance\ht@strip by-\stripsep
                        \global\juo@ht=\ht\@viper
                \else
                        \global\ht@strip\z@
                \fi
                \ifdim\ht@strip>\z@
                  \unvbox\@viper
                  \vskip\stripsep
                  \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
                  \global\advance\juo@sk by1
                \else
                  \@latex@error{Strip needs more place!}\@ehc
                  \if@vihproof
                    \framebox[\columnwidth]{??? Strip ???}%
                  \fi
                \fi
        \else
          \@latex@error{Strip is used only on left column!}\@ehc
```

```
          \if@vihproof
            \framebox[\columnwidth]{??? Strip ???}%
          \fi
        \fi
}
```

83 File minitoc-xetex-bidi.def

```
\ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
\def\@undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
  \vskip \z@ plus.2\p@
  {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
   \parindent #2\relax\@afterindenttrue
   \interlinepenalty\@M
   \leavevmode
   \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
   \hskip -\if@RTL\rightskip\else\leftskip\fi
    #4\nobreak\hfill \nobreak
          \null\par}%
  \fi}
\def\@Undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\coffeefont #4}\nobreak \nobreak\null
    \par}%
  \fi}
\def\@Undottedtoclinep#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {#4}\nobreak \hfill \nobreak\null
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
    \par}%
  \fi}
```

84 File multicol-xetex-bidi.def

```
\ProvidesFile{multicol-xetex-bidi.def}[2016/11/27 v0.8 bidi adaptations for multicol package f
```

```
\def\page@sofar{%
   \process@cols\mult@rightbox
       {\ifvoid\count@
          \setbox\count@\hbox to\hsize{}%
        \else
          \wd\count@\hsize
        \fi}%
   \count@\col@number \advance\count@\m@ne
   \mult@info\z@
    {Column spec: \the\full@width\space = indent
                  + columns + sep =\MessageBreak
       \the\multicol@leftmargin\space
       + \the\col@number\space
       x \the\hsize\space
       + \the\count@\space
       x \the\columnsep
     }%
\ifvmode\else\errmessage{Multicol Error}\fi
   \nointerlineskip
   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
   \moveright\multicol@leftmargin
    \hbox to\full@width{%
       \bidi@multicol@align@columns
       \rlap{\phantom p}%
    }%
 \prevdepth\z@
 \kern-\dimen\tw@
 \ifdim\dimen\tw@ > \mc@gridwarn
   \PackageWarning{multicol}%
     {Very deep columns!\MessageBreak
      Grid alignment might be broken}%
 \fi
}
\def\LTR@column@boxes{%
    \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \mc@col@status@write
       \box\count@
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss}%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \mc@lastcol@status@write
     \box\mult@rightbox
}

\def\RTL@column@boxes{%
  \ifnum\col@number<\tw@
     \LTR@column@boxes
```

```
  \else
     \process@cols\mult@gfirstbox{%
       \hskip\hsize
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss
     }%
     \hskip\hsize
     \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \hskip-\hsize
       \mc@col@status@write
       \box\count@
       \hskip-\hsize
       \hskip-\columnsep
     }%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \hskip-\hsize
     \mc@lastcol@status@write
     \box\mult@rightbox
     \hskip-\hsize
     \hskip\full@width
  \fi
 }
\newcommand\RTLmulticolcolumns
    {\let\bidi@multicol@align@columns
          \RTL@column@boxes}
\newcommand\LTRmulticolcolumns
    {\let\bidi@multicol@align@columns
      \LTR@column@boxes}
\newcommand\bidi@multicol@align@columns
    {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
\def\multicols#1{\col@number#1\relax
  \ifnum\col@number<\tw@
     \PackageWarning{multicol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use two columns instead}%
     \col@number\tw@ \fi
  \ifnum\col@number>10
     \PackageError{multicol}%
      {Too many columns}%
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
```

```
      \let\@footnotetext\mult@footnotetext
    \fi
    \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
      \let\orig@LTRfootnotetext\@LTRfootnotetext
      \let\@LTRfootnotetext\mult@LTRfootnotetext
    \fi
    \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
      \let\orig@RTLfootnotetext\@RTLfootnotetext
      \let\@RTLfootnotetext\mult@RTLfootnotetext
    \fi
  \@ifnextchar[\mult@cols{\mult@cols[]}}
\long\def\mult@footnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@footnotetext{#1}\endgroup}
\long\def\mult@LTRfootnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@LTRfootnotetext{#1}\endgroup}
\long\def\mult@RTLfootnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@RTLfootnotetext{#1}\endgroup}
\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
  \kern2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \textwidth \kern 2.6\p@}
```

85 File multienum-xetex-bidi.def

```
\ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package
\renewcommand{\itemx}[1]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
\renewcommand{\itemxx}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
\renewcommand{\itemxxxx}[4]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
```

```
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
\renewcommand{\itemxxxxx}[5]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
\renewcommand{\itemxox}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxo}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxoxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxox}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxxo}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}
```

86 File natbib-xetex-bidi.def

```
\ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for X
\renewenvironment{thebibliography}[1]{%
 \bibsection
 \parindent\z@
 \bibpreamble
 \bibfont
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
 \bidi@@thebibliography@font@hook%
 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
 \ifNAT@openbib
   \renewcommand\newblock{\par}%
 \else
   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
 \fi
 \sloppy\clubpenalty4000\widowpenalty4000
 \sfcode`\.\@m
 \let\NAT@bibitem@first@sw\@firstoftwo
    \let\citeN\cite \let\shortcite\cite
    \let\citeasnoun\cite
}{%
 \bibitem@fin
 \bibpostamble
 \def\@noitemerr{%
  \PackageWarning{natbib}{Empty `thebibliography' environment}%
 }%
 \endlist
 \bibcleanup
}%
```

87 File newfloat-xetex-bidi.def

```
\ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package f
\renewcommand*\newfloat@setwithin[2]{%
  \ifcsname c@chapter\endcsname
    \@removefromreset{#1}{chapter}%
  \fi
  \@removefromreset{#1}{section}%
  \edef\@tempa{#2}%
  \ifx\@tempa\@empty
    \def\@tempa{none}%
  \fi
  \def\@tempb{none}%
  \ifx\@tempa\@tempb
    \ifcsname c@chapter\endcsname
      \@chapterlistsgap@off{#1}%
    \fi
    \newfloat@@setwithin{#1}{}{}%
  \else
```

```
    \def\@tempb{chapter}%
    \ifx\@tempa\@tempb
      \@addtoreset{#1}{chapter}%
      \@chapterlistsgap@on{#1}%
      \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@Sep
    \else
      \def\@tempb{section}%
      \ifx\@tempa\@tempb
        \@addtoreset{#1}{section}%
        \ifcsname c@chapter\endcsname
          \@addtoreset{#1}{chapter}%
          \@chapterlistsgap@on{#1}%
          \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
        \else
          \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\
        \fi
      \else
        \newfloat@Error{Invalid value `#2' for option `within'}%
      \fi
    \fi
  \fi}
```

88 File ntheorem-xetex-bidi.def

```
\ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package f
\gdef\@thm#1#2#3{%
    \if@thmmarks
      \stepcounter{end\InTheoType ctr}%
    \fi
    \renewcommand{\InTheoType}{#1}%
    \if@thmmarks
      \stepcounter{curr#1ctr}%
      \setcounter{end#1ctr}{0}%
    \fi
    \refstepcounter{#2}%
    \theorem@prework
    \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
    \ifvmode \advance\thm@topsepadd\partopsep\fi
    \trivlist
    \@topsep \theorempreskipamount
    \@topsepadd \thm@topsepadd        % used by \@endparenv
    \advance\linewidth -\theorem@indent
    \advance\@totalleftmargin \theorem@indent
  \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
    \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

89 File ntheorem-hyper-xetex-bidi.def

```
\ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyp
\gdef\@thm#1#2#3{%
```




```
    \if@thmmarks
      \stepcounter{end\InTheoType ctr}%
    \fi
    \renewcommand{\InTheoType}{#1}%
    \if@thmmarks
      \stepcounter{curr#1ctr}%
      \setcounter{end#1ctr}{0}%
    \fi
    \refstepcounter{#2}%
    \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
    \ifvmode \advance\thm@topsepadd\partopsep\fi
    \trivlist
    \@topsep \theorempreskipamount
    \@topsepadd \thm@topsepadd        % used by \@endparenv
    \advance\linewidth -\theorem@indent
    \advance\@totalleftmargin \theorem@indent
    \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
    \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

90 File overpic-xetex-bidi.def

```
\ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package fo
\renewenvironment{overpic}[2][]{%
  \sbox{\z@}{\includegraphics[#1]{#2}}%
  \settodepth{\@tempcnta}{\usebox{\z@}}%
  \settoheight{\@tempcntb}{\usebox{\z@}}%
  \advance\@tempcntb\@tempcnta%
  \settowidth{\@tempcnta}{\usebox{\z@}}%
  \setlength{\@tempdima}{\unitlength}%
  \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
%
  \OVP@calc%
%
  \begin{picture}(\@tempcnta,\@tempcntb)%
    \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
    \ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi\fi%
    % reset the graphics parameter
    \let\Gin@outer@scalex\relax
    \let\Gin@outer@scaley\relax
    \let\Gin@angle\relax
    \let\Gin@ewidth\Gin@exclamation
    \let\Gin@eheight\Gin@ewidth
    \def\Gin@scalex{1}
    \let\Gin@scaley\Gin@exclamation
}{%
    \if@RTL\ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
```

```
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi%
    \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
  \end{picture}%
}%
```

91 File pdfbase-xetex-bidi.def

```
\ProvidesFile{pdfbase-xetex-bidi.def}[2017/08/27 v0.1 bidi adaptations for pdfbase package fo
\ExplSyntaxOn
\cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
\cs_set_nopar:Npn\@outputpage{
  \int_gincr:N\g_pbs_page_int
  \iow_now:Nx\@mainaux{
    \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}
  }
  \box_if_vertical:cTF{@outputbox}{
    \bool_set_true:N\l_pbs_is_vertical_bool
  }{
    \bool_set_false:N\l_pbs_is_vertical_bool
  }
  \hbox_set:Nn\@outputbox{
    %begin of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
    \box_use_clear:N\@outputbox
    %end of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
    %end of dvi
    \int_compare:nT{\pbs@last@page=\g_pbs_page_int}{
      \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eod_seq{##1}}
    }
  }
  \bool_if:NT\l_pbs_is_vertical_bool{
    \vbox_set:Nn\@outputbox{\box_use_clear:N\@outputbox}
  }
  %insert /Properties into current page's resources
  \pbs_insert_properties_entry:
  \pbs_outputpage_orig:
}
\ExplSyntaxOff
```

92 File pdfpages-xetex-bidi.def

```
\ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package f
\renewcommand*{\includepdf}[2][]{%
  \begingroup
  \@RTLfalse
  \let\AM@threadname\relax
  \AM@split@options{pdfpages}{#1}%
  \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
```

```
  \expandafter\setkeys\AM@temp
  \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
    \let\AM@currentdocname\relax
    \renewcommand\includegraphics[2][]{Survey in draft-mode}%
    \def\AM@pagecount{0}%
  }{%
    \AM@findfile{#2}%
    \if\AM@threadname\relax
      \def\AM@threadname{\AM@currentdocname}%
    \fi
  }%
  \ifAM@survey
    \def\AM@pagestemp{}%
    \@tempcnta=0
    \def\foo{%
      \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
         {\let\foo\relax}
         {\expandafter\ifx\expandafter\\\AM@pagestemp\\
             \edef\AM@pagestemp{%
                \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \else
            \edef\AM@pagestemp{\AM@pagestemp,%
               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \fi
          \advance\@tempcnta 1\relax
         }%
      \foo
    }%
    \foo
    \expandafter\ifx\expandafter\\\AM@pagestemp\\
      \def\AM@pagestemp{1}%
    \fi
  \fi
  \ifAM@output
    \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
    \AM@output{#1}%
  \fi
  \AM@CheckAtEnd
  \endgroup
  \AM@ClearShipoutPicture
}
```

93 File pgfcorescopes.code-xetex-bidi.def

```
\ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pack
\def\pgfpicture{%
  \begingroup%
   \ifmmode\else\@RTLfalse\beginL\fi%
    \pgfpicturetrue%
    \global\advance\pgf@picture@serial@count by1\relax%
```

```
    \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
    \let\pgf@nodecallback=\pgfutil@gobble%
    \pgf@picmaxx=-16000pt\relax%
    \pgf@picminx=16000pt\relax%
    \pgf@picmaxy=-16000pt\relax%
    \pgf@picminy=16000pt\relax%
    \pgf@relevantforpicturesizetrue%
    \pgf@resetpathsizes%
    \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
\def\endpgfpicture{%
              \ifpgfrememberpicturepositiononpage%
                \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
              \fi%
              % ok, now let's position the box
              \ifdim\pgf@picmaxx=-16000pt\relax%
                % empty picture. make size 0.
                \global\pgf@picmaxx=0pt\relax%
                \global\pgf@picminx=0pt\relax%
                \global\pgf@picmaxy=0pt\relax%
                \global\pgf@picminy=0pt\relax%
              \fi%
              % Shift baseline outside:
              \pgf@relevantforpicturesizefalse%
              \pgf@process{\pgf@baseline}%
              \xdef\pgf@shift@baseline{\the\pgf@y}%
              %
              \pgf@process{\pgf@trimleft}%
              \global\advance\pgf@x by-\pgf@picminx
              % prepare \hskip\pgf@trimleft@final.
              % note that \pgf@trimleft@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimleft@final{-\the\pgf@x}%
              %
              \pgf@process{\pgf@trimright}%
              \global\advance\pgf@x by-\pgf@picmaxx
              % prepare \hskip\pgf@trimright@final.
              % note that \pgf@trimright@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimright@final{\the\pgf@x}%
        %
        \pgf@remember@layerlist@globally
            \endgroup%
            \hss%
          \egroup%
      \pgf@restore@layerlist@from@global
          \pgf@insertlayers%
        \endgroup%
        \pgfsys@discardpath%
        \endgroup%
      \pgfsys@endscope%
```

```
    \pgfsys@endpicture%
    \endgroup%
    \hss
  \egroup%
  \pgfsys@typesetpicturebox\pgfpic%
  \ifmmode\else\endL\fi%
  \endgroup%
}
```

94 File picinpar-xetex-bidi.def

```
\ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
\long\def\@makewincaption#1#2{%
   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
   \ifdim\wd\@tempboxa>\picwd
      {\footnotesize{\bf #1:\enspace}{#2\par}}
   \else
      \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
   \fi}
\def\endwindow{%
    \global\tcd=\tcdsav
    \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
    \vbadness=10000
    \splittopskip=0pt
%
% Typeset the lines above the window
%
\ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
\tcn=\tcd
\loop\advance\tcn -1
\setbox\fslice=\vsplit\holder to\baselineskip
\prune\fslice\linewidth
\topheight=0pt
\ifnum\dp\fslice>\dp\wstrutbox
       \advance\topheight-\dp\fslice
       \advance\topheight\dp\wstrutbox
       \advance\topheight\ilg\fi
\hbox to\linewidth{\box\fslice}
\vskip-\topheight
\ifdim\ht\holder>0pt\repeat
\fi
%
% Now we build the boxes beside the window
%
\global\topheight=\tcl\baselineskip
\ifnum\cumpartcl>0\global\tcl=\cumtcl
      \global\topheight=\vpic
\fi
\ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
\ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
```

```
\else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
\tcn=\tcl \na=0 \nb=0
\ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
\ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
\ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
\ifnum\na=0\ifnum\nb=0
      \setbox\waslice=\vbox to\vpic{\vss}
      \setbox\wbslice=\vbox to\vpic{\vss}
      \bl=1\br=1
      \vskip\ilg
\fi\fi
%
% both sides
%
\ifnum\na>0 \ifnum\nb>0
\loop\advance\nb -1
\advance\na -1
\if@RTL%
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\else%
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\fi%
\ifnum\nb>0\repeat
\fi\fi
%
% only text on the left side
%
\ifnum\na>0
    \loop\advance\na -1
    \setbox\aslice=\vsplit\holder to\baselineskip
    \prune\aslice\lftside
    \setbox\waslice=\vbox{\unvbox\waslice\hbox
    to\lftside{\box\aslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
```

```
% only text on the right side
%
\ifnum\nb>0
    \loop\advance\nb -1
    \setbox\bslice=\vsplit\holder to\baselineskip
    \prune\bslice\rtside
    \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
    to\rtside{\box\bslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% fixing the dimensions of the window part
%
\ifnum\bl=0\topheight=\ht\wbslice
\else\ifnum\br=0\topheight=\ht\waslice
      \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
            \else\topheight=\ht\wbslice\fi\fi\fi
%
% ship out the window material to the main vertical list
%
\ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
\setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
\fi\fi\fi
\setbox\windowbox=\vbox{\hbox to\linewidth{%
\ifnum\bl>0\box\waslice\hfill\fi%
\vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
\vfill\unvbox\picbox%
\ifnum\picwd>0\vfill\fi%
\vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
\unvbox\windowbox%
\loop
 \setbox\bslice=\vsplit\rawtext to\baselineskip
 \prune\bslice\linewidth
 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
 \unvbox\wbslice
 \ifdim\ht\rawtext>0pt
\repeat
}% FINITO
```

95 File plain-xetex-bidi.def

```
\def\TeXXeTOn{\TeXXeTstate=1 }
\def\TeXXeTOff{\TeXXeTstate=0 }
\TeXXeTOn
\def\usebox#1{\leavevmode\copy #1\relax}
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
```

```
  \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
```

```
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
  \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
  \ifvoid\footins\else % footnote info is present
    \vskip\skip\footins
    \footnoterule
    \unvbox\footins\fi
  \ifr@ggedbottom \kern-\dimen@ \vfil \fi
  \ifvoid\@bidi@copyins@
  \else
    \vskip\skip\@bidi@copyins@
    \unvbox\@bidi@copyins@
  \fi
}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
  \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
```

96 File pstricks-xetex-bidi.def

```
\ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package f
\def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
\def\endpspicture{%
  \ifshowgrid\ifnum\showgridp@s>0
    \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
```

```
  \pst@killglue
%  \global\pst@shift=\pst@shift% in fact of the following endgroup
  \endgroup
  \egroup
  \ifdim\wd\pst@hbox=\z@\else
    %\@pstrickserr{Extraneous space in the pspicture environment}%
    %{Type \space <return> \space to proceed.}%
  \fi
  \ht\pst@hbox=\pst@dimd
  \dp\pst@hbox=-\pst@dimb
  \setbox\pst@hbox=\hbox{%
    \kern-\pst@dima
% Orig version ----------
%\ifx\pst@tempa\@empty\else
%\advance\pst@dimd-\pst@dimb
%\pst@dimd=\pst@tempa\pst@dimd
%\advance\pst@dimd\pst@dimb
%\lower\pst@dimd
%\fi
%----- end Orig
    \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%     shift=*
      \advance\pst@dimd-\pst@dimb
      \pst@dimd=0.5\pst@dimd
    \else\pst@dimd-\pst@shift\fi
    \advance\pst@dimd\pst@dimb
    \lower\pst@dimd
    \box\pst@hbox
    \kern\pst@dimc}%
  \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
  \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
  \fboxsep=0pt
  \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
  \ifmmode\else\endL\fi
  \endgroup%
  \psset[pstricks]{shift=0}% reset value
}
```

97 File quotchap-xetex-bidi.def

```
\ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package f
\renewcommand{\qauthor}[1]{%
  \par\smallskip
  {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
\renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
  {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
      {\chapnumfont
        \ifnum \c@secnumdepth >\m@ne%
        \if@mainmatter\thechapter%
        \fi\fi
        \par\nobreak}%
```

```
      {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10e
    \nobreak\chapterheadendvskip}}
\renewcommand*{\@iprintcites}{%
  \vbox to\z@{\leavevmode\copy\@quotebox\vss}
  \global\let\@printcites\relax}
```

98 File ragged2e-xetex-bidi.def

```
\ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package f
\renewcommand{\Centering}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
   \@rightskip\CenteringRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\CenteringParfillskip
   \parindent\CenteringParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedLeft}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
   \@rightskip\RaggedLeftRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedLeftParfillskip
   \parindent\RaggedLeftParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedRight}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
   \@rightskip\RaggedRightRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedRightParfillskip
   \parindent\RaggedRightParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\justifying}{%
   \let\\\@raggedtwoe@savedcr
```

```
    \let\@gnewline\@raggedtwoe@saved@gnewline
    \if@RTL\rightskip\else\leftskip\fi\z@
    \@rightskip\z@
    \if@RTL\leftskip\else\rightskip\fi\@rightskip
    \parfillskip\JustifyingParfillskip
    \parindent\JustifyingParindent
    \@raggedtwoe@spaceskipfalse
    \@raggedtwoe@everyselectfont
    }
\renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{
  \CheckCommand*{\@arrayparboxrestore}{%
    \let\if@nobreak\iffalse
    \let\if@noskipsec\iffalse
    \let\par\@@par
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
    \parindent\z@ \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@righ
    \parfillskip\@flushglue \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \renewcommand{\@arrayparboxrestore}{%
    \let\if@nobreak\iffalse
    \let\if@noskipsec\iffalse
    \let\par\@@par
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
    \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \RaggedRight
    \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \let\@raggedtwoe@raggedrightboxes@opt\relax
  }
\let\origin@RaggedLeft=\RaggedLeft
\let\origin@RaggedRight=\RaggedRight
\def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
\def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

99 File rapport1-xetex-bidi.def

```
\ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
```

```
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
```

```
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
```

```
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
```

```
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
```

```
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
```

```
  \vskip 1.5em}
\fi
```

100 File rapport3-xetex-bidi.def

```
\ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
```

```
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
```

```
15849       \@textsuperscript{\normalfont\@thefnmark}}}%
15850     \if@twocolumn
15851       \ifnum \col@number=\@ne
15852         \@maketitle
15853       \else
15854         \twocolumn[\@maketitle]%
15855       \fi
15856     \else
15857       \newpage
15858       \global\@topnum\z@
15859       \@maketitle
15860     \fi
15861     \thispagestyle{plain}\@thanks
15862   \endgroup
15863   \setcounter{footnote}{0}%
15864   \global\let\thanks\relax
15865   \global\let\LTRthanks\relax
15866   \global\let\RTLthanks\relax
15867   \global\let\maketitle\relax
15868   \global\let\@maketitle\relax
15869   \global\let\@thanks\@empty
15870   \global\let\@author\@empty
15871   \global\let\@title\@empty
15872   \global\let\@date\@empty
15873   \global\let\title\relax
15874   \global\let\author\relax
15875   \global\let\date\relax
15876   \global\let\and\relax
15877   }
15878 \def\@maketitle{%
15879   \newpage
15880   \null
15881   \vskip 2em%
15882 \if@titlecentered
15883   \begin{center}%
15884     \let \footnote \thanks
15885     \let \LTRfootnote \LTRthanks
15886     \let \RTLfootnote \RTLthanks
15887     {\LARGE \TitleFont \@title \par}%
15888     \vskip 1.5em%
15889     {\large \TitleFont
15890       \lineskip .5em%
15891       \begin{tabular}[t]{c}%
15892         \@author
15893       \end{tabular}\par}%
15894     \vskip 1em%
15895     {\large \TitleFont \@date}%
15896   \end{center}%
15897 \else
15898      {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
```

```
    {\large \TitleFont \lineskip .5em \tabcolsep\z@
            \def\and{%%% \begin{tabular} has already started
                     \end{tabular}\hskip 1em plus .17fil
                     \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabula
            \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
    \vskip 1em {\large \TitleFont \@date}
\fi
 \par
 \vskip 1.5em}
\fi
\renewcommand*\@regtocline[3]{%
 \ifnum #1>\c@tocdepth
 \else
   \vskip\z@\@plus.2\p@
   {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
    \if@RTL\rightskip\else\leftskip\fi\unitindent
    \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
    \parfillskip\z@
    \@tempdima\unitindent
    \parindent\z@
    \leavevmode
    \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
    \hskip 1em \nobreak{\slshape #3}\par
    }%
 \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
 \ifnum \c@tocdepth >-2\relax
   \addpenalty{-\@highpenalty}%
   \addvspace{2.25em \@plus\p@}%
   \begingroup
     \setlength\@tempdima{3em}%
     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
     \parfillskip -\@pnumwidth
     {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
       \global\@nobreaktrue
       \everypar{\global\@nobreakfalse\everypar{}}%
   \endgroup
 \fi}
\else
  \renewcommand*\l@part{%
    \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus \p@}%
    \@regtocline{0}%
  \fi}
\fi
\if@oldtoc
```

```
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewenvironment{thebibliography}[1]
```

```
    {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
     \bidi@@thebibliography@font@hook%
     \list{\@biblabel{\@arabic\c@enumiv}}%
          {\settowidth\labelwidth{\@biblabel{#1}}%
           \leftmargin\labelwidth
           \advance\leftmargin\labelsep
           \@openbib@code
           \usecounter{enumiv}%
           \let\p@enumiv\@empty
           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
     \sloppy\clubpenalty4000\widowpenalty4000%
     \sfcode`\.\@m}
    {\def\@noitemerr
      {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\head@style{%
   \interlinepenalty \@M
   \hyphenpenalty=\@M \exhyphenpenalty=\@M
   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

101 File refrep-xetex-bidi.def

```
\ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for XeT
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
  \def\@makefnmark%
      {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
  \long\def\@makefntext##1{%
       \@setpar{\@@par
```

```
16046           \@tempdima = \hsize
16047           \advance\@tempdima -1em
16048           \parshape \@ne 1em \@tempdima}%
16049       \par\parindent 1em \noindent
16050       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
16051   \null\vfil
16052   \vskip 60\p@
16053   \begin{center}%
16054     {\LARGE \@title \par}%
16055     \vskip 3em%
16056     {\large
16057      \lineskip .75em%
16058       \begin{tabular}[t]{c}%
16059         \@author
16060       \end{tabular}\par}%
16061       \vskip 1.5em%
16062     {\large \@date \par}%       % Set date in \large size.
16063   \end{center}\par
16064   \@thanks
16065   \vfil\null
16066   \end{titlepage}%
16067   \setcounter{footnote}{0}%
16068   \global\let\thanks\relax
16069   \global\let\LTRthanks\relax
16070   \global\let\RTLthanks\relax
16071   \global\let\maketitle\relax
16072   \global\let\@thanks\@empty
16073   \global\let\@author\@empty
16074   \global\let\@date\@empty
16075   \global\let\@title\@empty
16076   \global\let\title\relax
16077   \global\let\author\relax
16078   \global\let\date\relax
16079   \global\let\and\relax
16080   }
16081 \else
16082   \renewcommand\maketitle{\par
16083     \begingroup
16084       \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16085       \def\@makefnmark%
16086           {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16087       \long\def\@makefntext##1{%
16088          \@setpar{\@@par
16089             \@tempdima = \hsize
16090             \advance\@tempdima -1em
16091             \parshape \@ne 1em \@tempdima}%
16092          \par\parindent 1em \noindent
16093          \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
16094       \if@twocolumn
16095         \ifnum \col@number=\@ne
```

```
16096           \@maketitle
16097         \else
16098           \twocolumn[\@maketitle]%
16099         \fi
16100       \else
16101         \newpage
16102         \global\@topnum\z@   % Prevents figures from going at top of page.
16103         \@maketitle
16104       \fi
16105       \thispagestyle{empty}\@thanks
16106     \endgroup
16107     \setcounter{footnote}{0}%
16108   \global\let\thanks\relax
16109   \global\let\LTRthanks\relax
16110   \global\let\RTLthanks\relax
16111   \global\let\maketitle\relax
16112   \global\let\@maketitle\relax
16113   \global\let\@thanks\@empty
16114   \global\let\@author\@empty
16115   \global\let\@date\@empty
16116   \global\let\@title\@empty
16117   \global\let\title\relax
16118   \global\let\author\relax
16119   \global\let\date\relax
16120   \global\let\and\relax
16121 }
16122   \def\@maketitle{%
16123     \newpage
16124     \null
16125     \longthickrule\vskip1.5em%
16126     \let \footnote \thanks
16127     \let \LTRfootnote \LTRthanks
16128     \let \RTLfootnote \RTLthanks
16129     {\secshape \parskip\z@ \parindent\z@
16130     \Large\bfseries \@title \par}%
16131     \vskip1.5em\longthickrule\vskip1.5em%
16132     {\normalsize
16133       \lineskip .5em%
16134       \begin{flushright}%
16135         {\slshape\@author\par}
16136         \vskip 1em%
16137         {\@date}%
16138       \end{flushright}\par}%
16139     \vskip 1.5em}
16140 \fi
16141 \renewcommand*\l@part[2]{%
16142   \ifnum \c@tocdepth >-2\relax
16143     \addpenalty{-\@highpenalty}%
16144     \addvspace{2.25em \@plus\p@}%
16145     \begingroup
```

```
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup
  \fi}
\renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
                       \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
                       \hyphenpenalty=2000}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
{\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand\thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable%
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand\thesection       {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection    {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
         \@mkboth{\bibname}{\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
```

```
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
            \sloppy
            \clubpenalty4000
            \@clubpenalty \clubpenalty
            \widowpenalty4000%
      \sfcode`\.=\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

102 File report-xetex-bidi.def

```
\ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report clas
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand\maketitle{\begin{titlepage}%
\let\footnotesize\small
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let \footnote \thanks
\let \LTRfootnote \LTRthanks
\let \RTLfootnote \RTLthanks
\null\vfil
\vskip 60\p@
\begin{center}%
  {\LARGE \@title \par}%
  \vskip 3em%
```

```
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
```

```
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
```

```
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
```

```
    \vskip 40\p@
  }}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

103 File rotating-xetex-bidi.def

```
\ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package f
\def\end@rotfloat{%
   \end{minipage}\end{lrbox}%
   \stepcounter{r@tfl@t}%
   \rot@label{RF\ther@tfl@t}%
   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
   \rot@mess@toks\expandafter{\@tempa}
   \wd\rot@float@box\z@
   \ht\rot@float@box\z@
   \dp\rot@float@box\z@
   \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \if@rot@twoside
        \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
```

```
16440         \rotatebox{90}{\box\rot@float@box}%
16441         \hskip\rotFPbot
16442       }%
16443     }{%
16444       \if@rot@twoside
16445         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16446       \fi
16447       \@@line{%
16448         \hskip\rotFPbot
16449         \rotatebox{-90}{\box\rot@float@box}%
16450         \hskip\rotFPtop
16451       }%
16452       \vfill
16453     }%
16454     \rot@message{\the\rot@mess@toks}
16455   }%
16456   \end@float
16457 }
16458 \let\endsidewaysfigure\end@rotfloat
16459 \let\endsidewaystable\end@rotfloat
16460 \def\end@rotdblfloat{%
16461   \end{minipage}\end{lrbox}%
16462   \stepcounter{r@tfl@t}%
16463   \rot@label{RF\ther@tfl@t}%
16464   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16465   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
16466   \rot@mess@toks\expandafter{\@tempa}
16467   \@tempdima\ht\rot@float@box
16468   \advance\@tempdima by \dp\rot@float@box
16469   \wd\rot@float@box\z@
16470   \ht\rot@float@box\z@
16471   \dp\rot@float@box\z@
16472   \vboxL to \textheight{%
16473     \setkeys{Grot}{units=360}%
16474     \if@rot@twoside
16475     \else
16476       \let\R@@page\rot@LR
16477     \fi
16478     \ifthenelse{\isodd{\R@@page}}{%
16479       \ifrot@messages
16480         \if@rot@twoside
16481   \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16482 \fi
16483       \fi
16484       \vfill
16485       \@@line{%
16486         \hskip\rotFPtop
16487         \rotatebox{90}{\box\rot@float@box}%
16488         \hskip\rotFPbot
16489       }%
```

```
16490     }{%
16491       \ifrot@messages
16492         \if@rot@twoside
16493   \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16494 \fi
16495       \fi%
16496       \@@line{%
16497         \hskip\rotFPbot
16498         \rotatebox{-90}{\box\rot@float@box}%
16499         \hskip\rotFPtop
16500       }%
16501       \vfill
16502     }%
16503     \rot@message{\the\rot@mess@toks}%
16504   }%
16505   \end@dblfloat
16506 }
16507 \def\turn#1{%
16508   \Grot@setangle{#1}%
16509   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16510 \def\endturn{%
16511   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16512   \unskip\color@endbox
16513   \Grot@x\z@
16514   \Grot@y\z@
16515   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16516 }
16517 \def\rotate#1{%
16518   \Grot@setangle{#1}%
16519   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16520 \def\endrotate{%
16521  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16522   \unskip\color@endbox
16523   \Grot@x\z@
16524   \Grot@y\z@
16525   \wd0\z@\dp0\z@\ht0\z@
16526   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16527 }
16528 \def\turnbox#1#2{%
16529   \Grot@setangle{#1}%
16530   \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi
16531   \Grot@x\z@\Grot@y\z@
16532   \wd0\z@\dp0\z@\ht0\z@
16533   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16534 }
16535 \def\sideways{%
16536   \Grot@setangle{90}%
16537   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16538 \def\endsideways{%
16539  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
```

```
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
```

104 File scrartcl-xetex-bidi.def

```
\ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class fo
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
```

```
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
        \begin{minipage}[t]{\textwidth}%
        \@titlehead
        \end{minipage}\par
      \fi
      \null\vfill
      \begin{center}
        \ifx\@subject\@empty \else
          {\subject@font \@subject \par}%
          \vskip 3em
        \fi
        {\titlefont\huge \@title\par}%
        \vskip 1em
```

```
16637       {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16638       \vskip 2em
16639       {\Large \lineskip 0.75em
16640         \begin{tabular}[t]{c}
16641           \@author
16642         \end{tabular}\par
16643       }%
16644       \vskip 1.5em
16645       {\Large \@date \par}%
16646       \vskip \z@ \@plus3fill
16647       {\Large \@publishers \par}%
16648       \vskip 3em
16649     \end{center}\par
16650     \@thanks
16651     \vfill\null
16652     \if@twoside\next@tpage
16653       \begin{minipage}[t]{\textwidth}
16654         \@uppertitleback
16655       \end{minipage}\par
16656       \vfill
16657       \begin{minipage}[b]{\textwidth}
16658         \@lowertitleback
16659       \end{minipage}
16660     \fi
16661     \ifx\@dedication\@empty \else
16662       \next@tpage\null\vfill
16663       {\centering \Large \@dedication \par}%
16664       \vskip \z@ \@plus3fill
16665       \if@twoside \next@tpage\cleardoubleemptypage \fi
16666     \fi
16667   \end{titlepage}
16668 \else
16669   \par
16670   \@tempcnta=%
16671   #1%
16672   \relax\ifnum\@tempcnta=1\else
16673     \ClassWarning{\KOMAClassName}{%
16674       Optional argument of \string\maketitle\space ignored
16675       at\MessageBreak
16676       notitlepage-mode%
16677     }%
16678   \fi
16679   \begingroup
16680     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16681     \let\@oldmakefnmark\@makefnmark
16682     \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
16683     \if@twocolumn
16684       \ifnum \col@number=\@ne
16685         \@maketitle
16686       \else
```

```
16687           \twocolumn[\@maketitle]%
16688         \fi
16689       \else
16690         \newpage
16691         \global\@topnum\z@
16692         \@maketitle
16693       \fi
16694       \thispagestyle{\titlepagestyle}\@thanks
16695     \endgroup
16696   \fi
16697   \setcounter{footnote}{0}%
16698   \let\thanks\relax
16699   \let\LTRthanks\relax
16700   \let\RTLthanks\relax
16701   \let\maketitle\relax
16702   \let\@maketitle\relax
16703   \global\let\@thanks\@empty
16704   \global\let\@author\@empty
16705   \global\let\@date\@empty
16706   \global\let\@title\@empty
16707   \global\let\@subtitle\@empty
16708   \global\let\@extratitle\@empty
16709   \global\let\@titlehead\@empty
16710   \global\let\@subject\@empty
16711   \global\let\@publishers\@empty
16712   \global\let\@uppertitleback\@empty
16713   \global\let\@lowertitleback\@empty
16714   \global\let\@dedication\@empty
16715   \global\let\author\relax
16716   \global\let\title\relax
16717   \global\let\extratitle\relax
16718   \global\let\titlehead\relax
16719   \global\let\subject\relax
16720   \global\let\publishers\relax
16721   \global\let\uppertitleback\relax
16722   \global\let\lowertitleback\relax
16723   \global\let\dedication\relax
16724   \global\let\date\relax
16725   \global\let\and\relax
16726 }%
16727 \renewcommand*{\@maketitle}{%
16728   \clearpage
16729   \let\footnote\thanks
16730   \let\LTRfootnote\LTRthanks
16731   \let\RTLfootnote\RTLthanks
16732   \ifx\@extratitle\@empty \else
16733     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
16734   \fi
16735   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16736   \ifx\@titlehead\@empty \else
```

```
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \bib@heading
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
```

```
16787         \noindent\bibpreamble\par\nobreak
16788     \fi\fi
16789     \bib@beginhook
16790     \bib@before@hook
16791   \fi
16792   \renewcommand{\BreakBibliography}[1]{%
16793     \@bib@break
16794     \end{thebibliography}%
16795     \begingroup ##1\endgroup
16796     \begin{thebibliography}{#1}
16797   }%
16798   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16799   \bidi@@thebibliography@font@hook%
16800   \list{%
16801     \@biblabel{\@arabic\c@enumiv}%
16802   }{%
16803     \settowidth\labelwidth{\@biblabel{#1}}%
16804     \leftmargin\labelwidth
16805     \advance\leftmargin\labelsep
16806     \@openbib@code
16807     \if@bib@break@
16808       \edef\@tempa{%
16809         \noexpand\usecounter{enumiv}%
16810         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
16811       }\@tempa
16812       \no@bib@break
16813     \else
16814       \usecounter{enumiv}%
16815     \fi
16816     \let\p@enumiv\@empty
16817     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
16818   }%
16819   \sloppy\clubpenalty4000 \widowpenalty4000
16820   \sfcode`\.=\@m
16821 }{%
16822   \if@bib@break@
16823     \def\@noitemerr{%
16824       \@latex@warning{%
16825         \string\BreakBibliography\space at begin of `thebibliography'
16826         environment\MessageBreak
16827         or following \string\BreakBibliography}%
16828     }%
16829   \else
16830     \def\@noitemerr{%
16831       \@latex@warning{%
16832         Empty `thebibliography' environment or
16833         \string\BreakBibliography\MessageBreak
16834         before end of `thebibliography' environment}%
16835     }%
16836   \fi
```

```
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
```

```
16887   \fi
16888   \begingroup%
16889     \setlength{\@tempdima}{\cap@width}%
16890     \ifdim \wd\@tempboxa >\@tempdima
16891       \hb@xt@\hsize{%
16892         \setbox\@tempboxa\vbox{\hsize=\cap@width
16893           \ifdofullc@p
16894             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
16895                   #1{{\caplabelfont{#2\captionformat}}}}}%
16896               {#3\unskip\strut\par}}}%
16897           \else%
16898             \ifdim\cap@indent<\z@
16899               {\capfont{\strut\ignorespaces
16900                 #1{{\caplabelfont{#2\captionformat\par}}}%
16901                 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
16902             \else%
16903               \if@capbreak
16904                 {\capfont{\strut\ignorespaces
16905                   #1{{\caplabelfont{#2\captionformat\par}}}%
16906                   \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
16907               \else
16908                 {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
16909                   {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
16910                     {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
16911               \fi
16912             \fi
16913           \fi
16914         }%
16915         \setlength{\@tempdima}{\ht\@tempboxa}%
16916         \addtolength{\@tempdima}{\dp\@tempboxa}%
16917         \addtolength{\@tempdima}{-\ht\strutbox}%
16918         \ht\@tempboxa\ht\strutbox
16919         \dp\@tempboxa\@tempdima
16920         \strut\cap@left
16921         \box\@tempboxa
16922         \cap@right\strut
16923       }%
16924     \else
16925       \global \@minipagefalse
16926       \sbox\@tempboxa{%
16927         {\capfont{\scr@smashdp{\strut\ignorespaces
16928           #1{{\caplabelfont{#2\captionformat}}}}%
16929           #3}}%
16930       }%
16931       {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
16932     \fi
16933   \endgroup
16934 }
16935 \renewcommand{\@makecaption}[2]{%
16936   \if@captionabove
```

```
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
```

```
16987       \fi
16988       \scr@LT@array
16989     }%
16990     \ClassInfo{\KOMAClassName}{%
16991       longtable captions redefined%
16992     }%
16993   \fi
16994 }
16995
16996 \CloneTOCEntryStyle{tocline}{part}
16997 \TOCEntryStyleStartInitCode{part}{%
16998   \expandafter\renewcommand%
16999   \csname scr@tso@#1@linefill\endcsname{\hfill}%
17000   \expandafter\renewcommand%
17001   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17002   \expandafter\renewcommand%
17003   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17004     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17005   \expandafter\renewcommand\expandafter*%
17006   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
17007 }
17008
17009 \CloneTOCEntryStyle{tocline}{section}
17010 \TOCEntryStyleStartInitCode{section}{%
17011   \expandafter\renewcommand%
17012   \csname scr@tso@#1@linefill\endcsname{%
17013     \if@sectionentrywithdots
17014       \TOCLineLeaderFill\relax
17015     \else
17016       \hfill
17017     \fi
17018   }%
17019   % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
17020   \expandafter\renewcommand%
17021   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
17022   \expandafter\renewcommand%
17023   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{sec
17024   \expandafter\renewcommand\expandafter*%
17025   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
17026 }
17027
17028 \CloneTOCEntryStyle{tocline}{subsection}
17029 \TOCEntryStyleStartInitCode{subsection}{%
17030   \expandafter\renewcommand%
17031   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17032 }
17033
17034 \CloneTOCEntryStyle{subsection}{default}
17035
17036 \DeclareSectionCommand[%
```

```
17037   style=part,%
17038   level=\z@,%
17039   tocstyle=part,%
17040   toclevel=\m@ne,%
17041   tocindent=\z@,%
17042   tocnumwidth=2em%
17043 ]{part}
17044 \DeclareSectionCommand[%
17045   style=section,%
17046   level=1,%
17047   indent=\z@,%
17048   beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
17049   afterskip=2.3ex \@plus.2ex,%
17050   tocstyle=section,%
17051   tocindent=0pt,%
17052   tocnumwidth=1.5em%
17053 ]{section}
17054 \DeclareSectionCommand[%
17055   style=section,%
17056   level=2,%
17057   indent=\z@,%
17058   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17059   afterskip=1.5ex \@plus .2ex,%
17060   tocstyle=subsection,%
17061   tocindent=1.5em,%
17062   tocnumwidth=2.3em%
17063 ]{subsection}
17064 \DeclareSectionCommand[%
17065   style=section,%
17066   level=3,%
17067   indent=\z@,%
17068   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17069   afterskip=1.5ex \@plus .2ex,%
17070   tocstyle=subsection,%
17071   tocindent=3.8em,%
17072   tocnumwidth=3.2em%
17073 ]{subsubsection}
17074 \DeclareSectionCommand[%
17075   style=section,%
17076   level=4,%
17077   indent=\z@,%
17078   beforeskip=3.25ex \@plus1ex \@minus.2ex,%
17079   afterskip=-1em,%
17080   tocstyle=subsection,%
17081   tocindent=7.0em,%
17082   tocnumwidth=4.1em%
17083 ]{paragraph}
17084 \DeclareSectionCommand[%
17085   style=section,%
17086   level=5,%
```

```
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=10em,%
  tocnumwidth=5em%
]{subparagraph}
```

105 File scrbook-xetex-bidi.def

```
\ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for X
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
```

```
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
        \begin{minipage}[t]{\textwidth}%
        \@titlehead
        \end{minipage}\par
      \fi
      \null\vfill
      \begin{center}
        \ifx\@subject\@empty \else
          {\subject@font \@subject \par}%
          \vskip 3em
        \fi
```

```
17184       {\titlefont\huge \@title\par}%
17185       \vskip 1em
17186       {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17187       \vskip 2em
17188       {\Large \lineskip 0.75em
17189         \begin{tabular}[t]{c}
17190           \@author
17191         \end{tabular}\par
17192       }%
17193       \vskip 1.5em
17194       {\Large \@date \par}%
17195       \vskip \z@ \@plus3fill
17196       {\Large \@publishers \par}%
17197       \vskip 3em
17198     \end{center}\par
17199     \@thanks
17200     \vfill\null
17201     \if@twoside\next@tpage
17202       \begin{minipage}[t]{\textwidth}
17203         \@uppertitleback
17204       \end{minipage}\par
17205       \vfill
17206       \begin{minipage}[b]{\textwidth}
17207         \@lowertitleback
17208       \end{minipage}
17209     \fi
17210     \ifx\@dedication\@empty \else
17211       \next@tpage\null\vfill
17212       {\centering \Large \@dedication \par}%
17213       \vskip \z@ \@plus3fill
17214       \if@twoside \next@tpage\cleardoubleemptypage \fi
17215     \fi
17216   \end{titlepage}
17217 \else
17218   \par
17219   \@tempcnta=%
17220   #1%
17221   \relax\ifnum\@tempcnta=1\else
17222     \ClassWarning{\KOMAClassName}{%
17223       Optional argument of \string\maketitle\space ignored
17224       at\MessageBreak
17225       notitlepage-mode%
17226     }%
17227   \fi
17228   \begingroup
17229     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17230     \let\@oldmakefnmark\@makefnmark
17231     \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
17232     \if@twocolumn
17233       \ifnum \col@number=\@ne
```

```
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
```

```
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
```

```
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
   \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
```

```
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
```

```
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
```

```
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
```

```
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
```

```
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
```

```
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}

```

106 File scrlettr-xetex-bidi.def

```
\ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \edef\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
    \fi
    \par
    \parindent #3\noindent
    \hbox to \z@{\hss\@@makefnmark}##1}
  \def\@@makefnmark{\hbox{#4}}
}
\deffootnote[1em]{1.5em}{1em}
  {\textsuperscript{\thefootnotemark}}
\def\left@footnoterule{\kern-1\p@
 \hrule width 0.4\columnwidth
 \kern .6\p@}
\def\right@footnoterule{%
  \kern-1\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
\def\@datefield{\@reffalse
 \ifx\varyourref\@empty \else \@reftrue \fi
 \ifx\varyourmail\@empty \else \@reftrue \fi
 \ifx\varmyref\@empty \else \@reftrue \fi
 \ifx\varcustomer\@empty \else \@reftrue \fi
 \ifx\varinvoice\@empty \else \@reftrue \fi
 \ifx\varrefitemi\@empty \else \@reftrue \fi
 \ifx\varrefitemii\@empty \else \@reftrue \fi
 \ifx\varrefitemiii\@empty \else \@reftrue \fi
 \vskip -\parskip
 \vskip \refvskip
 \if@ref
  \ifx\varyourref\@empty \else
   \settowidth{\sc@temp}{\varyourref}
   \setbox0\hbox{\scriptsize \sf \yourrefname}
   \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
```

```
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
\fi
\ifx\varyourmail\@empty \else
 \settowidth{\sc@temp}{\varyourmail}
 \setbox0\hbox{\scriptsize \sf \yourmailname}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
\fi
\ifx\varmyref\@empty \else
 \settowidth{\sc@temp}{\varmyref}
 \setbox0\hbox{\scriptsize \sf \myrefname}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
\fi
\ifx\varcustomer\@empty \else
 \settowidth{\sc@temp}{\varcustomer}
 \setbox0\hbox{\scriptsize \sf \customername}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
\fi
\ifx\varinvoice\@empty \else
 \settowidth{\sc@temp}{\varinvoice}
 \setbox0\hbox{\scriptsize \sf \invoicename}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
\fi
\ifx\varrefitemi\@empty \else
 \settowidth{\sc@temp}{\varrefitemi}
 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
\fi
\ifx\varrefitemii\@empty \else
 \settowidth{\sc@temp}{\varrefitemii}
 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
\fi
\ifx\varrefitemiii\@empty \else
 \settowidth{\sc@temp}{\varrefitemiii}
 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
\fi
\ifx\@date\@empty \else
 \settowidth{\sc@temp}{\@date}
 \setbox0\hbox{\scriptsize \sf \datename}
 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
 \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
\fi
```

```
  \par
  \vspace{2.5\baselineskip}
 \else
  {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
  \vspace{1.5\baselineskip}
 \fi}
\long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
 -\sigindent \hspace{\sigindent}%
 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@ski
 \fromsig\strut}\par
 \vspace{1.5\baselineskip}}
```

107 File scrreprt-xetex-bidi.def

```
\ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
```

```
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
        \begin{minipage}[t]{\textwidth}%
        \@titlehead
        \end{minipage}\par
      \fi
      \null\vfill
```

```
17878       \begin{center}
17879         \ifx\@subject\@empty \else
17880           {\subject@font \@subject \par}%
17881           \vskip 3em
17882         \fi
17883         {\titlefont\huge \@title\par}%
17884         \vskip 1em
17885         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17886         \vskip 2em
17887         {\Large \lineskip 0.75em
17888           \begin{tabular}[t]{c}
17889             \@author
17890           \end{tabular}\par
17891         }%
17892         \vskip 1.5em
17893         {\Large \@date \par}%
17894         \vskip \z@ \@plus3fill
17895         {\Large \@publishers \par}%
17896         \vskip 3em
17897       \end{center}\par
17898       \@thanks
17899       \vfill\null
17900       \if@twoside\next@tpage
17901         \begin{minipage}[t]{\textwidth}
17902           \@uppertitleback
17903         \end{minipage}\par
17904         \vfill
17905         \begin{minipage}[b]{\textwidth}
17906           \@lowertitleback
17907         \end{minipage}
17908       \fi
17909       \ifx\@dedication\@empty \else
17910         \next@tpage\null\vfill
17911         {\centering \Large \@dedication \par}%
17912         \vskip \z@ \@plus3fill
17913         \if@twoside \next@tpage\cleardoubleemptypage \fi
17914       \fi
17915     \end{titlepage}
17916   \else
17917     \par
17918     \@tempcnta=%
17919     #1%
17920     \relax\ifnum\@tempcnta=1\else
17921       \ClassWarning{\KOMAClassName}{%
17922         Optional argument of \string\maketitle\space ignored
17923         at\MessageBreak
17924         notitlepage-mode%
17925       }%
17926     \fi
17927     \begingroup
```

```
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
```

```
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \thechapter\@SepMark%
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
```

```
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \thechapter\@SepMark%
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \thechapter\@SepMark%
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \thechapter\@SepMark%
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
```

```
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
```

```
  \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
  \let\scr@tmp@footnotetext=\@footnotetext
  \let\@footnotetext=\@gobble
  \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
  \let\@LTRfootnotetext=\@gobble
  \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
  \let\@RTLfootnotetext=\@gobble
  \sbox\@tempboxa{%
    {\capfont{\strut\ignorespaces
      #1{{\caplabelfont{#2\captionformat}}}%
      #3\unskip\strut}}%
  }%
  \let\@footnotetext=\scr@tmp@footnotetext
  \let\scr@tmp@footnotetext=\undefined
  \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
  \let\scr@tmp@LTRfootnotetext=\undefined
 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
  \let\scr@tmp@RTLfootnotetext=\undefined
  \setcounter{footnote}{\@tempcntb}%
  \setcounter{mpfootnote}{\@tempcnta}%
\else
  \sbox\@tempboxa{\hspace*{2\cap@width}}%
\fi
\begingroup%
  \setlength{\@tempdima}{\cap@width}%
  \ifdim \wd\@tempboxa >\@tempdima
    \hb@xt@\hsize{%
      \setbox\@tempboxa\vbox{\hsize=\cap@width
        \ifdofullc@p
          {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat}}}}}%
            {#3\unskip\strut\par}}}%
        \else%
          \ifdim\cap@indent<\z@
            {\capfont{\strut\ignorespaces
              #1{{\caplabelfont{#2\captionformat\par}}}%
              \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
          \else%
            \if@capbreak
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
            \else
              {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                  {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
            \fi
          \fi
        \fi
      }%
```

```
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
```

```
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
```

```
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
```

```
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}

```

108 File sidecap-xetex-bidi.def

```
\ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for
\renewcommand*{\SC@FLOAT}[2]{\if@RTL%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
\isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
  \renewcommand*\SC@justify@caption{\if@RTL%
\isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
```

109 File soul-xetex-bidi.def

```
\ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX
\long\def\SOUL@start#1{{%
   \let\bidi@RTL@everypar\@empty
    \let\<\SOUL@lowerthan
    \let\>\empty
    \def\soulomit{\noexpand\soulomit}%
    \gdef\SOUL@eventuallyexhyphen##1{}%
    \let\SOUL@soeventuallyskip\relax
    \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
        \@minus\fontdimen4\font
    \SOUL@ignorespacesfalse
    \leavevmode
    \SOUL@preamble
    \SOUL@lasttoken={}%
    \SOUL@word={}%
    \SOUL@minus\z@
    \SOUL@comma\z@
    \SOUL@apo\z@
    \SOUL@grave\z@
    \SOUL@do{#1}%
    \SOUL@postamble
}}
\def\SOUL@ulunderline#1{{%
    \setbox\z@\hbox{#1}%
    \dimen@=\wd\z@
    \dimen@i=\SOUL@uloverlap
    \advance\dimen@2\dimen@i
    \if@RTL
    \unhcopy\z@
    \llap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \else
    \rlap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \unhcopy\z@
    \fi
}}
\def\bidi@SOUL@ulleaders{%
    \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\rel
}
\def\SOUL@uleveryspace#1{%
       \if@RTL
```

```
      #1%
      \bidi@SOUL@ulleaders
      \hskip\spaceskip
      \else
    \SOUL@ulcolor{%
       #1%
       \SOUL@ulleaders
       \hskip\spaceskip
    }%
    \fi
    \null
}
```

110 File stabular-xetex-bidi.def

```
\ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package f
\def\@stabular{%
   \leavevmode \bgroup \if@RTLtab\beginR \fi
   \let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
\def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup \if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endstabular*\endcsname = \endstabular
\def\@sarray[#1]#2{%
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
```

111 File subfigure-xetex-bidi.def

```
\ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package
\AtBeginDocument{%
\let\p@subfigure=\thefigure
\let\p@subtable=\thetable%
}
```

112 File tabls-xetex-bidi.def

```
\ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeT
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}

\expandafter\let\csname endtabular*\endcsname=\endtabular

\def\endarray{\ifvmode\csname crcr\endcsname % just do \crcr if \\ given
  \else \\[\z@ \global\advance\@arstdepth-\@otarlinesep]%
  \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}

\def\@array[#1]#2{%  remember global variables to allow recursion:
 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
 \else \let\@tarlinesep\tablinesep \fi
 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
   \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
   \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
    \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
 \let\protect\noexpand
 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
 \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
 \bgroup \let\par\@empty
 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
 \advance\extrarulesep.5\arrayrulewidth
 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
 \@preamble}
```

113 File tabularx-xetex-bidi.def

```
\ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package f
\def\TX@endtabularx{%
   \expandafter\expandafter\expandafter
     \TX@find@endtabularxa\csname end\TX@\endcsname
     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
  \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
  \let\verb\TX@verb
  \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
  \edef\TX@ckpt{\cl@@ckpt}%
  \let\@elt\relax
  \TX@old@table\maxdimen
```

```
  \TX@col@width\TX@target
  \global\TX@cols\@ne
  \TX@typeout@
    {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
  \TX@trial{\def\NC@rewrite@X{%
          \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
  \loop
    \TX@arith
    \ifTX@
    \TX@trial{}%
  \repeat
  {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
   \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
   \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
    \csname tabular*\expandafter\endcsname\expandafter\TX@target
      \the\toks@
    \csname endtabular*\endcsname}%
  \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
  \ifnum0=`{\fi}%
   \expandafter\expandafter\expandafter
   \TX@find@endtabularxbb
    \expandafter\end\expandafter{\TX@}%
    \endtabularx\TX@\endtabularx\TX@find@endtabularxb
}

\def\TX@trial#1{%
  \setbox\@tempboxa\hbox{%
    #1\relax
  \let\@footnotetext\TX@trial@ftn
  \let\@LTRfootnotetext\TX@trial@ftn
  \let\@RTLfootnotetext\TX@trial@ftn
  \let\TX@vwarn\@empty
   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
   \def\write{\begingroup
     \def\let{\afterassignment\endgroup\toks@}%
        \afterassignment\let\count@}%
    \hbadness\@M
    \hfuzz\maxdimen
    \let\hbadness\@tempcnta
    \let\hfuzz\@tempdima
    \expandafter\tabular\the\toks@
    \endtabular}%
  \TX@ckpt
  \TX@typeout@{\@spaces
     \expandafter\TX@align
        \the\wd\@tempboxa\space\space\space\space\space\@@
     \expandafter\TX@align
        \the\TX@col@width\space\space\space\space\space\@@
     \@spaces\the\TX@cols}}
```

```
18561
18562 \long\def\TX@LTRftntext#1{%
18563   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
18564                       [\the\csname c@\@mpfn\endcsname]}%
18565   \global\TX@ftn\expandafter{\@tempa{#1}}}%
18566 \long\def\TX@xLTRftntext[#1]#2{%
18567   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
18568
18569 \long\def\TX@RTLftntext#1{%
18570   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
18571                       [\the\csname c@\@mpfn\endcsname]}%
18572   \global\TX@ftn\expandafter{\@tempa{#1}}}%
18573 \long\def\TX@xRTLftntext[#1]#2{%
18574   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

114 File tabulary-xetex-bidi.def

```
18575 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package i
18576 \def\@testpach{\@chclass
18577  \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
18578   \ifnum \@lastchclass=7 5 \else
18579    \ifnum \@lastchclass=8 \tw@ \else
18580     \ifnum \@lastchclass=9 \thr@@
18581    \else \z@
18582    \ifnum \@lastchclass = 10 \else
18583    \edef\@nextchar{\expandafter\string\@nextchar}%
18584    \@chnum
18585    \if \@nextchar c\z@ \else
18586     \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
18587      \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
18588    \if \@nextchar C7 \else
18589     \if \@nextchar L8 \else
18590      \if \@nextchar R9 \else
18591      \if \@nextchar J10 \else
18592    \z@ \@chclass
18593    \if\@nextchar |\@ne \else
18594     \if \@nextchar !6 \else
18595      \if \@nextchar @7 \else
18596       \if \@nextchar <8 \else
18597        \if \@nextchar >9 \else
18598   10
18599   \@chnum
18600   \if \@nextchar m\thr@@\else
18601    \if \@nextchar p4 \else
18602     \if \@nextchar b5 \else
18603    \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi\fi \fi \fi\fi \fi
18604      \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
```

115 File tc-xetex-bidi.def

```
\ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTe
\def\@cliptoboxdim#1{%
    \setbox#1=\hbox{%
        \Gin@defaultbp\WIDTH{\wd#1}%
        \Gin@defaultbp\DEPTH{\dp#1}%
        \@tempdima\ht#1%
        \advance\@tempdima\dp#1%
        \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
        \beginL\special{pdf:bcontent }%
        \special{%
            pdf:literal direct
                0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
        }%
        \special{pdf:literal direct W }%
        \special{pdf:literal direct n }%
            \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
        \special{pdf:econtent }\endL%
    }%
}
```

116 File tcolorbox-xetex-bidi.def

```
\ProvidesFile{tcolorbox-xetex-bidi.def}[2017/08/15 v0.1 bidi adaptations for tcolorbox package
\let\endtcb@lrbox=\endminipage
\let\endtcb@savebox=\endtcb@lrbox

\bidi@patchcmd{\tcb@vbox}{%
  \let\@footnotetext\@mpfootnotetext%
}{%
  \let\@footnotetext\@mpfootnotetext%
  \let\@LTRfootnotetext\@mpLTRfootnotetext%
  \let\@RTLfootnotetext\@mpRTLfootnotetext%
}{}{}

\bidi@patchcmd{\endtcb@vbox}{%
    \footnoterule%
}{%
    \bidi@mpfootnoterule%
}{}{}
```

117 File titlesec-xetex-bidi.def

```
\ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package f
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\def\ttlh@hang#1#2#3#4#5#6#7#8{%
```

```
  \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
  \setlength\leftskip{#6}%
  \setlength\rightskip{#7}%
  \interlinepenalty\@M
  \ttl@changecentercr
  \ttl@beginlongest
  #1{\ifhmode\ttl@hmode@error\fi
     \ttl@glcmds
     \parindent\z@
     \leavevmode
     \begingroup
       \ifttl@label
          \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
          \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
          \llap{\box\z@}%
       \fi
       #4{#8}%
       \kern\z@\strut\@@par
     \endgroup
     \nobreak\ttl@midlongest#5\@@par}%
  \ttl@endlongest}
```

118 File titletoc-xetex-bidi.def

```
\ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package f
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\renewcommand\contentspush[1]{%
  \sbox\z@{#1}%
  \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
  \aftergroup\ttl@b
  \leavevmode\llap{\box\z@}}
\def\ttl@outnoblock#1#2#3{%
  \begingroup
  \ifnum\ttl@b>\ttl@a
    \nobreak
  \else\ifnum\ttl@b<\ttl@a
    \addpenalty{\@secpenalty}%
  \else
    \addpenalty{\z@}%
  \fi\fi
  \ttl@contentsstretch
  \nobreak
  \ifcase#1\relax\else\interlinepenalty\@M\fi
  \parindent\z@
  \ifx\@nil#2%
```

```
    \PackageError{titletoc}{Unimplemented}%
    {The optional argument is currently mandatory}%
  \else
    \if@RTL\setlength\rightskip{#2}\else
    \setlength\leftskip{#2}\fi%
  \fi
  \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
  \let\contentsmargin\ttl@margin
  \def\ttl@makeline##1{##1}%
  #3%
  \addtolength{\parfillskip}{-\ttl@corr}%
  \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
  \let\ttl@leaders\leaders}
\renewcommand\ttl@margin[2][\z@]{%
  \def\ttl@corr{#1}%
  \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
  \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
  \def\@pnumwidth{#2}}
\let\ttl@savel@part\l@part
\def\l@part{\ttl@lselect{part}}

\let\ttl@savel@chapter\l@chapter
\def\l@chapter{\ttl@lselect{chapter}}
```

119 File tocbibind-xetex-bidi.def

```
\ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package
\if@dotocbib
  \@ifpackageloaded{natbib}{}{% natbib not loaded
    \renewcommand{\bibsection}{\t@cb@bchapsec}
    \renewenvironment{thebibliography}[1]{%
      \bibsection
      \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
  \renewenvironment{thebibitemlist}[1]{
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
          \@openbib@code
          \usecounter{enumiv}%
          \let\p@enumiv\@empty
          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
    \sloppy
    \clubpenalty4000
    \@clubpenalty \clubpenalty
    \widowpenalty4000%
    \sfcode`\.\@m}
   {\def\@noitemerr
```

```
18743     {\@latex@warning{Empty `thebibliography' environment}}%
18744     \endlist}
18745
18746   \@ifpackagewith{chapterbib}{sectionbib}%
18747     {\renewcommand{\sectionbib}[2]{}}%
18748     {}
18749
18750 \fi
18751 \if@inltxdoc\else
18752   \renewenvironment{theindex}%
18753     {\if@twocolumn
18754        \@restonecolfalse
18755      \else
18756        \@restonecoltrue
18757      \fi
18758      \if@bibchapter
18759         \if@donumindex
18760           \refstepcounter{chapter}
18761           \twocolumn[\vspace*{2\topskip}%
18762                      \@makechapterhead{\indexname}]%
18763           \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
18764           \chaptermark{\indexname}
18765         \else
18766           \if@dotocind
18767             \twocolumn[\vspace*{2\topskip}%
18768                        \@makeschapterhead{\indexname}]%
18769             \prw@mkboth{\indexname}
18770             \addcontentsline{toc}{chapter}{\indexname}
18771           \else
18772             \twocolumn[\vspace*{2\topskip}%
18773                        \@makeschapterhead{\indexname}]%
18774             \prw@mkboth{\indexname}
18775           \fi
18776         \fi
18777      \else
18778         \if@donumindex
18779           \twocolumn[\vspace*{-1.5\topskip}%
18780                      \@nameuse{\@tocextra}{\indexname}]%
18781           \csname \@tocextra mark\endcsname{\indexname}
18782         \else
18783           \if@dotocind
18784             \twocolumn[\vspace*{-1.5\topskip}%
18785                        \toc@headstar{\@tocextra}{\indexname}]%
18786             \prw@mkboth{\indexname}
18787             \addcontentsline{toc}{\@tocextra}{\indexname}
18788           \else
18789             \twocolumn[\vspace*{-1.5\topskip}%
18790                        \toc@headstar{\@tocextra}{\indexname}]%
18791             \prw@mkboth{\indexname}
18792           \fi
```

```
        \fi
      \fi
   \thispagestyle{plain}\parindent\z@
   \parskip\z@ \@plus .3\p@\relax
   \let\item\@idxitem}
   {\if@restonecol\onecolumn\else\clearpage\fi}
\fi
```

120 File tocloft-xetex-bidi.def

```
\ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
\let\cftdot\@SepMark
\if@cfthaspart
\renewcommand*{\l@part}[2]{
  \@cftdopartfalse
  \ifnum \c@tocdepth >-2\relax
    \if@cfthaschapter
      \@cftdoparttrue
    \fi
    \ifnum \c@tocdepth >\m@ne
      \if@cfthaschapter\else
        \@cftdoparttrue
      \fi
    \fi
  \fi
  \if@cftdopart
    \if@cfthaschapter
      \addpenalty{-\@highpenalty}
    \else
      \addpenalty\@secpenalty
    \fi
    \addvspace{\cftbeforepartskip}
    \begingroup
      {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \cftpartindent\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \cftpartnumwidth\relax
       \let\@cftbsnum \cftpartpresnum
       \let\@cftasnum \cftpartaftersnum
       \let\@cftasnumb \cftpartaftersnumb
       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
       {\cftpartfont \cftpartpresnum #1}
       \cftpartfillnum{#2}}
      \nobreak
      \if@cfthaschapter
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}
```

```
      \else
        \if@compatibility
          \global\@nobreaktrue
          \everypar{\global\@nobreakfalse\everypar{}}
        \fi
      \fi
    \endgroup
  \fi}
\fi
\if@cfthaschapter
\renewcommand*{\l@chapter}[2]{
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}
    \vskip \cftbeforechapskip
    {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftchapindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftchapnumwidth\relax
     \let\@cftbsnum \cftchappresnum
     \let\@cftasnum \cftchapaftersnum
     \let\@cftasnumb \cftchapaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftchapfont #1}\nobreak
     \cftchapfillnum{#2}}
  \fi}
\fi
\renewcommand*{\l@section}[2]{%
  \ifnum \c@tocdepth >\z@
    \if@cfthaschapter
      \vskip \cftbeforesecskip
    \else
      \addpenalty\@secpenalty
      \addvspace{\cftbeforesecskip}
    \fi
    {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsecnumwidth\relax
     \let\@cftbsnum \cftsecpresnum
     \let\@cftasnum \cftsecaftersnum
     \let\@cftasnumb \cftsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsecfont #1}\nobreak
     \cftsecfillnum{#2}}
```

```
  \fi}
\renewcommand*{\l@subsection}[2]{%
  \ifnum \c@tocdepth >\@ne
    \vskip \cftbeforesubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubsecnumwidth\relax
     \let\@cftbsnum \cftsubsecpresnum
     \let\@cftasnum \cftsubsecaftersnum
     \let\@cftasnumb \cftsubsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsubsecfont #1}\nobreak
     \cftsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsubsection}[2]{%
  \ifnum \c@tocdepth >\tw@
    \vskip \cftbeforesubsubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubsubsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubsubsecnumwidth\relax
     \let\@cftbsnum \cftsubsubsecpresnum
     \let\@cftasnum \cftsubsubsecaftersnum
     \let\@cftasnumb \cftsubsubsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsubsubsecfont #1}\nobreak
     \cftsubsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@paragraph}[2]{%
  \ifnum \c@tocdepth >3\relax
    \vskip \cftbeforeparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftparaindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftparanumwidth\relax
     \let\@cftbsnum \cftparapresnum
     \let\@cftasnum \cftparaaftersnum
     \let\@cftasnumb \cftparaaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftparafont #1}\nobreak
```

```
    \cftparafillnum{#2}}
  \fi}
\renewcommand*{\l@subparagraph}[2]{%
  \ifnum \c@tocdepth >4\relax
    \vskip \cftbeforesubparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubparaindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubparanumwidth\relax
     \let\@cftbsnum \cftsubparapresnum
     \let\@cftasnum \cftsubparaaftersnum
     \let\@cftasnumb \cftsubparaaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsubparafont #1}\nobreak
     \cftsubparafillnum{#2}}
  \fi}
\renewcommand*{\l@figure}[2]{%
  \ifnum \c@lofdepth >\z@
    \vskip \cftbeforefigskip
    {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftfigindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftfignumwidth\relax
     \let\@cftbsnum \cftfigpresnum
     \let\@cftasnum \cftfigaftersnum
     \let\@cftasnumb \cftfigaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftfigfont #1}\nobreak
     \cftfigfillnum{#2}}
   \fi
  }
\renewcommand*{\l@table}[2]{%
  \ifnum\c@lotdepth >\z@
    \vskip \cftbeforetabskip
    {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cfttabindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cfttabnumwidth\relax
     \let\@cftbsnum \cfttabpresnum
     \let\@cftasnum \cfttabaftersnum
     \let\@cftasnumb \cfttabaftersnumb
```

```
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
    {\cfttabfont #1}\nobreak
    \cfttabfillnum{#2}}
  \fi
 }
\renewcommand{\@cftl@subfig}{
\renewcommand*{\l@subfigure}[2]{%
 \ifnum \c@lofdepth > \toclevel@subfigure
   \vskip \cftbeforesubfigskip
   {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubfigindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubfignumwidth\relax
    \let\@cftbsnum \cftsubfigpresnum
    \let\@cftasnum \cftsubfigaftersnum
    \let\@cftasnumb \cftsubfigaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
    {\cftsubfigfont ##1}\nobreak
    \cftsubfigfillnum{##2}}
 \fi
 }
}
\renewcommand{\@cftl@subtab}{
\renewcommand*{\l@subtable}[2]{%
 \ifnum \c@lotdepth > \toclevel@subtable
   \vskip \cftbeforesubtabskip
   {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubtabindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubtabnumwidth\relax
    \let\@cftbsnum \cftsubtabpresnum
    \let\@cftasnum \cftsubtabaftersnum
    \let\@cftasnumb \cftsubtabaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
    {\cftsubtabfont ##1}\nobreak
    \cftsubtabfillnum{##2}}
 \fi
 }
}
\renewcommand{\newlistentry}[4][\@empty]{%
 \@ifundefined{c@#2}{%    check & set the counter
   \ifx \@empty#1\relax
     \newcounter{#2}
   \else
```

```
    \@ifundefined{c@#1}{\PackageWarning{tocloft}%
                          {#1 has no counter for use as a `within'}
      \newcounter{#2}}%
    {\newcounter{#2}[#1]%
     \expandafter\edef\csname the#2\endcsname{%
       \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
  \fi
  \setcounter{#2}{0}
}
{\PackageError{tocloft}{#2 has been previously defined}{\@eha}}

\@namedef{l@#2}##1##2{%
  \ifnum \@nameuse{c@#3depth} > #4\relax
    \vskip \@nameuse{cftbefore#2skip}
    {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \@nameuse{cft#2numwidth}\relax
     \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
     \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
     \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\right
     {\@nameuse{cft#2font}##1}\nobreak
     \@nameuse{cft#2fillnum}{##2}}
  \fi
}  % end of \l@#2

\expandafter\newlength\csname cftbefore#2skip\endcsname
  \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
\expandafter\newlength\csname cft#2indent\endcsname
\expandafter\newlength\csname cft#2numwidth\endcsname
\ifcase #4\relax  % 0
  \setlength{\@nameuse{cft#2indent}}{0em}
  \setlength{\@nameuse{cft#2numwidth}}{1.5em}
\or               % 1
  \setlength{\@nameuse{cft#2indent}}{1.5em}
  \setlength{\@nameuse{cft#2numwidth}}{2.3em}
\or               % 2
  \setlength{\@nameuse{cft#2indent}}{3.8em}
  \setlength{\@nameuse{cft#2numwidth}}{3.2em}
\or               % 3
  \setlength{\@nameuse{cft#2indent}}{7.0em}
  \setlength{\@nameuse{cft#2numwidth}}{4.1em}
\else             % anything else
  \setlength{\@nameuse{cft#2indent}}{10.0em}
  \setlength{\@nameuse{cft#2numwidth}}{5.0em}
\fi
```

```
  \@namedef{cft#2font}{\normalfont}
  \@namedef{cft#2presnum}{}
  \@namedef{cft#2aftersnum}{}
  \@namedef{cft#2aftersnumb}{}
  \@namedef{cft#2dotsep}{\cftdotsep}
  \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
  \@namedef{cft#2pagefont}{\normalfont}
  \@namedef{cft#2afterpnum}{}
  \@namedef{toclevel@#2}{#4}
  \@namedef{cft#2fillnum}##1{%
    {\@nameuse{cft#2leader}}\nobreak
    \hb@xt@\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
} % end \newlistentry
\renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
  {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
   \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
   \textit{#1}\protect\par}}}
```

121 File tocbasic-xetex-bidi.def

```
\ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package f
\bidi@undef\scr@dte@def@l@undottedtocline
\bidi@undef\scr@dte@undottedtocline@init
\DeclareTOCEntryStyle{undottedtocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \DefineTOCEntryLengthOption{numwidth}%
    {scr@tso@}{@numwidth}{entry number width}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
```

```
}{}%
\@ifundefined{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{7.0em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{10em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{12em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
```

```
\@ifundefined{scr@tso@#1@numwidth}{%
  \@ifundefined{scr@#1@tocnumwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.1em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{6em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{%
    \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
  }%
 }{}%
}]{%
 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
   \ifnum \@nameuse{#1tocdepth}<\@ne
```

```
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{1.0em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \vskip 1.0em \@plus\p@
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{1.0em \@plus\p@}%
    \fi
    \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \bfseries
      \advance\bidi@leftskip\@tempdima
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
      ##1%
      \nobreak
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \penalty\@highpenalty
    \endgroup
  \fi
}

\bidi@undef\scr@dte@def@l@largetocline
\bidi@undef\scr@dte@largetocline@init
\DeclareTOCEntryStyle{largetocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
```

```
            }%
          }%
        }%
      }%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
```

```
      }%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{2.25em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \addvspace{2.25em \@plus\p@}%
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{2.25em \@plus\p@}%
    \fi
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \large
      \bfseries
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      ##1%
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \nobreak
      \ifnum 0=
        \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi
}

\renewcommand*{\scr@dte@tocline}[3]{%
  \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
  \else
    \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
    \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
    {%
      \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
      \bidi@rightskip \@tocrmarg
      \parfillskip -\bidi@rightskip
      \@nameuse{Ifscr@tso@#1@raggedpage}{%
```

```
    \addtolength{\parfillskip}{\z@ \@plus 1fil}%
  }{}%
  \parindent \@nameuse{scr@tso@#1@indent}\relax
  \@afterindenttrue
  \interlinepenalty\@M
  \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
    \addtolength\bidi@rightskip\@flushglue
  \else
    \def\reserved@a{\raggedright}%
    \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
      \addtolength\bidi@rightskip\@flushglue
    \else
      \renewcommand\reserved@a{\raggedright}%
      \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
        \addtolength\bidi@rightskip\@flushglue
      \fi
    \fi
  \fi
  \leavevmode
  \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
  \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
    \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
      \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
        \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
      \fi
    }%
  }{}%
  \advance\bidi@leftskip \@tempdima
  \null\nobreak\hskip -\bidi@leftskip
  {%
    \usetocbasicnumberline
    \let\scr@dte@numberline@box\numberline@box
    \def\numberline@box##1{%
      \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
      \global\scr@dte@tocline@numberwidth
      \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
      \ifdim \scr@dte@tocline@numberwidth
            >\@nameuse{scr@dte@#1@maxnumwidth}\relax
        \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
      \fi
      \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
        \ifdim \scr@dte@tocline@numberwidth
              >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
                        +\@nameuse{scr@tso@#1@numsep}\relax
          \PackageWarning{tocbasic%
          }{%
            number width of #1 toc entries should be
            increased!\MessageBreak
            Currently used number width =
            \the\wd\scr@dte@tocline@numbox,\MessageBreak
```

```
                Wanted number separation
                \space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
                Reserved number width \space\space\space\space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
              }%
            \fi
          }%
          \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
          \@nameuse{Ifscr@tso@#1@breakafternumber}{%
            {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
          }{}%
        }%
        \@nameuse{scr@tso@#1@entryformat}{%
          #2%
          \nobreak
          {%
            \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
            \nobreak
            \@nameuse{scr@tso@#1@pagenumberbox}{%
              \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
            }%
          }%
          \@par
        }%
      }%
    }%
    \tocbasic@SetPenaltyByTOCLevel{#1}%
  \fi
}

\bidi@undef\scr@dte@def@l@tocline
\bidi@undef\scr@dte@tocline@init
\DeclareTOCEntryStyle{tocline}[{%
  \DefineTOCEntryLengthOption{beforeskip}%
    {scr@tso@}{@beforeskip}{vertical skip before the entry}%
  \DefineTOCEntryIfOption{breakafternumber}%
    {scr@tso@}{@breakafternumber}{line break after number flag}%
  \DefineTOCEntryIfOption{dynnumwidth}%
    {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
  \DefineTOCEntryCommandOption{entryformat}%
    {scr@tso@}{@entryformat}[1]{entry format}%
  \DefineTOCEntryCommandOption{entrynumberformat}%
    {scr@tso@}{@numberformat}[1]{entry number format}%
  \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
    {scr@tso@}{@linefill}{filling between text and page number}%
  \DefineTOCEntryLengthOption{numsep}%
    {scr@tso@}{@numsep}{entry number separation}%
  \DefineTOCEntryCommandOption{onstarthigherlevel}%
    {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
```

```
\DefineTOCEntryCommandOption{onstartlowerlevel}%
  {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
\DefineTOCEntryCommandOption{onstartsamelevel}%
  {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
\DefineTOCEntryCommandOption{pagenumberbox}%
  {scr@tso@}{@pagenumberbox}[1]{page number box}%
\DefineTOCEntryCommandOption{pagenumberformat}%
  {scr@tso@}{@pagenumberformat}[1]{page number format}%
\DefineTOCEntryOption{raggedentrytext}[true]{%
  \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
  \ifx\FamilyKeyState\FamilyKeyStateProcessed
    \if@tempswa
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \raggedright
    \else
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \relax
    \fi
  \fi
}%
\DefineTOCEntryIfOption{raggedpagenumber}%
  {scr@tso@}{@raggedpage}{page number ragged flag}%
\DefineTOCEntryLengthOption{indent}%
  {scr@tso@}{@indent}{entry indent}%
\DefineTOCEntryLengthOption{numwidth}%
  {scr@tso@}{@numwidth}{entry number width}%
\scr@ifundefinedorrelax{#1tocdepth}{%
  \ifstrstart{#1}{sub}{%
    \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
      \expandafter\edef\csname #1tocdepth\endcsname{%
        \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
      }%
    }%
  }{}%
}{}%
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                    \expandafter\let\csname #1tocdepth\expandafter\endcsname
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
```

```
              }%
            }%
          }%
        }%
      }%
    }%
  }{}%
  \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstrstart{#1}{sub}{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
          \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
            \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
              \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
              \relax
            }%
          }%
        }{%
          \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
            \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
              \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
              \relax
            }%
          }{%
            \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
              \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
                        +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
              \relax
            }%
          }%
        }%
      }{}%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
```

```
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
  \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
        \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
          \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
                    +.9em%
          \relax
        }%
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
```

```
            \scr@ifundefinedorrelax{chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.2em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{4.1em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{5m}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.1em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{6em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
\@ifundefined{scr@tso@#1@beforeskip}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
  }{%
    \ifstr{#1}{chapter}{%
```

```
      \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
    }{%
      \ifstr{#1}{section}{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
        }{}%
      }{}%
    }%
  }%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
}{}%
\@ifundefined{scr@dte@#1@maxnumwidth}{%
  \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
  \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
}{}%
\renewcommand*{\scr@dte@donumwidth}{}%
\g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
\expandafter\renewcommand\expandafter*%
\csname scr@tso@#1@numsep\endcsname{.4em}%
\expandafter\renewcommand%
\csname scr@tso@#1@numberformat\endcsname[1]{##1}%
\ifstr{#1}{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
}{%
  \ifstr{#1}{chapter}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
  }{%
    \scr@ifundefinedorrelax{l@chapter}{%
      \ifstr{#1}{section}{%
        \expandafter\renewcommand%
        \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
      }{}%
    }{}%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
  }%
}%
\expandafter\renewcommand
\csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
\@ifundefined{scr@tso@#1@linefill}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@linefill}{\hfill}%
  }{%
    \ifstr{#1}{chapter}{%
      \@namedef{scr@tso@#1@linefill}{\hfill}%
    }{%
      \scr@ifundefinedorrelax{l@chapter}{%
```

```
          \ifstr{#1}{section}{%
            \@namedef{scr@tso@#1@linefill}{\hfill}%
          }{}
        }{}
        \expandafter\renewcommand%
        \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
      }%
    }%
  }{}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
  \ifstr{#1}{part}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
  }{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
      {\normalfont\normalcolor ##1}}%
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
    \hb@xt@\@pnumwidth{\hfil ##1}}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
}]{%
  \scr@dte@tocline{#1}{##1}{##2}%
}

```

122 File tocstyle-xetex-bidi.def

```
\ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package f
\renewcommand*{\tocstyle@dottedtocline}[5]{%
  \let\numberline\tocstyle@numberline
  \ifnum #1>\c@tocdepth \else
    \if@tocstyle@penalties
      \begingroup
        \@tempcnta 20010
        \advance \@tempcnta by -#1
        \ifnum \@tempcnta>\lastpenalty
          \aftergroup\penalty\aftergroup\@lowpenalty
        \fi
      \endgroup
    \fi
    \edef\tocstyledepth{#1}%
    \tocstyle@activate@features
    \ifx\tocstyle@feature@entryvskip\relax
      \vskip \z@ \@plus.2\p@
    \else
      \addvspace{\tocstyle@feature@entryvskip}%
    \fi
    {%
```

```
\parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
\tocstyle@feature@raggedhook
\@tempdima #3\relax
\@tempdimb #2\relax
\typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
\ifnum #1>\z@\relax
  \@tempcnta #1\relax \advance\@tempcnta \m@ne
  \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
    \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
      \@tempdimb
      \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
      \advance\@tempdimb
      \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
    \fi
  \fi
\fi
\typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
\ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
  \ifdim \@tempdimb>
  \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
    \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
    @#1\endcsname{\the\@tempdimb}%
  \fi
\else
  \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
  @#1\endcsname{\the\@tempdimb}%
\fi
\iftocstyle@autolength
  \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
    \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
    \relax
  \fi
  \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
    \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
    \relax
  \fi
  \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
  \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
\else
  \@tempdimb #2\relax
  \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
\fi
\ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
  \ifdim \@tempdima>
  \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
    \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
    @\endcsname{\the\@tempdima}%
  \fi
\else
  \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
```

```
      @\endcsname{\the\@tempdima}%
    \fi
    \ifcase\tocstyle@indentstyle\relax\else
      \@tempdimb \z@
      \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
        \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
        \relax
      \fi
      \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
      \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
    \fi
    \advance\parindent \@tempdimb\@afterindenttrue
    \advance\if@RTL\rightskip\else\leftskip\fi \parindent
    \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \ifx\tocstyle@feature@parfillskip\relax\else
      \advance\parfillskip \tocstyle@feature@parfillskip\relax
    \fi
    \interlinepenalty\@M
    \leavevmode
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
    \null\nobreak
    \iftocstyle@indentnotnumbered\else
      \hskip -\if@RTL\rightskip\else\leftskip\fi
    \fi
    \tocstyle@feature@entryhook
    {#4}\nobreak
    \ifx\tocstyle@feature@leaders\relax
      \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
        \mkern \@dotsep mu$}\hfill
    \else
      \tocstyle@feature@leaders
    \fi
    \nobreak
    \ifx\tocstyle@feature@pagenumberbox\relax
      \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
    \else
      \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
    \fi
    \par
  }%
  \if@tocstyle@penalties
    \bgroup
      \@tempcnta 20009
      \advance\@tempcnta by -#1
      \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
    \reserved@a
  \fi
\fi}
```

```
\renewcommand*{\tocstyle@numberline}[1]{%
  \begingroup
    \ifx\tocstyle@feature@spaceafternumber\relax
      \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
    \else
      \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
      \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
    \fi
    \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
      \ifdim \@tempdima >
      \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
        \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
        @\tocstyledepth\endcsname{\the\@tempdima}%
      \fi
    \else
      \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
      @\tocstyledepth\endcsname{\the\@tempdima}%
    \fi
  \endgroup
  \iftocstyle@indentnotnumbered
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \ifcase \tocstyle@indentstyle
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \or
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \else
    \ifx\tocstyle@feature@spaceafternumber\relax
      \hbox{\tocstyle@@numberline{#1}\enskip}%
    \else
      \hbox{\tocstyle@@numberline{#1}\hskip
        \tocstyle@feature@spaceafternumber\relax}%
    \fi
  \fi
}
\AtBeginDocument{%
  \ifcsname l@part\endcsname
    \ifcsname l@chapter\endcsname
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{-1}}{}}%
    \else
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{0}}{}}%
    \fi
  \fi
  \ifcsname l@chapter\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
  \fi
  \ifcsname l@section\endcsname
```

```
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@section{\tocstyle@l@define{section}{1}}{}}%
  \fi
  \ifcsname l@subsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
  \fi
  \ifcsname l@subsubsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
  \fi
  \ifcsname l@paragraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
  \fi
  \ifcsname l@subparagraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
  \fi
  \ifcsname l@table\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@table{\tocstyle@l@define{table}{1}}{}}%
  \fi
  \ifcsname l@figure\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@figure{\tocstyle@l@define{figure}{1}}{}}%
  \fi
  \def\@tempa#1#2#3#4#5{%
    \ifnum #1>\c@tocdepth \else
      \vskip \z@ \@plus.2\p@
      {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
       \parindent #2\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima #3\relax
       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
       {#4}\nobreak
       \leaders\hbox{$\m@th
          \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
          mu$}\hfill
       \nobreak
       \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
       \par}%
    \fi}%
  \ifx\@dottedtocline\@tempa\else
    \tocstyle@macrochangewarning\@dottedtocline
  \fi
  \let\tocstyle@saved@dottedtocline\@dottedtocline
  \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
  \ifx\numberline\@tempa\else
```

```
    \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
    \ifx\numberline@tempa\else
      \tocstyle@macrochangewarning\numberline
    \fi
  \fi
  \let\tocstyle@saved@numberline\numberline
}
\renewcommand*{\tocstyle@l@define}[2]{%
  \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
  \edef\@tempa{%
    \noexpand\global\noexpand\let
    \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
    \expandafter\noexpand\csname l@#1\endcsname
    \noexpand\gdef
    \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
      \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
    \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
      \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
      \expandafter\noexpand\csname tocstyle@l@#1\endcsname
    }%
  }%
  \PackageInfo{tocstyle}{prepare \expandafter\string
    \csname l@#1\endcsname\space for redefinition}%
  \@tempa
}
```

123 File todonotes-xetex-bidi.def

```
\ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package
\newif\if@bidi@todonotes@textdirection@RTL
\newif\if@bidi@todonotes@figposition@right
\newcommand{\@bidi@todonotes@align}{}%
\define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
\newcommand{\@bidi@todonotes@textdirection}{}%
\define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@textdirection@RTLtrue
    \let\@bidi@todonotes@textdirection\RLE
  \or
    \@bidi@todonotes@textdirection@RTLfalse
    \let\@bidi@todonotes@textdirection\LRE
  \fi}
\define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,le
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@figposition@righttrue
  \or
    \@bidi@todonotes@figposition@rightfalse
  \fi}
\if@todonotes@disabled%
\else % \if@todonotes@disabled
```

```
\renewcommand{\@todonotes@drawInlineNote}{%
    \if@todonotes@dviStyle%
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
            \if@todonotes@authorgiven%
                {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
            \else%
                {\noindent \@todonotes@sizecommand \@todonotes@text}%
            \fi
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
    \else%
        {\par\noindent\begin{tikzpicture}[remember picture]%
           \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
            \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@ali
                \if@todonotes@authorgiven%
                    {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
                \else%
                    {\noindent \@todonotes@sizecommand \@todonotes@text}%
                \fi};%
            \end{tikzpicture}\par}%
    \fi}%
\renewcommand{\@todonotes@drawMarginNoteWithLine}{%
\begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
    \node [coordinate] (inText) {};%
\end{tikzpicture}%
\marginpar[{% Draw note in left margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
}]{% Draw note in right margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
}%
}%
\renewcommand{\@todonotes@drawMarginNote}{%
\if@todonotes@dviStyle%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] {};%
    \end{tikzpicture}\\%
    \begin{minipage}{\@todonotes@textwidth}%
    \if@todonotes@authorgiven%
      \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
    \else%
      \@todonotes@sizecommand \@todonotes@text%
    \fi%
    \end{minipage}\\%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] (inNote) {};%
    \end{tikzpicture}%
\else%
```

```
    \let\originalHbadness\hbadness%
    \hbadness 100000%
    \begin{tikzpicture}[remember picture,baseline=(X.base)]%
       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
        \node(X){\vphantom{X}};%
        \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
            {\@todonotes@text};%
        \if@todonotes@authorgiven%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todono
                {\@todonotes@sizecommand\@todonotes@author};%
            \node(Y)[below=of X]{};%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todono
                {\@todonotes@text};%
        \else%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todono
                {\@todonotes@text};%
        \fi%
    \end{tikzpicture}%
    \hbadness \originalHbadness%
\fi}%
\renewcommand{\missingfigure}[2][]{%
\setkeys{todonotes}{#1}%
\addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
\par
\noindent
\begin{tikzpicture}
\draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
    (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
\if@bidi@todonotes@figposition@right%
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw[red, fill=white, rounded corners = 5pt, line width=10pt]
    (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=-3.8cm]
\fi%
\if@bidi@todonotes@textdirection@RTL\setRTL\fi%
\draw (2, -0.3) node[right, text
    width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
\draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
\if@bidi@todonotes@figposition@right%
\end{scope}
\fi%
\end{tikzpicture}\hfill
```

```
}% Ending \missingfigure command
\fi % Ending \@todonotes@ifdisabled
\presetkeys%
    {todonotes}%
    {align=left,%
    textdirection=lefttoright,%
    figposition=left}{}%
```

124 File wrapfig-xetex-bidi.def

```
\ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
\let\WF@@everypar\bidi@n@everypar
\def\WF@putfigmaybe{%
\ifinner
  \vskip-\parskip \global\WF@floatfalse
  \let\pagetotal\maxdimen % kludge flag for "not top of page"
\else % outer page
  \@tempdima\pagedepth % save page depth
   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
   \penalty\interlinepenalty % update pg. parameters
   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
      \global\WF@floatfalse
      \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
   \else
      \ifdim\WF@size>\@tempdimb
         \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
         \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
         \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
         \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
         \advance\dimen@.5\baselineskip
         \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
            \global\WF@floatfalse \pagebreak
         \fi
      \else % \WF@info{Fits in \the\@tempdimb;}%
         \global\WF@floatfalse
   \fi\fi
   \vskip\@tempdima\relax % (return erased page depth)
\fi
\noindent
\ifWF@float
  \WF@fltmes
\else % putting here;
  \WF@info{Put \WF@wfname here:}%
  {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
    \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
    \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
  \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
   \@tempdima\wd\WF@box \@tempdimb\WF@ovh
   \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
```

```
  \@tempdimb\hsize \advance\@tempdimb-\@tempdima
  \xdef\WF@adjlw{\the\@tempdima}%
  \ifnum `l=\WF@place % fig on left
   \if@RTL%
    \kern\@tempdimb \kern\columnsep
   \def\@tempa{\hss}% position to left of the gap
    \else%
   \hss % figure overlaps space to the left
   \def\@tempa{\kern\columnsep}% position to left of the gap
   \fi%
  \else  %  fig on right
   \if@RTL%
    \hss
     \@tempdima\z@
     \def\@tempa{\kern\columnsep}
    \else%
   \@tempdima\z@ % no left indentation
   \kern\@tempdimb \kern\columnsep
   \def\@tempa{\hss}% figure overlaps space to the right
   \fi%
  \fi
  \ifdim\@tempdimb<\hsize
   \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
   \xdef\WF@adjtlm{\the\@tempdima}%
  \else
   \xdef\WF@wrapil{\z@ \the\hsize}%
   \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
  \fi
  \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
   \global\advance\WF@size-\intextsep
  \else % \WF@info{Putting \WF@wfname in middle of page}%
   \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
  \fi \dp\WF@box\z@ \box\WF@box \@tempa
 }% end \hbox to 0pt
 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
\fi}
```

125 File xcolor-xetex-bidi.def

```
\ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for X
\long\def\color@b@x#1#2#3%
 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
  \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
  \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
  \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
  {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\
\DeclareRobustCommand\color
 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@undeclaredcolor[#1]#2%
```

```
{\begingroup
 \let\@@cls\@empty
 \XC@getmodclr12{#1}{#2}{}%
  {\ifblendcolors
     \ifx\colorblend\@empty\else
       \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
       \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
     \fi
   \fi
   \ifconvertcolorsU
     \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
     \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
   \fi
   \ifmaskcolors
     \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
     \let\@@mod\XC@mmod
     \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
     \expandafter\XC@mul\@@tmp,\@@clr
   \fi
   \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
   \expandafter\endgroup\@@tmp}}
\def\@declaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@declaredcolor\else
    \expandafter\XC@declaredc@lor\fi}
\def\XC@undeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\XC@declaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor
 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
```

```
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\XC@bidiundeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}}
\def\@bidideclaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@bidideclaredcolor\else
    \expandafter\XC@bidideclaredc@lor\fi}
\def\XC@bidideclaredcolor
 {\XC@split\XC@@tmp
  \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
  \expandafter\endgroup\@@tmp}
\def\XC@bidideclaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3#{\protect\color@fb@x{#1}{#2}{#3}}
\def\color@fb@x#1#2#3#4%
 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
   {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\
```

126 File latex-xetex-bidi.def

```
\ProvidesFile{latex-xetex-bidi.def}[2018/02/22 v1.3.3 bidi adaptations  for `latex.ltx' for Xe
\newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
\newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
\TeXXeTOn
```

```
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \@RTLtabtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \@RTLtabfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
\newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
```

```
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\let\@@LaTeX\LaTeX
\def\LaTeX{\@ensure@LTR{\@@LaTeX}}
\let\@@LaTeXe\LaTeXe
\def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
  \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
\@ifpackageloaded{array}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
  \leavevmode
  \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                        \let\d@llarend\endgroup
  \@tabarray}
\def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
   \leavevmode \hbox \bgroup
   $\left.\let\@acol\@tabacol
   \let\@classz\@tabclassz
```

```
    \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}

\def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup\right\rbrace $\egroup}}
\def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
    \ialign{$##\hfil$&\quad{##}\hfil\crcr#1\crcr}}\,\right\}}
\renewenvironment{RTLcases}{%
  \bidi@matrix@check\RTLcases\env@RTLcases
}{%
  \endbidi@tabular@RTLcases%
}
\def\env@RTLcases{%
  \let\@ifnextchar\bidi@new@ifnextchar
  \def\arraystretch{1.2}%
  \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
}
\def\SepMark#1{\gdef\@SepMark{#1}}
\SepMark{.}
\def\@thmcountersep{\@SepMark}
\def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
\def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
\def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
\newcommand*{\bidi@@thebibliography@font@hook}{}
\def\list#1#2{%
  \ifnum \@listdepth >5\relax
    \@toodeep
  \else
    \global\advance\@listdepth\@ne
  \fi
  \rightmargin\z@
  \listparindent\z@
  \itemindent\z@
  \csname @list\romannumeral\the\@listdepth\endcsname
  \def\@itemlabel{#1}%
  \let\makelabel\@mklab
  \@nmbrlistfalse
  #2\relax
  \@trivlist
  \parskip\parsep
  \parindent\listparindent
  \advance\linewidth -\rightmargin
  \advance\linewidth -\leftmargin
  \if@bidi@list@minipage@parbox
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi
  \else
  \if@hboxRconstruct
```

```
  \if@bidi@list@minipage@parbox@not@nob
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi
  \else
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi\fi
  \else
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi\fi\fi
  \parshape \@ne \@totalleftmargin \linewidth
  \ignorespaces}
\long\def\@iiiparbox#1#2[#3]#4#5{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct
    \@bidi@list@minipage@parbox@not@nobtrue
  \fi
  \if@RTL
    \ifx#1t%
      \@bidi@list@minipage@parboxtrue
    \else
      \ifx#1b%
        \@bidi@list@minipage@parboxtrue
      \fi
    \fi
  \fi
  \setlength\@tempdima{#4}%
  \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
    \ifx\relax#2\else
      \setlength\@tempdimb{#2}%
      \edef\@parboxto{to\the\@tempdimb}%
    \fi
    \if#1b\vbox
    \else\if #1t\vtop
    \else\ifmmode\vcenter
    \else\@pboxswtrue $\vcenter
    \fi\fi\fi
    \@parboxto{\let\hss\vss\let\unhbox\unvbox
       \csname bm@#3\endcsname}%
    \if@pboxsw \m@th$\fi
  \@end@tempboxa}
```

```
\def\bidi@lrbox#1{%
  \edef\reserved@a{%
    \endgroup
    \setbox#1\hbox{%
      \begingroup\aftergroup}%
        \def\noexpand\@currenvir{\@currenvir}%
        \def\noexpand\@currenvline{\on@line}}%
  \reserved@a
    \@endpefalse
    \color@begingroup
      \ignorespaces}
\def\endbidi@lrbox{\unskip\color@endgroup}
\newenvironment{LTRitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{LTRbibitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLbibitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\def\raggedright{%
  \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
```

```
  \leftskip\z@skip
  \parindent\z@\parfillskip\z@skip}
\let\bidi@orig@raggedleft\raggedleft
\let\bidi@orig@raggedright\raggedright
\renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcons
\renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcons
\newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\def\centerline#1{%
\if@RTL\@@line{\hss\beginR#1\endR\hss}
\else\@@line{\hss#1\hss}\fi}
\def\leftline#1{%
\if@RTL\@@line{\beginR#1\endR\hss}
\else\@@line{#1\hss}\fi}
\def\rightline#1{%
\if@RTL\@@line{\hss\beginR#1\endR}
\else\@@line{\hss#1}\fi}
\let\bidi@orig@leftline\leftline
\let\bidi@orig@rightline\rightline
\def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\if
\def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\i
\def\bidirlap#1{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
\def\bidillap#1{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
\def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
      \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
\def\narrower{%
  \advance\if@RTL\rightskip\else\leftskip\fi\parindent
  \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
\def\underline#1{%
  \relax
  \ifmmode\@@underline{#1}%
  \else
\if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
\else
$\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
\if@compatibility
   \let\undertext=\underline
\fi
\def\@tabular{%
   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup $\if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endtabular*\endcsname = \endtabular
\def\@array[#1]#2{%
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
  \bgroup
  \setbox\@arstrutbox\hbox{%
```

```
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\par\@empty
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
    \ifhmode \@preamerr\z@ \@@par\fi
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
\def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
 \let\@classiv\@arrayclassiv
 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
    \ifnum \@lastchclass=3 5 \else
     \z@ \if #1c\@chnum \z@ \else
                               \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                               \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
          \@chclass \if #1|\@ne \else
                    \if #1@\tw@ \else
                    \if #1p3 \else \z@ \@preamerr 0\fi
  \fi  \fi  \fi  \fi  \fi  \fi
\fi}
\def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
\def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
\def\bm@t{\unhbox\@tempboxa\hss}
\def\bm@b{\hss\unhbox\@tempboxa}
\def\@dottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {#4}\nobreak
     \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
        mu$}\hfill
     \nobreak
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
     \par}%
  \fi}
```

```
20672
20673 \newcount\bidi@column@check@number
20674
20675 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
20676
20677 \def\bidi@set@column@status#1#2{%
20678   \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
20679
20680 \if@twocolumn
20681 \newcommand\DetectColumn[3][1]{%
20682  \ifx\bidi@firstcolumn@status@write\relax
20683     \PackageError{bidi}%
20684      {Option 'DetectColumn' not selected}%
20685      {\string\DetectColumn\space
20686       requires the use of the 'DetectColumn'
20687       option on the package}%
20688  \fi
20689  \global\advance\bidi@column@check@number\@ne
20690  \edef\bidi@column@type{\expandafter\ifx
20691                \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
20692                   0\else
20693                   \csname bidi@column-\the\bidi@column@check@number\endcsname
20694                \fi}%
20695  \ifcase \bidi@column@type\relax
20696     \ifcase #1\or #2\or#3\fi   % 0 not known use first column as default
20697  \or
20698     #2%  % 1 First column
20699  \or
20700     #3%  % 2 Second (Last column)
20701  \else
20702    \ERROR
20703  \fi
20704  \edef\next{\write\@auxout
20705     {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
20706                                {\bidi@column@type}}}%
20707  \next
20708 }
20709
20710 \AtEndDocument{\def\bidi@set@column@status#1#2{%
20711      \ifnum #2=\bidi@current@column@status\else
20712        \@tempswatrue
20713      \fi}%
20714 }
20715 \fi
20716
20717 \def\RTL@outputdblcol{%
20718   \if@firstcolumn
20719     \global\@firstcolumnfalse
20720     \global\setbox\@leftcolumn\copy\@outputbox
20721     \splitmaxdepth\maxdimen
```

```
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
```

```
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
\newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
\newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
\def\LTRmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
```

```
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRxmpar\@LTRympar}
\long\def\@LTRxmpar[#1]#2{%
  \@LTRsavemarbox\@marbox{#1}%
  \@LTRsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRympar#1{%
  \@LTRsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLxmpar\@RTLympar}
```

```
\long\def\@RTLxmpar[#1]#2{%
  \@RTLsavemarbox\@marbox{#1}%
  \@RTLsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLympar#1{%
  \@RTLsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
    \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
    \if@twocolumn
        \if@firstcolumn \@tempcnta\m@ne \fi
    \else
      \if@mparswitch
         \ifodd\c@page \else\@tempcnta\m@ne \fi
      \fi
      \if@reversemargin \@tempcnta -\@tempcnta \fi
    \fi
    \ifnum\@tempcnta <\z@  \global\setbox\@marbox\box\@currbox \fi
    \@tempdima\@mparbottom
    \advance\@tempdima -\@pageht
    \advance\@tempdima\ht\@marbox
    \ifdim\@tempdima >\z@
      \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
    \else
      \@tempdima\z@
    \fi
    \global\@mparbottom\@pageht
    \global\advance\@mparbottom\@tempdima
    \global\advance\@mparbottom\dp\@marbox
    \global\advance\@mparbottom\marginparpush
```

```
    \advance\@tempdima -\ht\@marbox
    \global\setbox \@marbox
                   \vbox {\vskip \@tempdima
                          \box \@marbox}%
    \global \ht\@marbox \z@
    \global \dp\@marbox \z@
    \kern -\@pagedp
    \nointerlineskip
    \hb@xt@\columnwidth
      {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\f
          \hskip\columnwidth \hskip\marginparsep
       \else
          \hskip -\marginparsep \hskip -\marginparwidth
       \fi
       \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\el
    \nointerlineskip
    \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
\long\def\@ympar#1{%
  \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
\def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
\def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
\def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
\hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
\fi}

\newcommand*{\bidi@font@@outputpage}{}

\def\@outputpage{%
\begingroup           % the \endgroup is put in by \aftergroup
  \let \protect \noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse
  \@parboxrestore
  \global\let\bidi@BeforeOutputPageShipOut\@firstofone
  \bidi@beforeoutputpageshipouthook
  \shipout \vbox{%
    \set@typeset@protect
    \aftergroup \endgroup
    \aftergroup \set@typeset@protect
                                % correct? or just restore by ending
                                % the group?
  \if@specialpage
```

```
20972   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
20973 \fi
20974 \if@twoside
20975   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
20976      \if@RTLmain
20977         \let\@themargin\evensidemargin
20978       \else
20979         \let\@themargin\oddsidemargin
20980       \fi
20981   \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
20982      \if@RTLmain
20983        \let\@themargin\oddsidemargin
20984      \else
20985        \let\@themargin\evensidemargin
20986      \fi
20987   \fi
20988   \ifx\@thehead\@empty \let\@thehead\hfil \fi
20989   \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
20990   \else %% not @twoside
20991   \ifx\@oddhead\@empty \let\@thehead\hfil \fi
20992   \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
20993 \fi
20994 \reset@font
20995 \normalsize
20996 \bidi@font@@outputpage
20997 \normalsfcodes
20998 \let\label\@gobble
20999 \let\index\@gobble
21000 \let\glossary\@gobble
21001 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
21002   \@begindvi
21003   \vskip \topmargin
21004   \moveright\@themargin \vbox {%
21005     \global\let\bidi@BeforeHeader\@firstofone
21006     \bidi@beforeheaderhook
21007     \setbox\@tempboxa \vbox to\headheight{%
21008       \vfil
21009       \color@hbox
21010         \normalcolor
21011         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@R
21012       \color@endbox
21013       }%                        %% 22 Feb 87
21014     \dp\@tempboxa \z@
21015     \box\@tempboxa
21016     \vskip \headsep
21017     \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
21018     \bidi@beforeoutputboxoutputpagehook
21019     \box\@outputbox
21020     \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
21021     \bidi@afteroutputboxoutputpagehook
```

```
      \ifvoid\@bidi@copyins@
      \else
        \vskip\skip\@bidi@copyins@
        \unvbox\@bidi@copyins@
      \fi
      \global\let\bidi@BeforeFooter\@firstofone
      \bidi@beforefooterhook
      \baselineskip \footskip
      \color@hbox
        \normalcolor
        \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTL
      \color@endbox
      \global\let\bidi@AfterFooter\@firstofone
      \bidi@afterfooterhook
      }%
    }%
  \global\let\bidi@AfterOutputPageShipOut\@firstofone
  \bidi@afteroutputpageshipouthook
  \global\let\if@newlist\@@if@newlist
  \global \@colht \textheight
  \stepcounter{page}%
  \let\firstmark\botmark
  \global\let\bidi@AtEndOutputPage\@firstofone
  \bidi@atendoutputpagehook
}
\long\def\@makecaption#1#2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{#1: #2}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
  \fi
  \vskip\belowcaptionskip}
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\@ifpackageloaded{amsmath}{}{
\def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
}
\input{footnote-xetex-bidi.def}
\if@twocolumn
  \let\autofootnoterule\relax
  \let\leftfootnoterule\relax
  \let\rightfootnoterule\relax
  \textwidthfootnoterule
\fi
\if@bidi@csundef{@idxitem}{}{%
```

```
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
}
\@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
\@ifclassloaded{article}{\@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}
\@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
\@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
\@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
\@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
\@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
\@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
\@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
\@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
\@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
\@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
\@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
\@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
\@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
\@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
\@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
\@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
\@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
\@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
\@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
\@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
\@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
\@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
\@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
\@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
\@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
\@ifpackageloaded{amsmath}{}{%
\@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
\@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
}
\@ifpackageloaded{mathtools}{%
  \RequirePackage{graphicx}%
  \input{mathtools-xetex-bidi.def}%
  }{}
\@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
\@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
\@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
\@ifpackagewith{algorithm2e}{algonl}{%
\renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Alg
}{}
\@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}
\@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
\@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
\@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
\@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
\@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
\@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
\@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
\@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
\@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
\@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}
\@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
\@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
\@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
\@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
\@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
\@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}
\@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
\@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}
\@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
\@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
\@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
\@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
\@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
\@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
\@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
\@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
\@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
\@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
\@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
\@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
\@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
\@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
\@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
\@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
\@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
\@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
\@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
\@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
\@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
\@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
\@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
\@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
\@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
\@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
\@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
\@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
\@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
\@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
\@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
\@ifpackagewith{sidecap}{innercaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
```

```
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
}{}
\@ifpackagewith{sidecap}{rightcaption}{%
  \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\fi%
}{}
\@ifpackagewith{sidecap}{leftcaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\fi%
}{}
\@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
\@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
\@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
\@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
\@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
\@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
\@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
\@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
\@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
\@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
\@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
\@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
\@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
\@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
\@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
\@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
\@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
\@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
\@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
\@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}
\@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}
\@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
\@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
```

127 File xltxtra-xetex-bidi.def

```
\ProvidesFile{xltxtra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxtra package for
\let\@@XeTeX\XeTeX
\def\XeTeX{\@ensure@LTR{\@@XeTeX}}
\let\@@XeLaTeX\XeLaTeX
\def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}
```

128 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\# .. 2921, 2967, 3076, 3084
\% 11454
\' 11574, 13570, 15470, 15484
\(..... 13671
\) 13672
\, ... 5118, 11708, 16050, 16093, 20036, 20047, 20427
\- 1737, 11573, 13569, 15469, 15483
\. 93, 306, 589, 721, 984, 1234, 1736, 6312, 6500, 6812, 8333, 8607, 10660, 12768, 14858, 15618, 16012, 16209, 16412, 16820, 17400, 18083, 18741
\/ 1971
\: 13713, 13772
\; 184, 203
\< 18378
\= 11574, 13570, 15470, 15484
\> 18379
\@ 2991
\@@ 18557, 18559
\@@@bidi@AfterClass 3804, 3809
\@@@bidi@AfterPackage 3849, 3853
\@@H@@footnotetext 8649, 8664
\@@H@@mpfootnotetext 8652, 8670
\@@HLTR@@LTRfootnotetext 8650, 8666
\@@HLTR@@mpLTRfootnotetext 8653, 8672
\@@HRTL@@RTLfootnotetext 8651, 8668
\@@HRTL@@mpRTLfootnotetext 8654, 8674
\@@LTR 15320, 15322, 20387, 20389
\@@LaTeX ... 20392, 20393
\@@LaTeXe .. 20394, 20395
\@@RTL 15319, 15322, 20386, 20389
\@@TeX 15323, 15324, 20390, 20391
\@@XeLaTeX . 21217, 21218
\@@XeTeX ... 21215, 21216
\@@author 5734, 5737, 5740
\@@bidi@AfterClass 3803, 3820
\@@bidi@AfterPackage 3848, 3863
\@@bidi@PreventPackageFromLoading ... 3894, 3896, 3898
\@@bidi@pop 3512, 3515, 3516, 3519, 3521
\@@bidi@popinto 3512, 3515, 3516
\@@clr .. 20231, 20236, 20239, 20241, 20242, 20244, 20274, 20279, 20282, 20284, 20285, 20287, 20306
\@@cls 20226, 20269
\@@date .. 5735, 5738, 5741
\@@end 3205, 3206
\@@endpbox ... 13445, 18454, 18492, 20629
\@@if@newlist . 10982, 11017, 20960, 21040
\@@input 3702, 3719
\@@italiccorr 346, 6856, 13550
\@@line 8912, 8916, 16438, 16447, 16485, 16496, 20581, 20582, 20584, 20585, 20587, 20588
\@@makecaption 16862, 16941, 16963, 17442, 17521, 17543, 18125, 18204, 18226
\@@makefnmark . 16584, 16586, 17133, 17135, 17703, 17704, 17832, 17834
\@@math 6847
\@@mix 20230, 20273
\@@mod .. 20231, 20235, 20236, 20239, 20240, 20241, 20244, 20274, 20278, 20279, 20282, 20283, 20284, 20287, 20306
\@@par .. 13568, 15468, 15482, 16045, 16088, 16567, 16574, 17116, 17123, 17689, 17694, 17815, 17822, 18666, 18668, 20508, 20635
\@@protect 2852
\@@startpbox .. 13444, 18454, 18492, 20629
\@@title . 5733, 5736, 5739
\@@tmp 20235, 20236, 20241, 20242, 20244, 20245, 20278, 20279, 20284, 20285, 20287, 20288, 20306, 20307
\@@underline 20602, 20604, 20606
\@DEBUGfalse 2251
\@False 6835, 6837

\@LTRbibitemsfalse 20441, 20443
\@LTRbibitemstrue 20442
\@LTRbidituftesidenote@sidenote . . . 5234, 5293, 5297
\@LTRbidituftesidenotemarginparreset 4869, 4876
\@LTRbidituftesidenotesavemarbox 4856, 4857, 4860, 4863
\@LTRbidituftesidenotexmpar 4854, 4855
\@LTRbidituftesidenoteympar 4854, 4859
\@LTRfootnotetext 64, 81, 155, 156, 157, 276, 294, 2107, 2229, 5163, 5246, 5253, 5969, 5980, 6193, 6207, 7805, 7806, 8650, 8665, 8666, 8720, 8776, 8784, 8928, 9079, 9223, 9374, 9525, 9676, 9827, 9978, 10129, 10322, 11240, 11246, 11290, 11316, 11374, 11399, 11405, 12207, 12235, 12314, 12333, 12527, 12531, 12551, 12552, 13505, 13626, 14749, 14750, 14751, 16549, 16555, 16868, 16869, 16879, 17098, 17104, 17448, 17449, 17459, 17797, 17803, 18131, 18132, 18142, 18523, 18540, 18632
\@LTRmarginparfalse 20943, 20945
\@LTRmarginparreset 20842, 20849
\@LTRmarginpartrue 20944
\@LTRsavemarbox 20829, 20830, 20833, 20836
\@LTRxmpar . 20827, 20828
\@LTRympar . 20827, 20832
\@M . 6, 92, 105, 211, 235, 557, 561, 625, 626, 650, 754, 877, 932, 933, 1006, 1126, 1127, 1133, 1256, 2034, 2039, 5465, 6233, 6234, 6240, 6354, 6410, 6411, 6417, 6531, 6581, 6776, 6784, 6851, 8300, 8313, 8570, 8579, 8912, 8916, 10626, 10634, 10955, 12767, 12781, 12805, 14614, 14626, 14638, 15408, 15516, 15517, 15541, 15651, 15790, 15913, 15966, 15967, 16028, 16029, 16383, 16391, 18548, 18652, 18693, 18827, 18858, 18881, 18898, 18915, 18932, 18949, 18966, 18984, 19003, 19023, 19058, 19391, 19852, 19966, 20660
\@MM . . . 41, 55, 71, 254, 268, 283, 7803, 7824, 7871, 7878, 7923, 7930, 8865, 11263, 11280, 11296
\@Mi 6847, 13519
\@Mii . 2182, 4797, 4841, 4885, 7326, 7335, 7345, 7500, 7509, 7519, 20814, 20858
\@Miii 2184, 4799, 4843, 4887, 20816, 20860
\@RTL@footnotefalse . . . 1680, 11083, 11250, 15303, 15308, 20370, 20375
\@RTL@footnotetrue . . . 1678, 11083, 11249, 15305, 15307, 20372, 20374
\@RTLbibitemsfalse 20442, 20443
\@RTLbibitemstrue 20441
\@RTLbidituftesidenote@sidenote . . . 5263, 5294, 5298
\@RTLbidituftesidenotemarginparreset 4913, 4920
\@RTLbidituftesidenotesavemarbox 4900, 4901, 4904, 4907
\@RTLbidituftesidenotexmpar 4898, 4899
\@RTLbidituftesidenoteympar 4898, 4903
\@RTLcolumnfootnotesfalse 8792
\@RTLcolumnfootnotestrue 8791
\@RTLfalse 36, 66, 87, 249, 278, 300, 575, 710, 973, 1223, 1638, 1644, 1662, 2477, 6301, 6489, 6798, 6817, 6829, 6842, 8322, 8593, 8690, 8722, 8737, 8750, 8940, 8950, 8985, 8997, 9091, 9100, 9133, 9144, 9235, 9245, 9280, 9292, 9386, 9396, 9431, 9443, 9537, 9547, 9581, 9593, 9688, 9698, 9732, 9744, 9839, 9849, 9884, 9896, 9990, 10000, 10035, 10047, 10141, 10151, 10186, 10198, 10296, 10307, 10649, 11258, 11291, 11334, 11348, 12762, 13059,

13082, 13086, 13093, 13102, 13559, 14367, 14849, 15019, 15067, 15265, 15299, 15303, 15308, 15357, 15607, 16001, 16195, 16398, 16798, 17378, 18061, 18727, 20328, 20363, 20370, 20375, 20535, 20553, 20940, 21011, 21032
\@RTLfootnotetext 48, 80, 159, 160, 161, 261, 293, 2108, 2230, 5181, 5275, 5282, 5970, 5981, 6194, 6208, 7826, 7827, 8651, 8667, 8668, 8704, 8777, 8785, 8929, 9080, 9224, 9375, 9526, 9677, 9828, 9979, 10130, 10323, 11231, 11237, 11274, 11315, 11375, 11414, 11420, 12206, 12224, 12299, 12334, 12526, 12530, 12548, 12549, 13506, 13627, 14753, 14754, 14755, 16550, 16559, 16870, 16871, 16881, 17099, 17108, 17450, 17451, 17461, 17798, 17807, 18133, 18134, 18144, 18524, 18541, 18633
\@RTLmainfalse . 1588, 1592, 1800, 1804
\@RTLmaintrue . 1591, 1803
\@RTLmarginparfalse 20944, 20945
\@RTLmarginparreset 20886, 20893
\@RTLmarginpartrue 20943
\@RTLsavemarbox 20873, 20874, 20877, 20880
\@RTLtabfalse . . 412, 1570, 1650, 20364, 20370, 20375, 20535, 20553, 20640
\@RTLtabtrue 1569, 1648, 20355, 20372, 20374, 20411, 20418, 20544, 20562
\@RTLtrue 36, 50, 87, 249, 263, 300, 575, 710, 973, 1223, 1636, 1642, 1660, 2477, 6301, 6489, 6798, 6856, 6858, 8322, 8593, 8690, 8706, 8737, 8763, 8940, 8960, 8985, 9010, 9091, 9109, 9133, 9156, 9235, 9255, 9280, 9305, 9386, 9406, 9431, 9456, 9537, 9557, 9581, 9606, 9688, 9708, 9732, 9757, 9839, 9859, 9884, 9909, 9990, 10010, 10035, 10060, 10141, 10161, 10186, 10211, 10296, 10307, 10649, 11258, 11275, 11320, 11348, 12762, 13059, 13082, 13093, 13102, 13562, 14367, 14849, 15266, 15291, 15305, 15307, 15607, 16001, 16195, 16398, 16798, 17378, 18061, 18727, 20329, 20354, 20372, 20374, 20544, 20562, 20940, 21011, 21032
\@RTLxmpar . 20871, 20872
\@RTLympar . 20871, 20876
\@SepMark 19, 20, 21, 22, 168, 224, 225, 226, 227, 344, 353, 549, 550, 551, 552, 703, 704, 705, 706, 957, 958, 959, 960, 1216, 1217, 1218, 1219, 6327, 6328, 6329, 6330, 6331, 6333, 6335, 6337, 6504, 6505, 6506, 6507, 6508, 6510, 6512, 6514, 6755, 6757, 6759, 6761, 6762, 6763, 6764, 6765, 8433, 8434, 8435, 8436, 8549, 8551, 8553, 8555, 8556, 8557, 8558, 8559, 10752, 10753, 10754, 10755, 10756, 10758, 10760, 10762, 10922, 10928, 11053, 11055, 11057, 11059, 11060, 11061, 11062, 11063, 11066, 11068, 11070, 11072, 11073, 11074, 11075, 11076, 12818, 12819, 12820, 12821, 13119, 14254, 14256, 14258, 14260, 14262, 14263, 14265, 14266, 14267, 14892, 14900, 14902, 15622, 15623, 15624, 15625, 15626,

15628, 15630, 15632, 15987, 15988, 15989, 15990, 15991, 15993, 15995, 15997, 16182, 16184, 16186, 16187, 16188, 16189, 16190, 16191, 16364, 16366, 16368, 16370, 16371, 16372, 16373, 16374, 16772, 16773, 16775, 16777, 16779, 17320, 17323, 17325, 17329, 17331, 17333, 17335, 17339, 17341, 17347, 17349, 17355, 17357, 18019, 18021, 18024, 18026, 18028, 18030, 18033, 18037, 18041, 18801, 19045, 20438, 20440, 21114
\@True ... 6830, 6836, 6868
\@Undottedtocline 14621
\@Undottedtoclinep 14633
\@acci 11574, 13570, 15470, 15484
\@accii 11574, 13570, 15470, 15484
\@acciii 11574, 13570, 15470, 15484
\@acol 1440, 1448, 2116, 13441, 18438, 20420, 20612, 20638
\@acolampacol .. 1438, 1440, 1446, 1448
\@addamp 1439, 1447
\@addfield 20949
\@addmarginpar ... 20899
\@address 2369, 7660, 7661, 7758, 7760
\@addresscolour 2338, 2355, 7659, 7757
\@addtofilelist 3702, 3718
\@addtopreamble 1411, 1474, 6929
\@addtoreset 342, 10925, 14890, 14896, 14898
\@addviper 7273
\@afterheading 571, 2017, 2027, 8310, 8318, 13582
\@afterindentfalse .. 2017, 2027, 13581
\@afterindenttrue . .. 650, 877, 1133, 5464, 6240, 6417, 14613, 14625, 14637, 15541, 15913, 18826, 18857, 18880, 18897, 18914, 18931, 18948, 18965, 18983, 19002, 19022, 19057, 19390, 19845, 19965, 20659
\@algocf@finish ... 190
\@algocf@post@boxed 172
\@algocf@post@boxruled 174
\@algocf@pre@boxed 171
\@algocf@pre@boxruled 173
\@algocf@start 175
\@algoinsideskip 187, 191
\@algoskip 176, 199
\@ampacol 1438, 1446
\@arabic 168, 549, 550, 551, 552, 577, 584, 703, 704, 705, 706, 712, 719, 957, 958, 959, 960, 975, 982, 1216, 1217, 1218, 1219, 1225, 1232, 2489, 6303, 6310, 6327, 6328, 6329, 6330, 6331, 6333, 6335, 6337, 6491, 6498, 6504, 6505, 6506, 6507, 6508, 6510, 6512, 6514, 6755, 6757, 6759, 6760, 6761, 6762, 6763, 6764, 6765, 6800, 6807, 8324, 8331, 8433, 8434, 8435, 8436, 8549, 8551, 8553, 8554, 8555, 8556, 8557, 8558, 8559, 8595, 8602, 10651, 10658, 10752, 10753, 10754, 10755, 10756, 10758, 10760, 10762, 11053, 11055, 11057, 11058, 11059, 11060, 11061, 11062, 11063, 11066, 11068, 11070, 11071, 11072, 11073, 11074, 11075, 11076, 13119, 13121, 14254, 14256, 14258, 14260, 14262, 14265, 14266, 14267, 15609, 15616, 15622, 15623, 15624, 15625, 15626, 15628, 15630, 15632, 15987, 15988, 15989, 15990, 15991, 15993, 15995, 15997, 16003, 16010, 16182, 16184, 16186, 16187, 16188, 16189, 16190, 16191, 16197, 16204, 16364, 16366, 16368, 16369, 16370, 16371, 16372, 16373, 16374, 16400, 16407, 16773,

16775, 16777, 16779, 16801, 16817, 17327, 17329, 17331, 17333, 17335, 17343, 17351, 17359, 17381, 17397, 18022, 18024, 18026, 18028, 18030, 18034, 18038, 18042, 18064, 18080, 18729, 18736
\@argdef 2812
\@array 387, 408, 1373, 1374, 18475, 20618
\@arrayacol 20638
\@arrayclassiv . . . 20639
\@arrayclassz 1438, 18479, 20638
\@arraycr 407, 13450, 20640
\@arrayleft 400
\@arrayparboxrestore . 13508, 15465, 15479
\@arrayright 409
\@arrayrule 1393, 1394, 1395, 1431, 1432, 1433
\@arstdepth 18472, 18477, 18495
\@arstheight 18477, 18495
\@arstrut 397, 13464, 18453, 20628
\@arstrutbox . . . 390, 13452, 13509, 18446, 18487, 18491, 18495, 20621
\@author 431, 445, 481, 502, 765, 767, 785, 830, 849, 1017, 1019, 1037, 1082, 1101, 1267, 1269, 1287, 1332, 1352, 1363, 1916, 5666, 5668, 5737, 6365, 6367, 6385, 6542, 6544, 6562, 6637, 6651, 6687, 6708, 8360, 8372, 8406, 8425, 8455, 8469, 8505, 8526, 10679, 10691, 10725, 10744, 14223, 15662, 15664, 15682, 15727, 15746, 15801, 15803, 15823, 15870, 15892, 15903, 16059, 16073, 16114, 16135, 16246, 16260, 16296, 16317, 16641, 16704, 16755, 17190, 17253, 17304, 17889, 17952, 18003
\@auxout 1698, 1702, 6140, 20704
\@badmath . . 10887, 10901
\@begin@tempboxa 11717, 11813, 11820, 20508
\@begindvi . 10953, 21002
\@beginparpenalty 2030, 2039, 10890, 10904
\@bib@break 16793, 17373, 18056
\@biblabel . . 89, 302, 577, 578, 712, 713, 975, 976, 1225, 1226, 6303, 6304, 6491, 6492, 6800, 6801, 8324, 8325, 8595, 8596, 10651, 10652, 12764, 14851, 15609, 15610, 16003, 16004, 16197, 16198, 16400, 16401, 16801, 16803, 17381, 17383, 18064, 18066, 18729, 18730
\@bibsetup 14851
\@bibtitlestyle 84, 297, 12759
\@bidi@AfterClass 3804, 3825, 3830, 3837
\@bidi@AfterPackage 3849, 3868, 3872, 3879
\@bidi@EqualStringX . . . 3307, 3308, 3309
\@bidi@PreventPackageFromLoading . . . 3889, 3890, 3892
\@bidi@UnPreventPackageFromLoading . . . 3981, 3982, 3985
\@bidi@after@Hy@hyperfootnotes 8659, 8789, 8937, 9088, 9232, 9383, 9534, 9685, 9836, 9987, 10138, 10331
\@bidi@append@to@cslist . . . 3454, 3458, 3464
\@bidi@append@to@list 3458, 3460, 3462, 3465, 3472
\@bidi@before@Hy@hyperfootnotes 8645, 8782, 8926, 9077, 9221, 9372, 9523, 9674, 9825, 9976, 10127, 10320
\@bidi@copy@stacktop 3518, 3521
\@bidi@copyins@ 1603, 1604, 1605, 1606, 1607, 1815, 1816, 1817, 1818, 1819, 11009, 11011, 11012, 15332, 15334, 15335, 21022, 21024, 21025
\@bidi@emptytoks 2513, 2518, 2542
\@bidi@envbody 2512, 2514, 2516, 2517, 2518, 2538, 2540, 2541, 2542
\@bidi@fi 3388, 3389, 3390, 3391, 3395, 3396, 3400, 3401, 3405, 3406, 3411, 3412, 3416, 3417
\@bidi@ifnxtc 3355, 3358, 3359
\@bidi@info 1509, 1533, 1535, 1757, 1781, 1783

\@bidi@insLogo@ 1607, 1711, 1713, 1819, 1844, 1864
\@bidi@list@minipage@parbox@not@nobtrue 11363, 20496
\@bidi@list@minipage@parboxtrue . . 11364, 20500, 20503
\@bidi@logo 1615, 1631, 1827, 1843
\@bidi@logo@ 1607, 1631, 1713, 1819, 1843, 1844
\@bidi@logo@hb@xt@ 1608, 1631, 1820, 1843
\@bidi@lst@makecaption 13056, 13072, 13073, 13104, 13105, 13106, 13110, 13112
\@bidi@mdf@RTLtrue 13558
\@bidi@patch@AfterPackage 4174, 4177
\@bidi@pdfcreator 1582, 1746, 1845, 1855
\@bidi@pdfm@markfalse 1720, 1862
\@bidi@pdfm@marktrue 1718, 1861
\@bidi@pdfproducer 1585, 1747, 1848, 1856
\@bidi@prepend@to@cslist . . . 3456, 3504, 3506
\@bidi@removefromreset . . . 2639, 2640, 2642
\@bidi@replacefilewithext . . . 3766, 3770, 3773
\@bidi@saveprimitive 2500
\@bidi@tabular@RTLcases . 20409, 20411, 20418
\@bidi@todonotes@align 20012, 20013, 20045, 20086, 20089, 20092, 20095, 20120, 20125, 20126
\@bidi@todonotes@figposition@leftfalse 20027
\@bidi@todonotes@figposition@righttrue 20025
\@bidi@todonotes@textdirection . . 20014, 20018, 20021, 20125, 20126
\@bidi@todonotes@textdirection@RTLfalse 20020
\@bidi@todonotes@textdirection@RTLtrue 20017
\@bidi@unreplacefilewithext . . . 3775, 3781, 3784
\@bidi@w@w 3437
\@bidi@ww 3431
\@bidideclaredcolor 6981, 6988, 20266, 20295
\@bidituftelTRsidenote@normalcite 5029, 5108, 5228, 5257, 5286, 5308, 5317, 5326
\@bidituftelRTLsidenote@normalcite 5048, 5109, 5229, 5258, 5287, 5309, 5318, 5327
\@bidituftefloat@caption 4402, 4435
\@bidituftefloat@caption@box@ 4394, 4459, 4470, 4471, 4494, 4729, 4734
\@bidituftefloat@caption@fill 4343, 4352, 4353, 4734
\@bidituftefloat@caption@fwbb 4308, 4309, 4363, 4560, 4731, 4737, 4750
\@bidituftefloat@caption@justification . . . 4250, 4366, 4560
\@bidituftefloat@caption@vertical@offset 4397, 4398, 4406, 4470, 4471, 4498
\@bidituftefloat@checkoddpage 4325, 4422
\@bidituftefloat@figure@box 4393, 4452, 4470, 4471, 4493
\@bidituftefloat@float@contents 4414, 4450, 4451, 4453
\@bidituftefloat@float@debug 4383, 4389, 4391, 4392, 4424, 4425, 4428, 4430, 4431, 4508, 4515, 4522, 4523, 4526, 4527
\@bidituftefloat@float@debug@info 4382, 4384, 4385, 4386, 4483, 4490
\@bidituftefloat@float@fullwidth 4470, 4518
\@bidituftefloat@float@textwidth 4471, 4500
\@bidituftefloat@fps 4412, 4427
\@bidituftefloat@fullwidth 4342, 4348, 4349, 4350, 4450
\@bidituftefloat@justification 4310
\@bidituftefloat@justification@autodetect 4250, 4380
\@bidituftefloat@label 4409, 4436
\@bidituftefloat@margin@floatbox . . . 4358, 4361, 4372
\@bidituftefloat@margin@par 4280, 4367
\@bidituftefloat@marginfont 4307, 4308
\@bidituftefloat@orig@caption . . . 4433, 4461, 4491
\@bidituftefloat@orig@endfloat . . . 4396, 4474, 4725
\@bidituftefloat@orig@float . . . 4395, 4448, 4724
\@bidituftefloat@orig@label . . . 4434, 4442, 4462, 4492
\@bidituftefloat@overhang 4341, 4345, 4346, 4544, 4545, 4584, 4585
\@bidituftefloat@pkgname . . . 4225, 4226, 4228
\@bidituftefloat@stored@caption 4400, 4407, 4461, 4496
\@bidituftefloat@stored@label 4401, 4410, 4462, 4478, 4480, 4497

\@bidituftefloat@stored@sho 4399, 4404, 4405, 4461, 4495
\@bidituftegeneralstructure@reset@par 5510, 5516
\@bidituftheading@newlinetospace 4566, 4575
\@bidituftheading@newlinetospace@it 4567, 4569
\@bidituftheading@orig@cr 4574, 4578
\@bidituftesidenote@LTRcitation@font . . . 4936, 4945, 5035
\@bidituftesidenote@LTRmarginfont 4927, 4930, 4933, 4936
\@bidituftesidenote@LTRmarginnote@font . . . 4933, 4942, 5314
\@bidituftesidenote@LTRsidenote@font 4930, 4939
\@bidituftesidenote@RTLcitation@font 4937, 4946
\@bidituftesidenote@RTLmarginfont 4928, 4931, 4934, 4937
\@bidituftesidenote@RTLmarginnote@font . . . 4934, 4943, 5323
\@bidituftesidenote@RTLsidenote@font 4931, 4940
\@bidituftesidenote@add@citation 5070, 5103
\@bidituftesidenote@check@multiple@sidenotes 5128, 5136
\@bidituftesidenote@citation@font 4935, 4944, 5016, 5054, 5082
\@bidituftesidenote@citation@justification 4949, 5083
\@bidituftesidenote@citations 5069, 5071, 5072, 5074, 5079, 5088, 5207, 5236, 5265, 5304, 5313, 5322
\@bidituftesidenote@infootnote@cite 5102, 5206, 5235, 5264, 5303, 5312, 5321
\@bidituftesidenote@justification@autodetect 4947, 4948, 4949, 4950
\@bidituftesidenote@marginnote@font 4951, 5084, 5151, 5169, 5181, 5305, 5314, 5323
\@bidituftesidenote@marginnote@it 4926, 4929, 4932, 4935
\@bidituftesidenote@marginnote@parcel . . . 4932, 4941, 5305
\@bidituftesidenote@marginnote@print@citations 4948, 5076, 5226, 5255, 5284, 5306, 5315, 5324
\@bidituftesidenote@normal@cite 5010, 5107, 5227, 5256, 5285, 5307, 5316, 5325
\@bidituftesidenote@print@citations 5076, 5226, 5255, 5284, 5306, 5315, 5324
\@bidituftesidenote@sidenote 5205, 5292, 5296
\@bidituftesidenote@sidenote@citations 5101
\@bidituftesidenote@sidenote@font 4929, 4938, 5114, 5115, 5118
\@bidituftesidenote@sidenote@justification 4947, 5114, 5115
\@bidituftesidenote@sidenote@vertical@offset 5202, 5203, 5209, 5211, 5225, 5234, 5238, 5240, 5246, 5253, 5267, 5269, 5275, 5282
\@bidituftesidenote@trim@b 4980, 4987
\@bidituftesidenote@trim@c . . . 4984, 4987, 4992
\@bidituftesidenote@trim@spaces 4969, 4972, 5021, 5023, 5040, 5042, 5059, 5061, 5091, 5093
\@bidituftesidenotemarginparreset 4825, 4832
\@bidituftesidenotesavemarbox 4812, 4816, 4819
\@bidituftesidenotexmpar 4810, 4811
\@bidituftesidenoteympar 4810, 4815
\@bidituftetoc@lof@line 5457, 5473
\@bidituftetoc@pkgname 5333, 5334
\@bidiundeclaredcolor . . . 6981, 6982, 20266, 20267, 20306
\@bscontmark 14246
\@bsmarkseries . . . 14227
\@bsmtitlempty . . . 14215
\@bsphack 2181, 4796, 4840, 4884, 20813, 20857
\@bsthanksheadpost 14229
\@bsthanksheadpre 14229
\@caption 4551, 14349, 14352
\@captionabovefalse . 16981, 17561, 18244
\@captionabovetrue . 16979, 17559, 18242
\@captype 2121, 2169, 2217, 4364, 14342, 14346, 14349, 16422, 16465
\@cclv 7838, 7895, 10538, 10539, 10562, 10572, 13523, 13528, 13540, 15326
\@cclvi 10338, 10340, 10455, 10457
\@centercr 5538, 15416, 15429, 15442, 18645, 18674, 20571
\@cftasnum . . . 18831, 18862, 18885, 18902, 18919, 18936, 18953, 18970, 18988, 19007, 19027, 19062
\@cftasnumb . . . 18832, 18863, 18886, 18903, 18920, 18937, 18954, 18971, 18989, 19008, 19028, 19063
\@cftbsnum . . . 18830, 18861, 18884,

18901, 18918, 18935, 18952, 18969, 18987, 19006, 19026, 19061
\@cftdopartfalse . 18804
\@cftdoparttrue 18807, 18811
\@cftl@subfig 18995
\@cftl@subtab 19015
\@chapapp . 6576, 6771, 8565, 10622, 16379
\@chapterlistsgap@off 14884
\@chapterlistsgap@on 14891, 14899
\@chclass . . 355, 367, 378, 1380, 1392, 1405, 1425, 1430, 18576, 18592, 18603, 20641, 20646
\@checkend 2531, 2555, 4059, 4060
\@chnum . 356, 363, 374, 1381, 1388, 1401, 1411, 1427, 1428, 1429, 1442, 1450, 1476, 6931, 18577, 18584, 18599, 20643, 20644, 20645
\@circlefnt 10781
\@classiv 2118, 13442, 18440, 20422, 20614, 20639
\@classx . 1408, 1467, 6925
\@classz 1408, 1467, 1501, 1502, 2117, 6925, 13442, 18439, 18479, 20421, 20613, 20638
\@cleartopmattertags 129, 12841
\@cliptoboxdim . . . 18606
\@clsextension 3773, 3784, 3800, 3810, 3819, 3822, 3831
\@clubpenalty 587, 6810, 8605, 16207, 16410, 18739
\@colht 7350, 7351, 7361, 7362, 7369, 7384, 7418, 7421, 7443, 7444, 7513, 7525, 7526, 7536, 7537, 7544, 7561, 7565, 10528, 10976, 13534, 13535, 14390, 14393, 14395, 14397, 14402, 14403, 14404, 14423, 14424, 14425, 14429, 14490, 14493, 14495, 14497, 14502, 14503, 14504, 14523, 14524, 14525, 14529, 21041
\@colourfalse 2281
\@colourgreenfalse 7578, 7676
\@colourgreentrue 7579, 7677
\@colourgreyfalse 7582, 7680
\@colourgreytrue 7583, 7681
\@colourorangefalse 7576, 7674
\@colourorangetrue 7577, 7675
\@colourredfalse 7580, 7678
\@colourredtrue 7581, 7679
\@colourtrue 2280
\@colroom 7339, 7362, 7365, 7367, 7368, 7537, 7540, 7542, 7543, 7838, 7895, 13534, 13543
\@combinedblfloats 7194, 7253, 10840, 10876, 10957, 11636, 11688, 14454, 14551, 20753, 20796
\@combinefloats . . 10523
\@compactenum@ 5520
\@cons 20899, 20900
\@contcshortstyle 14297
\@contcstyle 14302, 14308, 14313
\@contcwidth 14291, 14292
\@contdelim 14285, 14296, 14300, 14307, 14312
\@contfield 6157, 6172, 6204
\@contfinal 14285, 14297, 14303, 14309, 14313
\@contfmark . 14284, 14287
\@contfnote . 14283, 14286
\@contindw 14308
\@contnfont 14285, 14296, 14300, 14307, 14312
\@contpost 14317
\@contpre 14295, 14301, 14306, 14311
\@conttfont 14285, 14297, 14303, 14309, 14313
\@curfield 6156, 6171, 6191, 6205, 6215, 20949
\@curline 6154, 6169, 20949, 20951
\@currbox . 2189, 2220, 2224, 4761, 4764, 4805, 4808, 4813, 4817, 4849, 4852, 4857, 4861, 4893, 4896, 4901, 4905, 20822, 20825, 20830, 20834, 20866, 20869, 20874, 20878, 20900, 20909, 20941
\@currentHlabel 12292, 12307, 12322
\@currentHref 12293, 12308, 12323, 12382, 12420, 12453, 12484, 12515, 12737, 12748, 12750
\@currentlabel 43, 57, 73, 256, 270, 285, 5153, 5171, 5189,

8696, 8712, 8728, 8741, 8754, 8767, 8944, 8954, 8964, 8990, 9003, 9015, 9042, 9055, 9095, 9104, 9113, 9138, 9150, 9161, 9187, 9199, 9239, 9249, 9259, 9285, 9298, 9310, 9337, 9350, 9390, 9400, 9410, 9436, 9449, 9461, 9488, 9501, 9541, 9551, 9561, 9587, 9600, 9612, 9639, 9652, 9692, 9702, 9712, 9738, 9751, 9763, 9790, 9803, 9843, 9853, 9863, 9889, 9902, 9914, 9941, 9954, 9994, 10004, 10014, 10040, 10053, 10065, 10092, 10105, 10145, 10155, 10165, 10191, 10204, 10216, 10243, 10256, 10350, 10362, 10374, 10400, 10414, 10428, 10468, 10482, 11265, 11282, 11298, 11326, 11340, 11354

\@currentlabelname 12294, 12309, 12324, 12383, 12421, 12454, 12485, 12516

\@currenvir 2517, 2520, 2521, 2541, 2544, 2545, 2572, 20527

\@currenvline 20528

\@currlist 20899

\@curtabmar . 20948, 20951

\@cvtheme 2361, 2364

\@cvthemeoptions 2362, 2364

\@date . . 434, 446, 482, 505, 773, 775, 787, 832, 852, 1025, 1027, 1039, 1084, 1104, 1275, 1277, 1289, 1334, 1355, 1364, 1917, 5684, 5738, 6373, 6375, 6387, 6550, 6552, 6564, 6640, 6652, 6688, 6711, 8363, 8373, 8407, 8428, 8458, 8470, 8506, 8529, 8614, 8619, 10682, 10692, 10726, 10747, 12850, 12855, 14224, 15670, 15672, 15684, 15729, 15749, 15809, 15811, 15825, 15872, 15895, 15904, 16062, 16074, 16115, 16137, 16249, 16261, 16297, 16320, 16645, 16705, 16759, 17194, 17254, 17308, 17775, 17776, 17779, 17784, 17893, 17953, 18007

\@datefield 17715

\@dblarg 14349

\@dblfloatplacement 7198, 7257, 10841, 10880, 10964, 11640, 11692, 14458, 14555, 20757, 20800

\@declaredcolor 6966, 6967, 20223, 20246

\@dedication 16661, 16663, 16714, 16762, 16764, 17210, 17212, 17263, 17311, 17313, 17909, 17911, 17962, 18010, 18012

\@dedicatory 333

\@defaultskiptotal 202

\@definitionfileextension 2586, 2589

\@depth . . . 392, 13454, 18419, 18448, 18488, 20623, 20938

\@dgroup 6829

\@dischyph . . . 11573, 13569, 15469, 15483

\@displaypagenumbersfalse 2460

\@displaypagenumberstrue 2459

\@dmath 6817, 6846

\@docolbox 11033

\@dodynamicthefoot 10954

\@dodynamicthehead 10954

\@dofilelist 4070, 4071, 4073

\@dotsep 19863, 19864, 19972, 20666

\@dottedtocline 19978, 19979, 19981, 19999, 20655

\@dseries 6842

\@eha 2508, 19049

\@ehc 2611, 2613, 2619, 2621, 2627, 2629, 2635, 2637, 2828, 3643, 13025, 13032, 13521, 14596, 14602

\@ehd 14343

\@eightcol@footgroupv@r 9832

\@eightcolLTRfootfmt . . . 9856, 9877, 9905

\@eightcolLTRfootnotetext 9827, 9849

\@eightcolRTLfootfmt . . . 9866, 9880, 9917

\@eightcolRTLfootnotetext 9828, 9859

\@eightcolfootfmt . . . 9846, 9874, 9892

\@eightcolfootnotetext 9826, 9839

\@elt 2641, 2644, 4649, 4650, 4651,

4652, 4653, 4654, 4655, 4656, 4657, 4658, 4659, 4660, 4690, 4691, 4692, 4693, 4694, 4695, 4696, 4697, 4698, 4699, 4700, 4701, 4702, 4703, 4704, 4705, 4706, 4707, 6868, 7804, 7825, 7831, 7866, 7868, 7870, 7876, 7888, 7918, 7920, 7922, 7928, 18507, 18509
\@email . . 2373, 7666, 7764
\@emathdisplay . 188, 204
\@empty . . 86, 115, 134, 136, 299, 407, 444, 445, 446, 447, 480, 481, 482, 483, 583, 718, 784, 785, 786, 787, 829, 830, 831, 832, 981, 1036, 1037, 1038, 1039, 1081, 1082, 1083, 1084, 1231, 1286, 1287, 1288, 1289, 1331, 1332, 1333, 1334, 1713, 1844, 1915, 1916, 1917, 1918, 2176, 2488, 2497, 2529, 2553, 3473, 3886, 3899, 3900, 3906, 3929, 3959, 3967, 3986, 3989, 4000, 4004, 4014, 4020, 4021, 4022, 4035, 4047, 4051, 4118, 4129, 5012, 5031, 5050, 5071, 5078, 5666, 5733, 5734, 5735, 6309, 6384, 6385, 6386, 6387, 6497, 6561, 6562, 6563, 6564, 6650, 6651, 6652, 6653, 6686, 6687, 6688, 6689, 6806, 6832, 7162, 7225, 7865, 7917, 8330, 8371, 8372, 8373, 8374, 8405, 8406, 8407, 8408, 8468, 8469, 8470, 8471, 8504, 8505, 8506, 8507, 8601, 8612, 8628, 8632, 10346, 10358, 10370, 10395, 10409, 10423, 10522, 10657, 10690, 10691, 10692, 10693, 10724, 10725, 10726, 10727, 10820, 10856, 11410, 11425, 11615, 11663, 11701, 11702, 11703, 11704, 11705, 12294, 12309, 12324, 12383, 12421, 12454, 12485, 12516, 12761, 12827, 12848, 13077, 13083, 13106, 13110, 13112, 13468, 14221, 14222, 14223, 14224, 14383, 14483, 14878, 15374, 15615, 15681, 15682, 15683, 15684, 15726, 15727, 15728, 15729, 15822, 15823, 15824, 15825, 15869, 15870, 15871, 15872, 16009, 16072, 16073, 16074, 16075, 16113, 16114, 16115, 16116, 16203, 16259, 16260, 16261, 16262, 16295, 16296, 16297, 16298, 16406, 16566, 16619, 16624, 16631, 16637, 16661, 16703, 16704, 16705, 16706, 16707, 16708, 16709, 16710, 16711, 16712, 16713, 16714, 16732, 16736, 16744, 16750, 16762, 16786, 16816, 16841, 16842, 17115, 17168, 17173, 17180, 17186, 17210, 17252, 17253, 17254, 17255, 17256, 17257, 17258, 17259, 17260, 17261, 17262, 17263, 17281, 17285, 17293, 17299, 17311, 17365, 17396, 17421, 17422, 17688, 17716, 17717, 17718, 17719, 17720, 17721, 17722, 17723, 17727, 17733, 17739, 17745, 17751, 17757, 17763, 17769, 17775, 17784, 17814, 17867, 17872, 17879, 17885, 17909, 17951, 17952, 17953, 17954, 17955, 17956, 17957, 17958, 17959, 17960, 17961, 17962, 17980, 17984, 17992, 17998, 18010, 18048, 18079,

18104, 18105, 18377, 18494, 18542, 18735, 19035, 19037, 20226, 20229, 20269, 20272, 20409, 20631, 20640, 20729, 20776, 20988, 20989, 20991, 20992
\@emptycol 7354, 7357, 7373, 7376, 7529, 7532, 7548, 7551
\@emptytoks 6831
\@end@tempboxa 11724, 11818, 11835, 20521
\@endalgoln 184
\@endfloatbox 2241
\@endmodernpoem 6167, 6187
\@endparenv 6071, 6184, 14925, 14945
\@endparpenalty 2034, 2043, 10891, 10905
\@endpbox 1418, 1419, 1460, 1484, 1485, 1486, 6939, 6940, 6941, 13439, 13445, 18454, 18492, 20629
\@endpefalse 20530
\@endtraditionalpoem 6051, 6123
\@ensure@LR . 15316, 20383
\@ensure@LTR .. 15314, 15316, 15324, 20381, 20383, 20391, 20393, 20395, 21216, 21218
\@ensure@RL . 15315, 20382
\@ensure@RTL .. 15313, 15315, 20380, 20382
\@ensure@dir .. 15317, 15318, 20384, 20385
\@ensure@maindir 15318, 20385
\@enumctr 5521, 5522
\@eqnnum 10912, 12844, 21062
\@evenfoot 1879, 10947, 20981
\@evenhead . 10946, 20981
\@expandtwoargs ... 4005
\@extrafootnotefeaturesfalse 1692
\@extrafootnotefeaturestrue 1690
\@extrainfo 2374, 7667, 7765
\@extratitle 16619, 16620, 16708, 16732, 16733, 17168, 17169, 17257, 17281, 17282, 17867, 17868, 17956, 17980, 17981
\@familyname 2306, 2308, 2309, 2367, 7641, 7731, 7752
\@familynamecolour 2336, 2353
\@fax 2372, 7665, 7763
\@ff@do@allframes 10956, 10961
\@ff@fbox 11042
\@ff@setoffset ... 11039
\@ffbackground ... 11029
\@filebordercolor 12595, 12597
\@filecolor 12613
\@filef@und ... 3702, 3719
\@finalstrut ... 8701, 8717, 8733, 8747, 8760, 8773, 11270, 11287, 11303, 11330, 11344, 11358
\@firstampfalse 1440, 1448
\@firstcolfirstmark 7161, 7162, 7166, 7224, 7225, 7229, 10819, 10820, 10824, 10855, 10856, 10860, 11614, 11615, 11619, 11662, 11663, 11667, 14382, 14383, 14387, 14482, 14483, 14487, 20728, 20729, 20733, 20775, 20776, 20780
\@firstcoltopmark 7159, 7167, 7222, 7230, 10817, 10825, 10853, 10861, 11612, 11620, 11660, 11668, 14380, 14388, 14480, 14488, 20726, 20734, 20773, 20781
\@firstcolumnfalse 7152, 7215, 7569, 10811, 10847, 10971, 11603, 11651, 14373, 14473, 20719, 20766
\@firstcolumntrue . 7170, 7233, 7523, 10827, 10864, 10935, 11624, 11672, 14432, 14532, 20737, 20784
\@firstdetailselementfalse 7746
\@firstdetailselementtrue 7743
\@firstfooterelementfalse 7662, 7663, 7664, 7665, 7666, 7667
\@firstfooterelementtrue 7647
\@firstname 2306, 2308, 2309, 2366, 7641, 7731, 7752
\@firstnamecolour 2335, 2352
\@firstofone ... 3160, 3167, 3173, 3187, 3193, 3201, 3207, 4172, 10984, 11000, 11004, 11007, 11015, 11021, 12719, 12720, 12721, 12722, 14347, 16941, 17521, 18204, 20963, 21005, 21017,

21020, 21027, 21034, 21038, 21044
\@firstoftwo . . . 1539, 1545, 1551, 2650, 2658, 2662, 2670, 2674, 2682, 2688, 2692, 2705, 2713, 2719, 2723, 2731, 2737, 2740, 2743, 2757, 2764, 2937, 2955, 2961, 2985, 3012, 3042, 3102, 3112, 3710, 14859
\@fivecol@footgroupv@r 9379
\@fivecolLTRfootfmt . . . 9403, 9424, 9452
\@fivecolLTRfootnotetext 9374, 9396
\@fivecolRTLfootfmt . . . 9413, 9427, 9464
\@fivecolRTLfootnotetext 9375, 9406
\@fivecolfootfmt . . . 9393, 9421, 9439
\@fivecolfootnotetext 9373, 9386
\@float 4395, 4724
\@floatboxreset . . . 2239
\@floatpenalty . 2182, 2184, 2187, 4797, 4799, 4803, 4807, 4841, 4843, 4847, 4851, 4885, 4887, 4891, 4895, 20814, 20816, 20820, 20824, 20858, 20860, 20864, 20868
\@fltovf 2222, 4808, 4852, 4896, 20825, 20869
\@flushglue 5953, 5954, 13575, 15476, 16171, 19393, 19397, 19401, 19447, 20571
\@fnsymbol . 456, 748, 807, 1000, 1059, 1250, 1309, 1903, 6348, 6525, 6662, 8383, 8480, 10702, 15645, 15704, 15784, 15845, 16041, 16084, 16271, 16616, 16680, 17165, 17229, 17864, 17928
\@footgroupv@r 8855, 8905, 8933, 9084, 9228, 9379, 9530, 9681, 9832, 9983, 10134, 10327
\@footnote 5615
\@footnotemark . 2149, 2157, 2165, 5124, 5217, 5224, 5246, 5253, 5275, 5282, 6105, 6112, 6119, 11231, 11237, 11240, 11246, 12335, 12524, 12528, 12542, 12543
\@footnotetext . . 34, 79, 151, 152, 153, 247, 292, 2106, 2228, 5145, 5217, 5224, 5968, 5979, 6192, 6206, 7784, 7785, 8649, 8663, 8664, 8688, 8775, 8783, 8927, 9078, 9222, 9373, 9524, 9675, 9826, 9977, 10128, 10321, 11257, 11314, 11373, 12205, 12213, 12284, 12332, 12525, 12529, 12545, 12546, 13504, 13625, 14745, 14746, 14747, 16548, 16551, 16866, 16867, 16877, 17097, 17100, 17446, 17447, 17457, 17796, 17799, 18129, 18130, 18140, 18522, 18539, 18629, 18631
\@footstartv@r 8855
\@for 3927, 3988, 4001, 4023, 4027, 5013, 5018, 5032, 5037, 5051, 5056, 5079, 5088, 7130
\@fourcol@footgroupv@r 9228
\@fourcolLTRfootfmt . . . 9252, 9273, 9301
\@fourcolLTRfootnotetext 9223, 9245
\@fourcolRTLfootfmt . . . 9262, 9276, 9313
\@fourcolRTLfootnotetext 9224, 9255
\@fourcolfootfmt 9242, 9270, 9288
\@fourcolfootnotetext 9222, 9235
\@fps 2170, 2171, 2173, 2176, 2193
\@fpsadddefault 2174, 2177
\@freelist 2189, 4649, 4690, 4805, 4806, 4849, 4850, 4893, 4894, 10521, 20822, 20823, 20866, 20867, 20899, 20900
\@fs@capt 4738, 4751, 4759
\@fs@cfont 4731, 4737, 4747, 4750, 4758, 10916, 10917
\@fs@iftopcapt 4742, 4755, 4768
\@fs@mid . 4741, 4754, 4766
\@fs@post 4740, 4753, 4767
\@fs@pre . 4739, 4752, 4760
\@g@tnextcol 10933
\@getcirc 10777
\@gnewline . . . 15418, 15431, 15444, 15455
\@gobble . . 2086, 2528, 2552, 2574, 2579, 3065, 3066, 3067, 3068, 3069, 3162, 3175, 3179, 3221, 3235, 3247, 3261,

3916, 4051, 4228, 5788, 5853, 10992, 10993, 10994, 14344, 16867, 16869, 16871, 17447, 17449, 17451, 18130, 18132, 18134, 20230, 20273, 20998, 20999, 21000
\@gobbletwo 2599, 2600, 2603, 2604, 12892
\@gtempa 2781, 2782
\@halignto 396, 411, 18452, 18490, 20409, 20627, 20640
\@hangfrom . . . 16894, 16906, 16908, 17474, 17486, 17488, 18157, 18169, 18171, 20595
\@hboxRconstructfalse 15282, 20345
\@hboxRconstructtrue 407, 15272, 18459, 18498, 20335, 20636
\@height 391, 1498, 6953, 11554, 13453, 13509, 13595, 16594, 16601, 17143, 17150, 17842, 17849, 18419, 18447, 18488, 20622, 20938
\@highpenalty . . 6254, 6270, 6277, 6287, 6431, 6447, 6454, 6464, 6718, 6733, 6743, 8536, 10590, 10605, 10615, 15555, 15571, 15578, 15588, 15927, 15943, 15950, 15960, 16143, 16157, 16167, 16327, 16342, 16352, 18817, 18852, 19241, 19261, 19349
\@hintcolour . . 2343, 2359
\@holdpg . . 7284, 7290, 7297, 7308, 7318, 7418, 7419, 7421, 7424, 7428, 7433, 7438, 7442, 7450, 7462, 7475, 7483, 7491
\@hyper@launch . . . 12618
\@idxitem 102, 107, 232, 237, 606, 621, 870, 1122, 5579, 5586, 6229, 6406, 6617, 12778, 12783, 15512, 15767, 16227, 18797, 21072
\@ifclasslater 4214, 4219
\@ifclassloaded 3834, 4213, 4218, 4248, 5628, 5630, 6619, 8790, 11051, 11064, 21075, 21076, 21077, 21078, 21079, 21080, 21081, 21082, 21083, 21084, 21085, 21086, 21087, 21088, 21089, 21090, 21091, 21092, 21093, 21094, 21095, 21096, 21097, 21098, 21099, 21100, 21127, 21210, 21211
\@ifdefinable . . 2769, 2772, 2775, 2784, 2815, 2830, 11154
\@ifdefinitionfileloaded 2589, 21212
\@ifempty . . 7, 212, 12806
\@ifl@aded 2588, 2589, 2590
\@ifnextchar . . . 163, 408, 2054, 2084, 2099, 2805, 3803, 3804, 3848, 3849, 3893, 4810, 4854, 4898, 6966, 6981, 11229, 11238, 11397, 11412, 11790, 12532, 12556, 14757, 14929, 14949, 20223, 20266, 20434, 20827, 20871
\@ifpackagelater 4212, 4217, 11100
\@ifpackageloaded . 1457, 2998, 3876, 3936, 4171, 4189, 4211, 4216, 4717, 4722, 4775, 8235, 8236, 8909, 10294, 12329, 12349, 12427, 12726, 13099, 13224, 13481, 14323, 16949, 17529, 18212, 18721, 20410, 21061, 21074, 21087, 21097, 21101, 21105, 21109, 21110, 21111, 21112, 21119, 21120, 21121, 21122, 21123, 21124, 21125, 21126, 21127, 21128, 21129, 21130, 21131, 21132, 21133, 21134, 21135, 21136, 21137, 21138, 21139, 21140, 21141, 21142, 21143, 21144, 21145, 21146, 21147, 21148, 21149, 21150, 21151, 21152, 21153, 21154, 21155, 21156, 21157, 21158, 21159, 21160, 21161, 21162, 21165, 21166, 21167, 21168, 21191, 21192, 21193, 21194, 21195,

21196, 21197, 21198, 21199, 21200, 21201, 21202, 21203, 21204, 21205, 21206, 21207, 21208, 21209, 21210, 21211, 21213
\@ifpackagewith 7107, 13011, 13014, 18746, 21113, 21116, 21117, 21118, 21169, 21179, 21185
\@ifstar . . 2922, 3802, 3847, 3889, 3981, 4567, 8239, 11793
\@iftagsloaded 2588, 21102, 21103
\@iftexfileloaded . . . 2590, 21163, 21164
\@ifundefined 340, 341, 2463, 2609, 2612, 2617, 2620, 2625, 2628, 2633, 2636, 3791, 3795, 3945, 4038, 4959, 5442, 5450, 5565, 5567, 5572, 5662, 5679, 6968, 6975, 6983, 6989, 10919, 11147, 12729, 12730, 13035, 13046, 13109, 13111, 13116, 15038, 19036, 19040, 19116, 19138, 19139, 19187, 19188, 19271, 19293, 19294, 19522, 19545, 19573, 19633, 19682, 19699, 19729
\@ifundefinedmodel 20256, 20290
\@ifxempty 20316
\@ignoretrue 6853
\@iiiminipage 11360
\@iiiparbox 8892, 11391, 20492
\@indextitlestyle 100, 230, 12776
\@inlabelfalse 6820
\@insertfalse . 7275, 7383
\@inserttrue . . 7348, 7522
\@iprintcites 15410
\@itemfudge . 20948, 20950
\@itemlabel 20455
\@ixpt 5479
\@keywords 334
\@kludgeins 10525
\@komalongtablefalse . 16949, 17529, 18212
\@lastchclass . . 356, 357, 358, 359, 361, 1381, 1382, 1383, 1384, 1386, 1425, 1426, 1438, 1446, 18577, 18578, 18579, 18580, 18582, 20641, 20642
\@lastvipertrue 7359, 7378, 7534, 7553
\@latex@error 2507, 3910, 14343, 14596, 14602
\@latex@warning 95, 308, 591, 723, 986, 1236, 2493, 6314, 6502, 6814, 8335, 8609, 10662, 12770, 15620, 16014, 16211, 16414, 16824, 16831, 17404, 17411, 18087, 18094, 18743
\@latex@warning@no@line 7352, 7370, 7527, 7545, 20914
\@latexbug 20900
\@leftcolumn . . . 7153, 7179, 7216, 7238, 7391, 7419, 7425, 7434, 10812, 10833, 10848, 10869, 11604, 11629, 11652, 11681, 14374, 14433, 14446, 14474, 14533, 14542, 20720, 20746, 20767, 20789
\@let@token . . . 2565, 2568
\@lettrine 12870
\@listI 4265
\@listdepth 11213, 11376, 11578, 11582, 20446, 20449, 20454
\@listi . . 4265, 4273, 5483
\@loadwithoptions . . . 3726, 3728, 3735
\@lowertitleback 16658, 16713, 17207, 17262, 17906, 17961
\@lowpenalty . 2030, 19772
\@m 93, 306, 589, 721, 984, 1234, 6312, 6500, 6812, 8333, 8607, 10660, 11605, 11653, 12768, 14858, 15618, 16012, 16209, 16412, 16820, 17400, 18083, 18741
\@mainaux 14989
\@mainmatterfalse 5815, 5845, 6794, 8589
\@mainmattertrue 5812, 5828
\@makecaption 4562, 6914, 14280, 14330, 14362, 16935, 17515, 18198, 21047
\@makechapterhead 311, 6571, 6766, 8560, 10618, 15401, 16375, 18762
\@makecol 10581, 10582, 13529, 13541
\@makefnmark . . . 457, 808, 1310, 1904, 5120, 5131, 6663, 7789, 7810, 8384,

8481, 10703, 12793, 14228, 15705, 15846, 16042, 16085, 16272, 16617, 16618, 16681, 16682, 17166, 17167, 17230, 17231, 17865, 17866, 17929, 17930
\@makefntext 45, 59, 75, 258, 272, 287, 458, 745, 810, 997, 1060, 1247, 1312, 1905, 5118, 5157, 5175, 5193, 6345, 6522, 6664, 8385, 8482, 8699, 8715, 8731, 8745, 8758, 8771, 10704, 11269, 11286, 11302, 11329, 11343, 11357, 11706, 14230, 15642, 15707, 15781, 15848, 16044, 16087, 16273, 16564, 17113, 17687, 17812
\@makeother 2921, 2967, 3076, 3084
\@makeschapterhead 6225, 6402, 6591, 6612, 6780, 8575, 10630, 15508, 15763, 16222, 16387, 18768, 18773
\@makespecialcolbox 10526
\@maketitle 120, 326, 330, 463, 465, 470, 479, 489, 814, 816, 821, 828, 838, 1066, 1068, 1073, 1080, 1090, 1316, 1318, 1323, 1330, 1340, 1908, 1914, 6669, 6671, 6676, 6685, 6695, 8390, 8392, 8397, 8404, 8414, 8487, 8489, 8494, 8503, 8513, 10709, 10711, 10716, 10723, 10733, 12832, 14233, 14235, 14242, 15711, 15713, 15718, 15725, 15735, 15852, 15854, 15859, 15868, 15878, 16096, 16098, 16103, 16112, 16122, 16278, 16280, 16285, 16294, 16304, 16685, 16687, 16692, 16702, 16727, 17234, 17236, 17241, 17251, 17276, 17933, 17935, 17940, 17950, 17975
\@maketitle@hook 118, 12830
\@makewincaption . 15129
\@marbox 4806, 4808, 4812, 4816, 4817, 4850, 4852, 4856, 4860, 4861, 4894, 4896, 4900, 4904, 4905, 20823, 20825, 20829, 20833, 20834, 20867, 20869, 20873, 20877, 20878, 20899, 20909, 20912, 20920, 20922, 20923, 20925, 20926, 20927, 20936, 20940, 20941
\@mathmargin ... 8191, 8198, 8206, 8213
\@mathsemicolon 184, 203
\@maxdepth 8853, 10537, 10550, 10569, 10580
\@memtempa ... 14280, 14282, 14296, 14303, 14307, 14312
\@menubordercolor 12689, 12691
\@menucolor 12700
\@midlist .. 10521, 10522
\@minipagefalse 2243, 4827, 4836, 4871, 4880, 4915, 4924, 8889, 11388, 13068, 14336, 16925, 17505, 18188, 20844, 20853, 20888, 20897, 21053
\@minipagerestore 11377
\@minipagetrue 4835, 4879, 4923, 20852, 20896
\@minus 2410, 2496, 4261, 4263, 4270, 4272, 4274, 4275, 5480, 5482, 5484, 5485, 11492, 11530, 14855, 17048, 17058, 17068, 17078, 17088, 17637, 17647, 17657, 17667, 17677, 18320, 18330, 18340, 18350, 18360, 18384
\@mkboth 574, 602, 618, 709, 867, 972, 1119, 1222, 6226, 6300, 6403, 6488, 6613, 6797, 8321, 8592, 10648, 15509, 15606, 15764, 16000, 16194, 16223, 16397
\@mklab 20456
\@mkpream . 395, 13458, 18450, 18482, 20625
\@mobile . 2370, 7663, 7761
\@modernpoem .. 6143, 6187
\@mpLTRfootnotetext 8653, 8671, 8672, 8749, 8779, 8787, 8935, 9086, 9230, 9381, 9532, 9683,

9834, 9985, 10136, 10329, 11332, 11374, 12235, 12250, 12273, 12337, 13626, 18632
\@mpRTLfootnotetext 8654, 8673, 8674, 8762, 8780, 8788, 8936, 9087, 9231, 9382, 9533, 9684, 9835, 9986, 10137, 10330, 11318, 11375, 12224, 12249, 12262, 12338, 13627, 18633
\@mparbottom 20910, 20918, 20919, 20920, 20921
\@mpargs 8892, 11366, 11391
\@mparswitchfalse . 4244
\@mparswitchtrue . . 4239
\@mpeightcol@footgroupv@r 9838
\@mpeightcolLTRfootnotetext 9834, 9895
\@mpeightcolRTLfootnotetext 9835, 9908
\@mpeightcolfootnotetext 9833, 9883
\@mpfivecol@footgroupv@r 9385
\@mpfivecolLTRfootnotetext 9381, 9442
\@mpfivecolRTLfootnotetext 9382, 9455
\@mpfivecolfootnotetext 9380, 9430
\@mpfn 2124, 2127, 2130, 2146, 2154, 2162, 5215, 5221, 5244, 5250, 5273, 5279, 6082, 6085, 6088, 6102, 6109, 6116, 11229, 11234, 11238, 11243, 11372, 11402, 11417, 12210, 12221, 12232, 12432, 12463, 12494, 12557, 13622, 18564, 18571
\@mpfootins 8737, 8738, 8750, 8751, 8763, 8764, 8873, 8882, 8883, 8886, 11320, 11321, 11334, 11335, 11348, 11349, 11382, 11383, 11386, 13611, 13616
\@mpfootinsv@r . 8872, 8906, 8985, 8986, 8997, 8998, 9010, 9011, 9133, 9134, 9144, 9145, 9156, 9157, 9280, 9281, 9292, 9293, 9305, 9306, 9431, 9432, 9443, 9444, 9456, 9457, 9582, 9583, 9594, 9595, 9607, 9608, 9733, 9734, 9745, 9746, 9758, 9759, 9884, 9885, 9896, 9897, 9909, 9910, 10035, 10036, 10047, 10048, 10060, 10061, 10186, 10187, 10198, 10199, 10211, 10212, 10394, 10397, 10408, 10411, 10422, 10425
\@mpfootnotetext 8652, 8669, 8670, 8736, 8778, 8786, 8934, 9085, 9229, 9380, 9531, 9682, 9833, 9984, 10135, 10328, 11346, 11373, 12213, 12248, 12251, 12336, 13625, 18629, 18631
\@mpfourcol@footgroupv@r 9234
\@mpfourcolLTRfootnotetext 9230, 9291
\@mpfourcolRTLfootnotetext 9231, 9304
\@mpfourcolfootnotetext 9229, 9279
\@mplistdepth 11213, 11376
\@mpninecol@footgroupv@r 9989
\@mpninecolLTRfootnotetext 9985, 10046
\@mpninecolRTLfootnotetext 9986, 10059
\@mpninecolfootnotetext 9984, 10034
\@mppara@footgroupv@r 10333
\@mpparaLTRfootnotetext 10329, 10407
\@mpparaRTLfootnotetext 10330, 10421
\@mpparafootnotetext 10328, 10393
\@mpsevencol@footgroupv@r 9687
\@mpsevencolLTRfootnotetext 9683, 9744
\@mpsevencolRTLfootnotetext 9684, 9757
\@mpsevencolfootnotetext 9682, 9732
\@mpsixcol@footgroupv@r 9536
\@mpsixcolLTRfootnotetext 9532, 9593
\@mpsixcolRTLfootnotetext 9533, 9606
\@mpsixcolfootnotetext 9531, 9581
\@mptencol@footgroupv@r 10140
\@mptencolLTRfootnotetext 10136, 10197
\@mptencolRTLfootnotetext 10137, 10210
\@mptencolfootnotetext 10135, 10185
\@mpthreecol@footgroupv@r 9090
\@mpthreecolLTRfootnotetext 9086, 9143

\@mpthreecolRTLfootnotetext 9087, 9155
\@mpthreecolfootnotetext 9085, 9132
\@mptwocol@footgroupv@r 8939
\@mptwocolLTRfootnotetext 8935, 8996
\@mptwocolRTLfootnotetext 8936, 9009
\@mptwocolfootnotetext 8934, 8984
\@namedef . 3795, 3946, 6140, 8894, 8925, 9032, 9033, 9061, 9066, 9071, 9076, 9177, 9178, 9210, 9215, 9220, 9327, 9328, 9356, 9361, 9366, 9371, 9478, 9479, 9507, 9512, 9517, 9522, 9629, 9630, 9658, 9663, 9668, 9673, 9780, 9781, 9809, 9814, 9819, 9824, 9931, 9932, 9960, 9965, 9970, 9975, 10082, 10083, 10111, 10116, 10121, 10126, 10233, 10234, 10262, 10267, 10272, 10319, 10446, 10447, 10448, 10496, 10505, 10513, 13549, 19051, 19090, 19091, 19092, 19093, 19094, 19095, 19096, 19097, 19098, 19099, 19117, 19118, 19119, 19120, 19121, 19122, 19123, 19124, 19125, 19140, 19141, 19142, 19143, 19145, 19146, 19148, 19151, 19154, 19162, 19163, 19165, 19168, 19171, 19184, 19189, 19190, 19191, 19193, 19194, 19196, 19199, 19202, 19210, 19211, 19213, 19216, 19219, 19231, 19272, 19273, 19274, 19275, 19276, 19277, 19278, 19279, 19280, 19295, 19296, 19297, 19298, 19300, 19301, 19303, 19306, 19309, 19317, 19318, 19320, 19323, 19326, 19339, 19523, 19524, 19525, 19526, 19527, 19528, 19529, 19530, 19531, 19570, 19574, 19575, 19576, 19577, 19579, 19580, 19582, 19585, 19588, 19596, 19597, 19599, 19602, 19605, 19630, 19634, 19635, 19636, 19638, 19639, 19641, 19644, 19647, 19655, 19656, 19658, 19661, 19664, 19684, 19687, 19691, 19731, 19734, 19738
\@nameuse . 3792, 6138, 8121, 8171, 8174, 8220, 9029, 9031, 9032, 9033, 9038, 9040, 9043, 9045, 9050, 9051, 9053, 9056, 9058, 9063, 9064, 9068, 9069, 9073, 9074, 9174, 9176, 9177, 9178, 9183, 9185, 9188, 9190, 9194, 9195, 9197, 9200, 9202, 9207, 9208, 9212, 9213, 9217, 9218, 9324, 9326, 9327, 9328, 9333, 9335, 9338, 9340, 9345, 9346, 9348, 9351, 9353, 9358, 9359, 9363, 9364, 9368, 9369, 9475, 9477, 9478, 9479, 9484, 9486, 9489, 9491, 9496, 9497, 9499, 9502, 9504, 9509, 9510, 9514, 9515, 9519, 9520, 9626, 9628, 9629, 9630, 9635, 9637, 9640, 9642, 9647, 9648, 9650, 9653, 9655, 9660, 9661, 9665, 9666, 9670, 9671, 9777, 9779, 9780, 9781, 9786, 9788, 9791, 9793, 9798, 9799, 9801, 9804, 9806, 9811, 9812, 9816, 9817, 9821, 9822, 9928, 9930, 9931, 9932, 9937, 9939, 9942, 9944, 9949, 9950, 9952, 9955, 9957, 9962, 9963, 9967, 9968, 9972, 9973, 10079, 10081, 10082, 10083, 10088, 10090, 10093, 10095, 10100, 10101, 10103, 10106, 10108, 10113, 10114, 10118, 10119,

10123, 10124, 10230, 10232, 10233, 10234, 10239, 10241, 10244, 10246, 10251, 10252, 10254, 10257, 10259, 10264, 10265, 10269, 10270, 10274, 10275, 10443, 10445, 10446, 10447, 10448, 10453, 10464, 10466, 10469, 10472, 10477, 10478, 10480, 10483, 10486, 10493, 10494, 10497, 10502, 10506, 10510, 10518, 10939, 17322, 17338, 17346, 17354, 18780, 19052, 19053, 19054, 19057, 19060, 19065, 19066, 19071, 19075, 19076, 19078, 19079, 19081, 19082, 19084, 19085, 19087, 19088, 19095, 19100, 19101, 19184, 19231, 19235, 19236, 19248, 19255, 19256, 19339, 19343, 19344, 19363, 19378, 19381, 19383, 19386, 19389, 19406, 19407, 19409, 19410, 19420, 19422, 19424, 19425, 19427, 19429, 19430, 19439, 19441, 19445, 19446, 19450, 19454, 19456, 19457, 19517, 19550, 19557, 19562, 19563, 19570, 19623, 19630, 19701, 20258, 20292, 20972

\@ne 137, 142, 356, 365, 368, 462, 813, 1065, 1315, 1381, 1390, 1393, 1394, 1395, 1428, 1431, 1432, 1433, 1733, 1738, 1739, 2199, 3373, 3524, 3595, 3656, 4153, 4162, 6668, 7118, 8389, 8486, 10708, 11319, 11333, 11347, 11592, 12565, 12566, 12571, 12972, 13023, 13030, 13039, 13050, 13460, 14232, 14309, 14572, 14928, 14948, 15710, 15851, 16048, 16091, 16095, 16277, 16570, 16684, 17119, 17233, 17692, 17818, 17932, 18512, 18516, 18577, 18586, 18593, 18892, 19235, 19236, 19343, 19344, 19517, 20172, 20449, 20490, 20537, 20539, 20540, 20541, 20546, 20548, 20549, 20550, 20555, 20557, 20558, 20559, 20564, 20566, 20567, 20568, 20644, 20646, 20689, 20900

\@newlistfalse 10983, 20961

\@next 2189, 4805, 4806, 4849, 4850, 4893, 4894, 20822, 20823, 20866, 20867, 20899

\@nextchar 362, 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 1387, 1389, 1390, 1391, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1416, 1418, 1419, 1484, 1485, 1486, 6939, 6940, 6941, 18583, 18585, 18586, 18587, 18588, 18589, 18590, 18591, 18593, 18594, 18595, 18596, 18597, 18600, 18601, 18602

\@nil 1469, 1470, 1472, 1473, 6928, 7832, 7889, 12732, 12741, 12743, 12755, 18695

\@ninecol@footgroupv@r 9983

\@ninecolLTRfootfmt . 10007, 10028, 10056

\@ninecolLTRfootnotetext 9978, 10000

\@ninecolRTLfootfmt . 10017, 10031, 10068

\@ninecolRTLfootnotetext 9979, 10010

\@ninecolfootfmt . . . 9997, 10025, 10043

\@ninecolfootnotetext 9977, 9990

\@nmbrlistfalse . . 20457

\@nobreakfalse . 523, 675, 919, 1158, 6264, 6441, 6728,

8545, 10600, 15565, 15937, 16152, 16337, 18839, 18843, 19371
\@nobreaktrue .. 522, 674, 918, 1157, 6263, 6440, 6727, 8544, 10599, 15564, 15936, 16151, 16336, 18838, 18842, 19370
\@nocnterr 341
\@nocounterr 340
\@nodocument 2168
\@noitemerr 95, 308, 590, 722, 985, 1235, 2493, 6313, 6501, 6813, 8334, 8608, 10661, 12770, 14865, 15619, 16013, 16210, 16413, 16823, 16830, 17403, 17410, 18086, 18093, 18742
\@nonlatinfalse 1565, 1654, 13057, 13101
\@nonlatintrue . 1566, 1656, 13057, 13101
\@normalcr 13578
\@notprerr ... 3162, 3175
\@nx 124, 125, 344, 12836, 12837
\@nxtcol 10931, 10933, 10974
\@oddfoot 1874, 10944, 10951, 20975, 20992
\@oddhead 10943, 10950, 20975, 20991
\@oldmakefnmark 16617, 16618, 16681, 16682, 17166, 17167, 17230, 17231, 17865, 17866, 17929, 17930
\@onefilewithoptions ... 3742, 3743, 3750
\@onelevel@sanitize 2171
\@onlypreamble 3965, 3975, 3979
\@openbib@code 581, 716, 979, 1229, 2486, 2497, 6307, 6495, 6804, 8328, 8599, 10655, 15613, 16007, 16201, 16404, 16806, 17386, 18069, 18733
\@otarlinesep 18472, 18478
\@outerparskip 6068, 6181
\@outputbox 7153, 7156, 7157, 7171, 7183, 7188, 7190, 7216, 7219, 7220, 7234, 7244, 7247, 7249, 8852, 8854, 10528, 10530, 10531, 10536, 10549, 10551, 10562, 10572, 10812, 10815, 10828, 10837, 10848, 10851, 10865, 10875, 10956, 10961, 11006, 11604, 11609, 11610, 11625, 11635, 11652, 11657, 11658, 11673, 11685, 14374, 14377, 14378, 14408, 14433, 14436, 14438, 14450, 14474, 14477, 14478, 14508, 14533, 14536, 14538, 14548, 14997, 15000, 15009, 20720, 20723, 20724, 20738, 20750, 20767, 20770, 20771, 20785, 20795, 21019
\@outputdblcol 10930, 20808, 20809, 20810
\@outputpage ... 7196, 7200, 7255, 7259, 10840, 10843, 10878, 10882, 10958, 10962, 10967, 10978, 11638, 11642, 11690, 11694, 13530, 13542, 14456, 14461, 14553, 14558, 14986, 14987, 20755, 20759, 20798, 20802, 20956
\@ovbtrue 10766
\@ovdx 10779, 10787
\@ovdy 10780, 10788
\@ovhorz ... 10785, 10786
\@ovltrue 10766
\@ovri 10778
\@ovro 10778, 10787, 10788
\@ovrtrue 10766
\@ovttrue 10766
\@ovvert ... 10783, 10784
\@ovxx 10768, 10769, 10772, 10779, 10784, 10785, 10789, 10790
\@ovyy .. 10770, 10771, 10772, 10780, 10786
\@pagedp ... 20928, 20938
\@pageht 7276, 7385, 20911, 20918
\@par 19460
\@para@footgroupv@r 10327
\@paraLTRfootfmt .. . 10366, 10385, 10418
\@paraLTRfootnotetext 10322, 10357
\@paraRTLfootfmt .. . 10378, 10389, 10432
\@paraRTLfootnotetext 10323, 10369
\@parafootRTLfalse 8687
\@parafootRTLtrue . 8686
\@parafootfmt 10354, 10381, 10404
\@parafootnotetext 10321, 10345
\@parboxrestore . 42, 56, 72, 255, 269,

284, 2238, 4556, 4824, 4868, 4912, 6858, 8740, 8753, 8766, 8868, 8989, 9001, 9014, 9054, 9137, 9148, 9160, 9198, 9284, 9296, 9309, 9349, 9435, 9447, 9460, 9500, 9586, 9598, 9611, 9651, 9737, 9749, 9762, 9802, 9888, 9900, 9913, 9953, 10039, 10051, 10064, 10104, 10190, 10202, 10215, 10255, 10399, 10413, 10427, 10481, 10500, 10983, 11264, 11281, 11297, 11325, 11339, 11353, 11371, 14357, 14571, 20508, 20841, 20885, 20962
\@parboxto . 20511, 20518
\@parmoderr 2187, 4802, 4846, 4890, 20819, 20863
\@part 553, 8292
\@pboxswfalse 11362, 20494
\@pboxswtrue 20516
\@pdfm@mark 12573, 12589, 12623, 12654, 12683
\@pdfremotestartview 12604
\@phone .. 2371, 7664, 7762
\@photo 2376, 7637, 7639, 7768, 7770
\@photowidth . . . 2375, 2376, 7639, 7735
\@pkgextension 3770, 3781, 3845, 3854, 3862, 3865, 3873
\@plus 24, 103, 233, 513, 530, 605, 620, 649, 652, 665, 683, 690, 869, 876, 879, 892, 909, 927, 1121, 1132, 1135, 1148, 1166, 1174, 2410, 2496, 4261, 4262, 4263, 4270, 4271, 4272, 4274, 4275, 5480, 5481, 5482, 5484, 5485, 5551, 6228, 6239, 6242, 6255, 6271, 6278, 6405, 6416, 6419, 6432, 6448, 6455, 6616, 6719, 6734, 8268, 8282, 8537, 10383, 10387, 10391, 10492, 10591, 10606, 11492, 11530, 12779, 12799, 14623, 14635, 14855, 15511, 15540, 15543, 15556, 15572, 15579, 15766, 15912, 15915, 15928, 15944, 15951, 16144, 16158, 16226, 16328, 16343, 16592, 16599, 16623, 16646, 16664, 16735, 16760, 16848, 16853, 17006, 17025, 17048, 17049, 17058, 17059, 17068, 17069, 17078, 17088, 17141, 17148, 17172, 17195, 17213, 17284, 17309, 17428, 17433, 17586, 17605, 17637, 17638, 17647, 17648, 17657, 17658, 17667, 17677, 17840, 17847, 17871, 17894, 17912, 17983, 18008, 18111, 18116, 18269, 18288, 18320, 18321, 18330, 18331, 18340, 18341, 18350, 18360, 18383, 18646, 18675, 18796, 19071, 19239, 19242, 19246, 19347, 19350, 19354, 19387, 19684, 19687, 19691, 19779, 19963, 20657
\@pnumwidth . . . 13, 15, 218, 220, 516, 517, 519, 533, 534, 538, 668, 669, 671, 693, 694, 698, 895, 896, 900, 912, 913, 915, 1151, 1152, 1154, 1177, 1178, 1182, 6258, 6259, 6261, 6281, 6282, 6286, 6435, 6436, 6438, 6458, 6459, 6463, 6722, 6723, 6725, 6737, 6738, 6742, 7003, 7008, 7009, 8271, 8272, 8276, 8285, 8286, 8288, 8539, 8540, 8542, 10594, 10595, 10597, 10609, 10610, 10614, 12812, 12814, 14643, 15559, 15560, 15562, 15582, 15583, 15587, 15931, 15932, 15934, 15954, 15955, 15959, 16146, 16147, 16149, 16161, 16162, 16166, 16331, 16332, 16334, 16346, 16347,

16351, 18702, 18711, 18713, 19101, 19250, 19251, 19259, 19358, 19359, 19365, 19757, 19870, 19975, 20669
\@preamble 396, 397, 407, 409, 1441, 1449, 13464, 18451, 18453, 18460, 18490, 18491, 18499, 20626, 20628, 20637
\@preameightfmt 9869, 9875, 9878, 9881, 9961
\@preamerr 378, 1405, 1435, 18603, 20635, 20648
\@preamfivefmt . 9416, 9422, 9425, 9428, 9508
\@preamfntext 8694, 8710, 8726, 8863, 8943, 8953, 8963, 9041, 9094, 9103, 9112, 9186, 9238, 9248, 9258, 9336, 9389, 9399, 9409, 9487, 9540, 9550, 9560, 9638, 9691, 9701, 9711, 9789, 9842, 9852, 9862, 9940, 9993, 10003, 10013, 10091, 10144, 10154, 10164, 10242, 10349, 10361, 10373, 10467
\@preamfourfmt . 9265, 9271, 9274, 9277, 9357
\@preamninefmt 10020, 10026, 10029, 10032, 10112
\@preamsevenfmt 9718, 9724, 9727, 9730, 9810
\@preamsixfmt .. 9567, 9573, 9576, 9579, 9659
\@preamtenfmt 10171, 10177, 10180, 10183, 10263
\@preamthreefmt 9118, 9124, 9127, 9130, 9206
\@preamtwofmt .. 8970, 8976, 8979, 8982, 9062
\@printcites 15412
\@pstrickserr 15366
\@ptsize 2274, 2275, 2276, 2277, 2284
\@publisher ... 5643, 5696
\@publishers 16647, 16711, 16761, 17196, 17260, 17310, 17895, 17959, 18009
\@quote 2377, 7643, 7645, 7772, 7774
\@quotebox 15411
\@quotecolour 2339, 2356, 2466
\@r@m@msize 18485
\@raggedtwoe@everyselectfont 15425, 15438, 15451, 15462
\@raggedtwoe@gnewline . 15418, 15431, 15444
\@raggedtwoe@raggedrightboxes@opt 15464, 15493
\@raggedtwoe@saved@gnewline 15455
\@raggedtwoe@savedcr 15415, 15428, 15441, 15454
\@raggedtwoe@spaceskipfalse 15461
\@raggedtwoe@spaceskiptrue . 15424, 15437, 15450
\@rc@ifdefinable 2784, 2830
\@reffalse 17715
\@reftrue 17716, 17717, 17718, 17719, 17720, 17721, 17722, 17723
\@regtocline ... 646, 684, 701, 873, 903, 928, 1129, 1167, 1185, 6236, 6272, 6290, 6413, 6449, 6467, 15537, 15573, 15591, 15909, 15945, 15963
\@rememsize . 18482, 18485
\@removefromreset 14874, 14876
\@reqcolroom 7276, 7277, 7278, 7279, 7339, 7384, 7385, 7386, 7387, 7388, 7389, 7513
\@resetactivechars 10981, 20959
\@resetdyn@mics .. 10969
\@resetst@tics ... 10968
\@restonecolfalse 98, 228, 595, 611, 860, 1112, 6219, 6396, 6606, 12774, 15502, 15757, 16216, 18754
\@restonecoltrue 98, 228, 597, 613, 862, 1114, 6221, 6398, 6608, 12774, 15504, 15759, 16218, 18756
\@resumename .. 2309, 2365
\@revlabeltrue . 746, 998, 1248, 6346, 6523, 15643, 15782
\@rightcolumn . 14400, 14405, 14406, 14415, 14416, 14424, 14428, 14434, 14500, 14505, 14506, 14515, 14516, 14524, 14528, 14534
\@rightskip 13574, 15420, 15421, 15433, 15434, 15446, 15447, 15457, 15458, 15475, 20571
\@rjfieldfalse ... 20946
\@runbordercolor 12629, 12631
\@runcolor 12645
\@s@@size 18485

\@s@bidi@AfterClass 3802, 3811, 3823, 3832
\@s@bidi@AfterPackage 3847, 3855, 3866, 3874
\@sarray 18444
\@savemarbox 20940
\@secondoftwo . . 1541, 1547, 1553, 2652, 2656, 2664, 2668, 2676, 2680, 2686, 2694, 2707, 2716, 2725, 2734, 2740, 2743, 2754, 2759, 2766, 2928, 2938, 2939, 2940, 2941, 2947, 2956, 2962, 2986, 3014, 3042, 3091, 3103, 3104, 3113, 3707, 3835, 3877
\@secpenalty . . 5, 210, 512, 529, 664, 682, 689, 891, 908, 926, 1147, 1165, 1173, 8267, 8281, 12804, 18687, 18819, 18874, 19238, 19245, 19346, 19353
\@sectiontitlecolour 2340, 2357
\@seesize . . 18482, 18485
\@setcol 10975
\@setcolbox . 10936, 10972
\@setcopyright 112, 12824
\@setfontsize 4260, 4269, 5479, 5489, 5490, 5491, 5492, 5493, 5494, 5495
\@setfpsbit 2203, 2206, 2209
\@setmarks 7163, 7165, 7195, 7226, 7228, 7254, 10821, 10823, 10840, 10857, 10859, 10877, 11616, 11618, 11637, 11664, 11666, 11689, 14384, 14386, 14455, 14484, 14486, 14552, 20730, 20732, 20754, 20777, 20779, 20797
\@setminipage . . 4558, 11378, 11586, 14359
\@setpar 16045, 16088, 16567, 16574, 17116, 17123, 17689, 17694, 17815, 17822
\@settab 6148
\@sevencol@footgroupv@r 9681
\@sevencolLTRfootfmt . . . 9705, 9726, 9754
\@sevencolLTRfootnotetext 9676, 9698
\@sevencolRTLfootfmt . . . 9715, 9729, 9766
\@sevencolRTLfootnotetext 9677, 9708
\@sevencolfootfmt . . . 9695, 9723, 9741
\@sevencolfootnotetext 9675, 9688
\@sharp 403, 1443, 1444, 1445, 1451, 1452, 1453, 12732, 12738, 13456, 18456, 18491, 18497, 20632
\@sixcol@footgroupv@r 9530
\@sixcolLTRfootfmt . . . 9554, 9575, 9603
\@sixcolLTRfootnotetext 9525, 9547
\@sixcolRTLfootfmt . . . 9564, 9578, 9615
\@sixcolRTLfootnotetext 9526, 9557
\@sixcolfootfmt 9544, 9572, 9590
\@sixcolfootnotetext 9524, 9537
\@skip@bove . 18476, 18478
\@spaces 18514, 18555, 18560
\@spart 8311
\@specialpagefalse 10938, 20972
\@specialstyle 10939, 20972
\@stabarray 18440
\@stabular 18436
\@star@or@long . 2779, 2800, 2824, 2835
\@startdblcolumn 7199, 7201, 7258, 7260, 10841, 10843, 10881, 10882, 10965, 10967, 11641, 11643, 11693, 11695, 14459, 14462, 14556, 14559, 20758, 20760, 20801, 20803
\@startfield 6190
\@startpbox 1418, 1419, 1484, 1485, 1486, 6939, 6940, 6941, 13443, 13444, 13450, 18454, 18492, 20629
\@startsection 23, 12798
\@starttoc . . . 5446, 5454
\@stopfield 6155, 6170, 6174, 6202, 20946
\@stopline . . 6174, 20946
\@strip 14568
\@subjclass 334
\@subject 16631, 16632, 16710, 16744, 16745, 17180, 17181, 17259, 17293, 17294, 17879, 17880, 17958, 17992, 17993
\@subsectioncolour 2342, 2358
\@subtitle 16637, 16707, 16750, 17186, 17256, 17299, 17885, 17955, 17998
\@tabacol 2116, 13441, 18438, 20420, 20612

\@tabarray . 384, 408, 412, 2118, 13428, 13430, 20415, 20422, 20614, 20640
\@tabclassiv 2118, 13442, 18440, 20422, 20614
\@tabclassz 1446, 2117, 13442, 18439, 20421, 20613
\@tabcr 6151, 6161
\@tabminus 6149
\@tabplus 6148
\@tabular 380, 2104, 20610
\@tabularcr 2118, 13446, 18440, 20422, 20614
\@tagsextension 2585, 2588
\@tarlinesep . . 18478, 18479, 18480, 18481, 18484, 18486
\@temp@bibkey . . 5013, 5032, 5051, 5079
\@temp@bibkeyx 5018, 5019, 5021, 5022, 5023, 5024, 5037, 5038, 5040, 5041, 5042, 5043, 5056, 5057, 5059, 5060, 5061, 5062, 5088, 5089, 5091, 5092, 5093, 5094
\@temp@last@bibkey 5012, 5013, 5019, 5031, 5032, 5038, 5050, 5051, 5057, 5078, 5079, 5089
\@tempa 123, 126, 133, 134, 135, 136, 793, 795, 797, 801, 1045, 1047, 1049, 1053, 1295, 1297, 1299, 1303, 2501, 2502, 2505, 2608, 2609, 2612, 2614, 2616, 2617, 2620, 2622, 2624, 2625, 2628, 2630, 2632, 2633, 2636, 2638, 10767, 11755, 11756, 11757, 11758, 11795, 11798, 11799, 11805, 11816, 11817, 11823, 11828, 11829, 11831, 11834, 11891, 11892, 11893, 11894, 12351, 12355, 12358, 12370, 12389, 12393, 12396, 12408, 12835, 12838, 13511, 13512, 13514, 13515, 14877, 14878, 14879, 14882, 14889, 14895, 15690, 15692, 15694, 15698, 15831, 15833, 15835, 15839, 16422, 16423, 16465, 16466, 16566, 16808, 16811, 17115, 17388, 17391, 17688, 17814, 18071, 18074, 18563, 18565, 18570, 18572, 19961, 19978, 19982, 19983, 19984, 19993, 20007, 20183, 20186, 20192, 20196, 20210
\@tempb 2501, 2502, 2504, 2505, 11755, 11756, 11796, 11798, 11826, 11828, 11829, 11831, 11834, 14881, 14882, 14888, 14889, 14894, 14895
\@tempboxa 4808, 4852, 4896, 7299, 7323, 7332, 7391, 7435, 7476, 7497, 7506, 7855, 7856, 7857, 7858, 7860, 7909, 7910, 7911, 7912, 7914, 8892, 10778, 10782, 10790, 10791, 10916, 10917, 10918, 11367, 11391, 11429, 11474, 11481, 11491, 11494, 11498, 11500, 11506, 11540, 11542, 11548, 11561, 11565, 11566, 11721, 11817, 11834, 11983, 12164, 12166, 12925, 12926, 13060, 13065, 13069, 13473, 13474, 13477, 14285, 14288, 14292, 14294, 14300, 14302, 14303, 14332, 14333, 14337, 15130, 15131, 15134, 16872, 16886, 16890, 16892, 16915, 16916, 16918, 16919, 16921, 16926, 16931, 17452, 17466, 17470, 17472, 17495, 17496, 17498, 17499, 17501, 17506, 17511, 18135, 18149, 18153, 18155, 18178, 18179, 18181, 18182, 18184, 18189, 18194, 18537, 18557, 19922, 19925, 19930, 19934, 19938,

19942, 19946, 19950, 19954, 19958, 20595, 20596, 20651, 20652, 20653, 20654, 20825, 20869, 21007, 21014, 21015, 21049, 21050, 21054
\@tempc . 11797, 11799, 11805, 12902, 12907
\@tempcnta 1409, 1468, 1469, 1470, 1472, 1473, 2191, 2197, 2199, 2212, 2213, 2219, 2220, 6926, 6928, 7830, 7887, 12939, 12941, 12944, 12967, 12968, 12972, 14953, 14955, 14956, 14962, 14966, 14979, 15036, 15038, 15042, 15045, 15047, 16670, 16672, 16865, 16884, 17219, 17221, 17445, 17464, 17918, 17920, 18128, 18147, 18550, 19769, 19770, 19771, 19790, 19791, 19792, 19794, 19796, 19878, 19879, 19880, 20900, 20902, 20905, 20907, 20909, 20931
\@tempcntb 2217, 2218, 2219, 14954, 14955, 14962, 14966, 14979, 16865, 16883, 17445, 17463, 18128, 18146
\@tempdima 8, 10, 12, 14, 213, 215, 217, 219, 388, 389, 391, 514, 531, 536, 654, 667, 691, 696, 881, 882, 893, 898, 911, 1137, 1150, 1175, 1180, 1463, 1464, 1496, 1497, 1498, 2271, 2273, 5467, 5468, 6244, 6257, 6279, 6284, 6421, 6434, 6456, 6461, 6720, 6735, 6740, 6951, 6952, 6953, 7001, 7006, 7280, 7349, 7350, 7364, 7365, 7369, 7446, 7524, 7525, 7539, 7540, 7544, 7560, 7561, 7801, 7802, 7803, 7804, 7822, 7823, 7824, 7825, 7831, 7833, 7834, 7838, 7839, 7840, 7841, 7842, 7850, 7854, 7857, 7858, 7859, 7873, 7874, 7875, 7888, 7890, 7891, 7895, 7896, 7897, 7898, 7899, 7905, 7908, 7911, 7912, 7913, 7925, 7926, 7927, 8071, 8073, 8074, 8075, 8079, 8086, 8088, 8090, 8097, 8121, 8122, 8127, 8128, 8129, 8130, 8131, 8246, 8248, 8250, 8269, 8274, 8284, 10337, 10338, 10341, 10342, 10454, 10455, 10458, 10459, 10538, 10540, 10593, 10607, 10612, 10779, 10780, 10783, 10784, 11365, 11369, 11814, 11816, 11821, 11823, 11824, 11826, 11839, 11844, 11849, 11853, 12807, 12809, 12811, 12813, 12917, 12923, 12924, 12930, 12931, 12936, 12937, 12942, 13438, 13448, 13453, 14403, 14407, 14503, 14507, 14568, 14593, 14616, 14628, 14629, 14640, 14641, 14957, 15545, 15558, 15580, 15585, 15917, 15930, 15952, 15957, 16046, 16047, 16048, 16089, 16090, 16091, 16159, 16164, 16329, 16344, 16349, 16467, 16468, 16568, 16569, 16570, 16575, 16576, 16579, 16889, 16890, 16915, 16916, 16917, 16919, 17117, 17118, 17119, 17124, 17125, 17128, 17469, 17470, 17495, 17496, 17497, 17499, 17690, 17691, 17692, 17695, 17696, 17699, 17816, 17817, 17818, 17823, 17824, 17827, 18152, 18153, 18178, 18179, 18180, 18182, 18483, 18486, 18488, 18551,

18610, 18611, 18612, 18829, 18833, 18860, 18864, 18883, 18887, 18900, 18904, 18917, 18921, 18934, 18938, 18951, 18955, 18968, 18972, 18986, 18990, 19005, 19009, 19025, 19029, 19060, 19064, 19248, 19254, 19356, 19406, 19409, 19410, 19414, 19786, 19788, 19817, 19820, 19827, 19830, 19834, 19839, 19842, 19854, 19887, 19889, 19890, 19893, 19896, 19900, 19907, 19909, 19968, 19969, 19982, 19984, 19992, 19999, 20145, 20146, 20165, 20176, 20177, 20178, 20179, 20191, 20194, 20200, 20201, 20507, 20508, 20662, 20663, 20910, 20911, 20912, 20913, 20916, 20919, 20922, 20924, 20947, 20948

\@tempdimb 6920, 7282, 7285, 7286, 7287, 7288, 7291, 7292, 7293, 7294, 7295, 7296, 7297, 7448, 7451, 7452, 7454, 7456, 7459, 7463, 7466, 7469, 7473, 7475, 7801, 7802, 7822, 7823, 7874, 7876, 7879, 7926, 7928, 7931, 8077, 8079, 8092, 8093, 8094, 8095, 8097, 8124, 8127, 10339, 10340, 10341, 10456, 10457, 10458, 10772, 10773, 10774, 10775, 10777, 11815, 11816, 11822, 11823, 11825, 11826, 12937, 12938, 12940, 14568, 14593, 16577, 16578, 16579, 17126, 17127, 17128, 17697, 17698, 17699, 17825, 17826, 17827, 18483, 18486, 18488, 19787, 19793, 19795, 19800, 19802, 19805, 19809, 19813, 19821, 19823, 19824, 19837, 19843, 19845, 20148, 20149, 20151, 20153, 20156, 20157, 20159, 20162, 20176, 20177, 20178, 20182, 20195, 20199, 20200, 20510, 20511

\@tempdimc 6921, 16565, 16572, 16573, 16583, 17114, 17121, 17122, 17132, 17813, 17820, 17821, 17831

\@tempskipa 6067, 6068, 6069, 6180, 6181, 6182

\@tempswafalse . 3982, 4029, 7842, 7899, 11762, 20230, 20273

\@tempswatrue 3981, 4026, 7836, 7893, 20712

\@temptokena 121, 125, 12833, 12837, 15022

\@tempx 6082, 6083, 12429, 12441

\@tempxi 6085, 6086, 12460, 12472

\@tempxii 6088, 6089, 12491, 12503

\@tempy 2124, 2125

\@tempyi 2127, 2128

\@tempyii 2130, 2131

\@tencol@footgroupv@r 10134

\@tencolLTRfootfmt . 10158, 10179, 10207

\@tencolLTRfootnotetext 10129, 10151

\@tencolRTLfootfmt . 10168, 10182, 10219

\@tencolRTLfootnotetext 10130, 10161

\@tencolfootfmt 10148, 10176, 10194

\@tencolfootnotetext 10128, 10141

\@testopt 2802, 2820, 13435, 13436

\@testpach 355, 1380, 1425, 18576, 20641

\@texfileextension 2587, 2590

\@textbottom 10533, 16592, 16599, 16848, 16853, 17141, 17148, 17428, 17433, 17840, 17847, 18111, 18116

\@textsuperscript . 457, 460, 747, 809, 811, 999, 1063, 1249, 1311, 1313, 1904, 1907, 5118, 5120, 6347, 6524, 6663, 6666, 8384, 8387, 8481, 8484, 10703, 10706,

14228, 15644, 15706, 15708, 15783, 15847, 15849, 16043, 16050, 16086, 16093, 16272, 16275
\@texttop 10529
\@tfor 2192, 10767
\@thanks 436, 444, 472, 480, 778, 784, 823, 829, 1030, 1036, 1075, 1081, 1280, 1286, 1325, 1331, 1909, 1915, 6378, 6384, 6555, 6561, 6642, 6650, 6678, 6686, 8365, 8371, 8399, 8405, 8460, 8468, 8496, 8504, 10684, 10690, 10718, 10724, 11393, 11407, 11410, 14221, 14244, 15675, 15681, 15720, 15726, 15814, 15822, 15861, 15869, 16064, 16072, 16105, 16113, 16251, 16259, 16287, 16295, 16650, 16694, 16703, 17199, 17243, 17252, 17898, 17942, 17951
\@thefnmark 44, 58, 74, 257, 271, 286, 457, 460, 747, 809, 811, 999, 1063, 1249, 1311, 1313, 1904, 1907, 2147, 2155, 2163, 5118, 5120, 5154, 5172, 5190, 5216, 5222, 5245, 5251, 5274, 5280, 6103, 6110, 6117, 6347, 6524, 6663, 6666, 8384, 8387, 8481, 8484, 8697, 8713, 8729, 8742, 8755, 8768, 8812, 8816, 8818, 8824, 8828, 8830, 8836, 8840, 8842, 8945, 8955, 8965, 8991, 9004, 9016, 9096, 9105, 9114, 9139, 9151, 9162, 9240, 9250, 9260, 9286, 9299, 9311, 9391, 9401, 9411, 9437, 9450, 9462, 9542, 9552, 9562, 9588, 9601, 9613, 9693, 9703, 9713, 9739, 9752, 9764, 9844, 9854, 9864, 9890, 9903, 9915, 9995, 10005, 10015, 10041, 10054, 10066, 10146, 10156, 10166, 10192, 10205, 10217, 10351, 10363, 10375, 10401, 10415, 10429, 10703, 10706, 11230, 11235, 11239, 11244, 11266, 11283, 11299, 11327, 11341, 11355, 11398, 11403, 11413, 11418, 11708, 12211, 12222, 12233, 12244, 12362, 12400, 12433, 12464, 12495, 12558, 12795, 15644, 15706, 15708, 15783, 15847, 15849, 16043, 16050, 16086, 16093, 16272, 16275
\@thefoot 10944, 10947, 10951, 20975, 20981, 20989, 20992, 21032
\@thehead 10943, 10946, 10950, 20975, 20981, 20988, 20991, 21011
\@themargin . . . 10998, 11859, 11861, 11866, 11868, 11872, 11874, 20977, 20979, 20983, 20985, 21004
\@thm 14910, 14931
\@thmcountersep 353, 20440
\@threecol@footgroupv@r 9084
\@threecolLTRfootfmt . . . 9107, 9126, 9153
\@threecolLTRfootnotetext 9079, 9100
\@threecolRTLfootfmt . . . 9116, 9129, 9164
\@threecolRTLfootnotetext 9080, 9109
\@threecolfootfmt . . . 9098, 9123, 9141
\@threecolfootnotetext 9078, 9091
\@title 330, 426, 447, 483, 497, 756, 758, 786, 831, 844, 1008, 1010, 1038, 1083, 1096, 1258, 1260, 1288, 1333, 1347, 1358, 1918, 2307, 2368, 5651, 5736, 6356, 6358, 6386, 6533, 6535, 6563, 6632, 6653, 6689, 6703, 7753, 8355, 8374, 8408, 8420, 8450, 8471, 8507, 8521, 10674, 10693, 10727, 10739, 14222, 15653, 15655, 15683, 15728, 15741, 15792, 15794, 15824, 15871, 15887, 15898,

16054, 16075, 16116, 16130, 16241, 16262, 16298, 16312, 16635, 16706, 16748, 17184, 17255, 17297, 17883, 17954, 17996
\@titlecolour . 2337, 2354
\@titlehead 16624, 16626, 16709, 16736, 16738, 17173, 17175, 17258, 17285, 17287, 17872, 17874, 17957, 17984, 17986
\@tocextra 18780, 18781, 18785, 18787, 18790
\@tocline . . 2, 207, 12801
\@tocpagenum 15, 220, 12814
\@tocrmarg . . . 14612, 14624, 14636, 18824, 18855, 18878, 18895, 18912, 18929, 18946, 18963, 18981, 19000, 19020, 19055, 19106, 19384, 19847, 19964, 20658
\@todonotes@MissingFigureDown 20126
\@todonotes@MissingFigureText 20103
\@todonotes@MissingFigureUp 20125
\@todonotes@author 20036, 20047, 20072, 20090
\@todonotes@currentfigcolor 20107
\@todonotes@currentfigheight 20108
\@todonotes@currentfigwidth 20108, 20110, 20120, 20123
\@todonotes@drawInlineNote 20031
\@todonotes@drawLineToLeftMargin 20059, 20062
\@todonotes@drawLineToRightMargin 20059, 20062
\@todonotes@drawMarginNote . 20058, 20061, 20065
\@todonotes@drawMarginNoteWithLine 20053
\@todonotes@ifdisabled 20132
\@todonotes@sizecommand 20036, 20038, 20045, 20047, 20049, 20072, 20074, 20086, 20089, 20090, 20092, 20095
\@todonotes@text . . 20036, 20038, 20047, 20049, 20072, 20074, 20087, 20093, 20096
\@todonotes@textwidth 20070
\@toodeep 20447
\@topnum . . . 111, 324, 469, 820, 1072, 1322, 5729, 6675, 8396, 8493, 10715, 12823, 14241, 15717, 15858, 16102, 16284, 16691, 17240, 17939
\@topsep . . . 14924, 14944
\@topsepadd 2035, 14925, 14945
\@totalleftmargin . . 11576, 11580, 11583, 11592, 13573, 14927, 14928, 14947, 14948, 15474, 15488, 20466, 20468, 20474, 20476, 20480, 20482, 20486, 20488, 20490, 20537, 20539, 20540, 20541, 20546, 20548, 20549, 20550, 20555, 20557, 20558, 20559, 20564, 20566, 20567, 20568, 20947
\@traditionalpoem 6024, 6123
\@trivlist 14921, 14941, 20459
\@twocol@footgroupv@r 8933
\@twocolLTRfootfmt . . . 8957, 8978, 9006
\@twocolLTRfootnotetext 8928, 8950
\@twocolRTLfootfmt . . . 8967, 8981, 9018
\@twocolRTLfootnotetext 8929, 8960
\@twocolfootfmt 8947, 8975, 8993
\@twocolfootnotetext 8927, 8940
\@twosidefalse 4244
\@twosidetrue 4239
\@typeset@protect 2063, 2069, 2075, 2090
\@undeclaredcolor 6966, 6974, 20223, 20224
\@undefined 2121, 13440, 14342
\@undottedtocline 14609
\@unexpandable@protect 2853, 4141
\@unrecurse . 18473, 18476
\@uppertitleback 16654, 16712, 17203, 17261, 17902, 17960
\@urlbordercolor 12660, 12662
\@urlcolor 12674
\@viiipt 4269, 5489, 14965, 14978
\@viipt 5489, 14965, 14978
\@viper 7202, 7204, 7206, 7261, 7263, 7265, 7278, 7342, 7388,

7516, 7565, 14569, 14584, 14586, 14591
\@viperoutput . 7208, 7267
\@vipt 5490
\@vpt 5490
\@whilenum 12968
\@whilesw . 7200, 7259, 10842, 10882, 10966, 11642, 11694, 14460, 14557, 20759, 20802
\@wholewidth 10769, 10771, 10789
\@width 31, 245, 393, 543, 728, 963, 1208, 1498, 6319, 6472, 6748, 6953, 7175, 7240, 7315, 7489, 7783, 8339, 8638, 8685, 10640, 10871, 11177, 11179, 11554, 11631, 11677, 12792, 12863, 13455, 13509, 13595, 14442, 14544, 14687, 14701, 14775, 15596, 16019, 16175, 16357, 16594, 16849, 17143, 17429, 17842, 18112, 18449, 18488, 20624, 20742, 20791, 20938
\@x 6140, 6141
\@x@sf 5127, 5132, 5138, 5141
\@xLTRfootnote 2112, 2234, 5974, 5985, 6198, 6212, 11238, 11241
\@xLTRfootnotenext 2111, 2233, 5973, 5984, 6197, 6211, 11397, 11400, 12230, 18523
\@xRTLfootnote 2114, 2236, 5976, 5987, 6200, 6214, 11229, 11232
\@xRTLfootnotenext 2113, 2235, 5975, 5986, 6199, 6213, 11412, 11415, 12219, 18524
\@xaddress 331
\@xauthor 331
\@xcolor@ . . 20231, 20274
\@xcurraddr 332
\@xemail 332
\@xfloat 2167
\@xfootnote 2110, 2232, 5972, 5983, 6196, 6210, 12556
\@xfootnotemark . . 12241
\@xfootnotenext 2109, 2231, 5971, 5982, 6195, 6209, 12208, 18522
\@xiipt 5492
\@xipt 5491
\@xivpt 313, 5493
\@xmakefntext . . 810, 1312, 15707, 15848
\@xp 121, 318, 343, 344, 6867, 12833
\@xpt 4260
\@xthm 14929, 14949
\@xtitle 330
\@xxpt 5494
\@xxxii 2218
\@xympar 4814, 4818, 4858, 4862, 4902, 4906, 20831, 20835, 20875, 20879, 20942
\@yargdef 2822
\@ympar 20939
\@ythm 14929, 14949
\[. 6148, 10886
\\ 122, 407, 754, 799, 1006, 1051, 1256, 1301, 2118, 2415, 2421, 2500, 3263, 3279, 3283, 3504, 3506, 3507, 3508, 3516, 3521, 3522, 3524, 4574, 4575, 4576, 4578, 5538, 5907, 6045, 6354, 6531, 7641, 7642, 7645, 7661, 7748, 7753, 7760, 7770, 7774, 8618, 8622, 8631, 12063, 12066, 12079, 12082, 12182, 12603, 12618, 12637, 12834, 12854, 12858, 13022, 13023, 13029, 13030, 13433, 13578, 15040, 15052, 15415, 15416, 15428, 15429, 15441, 15442, 15454, 15651, 15696, 15790, 15837, 17790, 18440, 18455, 18471, 18472, 18645, 18674, 20069, 20076, 20422, 20571, 20614, 20630, 20640
\{ 1980, 13715, 13759
\} 1981, 13715, 20427
\] . . 188, 204, 6149, 10896
\^ 1756, 5924, 5925, 5927, 5928
\` 11574, 13570, 15470, 15484
\| . . . 11453, 11454, 11569

Numbers

\0 1738
\1 . . . 13657, 13708, 13760
\9 1738

\␣ 1596, 1808, 5020, 5024, 5039, 5043, 5058, 5062, 5090, 5094, 11446, 11448, 17784

A

\abovecaptionskip 13058,

13497, 13499, 14281, 14331, 16939, 16943, 16958, 16966, 17519, 17523, 17538, 17546, 18202, 18206, 18221, 18229, 21048
\abovedisplayshortskip . . . 4262, 4271, 5481
\abovedisplayskip . 4261, 4264, 4270, 4277, 4311, 5480, 5487
\abstractname 632, 638, 641, 939, 945, 947, 1191, 1197, 1200, 6295, 6483, 15523, 15529, 15532, 15973, 15979, 15982
\Acrobatmenu 12679
\active 5924, 5925, 5927, 5928
\add@strip 14593
\addcontentsline 556, 558, 2412, 4553, 8295, 8297, 13089, 13094, 14354, 18763, 18770, 18787, 20103
\addfontfeature 2335, 2336, 2337, 2338, 2339, 2340, 2342, 2343
\addpenalty 5, 210, 512, 529, 664, 682, 689, 891, 908, 926, 1147, 1165, 1173, 6254, 6270, 6277, 6431, 6447, 6454, 6718, 6733, 8267, 8281, 8536, 10590, 10605, 12804, 15555, 15571, 15578, 15927, 15943, 15950, 16143, 16157, 16327, 16342, 18687, 18689, 18817, 18819, 18852, 18874, 19238, 19241, 19245, 19346, 19349, 19353
\address 331, 2369
\addresscolour 2338, 7593, 7691, 7697, 7703, 7709, 7715
\addressfont 2347, 2355, 2466, 7631, 7659, 7723, 7757
\addresssymbol 2329, 7661, 7760
\addresstyle 2355
\addtocontents . . . 19103
\addtocounter 12964, 12965
\addtolength . . . 183, 2289, 2290, 2291, 2292, 2293, 2294, 2392, 2393, 2395, 2397, 2398, 2401, 4346, 4349, 4350, 4353, 5504, 7739, 7740, 7741, 8130, 11916, 11917, 12920, 12924, 12926, 12928, 12929, 12930, 12931, 12950, 12952, 12953, 12955, 12956, 12958, 12959, 12960, 12970, 12971, 16569, 16572, 16573, 16576, 16578, 16916, 16917, 17118, 17121, 17122, 17125, 17127, 17496, 17497, 17691, 17696, 17698, 17817, 17820, 17821, 17824, 17826, 18179, 18180, 18706, 18707, 19387, 19393, 19397, 19401
\addvspace 5, 210, 513, 530, 665, 683, 690, 892, 909, 927, 1148, 1166, 1174, 5532, 5589, 6255, 6271, 6432, 6448, 6719, 8268, 8282, 8537, 10591, 12804, 15556, 15572, 15928, 15944, 16144, 16328, 18821, 18875, 19239, 19246, 19347, 19350, 19354, 19381, 19781
\adjmc@inner 134
\adjmc@outer 136
\adjmc@page@sofar@orig 164
\adjmult@cols 163
\adjmulticols 132
\adl@act@classz . . . 1501
\adl@act@CT@setup 1459, 1466
\adl@activate . 1376, 1459
\adl@argarraydashrule 1395, 1433
\adl@array . . . 1373, 1378
\adl@arraydashrule 1394, 1432
\adl@arrayinit 1375
\adl@arrayrestore . 1370
\adl@arrayrule 1393, 1431
\adl@box . 1416, 1418, 1419
\adl@class@iiiorvii 1422, 1455
\adl@class@start 1421, 1454
\adl@CT@setup 1458, 1461, 1462
\adl@depth 1465
\adl@endarray 1370
\adl@endmbox 1417
\adl@everyvbox 1374, 1375
\adl@extract@arc . . 1470
\adl@extract@dgc . . 1473
\adl@extract@drsc . 1471
\adl@height 1464
\adl@inactivate 1376, 1458
\adl@LT@array 12730
\adl@noalign 1377
\adl@org@activate . 1459
\adl@org@classz . . . 1502

\adl@org@endpbox . . 1460
\adl@org@inactivate 1458
\adl@putlrc 1413, 1414, 1415, 1443, 1444, 1445, 1451, 1452, 1453
\adl@startmbox 1416
\advance 12, 90, 217, 303, 321, 389, 536, 580, 696, 715, 882, 898, 978, 1180, 1228, 1463, 1497, 1738, 1739, 1877, 1882, 2199, 2213, 2219, 2485, 3373, 3524, 3530, 3540, 3595, 3612, 3621, 4153, 4762, 5468, 5543, 5894, 5902, 5903, 6068, 6181, 6284, 6306, 6461, 6494, 6740, 6803, 6952, 6960, 6961, 7001, 7113, 7278, 7279, 7288, 7349, 7350, 7365, 7385, 7388, 7389, 7398, 7400, 7406, 7407, 7410, 7413, 7416, 7459, 7524, 7525, 7540, 7560, 7561, 7791, 7801, 7802, 7812, 7822, 7823, 7839, 7840, 7841, 7858, 7867, 7874, 7896, 7897, 7898, 7912, 7919, 7926, 8074, 8075, 8088, 8090, 8093, 8094, 8095, 8274, 8327, 8598, 8919, 8921, 10612, 10654, 10769, 10771, 10773, 10779, 10780, 10787, 10788, 10789, 10959, 10960, 11449, 11463, 11476, 11477, 11509, 11514, 11515, 11518, 11527, 11591, 11719, 12565, 12575, 12765, 12811, 12938, 12941, 12942, 12972, 13448, 13460, 13526, 14395, 14397, 14424, 14425, 14428, 14495, 14497, 14524, 14525, 14528, 14582, 14583, 14584, 14585, 14594, 14616, 14629, 14641, 14654, 14922, 14926, 14927, 14942, 14946, 14947, 14955, 15047, 15069, 15097, 15104, 15146, 15151, 15152, 15153, 15182, 15183, 15209, 15220, 15375, 15377, 15382, 15385, 15408, 15585, 15612, 15957, 16006, 16047, 16090, 16164, 16200, 16349, 16403, 16468, 16805, 17385, 17788, 18068, 18401, 18472, 18486, 18496, 18516, 18611, 18646, 18662, 18675, 18679, 18711, 18712, 18732, 18833, 18864, 18887, 18904, 18921, 18938, 18955, 18972, 18990, 19009, 19029, 19064, 19105, 19254, 19255, 19363, 19414, 19770, 19790, 19795, 19845, 19846, 19847, 19850, 19854, 19879, 19890, 19969, 19992, 20146, 20148, 20158, 20177, 20178, 20207, 20218, 20219, 20449, 20462, 20463, 20466, 20468, 20474, 20476, 20480, 20482, 20486, 20488, 20598, 20599, 20663, 20689, 20911, 20912, 20919, 20920, 20921, 20922, 20947
\afterassignment . . 1598, 1600, 1810, 1812, 2854, 3604, 4992, 18546, 18547
\aftergroup 2017, 2027, 3811, 3813, 3823, 3825, 3835, 3837, 3855, 3857, 3866, 3868, 3877, 3879, 4976, 4991, 6964, 6966, 6973, 6979, 6998, 10987, 10989, 15265, 15266, 15269, 15274, 15275, 15279, 15284, 15285, 15289, 15293, 15297, 15301, 18680, 19772, 20212, 20221, 20223, 20260, 20264, 20317, 20328, 20329, 20332, 20337, 20338, 20342, 20347, 20348, 20352, 20357, 20361, 20366, 20526,

20957, 20967, 20968
\AlFnt 185
\ALG@floatstyle 4777, 4778, 4779
\algocf@algobox . . . 177
\algocf@algoframe . . . 171, 172, 173, 174
\algocf@endline . . . 188
\algocf@float 21114
\algocf@makethealgo 198
\algocf@within 166, 168, 21116, 21117, 21118
\algomargin 180, 183
\algowidth . 178, 180, 201
\alignL 6899
\alignR 6906
\allowbreak 7797, 7818, 8977, 8980, 8983, 9064, 9125, 9128, 9131, 9208, 9272, 9275, 9278, 9359, 9423, 9426, 9429, 9510, 9574, 9577, 9580, 9661, 9725, 9728, 9731, 9812, 9876, 9879, 9882, 9963, 10027, 10030, 10033, 10114, 10178, 10181, 10184, 10265
\Alph 14263
\AM@CheckAtEnd . . . 15060
\AM@ClearShipoutPicture 15062
\AM@currentdocname 15025, 15031
\AM@findfile 15029
\AM@output 15058
\AM@pagecount 15027
\AM@pageref . 15042, 15045
\AM@pagestemp 15035, 15040, 15041, 15044, 15052, 15053, 15057
\AM@readlist 15057
\AM@split@options 15021
\AM@temp . . . 15022, 15023
\AM@threadname 15020, 15030, 15031
\AM@xrprefix 15038, 15042, 15045
\and 451, 487, 765, 791, 794, 836, 1017, 1043, 1046, 1088, 1267, 1293, 1296, 1338, 1360, 1922, 6365, 6391, 6542, 6568, 6657, 6693, 8378, 8412, 8475, 8511, 10697, 10731, 14219, 15024, 15662, 15688, 15691, 15733, 15801, 15829, 15832, 15876, 15900, 16079, 16120, 16266, 16302, 16725, 17274, 17973
\andify 116, 12828
\andname . . 799, 1051, 1301, 15696, 15837
\andnext 14220
\AppendToList 3472
\arabic 19, 20, 21, 22, 86, 224, 225, 226, 227, 299, 339, 10922, 10928, 12761, 12818, 12819, 12820, 12821, 19045, 21114
\array 410, 20638
\arraycolsep 410
\arraylinesep 18479
\arrayrulecolor . . . 1470
\arrayrulewidth . . 18496
\arraystretch 391, 392, 2011, 2022, 13453, 13454, 18447, 18448, 18483, 20435, 20622, 20623
\aslice . 15189, 15190, 15192, 15194, 15195, 15197, 15210, 15211, 15213
\At@ViperColsBreak . . . 7427, 7437, 7441
\AtBeginCaption . . 13100
\AtBeginDocument 1589, 1711, 2304, 2364, 2461, 3166, 4206, 4355, 4582, 4716, 4721, 4774, 5585, 5785, 5850, 7670, 7784, 7805, 7826, 8234, 11306, 12180, 13108, 13115, 13198, 18462, 19919
\AtBeginPackage . . 14324
\AtEndDocument . 1742, 2468, 3179, 4058, 6077, 6133, 13700, 13751, 13769, 20710
\AtEndOfClass 2303
\AtPageLowerLeft . . 8064
\AtPageUpperLeft 8064, 8078, 8096
\AtTextUpperLeft 8068, 8084
\author 331, 449, 485, 789, 834, 1041, 1086, 1291, 1336, 1920, 5635, 5667, 6389, 6566, 6655, 6691, 8376, 8410, 8473, 8509, 10695, 10729, 15686, 15731, 15827, 15874, 16077, 16118, 16264, 16300, 16715, 17264, 17963
\auto@footnoterule 11193, 11204
\autodot 16772, 17320, 18019, 19982
\autofootnoterule . 1666, 7777, 8679, 11202, 11704, 21066

B

\backmatter 5839, 6788, 8583
\baselineskip . . 405, 727, 729, 733, 735, 1207, 1209, 1213, 1215, 2794,

4288, 4290, 4293, 4295, 4297, 4300, 4455, 5085, 5152, 5170, 5188, 5305, 5314, 5323, 5404, 5411, 5418, 5425, 5432, 5532, 5589, 5932, 5993, 6057, 6063, 6318, 6320, 6324, 6326, 6471, 6473, 6477, 6479, 7114, 7115, 7132, 7136, 7351, 7526, 10995, 11464, 12917, 12936, 12944, 13469, 13479, 13576, 13593, 15144, 15147, 15161, 15185, 15189, 15194, 15198, 15210, 15221, 15248, 15477, 15491, 15595, 15597, 15601, 15603, 16018, 16020, 16024, 16026, 17782, 17785, 17787, 17792, 18458, 18497, 20146, 20154, 20158, 20634, 21001, 21029

\baselinestretch .. 2319, 5148, 5166, 5184, 8691, 8707, 8723, 8739, 8752, 8765, 8941, 8951, 8961, 8987, 8999, 9012, 9039, 9052, 9067, 9072, 9092, 9101, 9110, 9135, 9146, 9158, 9184, 9196, 9211, 9216, 9236, 9246, 9256, 9282, 9294, 9307, 9334, 9347, 9362, 9367, 9387, 9397, 9407, 9433, 9445, 9458, 9485, 9498, 9513, 9518, 9538, 9548, 9558, 9584, 9596, 9609, 9636, 9649, 9664, 9669, 9689, 9699, 9709, 9735, 9747, 9760, 9787, 9800, 9815, 9820, 9840, 9850, 9860, 9886, 9898, 9911, 9938, 9951, 9966, 9971, 9991, 10001, 10011, 10037, 10049, 10062, 10089, 10102, 10117, 10122, 10142, 10152, 10162, 10188, 10200, 10213, 10240, 10253, 10268, 10273, 10335, 10347, 10359, 10371, 10396, 10410, 10424, 10452, 10465, 10479, 10501, 10509

\BCmd 2016

\BDefaboveskip 2031, 2046, 2049

\BDefbelowskip 2035, 2047, 2050

\BDefinlineskip 2040, 2048, 2051

\begin 171, 173, 177, 415, 425, 430, 493, 501, 739, 752, 763, 842, 848, 991, 1004, 1015, 1094, 1100, 1241, 1254, 1265, 1345, 1351, 1360, 1362, 1363, 2010, 2012, 2021, 2023, 2026, 2419, 2423, 2425, 2427, 2429, 2433, 2441, 2444, 2479, 2524, 2528, 2548, 2552, 2579, 3214, 3220, 3242, 3246, 3915, 4361, 4362, 4375, 4378, 4452, 4453, 4459, 4460, 4467, 4468, 4493, 4494, 4531, 4534, 4537, 4540, 4544, 4545, 4729, 4730, 5348, 5404, 5411, 5418, 5425, 5432, 5445, 5453, 5575, 5580, 5713, 5760, 5783, 6165, 6339, 6352, 6363, 6516, 6529, 6540, 6584, 6596, 6621, 6631, 6636, 6699, 6707, 7017, 7027, 7040, 7050, 7063, 7073, 7086, 7096, 7645, 7751, 7756, 7774, 7943, 7946, 7950, 7952, 7957, 7959, 7963, 7966, 7969, 7973, 7975, 7979, 7981, 7985, 7988, 7991, 7995, 7997, 8002, 8004, 8153, 8219, 8346, 8354, 8359, 8418, 8424, 8439, 8449, 8454, 8517, 8525, 8617, 10665, 10673, 10678, 10737, 10743, 10889, 11931, 11936, 11954, 12057, 12059, 12073, 12075, 12853, 14369, 14962, 15636, 15649, 15660, 15739, 15745, 15773, 15788, 15799, 15883, 15891, 15900, 15902, 15903, 16033, 16053, 16058, 16134, 16230, 16240, 16245, 16308, 16316, 16605, 16625,

16630, 16640, 16653, 16657, 16737, 16743, 16754, 16796, 17154, 17174, 17179, 17189, 17202, 17206, 17286, 17292, 17303, 17376, 17853, 17873, 17878, 17888, 17901, 17905, 17985, 17991, 18002, 18059, 18725, 20033, 20040, 20043, 20054, 20067, 20070, 20077, 20083, 20106, 20110, 20116, 20123
\begin@bidi@stack 2518, 2528, 2529, 2542, 2552, 2553
\begingroup 6, 119, 211, 312, 325, 382, 394, 455, 515, 532, 666, 692, 806, 894, 910, 1058, 1149, 1176, 1308, 1489, 1902, 2145, 2153, 2161, 2500, 2519, 2543, 2762, 2781, 2920, 2966, 2973, 3003, 3019, 3035, 3075, 3083, 3116, 3164, 3454, 3456, 3478, 3488, 3498, 3628, 3705, 3729, 3744, 3810, 3821, 3833, 3854, 3864, 3875, 4025, 4139, 4151, 4186, 4555, 4974, 5220, 5249, 5278, 5652, 5669, 5685, 5697, 5730, 6034, 6101, 6108, 6115, 6145, 6256, 6280, 6433, 6457, 6661, 6721, 6736, 6825, 6944, 6998, 7007, 7197, 7256, 8069, 8085, 8270, 8283, 8382, 8479, 8538, 10334, 10451, 10592, 10608, 10701, 10841, 10879, 10963, 10979, 11233, 11242, 11401, 11416, 11423, 11475, 11508, 11639, 11691, 11744, 11760, 11930, 12209, 12220, 12231, 12242, 12340, 12360, 12398, 12431, 12462, 12493, 12727, 12742, 12805, 12831, 12885, 13092, 13457, 14226, 14356, 14457, 14554, 14758, 14762, 14766, 15018, 15066, 15357, 15557, 15581, 15703, 15844, 15929, 15953, 16083, 16145, 16160, 16270, 16330, 16345, 16679, 16795, 16888, 17228, 17375, 17468, 17927, 18058, 18151, 18545, 18659, 18683, 18822, 19249, 19357, 19768, 19885, 20225, 20268, 20317, 20413, 20526, 20756, 20799, 20957
\beginL 1474, 1625, 1837, 2466, 4836, 4880, 6929, 6958, 6964, 6966, 6998, 8950, 9002, 9100, 9149, 9245, 9297, 9396, 9448, 9547, 9599, 9698, 9750, 9849, 9901, 10000, 10052, 10151, 10203, 10354, 10366, 10404, 10418, 10782, 10893, 10908, 11078, 11710, 11716, 11725, 11745, 11761, 11771, 12564, 13061, 15067, 15259, 15265, 15281, 15357, 16515, 16526, 16533, 16543, 18613, 20216, 20221, 20223, 20317, 20322, 20328, 20344, 20853, 20931, 21011, 21032
\beginR 346, 351, 382, 407, 1475, 2115, 4836, 4924, 6856, 6930, 6959, 6964, 6973, 6979, 6998, 8062, 8912, 8916, 10354, 10378, 10404, 10432, 10918, 11712, 11717, 11774, 11813, 11820, 12189, 12197, 12579, 12615, 12647, 12676, 12702, 12708, 12715, 12846, 13061, 13473, 13537, 13540, 13550, 13641, 13649, 13840, 14166, 14332, 14334, 15134, 15259, 15266, 15271, 15353, 15354, 15355, 16509,

16519, 16530, 16537, 16931, 17511, 18194, 18437, 18459, 18498, 18620, 20217, 20221, 20260, 20264, 20317, 20322, 20329, 20334, 20581, 20584, 20587, 20604, 20611, 20636, 20897, 20931, 20948, 20950, 21011, 21032, 21051, 21054, 21062
\belowcaptionskip 13071, 13497, 13499, 14322, 14339, 16937, 16945, 16956, 16968, 17517, 17525, 17536, 17548, 18200, 18208, 18219, 18231, 21056
\belowdisplayshortskip . . . 4263, 4272, 5482
\belowdisplayskip 4264, 4277, 4312, 5487
\bf 1843, 15130, 15132
\bfseries . . . 25, 313, 519, 535, 564, 567, 671, 695, 897, 915, 1154, 1179, 1631, 1966, 2436, 5712, 6261, 6283, 6438, 6460, 6585, 6597, 6725, 6739, 6771, 6777, 6785, 8273, 8288, 8303, 8306, 8315, 8542, 8565, 8571, 8580, 10597, 10611, 10622, 10627, 10635, 12800, 15562, 15584, 15934, 15956, 16130, 16149, 16163, 16334, 16348, 16379, 16384, 16392, 19253, 19362, 19711, 19715, 19720, 19749
\bgroup 179, 180, 382, 397, 402, 407, 640, 1199, 1475, 1602, 1814, 2105, 2227, 5966, 6191, 6205, 6858, 6930, 10893, 10894, 10908, 11367, 11528, 13461, 13463, 13503, 13537, 13540, 13560, 14569, 15078, 15267, 15273, 15277, 15283, 15287, 15292, 15295, 15300, 15531, 15981, 18437, 18445, 18453, 18459, 18490, 18494, 18498, 19877, 20330, 20336, 20340, 20346, 20350, 20356, 20359, 20365, 20413, 20419, 20611, 20620, 20628, 20636
\bib@after@hook 16840, 16842, 17420, 17422, 18103, 18105
\bib@before@hook 16790, 16841, 17370, 17421, 18053, 18104
\bib@beginhook 16783, 16789, 17363, 17369, 18046, 18052
\bib@endhook 16844, 17424, 18107
\bib@heading 16785, 17368, 18051
\bibcleanup 14869
\bibentry 5022, 5024, 5041, 5043, 5060, 5062, 5092, 5094
\bibfont 14848
\bibindent . . . 2470, 2471
\bibitem@fin 14863
\bibliofont 85, 298, 12760
\bibliographyitemlabel 2472, 2479
\bibname . . 5568, 5569, 6299, 6300, 6487, 6488, 6796, 6797, 8591, 8592, 10647, 10648, 15605, 15606, 15999, 16000, 16193, 16194, 16396, 16397
\bibpostamble 14864
\bibpreamble 14847, 16786, 16787, 17365, 17366, 18048, 18049
\bibsection 5563, 5566, 5568, 5569, 14366, 14845, 18722, 18724
\bidi@@convert@dimen@t@pt 2700
\bidi@@convert@dimen@t@unit 2697
\bidi@@diagbox@double@ii 7944, 7948
\bidi@@diagbox@double@iii 7947, 7955
\bidi@@diagbox@triple@setbox@NW@tabular@i@ii . . . 7964, 7967, 7971
\bidi@@diagbox@triple@setbox@NW@tabular@iii 7970, 7977
\bidi@@diagbox@triple@setbox@SE@tabular@i 7986, 7993
\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii . . . 7989, 7992, 8000
\bidi@@end . . . 3205, 3209
\bidi@@footnotetext@font . . 38, 251, 5150, 11253, 11260, 11351
\bidi@@loadwithoptions 3724, 3731, 3734, 3738
\bidi@@LTRfootnotetext@font . . 68, 280, 5168, 11254, 11293, 11337
\bidi@@null . . . 3346, 3347

\bidi@@onefilewithoptions . . . 3746, 3749, 3752
\bidi@@patchcmd 2968, 2970
\bidi@@RTLfootnotetext@font . . 52, 265, 5186, 11255, 11277, 11323
\bidi@@thebibliography@font@hook . . . 88, 301, 576, 711, 974, 1224, 2478, 6302, 6490, 6799, 8323, 8594, 10650, 12763, 14368, 14850, 15608, 16002, 16196, 16399, 16799, 17379, 18062, 18728, 20444
\bidi@addto@envbody . . . 2514, 2532, 2534
\bidi@addto@long@envbody . . . 2538, 2556, 2558
\bidi@AfterAtEndOfClass 3813, 3818
\bidi@AfterAtEndOfPackage 3857, 3861
\bidi@AfterClass . . 3801
\bidi@AfterEndDocument . . . 3196, 3201, 3207
\bidi@afterenddocumenthook 3196, 3197, 3202, 3208
\bidi@AfterEndEnvironment 3251, 3261
\bidi@AfterEndPreamble 3169, 3173, 3175, 3179, 4210, 5726, 5749
\bidi@afterendpreamblehook 3169, 3170, 3174, 3176
\bidi@AfterFile 3798, 16948, 17528, 18211
\bidi@AfterFooter 3148, 21034
\bidi@afterfooterhook . . 3148, 3149, 21035
\bidi@AfterLastShipout . . . 3181, 3187, 3193
\bidi@afterlastshipouthook 3181, 3182, 3188, 3194
\bidi@AfterOutputBoxOutputPage . 3142, 11007, 21020
\bidi@afteroutputboxoutputpagehook 3142, 3143, 11008, 21021
\bidi@AfterOutputPageShipOut . 3152, 11015, 21038
\bidi@afteroutputpageshipouthook 3152, 3153, 11016, 21039
\bidi@AfterPackage 3846
\bidi@AfterPreamble . . 3166, 3167, 13005
\bidi@AfterReadingMainAux 4128, 4131
\bidi@append . . 3077, 3127
\bidi@append@cslist@to@cslist 3463, 3532
\bidi@append@list@to@list 3461, 3541
\bidi@append@to@list 3442, 3460
\bidi@append@toks@cs@to@list 3465
\bidi@appto 2856, 2900, 3172, 4168
\bidi@apptocmd 3073, 3074
\bidi@are@these@correct 3439, 3442
\bidi@AtBeginEnvironment 3211, 3221
\bidi@AtEndEnvironment 3225, 3235
\bidi@AtEndOutputPage . 3155, 11021, 21044
\bidi@atendoutputpagehook 3155, 3156, 11022, 21045
\bidi@AtEndPreamble 3130, 3160, 3162, 3167, 4208, 5006, 13074
\bidi@autofootnoterulefalse . 11181, 11185, 11188
\bidi@autofootnoteruletrue 11203
\bidi@backslash 3263, 3264
\bidi@BeforeBeginEnvironment 3239, 3247
\bidi@BeforeClass . 3799
\bidi@BeforeClosingMainAux 4091, 4102, 4106, 4109, 4117, 4120
\bidi@BeforeFile . . 3797
\bidi@BeforeFooter 3145, 21027
\bidi@beforefooterhook . . 3145, 3146, 21028
\bidi@BeforeHeader . 3136, 11000, 21005
\bidi@beforeheaderhook 3136, 3137, 11001, 21006
\bidi@BeforeOutputBoxOutputPage . 3139, 11004, 21017
\bidi@beforeoutputboxoutputpagehook 3139, 3140, 11005, 21018
\bidi@BeforeOutputPageShipOut . 3133, 10984, 20963
\bidi@beforeoutputpageshipouthook 3133, 3134, 10985, 20964
\bidi@BeforePackage 3844
\bidi@bswitch . 3405, 3407
\bidi@CharsBefore . 3320, 3322, 3323, 3328, 3332, 3333, 3338
\bidi@CharsBeforeNC 3321
\bidi@clearpage 3190, 3192
\bidi@collect@@body 2520, 2527
\bidi@collect@body 2515
\bidi@collect@long@@body 2544, 2551
\bidi@collect@long@body 2539
\bidi@column@check@number . . 20673, 20689, 20691, 20693, 20705
\bidi@column@status . . 1699, 1703, 20675
\bidi@column@type . . 20690, 20695, 20706
\bidi@copy@stacktop 3517
\bidi@cs@a . . . 3348, 3349
\bidi@cs@e 3511, 3512, 3514, 3515, 3518, 3520

\bidi@cs@lista . . . .
. . . . 3484, 3485, 3486, 3487, 3496, 3497
\bidi@cs@listb 3481, 3483
\bidi@cs@liste 3479, 3484
\bidi@csappto 2900
\bidi@csarg 3275, 3291, 3365, 3372, 3390, 3395, 3400, 3405, 3411, 3416, 3458, 3470, 3475, 3486, 3496, 3505, 3515, 3519, 3523
\bidi@csdefcs 2768
\bidi@cseappto 2901, 2904
\bidi@csepreto 2910, 2913
\bidi@csgappto . 2902, 3212, 3226, 3240, 3252
\bidi@csgpreto 2911
\bidi@cslet 2774
\bidi@csletcs 2771
\bidi@csname . . . 3287, 3438, 3444, 3481, 3515
\bidi@cspreto 2909
\bidi@csprotect . . . 3584
\bidi@csuse 2843, 3216, 3230, 3243, 3256
\bidi@cswitch . 3400, 3402
\bidi@csxappto 2903, 2905
\bidi@csxpreto 2912, 2914
\bidi@current@column@status . 20675, 20678, 20711
\bidi@dbg@fail 2928, 2938, 2939, 2940, 2941, 2947, 2956, 2962, 3069, 3091, 3103, 3104, 3113
\bidi@dbg@info . 2929, 2931, 2934, 2936, 2937, 2948, 2950, 2952, 2954, 2955, 2957, 2959, 2961, 3067, 3092, 3094, 3096, 3099, 3105, 3107
\bidi@dbg@init . 2926, 2945, 3066, 3089
\bidi@dbg@succ . 2972, 3068, 3100, 3108, 3110
\bidi@dbg@trce . 2919, 2965, 3065, 3074, 3082
\bidi@default 3390, 3395, 3400, 3405, 3411, 3416
\bidi@del@tok@from@list 3478
\bidi@digits 1732, 1738, 1739
\bidi@digits@charclass 1734, 1738, 1739, 1740
\bidi@dummies 3370, 3372, 3373
\bidi@eappto 2860, 2873, 2901
\bidi@empty 3345, 3348, 3349
\bidi@empty@stack 3522, 3528
\bidi@empty@toks . . 3535, 3538, 3542
\bidi@endpreamblehook 3130, 3131, 3161, 3163
\bidi@ensure@new@command 2779, 2780
\bidi@ensure@newcommand 2779, 8686, 8687, 8781, 8791, 8792, 8793, 8799, 8800, 8806, 8807, 8808, 8809, 8821, 8833, 8850, 8851, 8857, 8858, 8859, 8860, 8863, 8869, 8871, 8877, 8878, 8893, 8905, 8907, 8910, 8915, 8918, 8920, 8924, 8940, 8950, 8960, 8970, 8975, 8978, 8981, 8984, 8996, 9009, 9021, 9036, 9048, 9060, 9065, 9070, 9075, 9091, 9100, 9109, 9118, 9123, 9126, 9129, 9132, 9143, 9155, 9166, 9181, 9192, 9204, 9209, 9214, 9219, 9235, 9245, 9255, 9265, 9270, 9273, 9276, 9279, 9291, 9304, 9316, 9331, 9343, 9355, 9360, 9365, 9370, 9386, 9396, 9406, 9416, 9421, 9424, 9427, 9430, 9442, 9455, 9467, 9482, 9494, 9506, 9511, 9516, 9521, 9537, 9547, 9557, 9567, 9572, 9575, 9578, 9581, 9593, 9606, 9618, 9633, 9645, 9657, 9662, 9667, 9672, 9688, 9698, 9708, 9718, 9723, 9726, 9729, 9732, 9744, 9757, 9769, 9784, 9796, 9808, 9813, 9818, 9823, 9839, 9849, 9859, 9869, 9874, 9877, 9880, 9883, 9895, 9908, 9920, 9935, 9947, 9959, 9964, 9969, 9974, 9990, 10000, 10010, 10020, 10025, 10028, 10031, 10034, 10046, 10059, 10071, 10086, 10098, 10110, 10115, 10120, 10125, 10141, 10151, 10161, 10171, 10176, 10179, 10182, 10185, 10197, 10210, 10222, 10237, 10249, 10261, 10266, 10271, 10276, 10284, 10291, 10295, 10306, 10315, 10317, 10318, 10345, 10357, 10369, 10381, 10385,

10389, 10393, 10407, 10421, 10435, 10462, 10475, 10489, 10495, 10504, 10512, 10520, 10524, 10535, 10536
\bidi@ensure@newlength 2786, 8803, 8804, 8805, 8861
\bidi@epreto 2882, 2895, 2910
\bidi@eqs@a . . . 3301, 3302
\bidi@eqs@b . . . 3301, 3302
\bidi@EqualString . 3301
\bidi@EqualStringX 3306
\bidi@error 2788, 2828, 3375, 3474, 3643
\bidi@everyjob . 1534, 1535, 1782, 1783
\bidi@excludedpackages 3885, 3886, 3906, 3942, 3959, 3967, 3977, 3999, 4000, 4008, 4009, 4014, 4027
\bidi@expandonce . . 2848, 2859, 2863, 2867, 2871, 2881, 2885, 2889, 2893, 3111
\bidi@ff@box 11029, 11047
\bidi@firstcolumn@status@write 1697, 1705, 7178, 7237, 10832, 10868, 11628, 11680, 14445, 14541, 20682, 20745, 20788
\bidi@font@@outputpage 20954, 20996
\bidi@footdir@footnote 79, 292, 11308, 11310, 11314
\bidi@fswitch . 3416, 3418
\bidi@gappto . . . 2864, 2902, 3130, 3133, 3136, 3139, 3142, 3145, 3148, 3152, 3155, 3169, 3181, 3196
\bidi@gobbleopt 4048, 4057
\bidi@gpreto . . 2886, 2911
\bidi@hook@acma 4072, 4116, 4129, 4130, 4135
\bidi@hook@bcma 4066, 4115, 4118, 4119, 4125
\bidi@hooktocmd 3077, 3085, 3087
\bidi@hooktocmd@i 3101, 3115
\bidi@hop@ES . . 3309, 3311
\bidi@ifblank@i 2740, 2741, 2743
\bidi@ifdefmacro 2746, 2748, 2749, 2750
\bidi@ifdefparam 3047, 3049, 3050, 3051
\bidi@ifdefprotected 3056, 3058, 3059, 3060
\bidi@ifEmpty 3348
\bidi@ifempty 3346
\bidi@ifEmptyX 3347
\bidi@ifhashcheck . . . 2933, 3018, 3098
\bidi@ifhashcheck@i 3022, 3024
\bidi@ifhashcheck@ii 3026, 3029, 3030, 3031
\bidi@ifNextChar . . 3356
\bidi@ifpatchable . . . 2922, 2924, 2971
\bidi@ifpatchable@i 2922, 2943
\bidi@ifpattern 2935, 3034
\bidi@ifscanable 2932, 2953, 3002, 3097
\bidi@in@front@of@cslist 3487, 3488
\bidi@in@front@of@list 3486
\bidi@info 2790
\bidi@invert@csstack 3527
\bidi@IsEmptyList . 3349
\bidi@isloaded 2994, 13124, 13125, 13126, 13127, 13128, 13129, 13130, 13131, 13132, 13133, 13134, 13135, 13136, 13137, 13138, 13139, 13140, 13141, 13142, 13143, 13144, 13145, 13146, 13147, 13148, 13149, 13150, 13151, 13152, 13153, 13154, 13155, 13156, 13157, 13158, 13159, 13160, 13161, 13162, 13163, 13164, 13165, 13166, 13167, 13168, 13169, 13170, 13171, 13172, 13173, 13174, 13175, 13176, 13177, 13178, 13179, 13180, 13181, 13182, 13183, 13184, 13185, 13186, 13187, 13188, 13189, 13190, 13191, 13192, 13193, 13194, 13195, 13196, 13197, 13200, 13203, 13206, 13209, 13212, 13215, 13218, 13221, 13225, 13228, 13231, 13234, 13237, 13240, 13243, 13246, 13249, 13252, 13255, 13258, 13261, 13264, 13267, 13270, 13273, 13276, 13279, 13282, 13285, 13288, 13291, 13294, 13297, 13300, 13303,

13306, 13309, 13312, 13315, 13318, 13321, 13324, 13327, 13330, 13333, 13336, 13339, 13342, 13345, 13348, 13351, 13354, 13357, 13360, 13363, 13366, 13369, 13372, 13375, 13378, 13381, 13384, 13387, 13390, 13393, 13396, 13399, 13402, 13405, 13408, 13411, 13414
\bidi@lastcolumn@status@write 1701, 1706, 7182, 7243, 10836, 10874, 11634, 11684, 14449, 14547, 20749, 20794
\bidi@leftskip 19254, 19255, 19256, 19363, 19383, 19414, 19415, 19447, 20368
\bidi@length@of@csstack . . . 3523, 3524, 3527
\bidi@length@of@stack 3523, 3537
\bidi@load@hook 3717, 3720, 3753, 3790
\bidi@loadwithoptions . . . 3725, 3726, 3731
\bidi@local@in@front@of@list 3491, 3508
\bidi@local@push@onto 3507
\bidi@looprepeat@comp . . . 3601, 3637, 3642
\bidi@looprepeat@csarg 3579, 3631
\bidi@looprepeat@csargromannumeral 3581, 3596, 3597, 3598, 3599, 3600, 3603, 3608, 3609, 3610, 3611, 3612, 3614, 3620, 3633, 3635, 3636, 3637, 3644, 3645, 3647, 3652, 3660
\bidi@looprepeat@csromannumeral 3580, 3604, 3612, 3615, 3631, 3659
\bidi@looprepeat@depth 3580, 3581, 3583, 3595, 3621
\bidi@looprepeat@dxbody 3604, 3608
\bidi@looprepeat@setup 3601, 3627
\bidi@looprepeat@sign . . . 3601, 3612, 3642
\bidi@looprepeat@tmp 3602, 3603, 3630, 3632, 3635, 3640, 3647, 3650, 3652, 3655
\bidi@looprepeat@traceexit 3586, 3621
\bidi@looprepeat@traceinit 3586, 3594
\bidi@looprepeat@zero . . . 3601, 3620, 3658
\bidi@lrbox 20522
\bidi@lst@caption@direction 13023, 13024, 13036, 13039
\bidi@lst@caption@script 13030, 13031, 13047, 13050
\bidi@lst@ensure@caption@direction 13034, 13059, 13061, 13063, 13082, 13086, 13093, 13102
\bidi@lst@ensure@caption@script . 13045, 13057, 13101
\bidi@makecolbf 10570, 10582
\bidi@matrix@check 2571, 20429
\bidi@matrix@error 2573, 2577
\bidi@mopfn@bottom . . . 8895, 10541, 10552, 10583, 10584
\bidi@mopfootnotebf 10548, 10576
\bidi@mpfootnoterule . . 11085, 11319, 11333, 11347, 11385, 13615, 18639
\bidi@mswitch . 3411, 3413
\bidi@multicol@align@columns 14669, 14723, 14726, 14728
\bidi@n@everypar 15261, 15262, 15263, 15264, 20139, 20324, 20325, 20326, 20327
\bidi@namelongdef . 2777, 9028, 9030, 9037, 9049, 9173, 9175, 9182, 9193, 9205, 9323, 9325, 9332, 9344, 9474, 9476, 9483, 9495, 9625, 9627, 9634, 9646, 9776, 9778, 9785, 9797, 9927, 9929, 9936, 9948, 10078, 10080, 10087, 10099, 10229, 10231, 10238, 10250, 10442, 10444, 10463, 10476, 10490
\bidi@new@command 2800, 2802, 2831, 2839
\bidi@new@ifnch 2565, 2567
\bidi@new@ifnextchar 2562, 20434
\bidi@newcommand 2802, 2804
\bidi@newrobustcmd 1597, 1599, 2799, 2800, 2824, 2835, 2856, 2860, 2864, 2868, 2873, 2874, 2878, 2882, 2886, 2890, 2895, 2896, 2900, 2901, 2902, 2903, 2904, 2905, 2909, 2910, 2911,

2912, 2913, 2914, 2918, 2964, 3063, 3073, 3081, 3130, 3133, 3136, 3139, 3142, 3145, 3148, 3152, 3155, 3166, 3169, 3181, 3196, 3211, 3225, 3239, 3251, 20402, 20404
\bidi@next 3322, 3323, 3325, 3327, 3328, 3330, 3335, 3337, 3338, 3340
\bidi@NextChar 3353
\bidi@notblank . 2742, 2750, 3051, 3060
\bidi@nxt@a 3354, 3357, 3359
\bidi@nxt@b 3354, 3357, 3360
\bidi@nxt@c 3355, 3358, 3359
\bidi@nxt@ch 3354, 3357, 3359
\bidi@o@everypar 15260, 15262, 15263, 20323, 20325, 20326
\bidi@oldwbuskip 3473, 3476
\bidi@onefilewithoptions . . . 3741, 3742, 3746
\bidi@orig@leftline . 20589, 20591, 20592
\bidi@orig@raggedleft . 20574, 20576, 20577
\bidi@orig@raggedright . 20575, 20576, 20577
\bidi@orig@rightline . 20590, 20591, 20592
\bidi@oswitch 3395
\bidi@p@ftn 2059, 2122, 2124, 2125, 2127, 2128, 2130, 2131, 2135, 2138, 2141, 2246
\bidi@p@ftntext 2106, 2123, 2228
\bidi@p@LTRftntext . . . 2107, 2126, 2229
\bidi@p@RTLftntext . . . 2108, 2129, 2230
\bidi@p@xfootnote 2110, 2144, 2232
\bidi@p@xftntext 2109, 2134, 2149, 2231
\bidi@p@xLTRfootnote . . . 2112, 2152, 2234
\bidi@p@xLTRftntext 2111, 2137, 2157, 2233
\bidi@p@xRTLfootnote . . . 2114, 2160, 2236
\bidi@p@xRTLftntext 2113, 2140, 2165, 2235
\bidi@patch@@AfterPackage 4180, 4185
\bidi@patch@Add 4167, 4196
\bidi@patch@AfterPackage 4170, 5118, 5120, 5123, 5144, 5295, 5345, 5401, 5645
\bidi@patch@counter 4148, 4152, 4155, 4161, 4162, 4181
\bidi@patch@gtemp 4188, 4195
\bidi@patch@list 4166, 4168, 4206, 4208, 4215
\bidi@patch@OrgIfClassLater 4214, 4219
\bidi@patch@OrgIfClassLoaded 4213, 4218
\bidi@patch@OrgIfPackageLater 4212, 4217
\bidi@patch@OrgIfPackageLoaded 4211, 4216
\bidi@patch@stepcounter . . . 4150, 4160, 4179
\bidi@patch@temp 4178, 4182
\bidi@patch@try 4197, 4200
\bidi@patchcmd 2964, 2965, 3184, 3199, 3214, 3228, 3254, 4439, 7942, 7945, 7962, 7965, 7968, 7984, 7987, 7990, 8008, 8016, 8024, 8033, 8042, 8051, 11857, 12981, 12987, 12995, 13075, 13088, 18628, 18636
\bidi@patchcmd@scantoks . . . 2982, 2988, 3123
\bidi@pdfm@mark 1851, 1865
\bidi@pickescape . . 3296
\bidi@pop@cs@into 3511, 3530
\bidi@pop@into 3514, 3540
\bidi@prepend . 3085, 3128
\bidi@preto 2878, 2909, 3158
\bidi@pretocmd 3081, 3082, 3242
\bidi@PreventPackageFromLoading 3888, 3902, 3932, 3965
\bidi@process@envbody 2517, 2521, 2522, 2536, 2541, 2545, 2546, 2560
\bidi@protected 2851, 2873, 2874, 2895, 2896, 2904, 2905, 2913, 2914
\bidi@protected@cseappto 2904
\bidi@protected@csepreto 2913
\bidi@protected@csxappto 2905
\bidi@protected@csxpreto 2914
\bidi@protected@eappto 2873
\bidi@protected@epreto 2895
\bidi@protected@immediate@write . . . 4121, 4132, 4138
\bidi@protected@xappto 2874
\bidi@protected@xpreto 2896
\bidi@provide@command 2835, 2837
\bidi@providerobustcmd 2835

\bidi@push@begins . . . 2524, 2525, 2528
\bidi@push@cs@onto@cs 3504, 3531
\bidi@push@long@begins . . . 2548, 2549, 2552
\bidi@push@onto . . . 3505
\bidi@push@onto@cs 3505, 3506
\bidi@raggedleft 2413, 2420, 2425, 2444, 7641, 7757, 10800, 10806, 11973, 20579
\bidi@raggedright . . 10798, 10804, 14779, 14782, 14784, 14787, 14789, 14791, 14794, 14796, 14798, 14800, 14803, 14805, 14807, 14809, 14811, 14814, 14816, 14819, 14821, 14824, 14826, 14828, 14831, 14833, 14835, 14838, 14840, 14842, 20578
\bidi@redefine@newpage 4082, 4122
\bidi@reflect@box . . 15338, 15345, 20396, 20403, 20405
\bidi@renew@command . . . 2824, 2826, 2840
\bidi@renewrobustcmd 2824
\bidi@ReplaceClass 3772
\bidi@replacefile@msg 3709, 3733, 3748, 3786
\bidi@ReplaceInput 3756
\bidi@ReplacePackage 3769
\bidi@RequirePackage . . . 3908, 3968, 4019
\bidi@ResetPreventPackageFromLoading 3960, 3966, 3975, 4014
\bidi@resrvda 2974, 2975, 2976, 2979, 2980, 2981, 2982, 2983, 2984, 2989, 2992, 3004, 3005, 3006, 3007, 3008, 3010, 3011, 3020, 3022, 3036, 3037, 3039, 3041, 3042, 3117, 3118, 3119, 3120, 3121, 3122, 3123, 3124, 3125
\bidi@resrvdb . 2976, 2977
\bidi@restore@newpage . . . 4067, 4084, 4114
\bidi@restorecatcode 3280
\bidi@rightskip 19250, 19358, 19384, 19385, 19393, 19397, 19401, 20369
\bidi@RTL@everypar . . 10346, 10358, 10370, 10395, 10409, 10423, 15259, 15263, 18377, 20322, 20326
\bidi@s@tfftextcol 11026, 11030
\bidi@saved@checkend . . . 4059, 4062, 4080
\bidi@saved@clearpage . . . 4064, 4065, 4068
\bidi@saved@dofilelist 4070, 4073, 4074, 4081
\bidi@saved@eqno 15349, 15351, 15352, 21057, 21059, 21060
\bidi@saved@leqno 15350, 15351, 15352, 21058, 21059, 21060
\bidi@saved@newpage 4083, 4094
\bidi@saved@RequirePackage 3887, 3907, 3918, 3970, 3972, 4050
\bidi@sepmark@charclass 1735, 1736, 1737, 1740
\bidi@set@column@status . 20677, 20705, 20710
\bidi@set@cslist 3497, 3498
\bidi@set@list 3496
\bidi@set@load@hook 3794, 3797, 3798, 3800, 3819, 3831, 3845, 3862, 3873
\bidi@SOUL@ulleaders 18418, 18424
\bidi@stack@length 3522, 3524, 3525, 3529, 3530, 3539, 3540
\bidi@storecatcode 3273
\bidi@StorePreventPackageFromLoading 3976, 3979
\bidi@StringBefore 3331
\bidi@StringBeforeNC 3319
\bidi@switch . . . 3379, 3390, 3392, 3397
\bidi@switch@exit . 3389, 3390, 3391, 3395, 3396, 3400, 3401, 3405, 3406, 3411, 3412, 3416, 3417
\bidi@t@w@w 3440
\bidi@tabular@RTLcases 20409, 20436
\bidi@tempa 1634, 1640, 1646, 1652, 1658, 1664, 1676, 1682, 1688, 1695, 1709, 1716
\bidi@tempb 1634, 1635, 1640, 1641, 1646, 1647, 1652, 1653, 1658, 1659, 1664, 1665, 1676, 1677, 1682, 1683, 1688, 1689, 1695, 1696, 1709, 1710, 1716, 1717
\bidi@tempcountb 3267, 3528, 3529, 3538, 3539
\bidi@temptoksa 3268, 3528, 3531, 3532, 3533, 3535, 3538, 3542

\bidi@temptoksb 3269, 3530, 3531, 3532, 3533
\bidi@todonotes@tempa 20015, 20023
\bidi@todonotes@tempb 20015, 20016, 20023, 20024
\bidi@tok@SM . . 3479, 3484
\bidi@toks@lista . . 3452, 3454, 3455, 3456, 3457, 3480, 3482, 3488, 3489, 3491, 3493, 3498, 3499
\bidi@toks@listb 3452, 3480, 3482
\bidi@undef 2984, 3063, 3125, 3163, 3176, 19109, 19110, 19266, 19267, 19468, 19469
\bidi@undefined . . . 3063
\bidi@undefinedcs . 3365, 3372, 3427, 3431, 3437, 3441, 3474
\bidi@UnPreventPackageFromLoading . . 5916, 5917, 5918
\bidi@UnReplaceClass 3783
\bidi@UnReplaceInput 3760
\bidi@UnReplacePackage 3780
\bidi@version 1506, 1507, 1521, 1536, 1538, 1544, 1550, 1583, 1586, 1754, 1769, 1787, 1789, 1846, 1849
\bidi@w@w 3427
\bidi@warning . . 2789, 3219, 3233, 3245, 3259
\bidi@willbeunhskip . . . 3467, 3473, 3476
\bidi@x@stack@to@list 3537
\bidi@xappto 2868, 2874, 2903
\bidi@xargdef . 2806, 2814
\bidi@xpreto 2890, 2896, 2912
\bidicolor 6924, 6980, 6995, 6997, 11027, 20265, 20312, 20315, 20316
\bidics 3264
\bididate . 1505, 1507, 1521, 1583, 1586, 1752, 1769, 1846, 1849
\bidiGscale@@box 11793, 11794
\bidiGscale@box 11770, 11771, 11790
\bidiGscale@box@dd . 11802, 11806, 11812
\bidiGscale@box@dddd 11808, 11819
\bidillap 20594
\bidipdfinfooff . . . 1862
\bidipdfinfoon 1861, 1867
\bidipoem@@hvlen 5890, 5896, 5899, 5902, 5911
\bidipoem@half@verses . . . 5916, 5917, 5920
\bidipoem@half@verses@next 5916, 5917, 5918
\bidipoem@hvind . . . 5890, 5893, 5894, 5902, 5903, 5906, 5909
\bidipoem@hvlen 5889, 5894, 5896, 5907, 5909
\bidipoem@hvsep 5889, 5902, 5903, 5910
\bidipoem@next 5895, 5896
\bidipoem@openbox 5934, 5939
\bidipoem@p@ftn 5941, 5951, 6082, 6083, 6085, 6086, 6088, 6089, 6092, 6095, 6098, 6203, 12430, 12440, 12461, 12471, 12492, 12502
\bidipoem@p@ftntext 5968, 5979, 6081, 6192, 6206, 12428
\bidipoem@p@LTRftntext 5969, 5980, 6084, 6193, 6207, 12459
\bidipoem@p@RTLftntext 5970, 5981, 6087, 6194, 6208, 12490
\bidipoem@p@xfootnote 5972, 5983, 6100, 6196, 6210
\bidipoem@p@xftntext 5971, 5982, 6091, 6105, 6195, 6209
\bidipoem@p@xLTRfootnote 5974, 5985, 6107, 6198, 6212
\bidipoem@p@xLTRftntext 5973, 5984, 6094, 6112, 6197, 6211
\bidipoem@p@xRTLfootnote 5976, 5987, 6114, 6200, 6214
\bidipoem@p@xRTLftntext 5975, 5986, 6097, 6119, 6199, 6213
\bidipoem@set@@verse . . . 5896, 5899, 5901
\bidipoem@set@verseI 5895, 5898
\bidipoem@spreadbox 5885, 5907, 5909, 5910, 5911
\bidirlap 20593
\bidituftefloatDebugInfoNL 4227, 4315, 4319, 4614, 4663
\biditufteloatError 4226, 4709
\biditufteloatInfoNL . . . 4227, 4228, 4778
\biditufteloatRecalculate 4344, 4355
\biditufteyperrefLoadHyperref 5603, 5614
\biditufteidenotemarginpar . . . 4794, 5146, 5305
\biditufteocError . . . 5334, 5381, 5390
\bidiversion . . 1536, 1784
\bigskip 15400
\bigskipamount 8896, 8901, 10514
\bl 15165, 15166, 15169, 15170, 15171, 15175, 15230, 15237, 15241

\blacktriangleleft 11444, 11446
\blacktriangleright 11444, 11446
\bm@b 20654
\bm@l 20651
\bm@r 20652
\bm@t 20653
\bool . . . 13641, 13649, 13780, 13797, 13798, 13842, 13848, 13863, 13886, 13889, 13909, 13914, 13926, 13943, 13944, 13947, 13964, 13989, 13996, 14002, 14008, 14018, 14025, 14047, 14159, 14162, 14170, 14171, 14993, 14995, 15008
\boolean 181, 186, 194, 4227, 4287, 4289, 4292, 4296, 4299, 4302, 4327, 4423, 4438, 4449, 4469, 4476, 4484, 4501, 4521, 4525, 4543, 4544, 4547, 4548, 4583, 4592, 4603, 5348, 5352, 5400, 5613, 5750, 5819, 5830, 11041, 15024
\botmark . . . 11020, 21043
\box 172, 174, 1626, 1838, 4764, 6831, 6895, 6963, 7120, 7123, 7140, 7144, 7179, 7183, 7189, 7190, 7238, 7244, 7248, 7249, 7305, 7308, 7313, 7318, 7342, 7481, 7483, 7487, 7491, 7516, 7798, 7819, 7835, 7892, 8910, 8915, 10288, 10303, 10313, 10562, 10572, 10833, 10837, 10869, 10875, 10918, 11006, 11044, 11049, 11542, 11549, 11552, 11566, 11629, 11635, 11681, 11685, 11721, 11738, 11741, 11784, 11787, 11817, 11834, 13069, 13477, 13531, 13537, 13859, 14117, 14128, 14133, 14167, 14168, 14169, 14170, 14172, 14303, 14337, 14446, 14450, 14542, 14548, 14685, 14691, 14709, 14717, 14992, 15000, 15009, 15134, 15138, 15154, 15188, 15192, 15197, 15201, 15213, 15224, 15238, 15241, 15245, 15250, 15326, 15342, 15387, 15390, 16440, 16449, 16487, 16498, 16921, 16931, 17501, 17511, 17731, 17737, 17743, 17749, 17755, 17761, 17767, 17773, 17779, 18184, 18194, 18620, 18663, 18681, 20209, 20210, 20220, 20400, 20596, 20746, 20750, 20789, 20795, 20909, 20925, 20936, 20949, 20951, 21015, 21019, 21054
\boxdef 2008, 2010, 2016, 2021, 2026
\boxmaxdepth . . . 7790, 7795, 7811, 7816, 7843, 7900, 8853, 10537, 10550, 10765, 11495, 11497
\br 15165, 15167, 15169, 15170, 15171, 15175, 15231, 15237, 15245
\BR@b@bibitem . 4999, 5000
\BR@bibitem . . . 5002, 5003
\BR@c@bibitem 5004
\bracetext 1601, 1813, 15265, 15266, 20328, 20329
\break 13434
\BreakBibliography 16792, 16825, 16827, 16833, 17372, 17405, 17407, 17413, 18055, 18088, 18090, 18096
\breaklooprepeat 3565, 3567, 3619, 3620, 3638, 3649, 3654, 3668
\breakrepeatloop . . 3594
\bs 1976, 1977, 1979
\bslice 15185, 15186, 15188, 15198, 15199, 15201, 15221, 15222, 15224, 15248, 15249, 15250
\bx@A 4649, 4690
\bx@a 4623, 4655, 4696
\bx@AA . . . 4662, 4664, 4702
\bx@B 4649, 4690
\bx@b 4624, 4655, 4696
\bx@BB 4665, 4702
\bx@C 4649, 4690
\bx@c 4625, 4655, 4696
\bx@CC 4666, 4702
\bx@D 4649, 4690
\bx@d 4626, 4655, 4696
\bx@DD 4667, 4702

\bx@E 4649, 4690
\bx@e 4627, 4655, 4696
\bx@EE 4668, 4702
\bx@F 4650, 4691
\bx@f 4628, 4656, 4697
\bx@FF 4669, 4703
\bx@G 4650, 4691
\bx@g 4629, 4656, 4697
\bx@GG 4670, 4703
\bx@H 4650, 4691
\bx@h 4630, 4656, 4697
\bx@HH 4671, 4703
\bx@I 4650, 4691
\bx@i 4631, 4656, 4697
\bx@II 4672, 4703
\bx@J 4650, 4691
\bx@j 4632, 4656, 4697
\bx@JJ 4673, 4703
\bx@K 4651, 4692
\bx@k 4633, 4657, 4698
\bx@KK 4674, 4704
\bx@L 4651, 4692
\bx@l 4634, 4657, 4698
\bx@LL 4675, 4704
\bx@M 4651, 4692
\bx@m 4635, 4657, 4698
\bx@MM 4676, 4704
\bx@N 4651, 4692
\bx@n 4636, 4657, 4698
\bx@NN 4677, 4704
\bx@O 4652, 4693
\bx@o 4637, 4658, 4699
\bx@OO 4678, 4705
\bx@P 4652, 4693
\bx@p 4638, 4658, 4699
\bx@PP 4679, 4705
\bx@Q 4652, 4693
\bx@q 4639, 4658, 4699
\bx@QQ 4680, 4705
\bx@R 4652, 4693
\bx@r 4640, 4658, 4699
\bx@RR 4681, 4705
\bx@S 4613, 4615, 4653, 4694
\bx@s 4641, 4659, 4700
\bx@SS 4682, 4706
\bx@T 4616, 4653, 4694
\bx@t 4642, 4659, 4700
\bx@TT 4683, 4706
\bx@U 4617, 4653, 4694
\bx@u 4643, 4659, 4700
\bx@UU 4684, 4706
\bx@V 4618, 4653, 4694
\bx@v 4644, 4659, 4700
\bx@VV 4685, 4706
\bx@W 4619, 4654, 4695
\bx@w 4645, 4660, 4701
\bx@WW 4686, 4707
\bx@X 4620, 4654, 4695
\bx@x 4646, 4660, 4701
\bx@XX 4687, 4707
\bx@Y 4621, 4654, 4695
\bx@y 4647, 4660, 4701
\bx@YY 4688, 4707
\bx@Z 4622, 4654, 4695
\bx@z 4648, 4660, 4701
\bx@ZZ 4689, 4707
\bye 1865
\bystep 3547, 3559, 3643, 3656, 3666, 3679, 3692, 3693

C

\c 13843, 13844, 13858, 13915, 14120, 14201
\c@abspage 11116
\c@addvipersep 14390, 14408, 14413, 14435, 14465, 14490, 14508, 14513, 14535, 14562
\c@algocf 168
\c@chapter 6333, 6335, 6337, 6510, 6512, 6514, 6755, 6757, 6759, 6760, 8549, 8551, 8553, 8554, 10758, 10760, 10762, 11053, 11055, 11057, 11058, 11066, 11068, 11070, 11071, 13119, 14265, 14892, 15628, 15630, 15632, 15993, 15995, 15997, 16182, 16184, 16186, 16364, 16366, 16368, 16369
\c@colht 14390, 14402, 14428, 14429, 14490, 14502, 14528, 14529
\c@curpg 10932, 10959, 10960
\c@DFNsloppiness 7788, 7809
\c@enumiv 577, 584, 712, 719, 975, 982, 1225, 1232, 2489, 6303, 6310, 6491, 6498, 6800, 6807, 8324, 8331, 8595, 8602, 10651, 10658, 15609, 15616, 16003, 16010, 16197, 16204, 16400, 16407, 16801, 16810, 16817, 17381, 17390, 17397, 18064, 18073, 18080, 18729, 18736
\c@equation 6333, 6510, 6755, 8163, 8232, 8549, 10758, 11053, 11066, 14265, 15628, 15997, 16182, 16364, 17359, 18042
\c@figure . 6335, 6512, 6757, 8551, 10760, 11055, 11068, 14266, 15630, 15993, 16184, 16366, 17343, 18034
\c@footnote 128, 328, 456, 748, 807, 1000, 1059, 1250, 1309, 1903, 6348, 6525, 6662, 8383, 8480, 10702, 11394, 11408, 12243, 12353, 12361, 12391, 12399, 12840, 13511, 13514, 15645, 15704,

15784, 15845, 16041, 16084, 16271, 16616, 16680, 17165, 17229, 17864, 17928
\c@Hy@AnnotLevel 12565, 12566, 12571, 12575
\c@L@depth 12965
\c@L@lines . 12966, 12968
\c@ll@chapseci 7005
\c@ll@chapsecii . . . 7000
\c@lofdepth . 18960, 18997
\c@lor@error 6969, 6976, 6984, 6990, 20257, 20291
\c@lotdepth . 18978, 19017
\c@lstlisting 13119, 13121
\c@LT@chunks 13460
\c@mpfootnote 11319, 11333, 11347, 11372, 13624
\c@NAT@ctr 14851
\c@page 5757, 8070, 8087, 10932, 10959, 20172, 20905
\c@paragraph 551, 705, 959, 1218, 6330, 6507, 6764, 8435, 8558, 10755, 11062, 11075, 14260, 15625, 15990, 16190, 16373, 16777, 17333, 18028
\c@poem@no 6026, 6076, 6127, 6138
\c@secnumdepth 314, 554, 563, 6574, 6769, 8293, 8302, 8563, 10621, 15404, 16378
\c@section 6327, 6504, 6761, 8555, 10752, 11059, 11072, 14254, 14902, 15622, 15987, 16187, 16370, 17327, 18022
\c@subparagraph . . . 552, 706, 960, 1219, 6331, 6508, 6765, 8436, 8559, 10756, 11063, 11076, 14262, 15626, 15991, 16191, 16374, 16779, 17335, 18030
\c@subsection 549, 703, 957, 1216, 6328, 6505, 6762, 8433, 8556, 10753, 11060, 11073, 14256, 15623, 15988, 16188, 16371, 16773, 17329, 18024
\c@subsubsection . . 550, 704, 958, 1217, 6329, 6506, 6763, 8434, 8557, 10754, 11061, 11074, 14258, 15624, 15989, 16189, 16372, 16775, 17331, 18026
\c@table . . 6337, 6514, 6759, 8553, 10762, 11057, 11070, 14267, 15632, 15995, 16186, 16368, 17351, 18038
\c@thisframe 10931, 10936, 10972, 10974, 10975
\c@tocdepth . . . 3, 208, 511, 528, 647, 663, 681, 874, 907, 925, 1130, 1146, 1164, 6237, 6253, 6269, 6414, 6430, 6446, 6717, 6732, 8266, 8280, 8535, 10589, 10604, 12802, 14610, 14622, 14634, 15538, 15554, 15570, 15910, 15926, 15942, 16142, 16156, 16326, 16341, 18805, 18809, 18851, 18870, 18892, 18909, 18926, 18943, 19235, 19343, 19378, 19766, 19962, 20656
\c@twb 7130
\c@twcompctr 7111
\c@twcompoddctr . . . 7127
\c@twfirst 7112, 7118, 7125, 7129, 7138, 7141
\c@twlftside 7116
\c@twlspec 7130, 7133, 7137
\c@twprune 7116, 7117, 7133, 7137
\c@twrounds 7128, 7131, 7134, 7146
\c@twrtside 7117
\c@twslicea 7114, 7116, 7120, 7123, 7132, 7133, 7140, 7144
\c@twsliceb 7115, 7117, 7120, 7123, 7136, 7137, 7140, 7144
\c@twwinlines . 7113, 7126
\c@zabspage 11116
\cals@activate@rtl 6879
\cals@AtBeginTable 6896
\cals@AtEndTable . . 6898
\cals@backup@row . . 6895
\cals@borderB 6894
\cals@borderL 6891
\cals@borderR 6892
\cals@borderT 6893
\cals@current@context 6885
\cals@last@context 6884
\cals@paddingL . 6901, 6903, 6908, 6910
\cals@paddingR 6905, 6912
\cals@set@tohsize . 6888
\cals@setcellprevdepth 6888
\cals@setpadding . . 6888
\cals@setup@alignment 6872, 6887
\cals@table@alignment 6877, 6878

\cals@tbreak@tokens 6882
\cals@tfoot@height 6883
\cals@tfoot@tokens 6881, 6898
\cals@thead@tokens 6880
\cals@vfillAdd . 6873, 6875, 6901, 6910
\cals@vfillDrop 6874, 6875, 6903, 6905, 6908, 6912
\CAny 1997
\cAny 2005
\cap@indent 16898, 16901, 16906, 16908, 16909, 17478, 17481, 17486, 17488, 17489, 18161, 18164, 18169, 18171, 18172
\cap@left 16920, 16931, 17500, 17511, 18183, 18194
\cap@margin 16863, 17443, 18126
\cap@right . . . 16922, 16931, 17502, 17511, 18185, 18194
\cap@width 16886, 16889, 16892, 17466, 17469, 17472, 18149, 18152, 18155
\capfont 16873, 16894, 16899, 16904, 16908, 16927, 16931, 17453, 17474, 17479, 17484, 17488, 17507, 17511, 18136, 18157, 18162, 18167, 18171, 18190, 18194
\caplabelfont . 16874, 16895, 16900, 16905, 16910, 16928, 17454, 17475, 17480, 17485, 17490, 17508, 18137, 18158, 18163, 18168, 18173, 18191
\caption 4432, 4433, 4435, 4491, 11946, 11964, 13437, 14341, 14343
\caption@@make . . . 13498
\caption@@par 6916
\caption@begin . . . 13494
\caption@end 13500
\caption@hangindent 6917
\caption@iftop 13497, 13499
\caption@LT@make . 13483
\caption@LT@setup 13490
\caption@makecaption 6914, 13104
\caption@normalsize 13495
\caption@parindent 6917
\caption@prepare@stepcounter 13493
\caption@setautoposition 13491
\caption@setoptions 13488, 13489
\caption@settype . 13484
\caption@starfalse 13105, 13492
\caption@startrue . . . 13106, 13112, 13492
\captionabove . 16979, 16984, 17559, 17564, 18242, 18247
\captionbelow . 16981, 16986, 17561, 17566, 18244, 18249
\captionformat 16874, 16895, 16900, 16905, 16910, 16928, 17454, 17475, 17480, 17485, 17490, 17508, 18137, 18158, 18163, 18168, 18173, 18191
\captionlabelfalse 13110
\catcode 1753, 1866, 2991, 3276, 3277, 3278, 3318, 4971, 4993, 5924, 5925, 5927, 5928, 11453, 11454, 11569
\Centering 15414
\centering 313, 7645, 7658, 7774, 10799, 10805, 11976, 12061, 12077, 14288, 14290, 14292, 16663, 17212, 17911
\CenteringLeftskip 15419
\CenteringParfillskip 15422
\CenteringParindent 15423
\CenteringRightskip 15420
\centerline 317, 11549, 11566, 15353, 20580
\cftbeforechapskip 18853
\cftbeforefigskip 18961
\cftbeforeparaskip 18927
\cftbeforepartskip 18821
\cftbeforesecskip 18872, 18875
\cftbeforesubfigskip 18998
\cftbeforesubparaskip 18944
\cftbeforesubsecskip 18893
\cftbeforesubsubsecskip 18910
\cftbeforesubtabskip 19018
\cftbeforetabskip 18979
\cftchapaftersnum 18862
\cftchapaftersnumb 18863
\cftchapfillnum . . 18866
\cftchapfont 18865
\cftchapindent 18854, 18857, 19104
\cftchapnumwidth 18860, 19105
\cftchappresnum . . 18861
\cftchapterprecistoc 19103
\cftdot 18801
\cftdotfill 19095

\cftdotsep 19094
\cftfigaftersnum . 18970
\cftfigaftersnumb 18971
\cftfigfillnum . . . 18974
\cftfigfont 18973
\cftfigindent 18962, 18965
\cftfignumwidth . . 18968
\cftfigpresnum . . . 18969
\cftparaaftersnum 18936
\cftparaaftersnumb 18937
\cftparafillnum . . 18940
\cftparafont 18939
\cftparaindent . . . .
. . . . . 18928, 18931
\cftparanumwidth . 18934
\cftparapresnum . . 18935
\cftpartaftersnum 18831
\cftpartaftersnumb 18832
\cftpartfillnum . . 18835
\cftpartfont 18834
\cftpartindent . . . .
. . . . . 18823, 18826
\cftpartnumwidth . 18829
\cftpartpresnum . . .
. . . . . 18830, 18834
\cftsecaftersnum . 18885
\cftsecaftersnumb 18886
\cftsecfillnum . . . 18889
\cftsecfont 18888
\cftsecindent 18877, 18880
\cftsecnumwidth . . 18883
\cftsecpresnum . . . 18884
\cftsubfigaftersnum
. 19007
\cftsubfigaftersnumb
. 19008
\cftsubfigfillnum 19011
\cftsubfigfont . . . 19010
\cftsubfigindent . .
. . . . . 18999, 19002
\cftsubfignumwidth 19005
\cftsubfigpresnum 19006
\cftsubparaaftersnum
. 18953
\cftsubparaaftersnumb
. 18954
\cftsubparafillnum 18957
\cftsubparafont . . 18956
\cftsubparaindent .
. . . . . 18945, 18948
\cftsubparanumwidth
. 18951
\cftsubparapresnum 18952
\cftsubsecaftersnum
. 18902
\cftsubsecaftersnumb
. 18903
\cftsubsecfillnum 18906
\cftsubsecfont . . . 18905
\cftsubsecindent . .
. . . . . 18894, 18897
\cftsubsecnumwidth 18900
\cftsubsecpresnum 18901
\cftsubsubsecaftersnum
. 18919
\cftsubsubsecaftersnumb
. 18920
\cftsubsubsecfillnum
. 18923
\cftsubsubsecfont 18922
\cftsubsubsecindent
. . . . . 18911, 18914
\cftsubsubsecnumwidth
. 18917
\cftsubsubsecpresnum
. 18918
\cftsubtabaftersnum
. 19027
\cftsubtabaftersnumb
. 19028
\cftsubtabfillnum 19031
\cftsubtabfont . . . 19030
\cftsubtabindent . .
. . . . . 19019, 19022
\cftsubtabnumwidth 19025
\cftsubtabpresnum 19026
\cfttabaftersnum . 18988
\cfttabaftersnumb 18989
\cfttabfillnum . . . 18992
\cfttabfont 18991
\cfttabindent 18980, 18983
\cfttabnumwidth . . 18986
\cfttabpresnum . . . 18987
\chapnumfont 15403
\chapter 5346,
5374, 5444, 5452,
5568, 5574, 6299,
6487, 6796, 8591,
10647, 15605,
15999, 16193, 16396
\chapterheadendvskip
. 15409
\chapterheadstartvskip
. 15401
\chaptermark . 5831, 18764
\chaptername . . 318, 14274
\chapterstyle 14269
\char 1741, 1980, 1981, 3264
\chardef 3263,
11453, 13023,
13024, 13030, 13031
\check@floats . 7363, 7538
\CheckCommand . . 3700,
12350, 12388, 15465
\checkoddpage 4326
\CIIIAny 1998
\ciiiAny 2006
\circle 7019, 7022, 7029,
7032, 7042, 7045,
7052, 7055, 7065,
7068, 7075, 7078,
7088, 7091, 7098, 7101
\cite 5008,
5100, 5106, 5107,
5201, 5206, 5227,
5235, 5256, 5264,
5285, 5303, 5307,
5312, 5316, 5321,
5325, 14860, 14861
\citeasnoun 14861
\citeN 14860
\cites 5101
\cl@@ckpt 18508
\ClassInfo 5788, 5853,
16990, 17570, 18253
\ClassWarning . . . . .
. 16673, 17222, 17921
\ClassWarningNoLine
. 14325
\clear 4105
\cleardoubleemptypage
. 16620,
16665, 17169,
17214, 17868, 17913
\cleardoublepage 5710,
5755, 5757, 5814,
5827, 5841, 6790, 8585
\clearpage . 607, 623,
872, 1124, 3185,
3186, 3190, 3191,

4064, 4065, 4068, 4710, 5722, 5757, 5843, 6231, 6408, 6618, 6792, 8587, 15514, 15769, 16228, 16728, 17277, 17976, 18798
\clipbox@@ 15389
\CloneTOCEntryStyle 16996, 17009, 17028, 17034, 17576, 17589, 17608, 17614, 18259, 18272, 18291, 18297
\closing 8625, 17787
\clubpenalty 92, 305, 586, 587, 720, 983, 1233, 2490, 6042, 6311, 6499, 6809, 6810, 8332, 8604, 8605, 10659, 12767, 14857, 15617, 16011, 16206, 16207, 16409, 16410, 16819, 17399, 18082, 18738, 18739
\coffeefont 14630
\col@number 132, 137, 139, 142, 143, 150, 462, 813, 1065, 1315, 6668, 8389, 8486, 10708, 14232, 14572, 14654, 14659, 14695, 14730, 14731, 14733, 14736, 14737, 14744, 15710, 15851, 16095, 16277, 16684, 17233, 17932
\col@sep 382, 410, 6920, 6921, 13449, 20413
\color 181, 1937, 1938, 1939, 1940, 1941, 2413, 6965, 6968, 6971, 6989, 6992, 7639, 7642, 7652, 7770, 12891, 13587, 20222
\color@ 20262, 20309
\color@b@x 6957, 6995, 6997, 20215, 20312, 20315
\color@begingroup . 5156, 5174, 5192, 6201, 6215, 8698, 8714, 8730, 8743, 8756, 8769, 8946, 8956, 8966, 8992, 9005, 9017, 9044, 9057, 9097, 9106, 9115, 9140, 9152, 9163, 9189, 9201, 9241, 9251, 9261, 9287, 9300, 9312, 9339, 9352, 9392, 9402, 9412, 9438, 9451, 9463, 9490, 9503, 9543, 9553, 9563, 9589, 9602, 9614, 9641, 9654, 9694, 9704, 9714, 9740, 9753, 9765, 9792, 9805, 9845, 9855, 9865, 9891, 9904, 9916, 9943, 9956, 9996, 10006, 10016, 10042, 10055, 10067, 10094, 10107, 10147, 10157, 10167, 10193, 10206, 10218, 10245, 10258, 10353, 10365, 10377, 10403, 10417, 10431, 10471, 10485, 10543, 10554, 11268, 11285, 11301, 11328, 11342, 11356, 11368, 13561, 20531
\color@block . 6962, 20220
\color@box . . 6995, 20312
\color@endbox . . 2247, 4830, 4874, 4918, 16512, 16522, 16540, 20847, 20891, 21012, 21033
\color@endgroup 5160, 5178, 5196, 6203, 8702, 8718, 8734, 8748, 8761, 8774, 8890, 8948, 8958, 8968, 8994, 9007, 9019, 9046, 9059, 9099, 9108, 9117, 9142, 9154, 9165, 9191, 9203, 9243, 9253, 9263, 9289, 9302, 9314, 9341, 9354, 9394, 9404, 9414, 9440, 9453, 9465, 9492, 9505, 9545, 9555, 9565, 9591, 9604, 9616, 9643, 9656, 9696, 9706, 9716, 9742, 9755, 9767, 9794, 9807, 9847, 9857, 9867, 9893, 9906, 9918, 9945, 9958, 9998, 10008, 10018, 10044, 10057, 10069, 10096, 10109, 10149, 10159, 10169, 10195, 10208, 10220, 10247, 10260, 10355, 10367, 10379, 10405, 10419, 10433, 10473, 10487, 10547, 10558, 11271, 11288, 11304, 11331, 11345, 11359, 11389, 20533
\color@fb@x . 20313, 20314
\color@fbox . . 6996, 20313
\color@hbox 16509, 16519, 16537, 21009, 21030
\color@setgroup 6998, 20317

\color@vbox 2225, 4821, 4865, 4909, 20838, 20882
\colorA . . 6576, 6585, 6597
\colorB 6582, 6588, 6594, 6600
\colorblend . . . 20229, 20230, 20272, 20273
\colorbox 2053, 2055, 2056
\columncolor . . 1469, 6928
\columnsep 99, 229, 600, 616, 865, 1117, 1886, 2322, 6224, 6401, 6611, 7184, 7309, 7484, 10838, 11686, 12775, 14452, 14569, 14662, 14711, 15507, 15762, 16221, 20177, 20182, 20186, 20192, 20195, 20751
\columnseprule 99, 229, 599, 615, 864, 1116, 1887, 2323, 6223, 6400, 6610, 7175, 7240, 7303, 7315, 7480, 7489, 10830, 10871, 11631, 11677, 12775, 14442, 14544, 14687, 14701, 15506, 15761, 16220, 20742, 20791
\columnseprulecolor 14686, 14700
\columnwidth . . 28, 41, 55, 71, 242, 254, 268, 283, 543, 547, 734, 968, 1214, 2237, 6325, 6478, 6748, 6752, 6860, 7173, 7177, 7181, 7185, 7236, 7242, 7302, 7304, 7307, 7310, 7312, 7317, 7479, 7481, 7483, 7485, 7487, 7491, 7788, 7809, 8339, 8343, 8638, 8642, 8685, 8695, 8711, 8727, 8740, 8753, 8766, 8989, 9001, 9014, 9054, 9137, 9148, 9160, 9198, 9284, 9296, 9309, 9349, 9435, 9447, 9460, 9500, 9586, 9598, 9611, 9651, 9737, 9749, 9762, 9802, 9888, 9900, 9913, 9953, 10039, 10051, 10064, 10104, 10190, 10202, 10215, 10255, 10339, 10399, 10413, 10427, 10456, 10481, 10640, 10644, 10829, 10831, 10835, 10839, 10867, 10873, 11174, 11177, 11179, 11264, 11281, 11297, 11324, 11338, 11352, 11370, 11584, 11591, 11627, 11633, 11675, 11679, 11683, 11687, 11918, 11919, 12789, 12863, 12867, 13564, 14440, 14444, 14448, 14451, 14540, 14546, 14569, 14598, 14604, 14760, 14764, 14768, 14772, 15602, 16025, 16175, 16179, 16357, 16361, 16601, 16849, 16854, 17150, 17429, 17434, 17709, 17713, 17849, 18112, 18117, 20740, 20744, 20748, 20752, 20787, 20793, 20930, 20932
\contentslabel . 5405, 5412, 5419, 5426, 5433
\contentsline 12181
\contentsmargin . . 18703
\contentspush 18677
\convertcolorspec 20236, 20239, 20279, 20282
\Coord 1994
\coord 1999
\CoordIII 1996
\coordiii 2001
\Coordn 1995
\coordn 2000
\Coordx 1991, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2005, 2006
\coordx 2002
\Coordy 1992, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2005, 2006
\coordy 2003
\Coordz 1993, 1996, 1998, 2001, 2006
\coordz 2004
\copy 4817, 4861, 4905, 6864, 7153, 7216, 7284, 7290, 7450, 7462, 7799, 7820, 10812, 10848, 11604, 11652, 11729, 11775, 13528, 13540, 13544, 14374, 14474, 15258, 15341, 15411, 20399, 20720, 20767, 20834, 20878, 20941
\cor@height . . . 14397, 14398, 14425, 14426, 14465, 14497, 14498, 14525, 14526, 14562

\count 1606, 1818, 2220, 3574, 4806, 4850, 4894, 8902, 8931, 9035, 9082, 9180, 9226, 9330, 9377, 9481, 9528, 9632, 9679, 9783, 9830, 9934, 9981, 10085, 10132, 10236, 10325, 10450, 10942, 11605, 11653, 11858, 11864, 20823, 20867, 20975
\count@ ... 1409, 1468, 2592, 2597, 4152, 4153, 4155, 6926, 14649, 14650, 14652, 14654, 14661, 14682, 14683, 14685, 14705, 14706, 14709, 14958, 14966, 14979, 18547
\counterwithout 14270, 14271, 14272, 14273
\cr 398, 5989, 5996, 6052, 8913, 8917, 8919, 13464, 18453, 18491, 20628
\crcr . 409, 2119, 5992, 18441, 18471, 20424, 20427, 20615
\CROP@@llc 7061
\CROP@@lrc 7084
\CROP@@ulc 7015
\CROP@@urc 7038
\CROP@execopt 7108
\cs 13698, 13749, 13767, 13821, 13836, 14124, 14126, 14986, 14987
\cs@a 3349
\csname 8, 44, 58, 74, 166, 168, 213, 257, 271, 286, 343, 344, 386, 1372, 2082, 2083, 2097, 2098, 2124, 2127, 2130, 2146, 2154, 2162, 2217, 2520, 2521, 2544, 2545, 2572, 2599, 2603, 2614, 2622, 2630, 2638, 2640, 2642, 2646, 2647, 2711, 2753, 2763, 2769, 2770, 2772, 2773, 2775, 2776, 2778, 2821, 2822, 2845, 2900, 2901, 2902, 2903, 2909, 2910, 2911, 2912, 2995, 2996, 2999, 3000, 3215, 3217, 3229, 3231, 3282, 3287, 3291, 3307, 3325, 3327, 3335, 3337, 3346, 3347, 3427, 3431, 3462, 3470, 3471, 3484, 3492, 3494, 3521, 3542, 3579, 3580, 3581, 3597, 3598, 3599, 3600, 3706, 3709, 3713, 3730, 3733, 3735, 3745, 3748, 3750, 3757, 3762, 3767, 3777, 3793, 3796, 3810, 3822, 3854, 3865, 3949, 3952, 3992, 4041, 4181, 4202, 4553, 4554, 4561, 4562, 5154, 5172, 5190, 5221, 5250, 5279, 5521, 6047, 6082, 6085, 6088, 6102, 6109, 6116, 6124, 6125, 6163, 6188, 6189, 6971, 6977, 6985, 6992, 7564, 8697, 8713, 8729, 8742, 8755, 8768, 8945, 8955, 8965, 8991, 9004, 9016, 9034, 9035, 9043, 9056, 9096, 9105, 9114, 9139, 9151, 9162, 9179, 9180, 9188, 9200, 9240, 9250, 9260, 9286, 9299, 9311, 9329, 9330, 9338, 9351, 9391, 9401, 9411, 9437, 9450, 9462, 9480, 9481, 9489, 9502, 9542, 9552, 9562, 9588, 9601, 9613, 9631, 9632, 9640, 9653, 9693, 9703, 9713, 9739, 9752, 9764, 9782, 9783, 9791, 9804, 9844, 9854, 9864, 9890, 9903, 9915, 9933, 9934, 9942, 9955, 9995, 10005, 10015, 10041, 10054, 10066, 10084, 10085, 10093, 10106, 10146, 10156, 10166, 10192, 10205, 10217, 10235, 10236, 10244, 10257, 10351, 10363, 10375, 10401, 10415, 10429, 10449, 10450, 10469, 10483, 10767, 10920, 10921, 10926, 10927, 11035, 11036, 11037, 11038, 11040, 11042, 11043, 11044, 11045, 11047, 11048, 11049, 11106, 11130, 11148, 11234, 11243, 11266, 11283, 11299, 11327, 11341, 11355, 11402, 11417, 12183, 12186, 12188, 12192, 12196, 12210,

12221, 12232, 12432, 12463, 12494, 12807, 12895, 12898, 13317, 13383, 14354, 14355, 14362, 16553, 16557, 16561, 16999, 17001, 17003, 17006, 17012, 17021, 17023, 17025, 17031, 17102, 17106, 17110, 17579, 17581, 17583, 17586, 17592, 17600, 17602, 17605, 17611, 17801, 17805, 17809, 18262, 18264, 18266, 18269, 18275, 18283, 18285, 18288, 18294, 18443, 18469, 18471, 18503, 18525, 18527, 18543, 18544, 18564, 18571, 18781, 19044, 19045, 19061, 19062, 19063, 19070, 19072, 19073, 19126, 19127, 19281, 19282, 19392, 19396, 19400, 19499, 19502, 19516, 19532, 19533, 19549, 19556, 19561, 19622, 19677, 19679, 19681, 19697, 19700, 19706, 19708, 19711, 19715, 19720, 19724, 19728, 19742, 19746, 19749, 19752, 19756, 19758, 19794, 19796, 19803, 19804, 19808, 19813, 19817, 19828, 19829, 19833, 19839, 19894, 19895, 19899, 19995, 19996, 19998, 20001, 20002, 20006, 20454, 20519, 20617, 20678, 20691, 20693, 21114

\CT@@do@color 6923
\CT@cell@color 1493, 6948
\CT@color 6922
\CT@column@color 1491, 6946
\CT@do@color 1494, 6923, 6949
\CT@extract . . . 1469, 6928
\CT@row@color . 1492, 6947
\CT@setup 1458, 1459, 1461, 1462, 1466, 1490, 6919, 6945
\cumpartcl 15162
\cumtcl 15162
\curraddr 332
\current@color 6964, 6970, 6977, 6985, 6991, 11431, 11436, 20221, 20258, 20259, 20263, 20292, 20293, 20310
\CurrentOption 5769, 5770, 5771, 5772, 5773, 5793, 5794, 5795, 5796, 5797, 7585, 7683
\customername 17747
\CustomFBox 11433
\cvcomputer 2445
\cvdoubleitem . 2422, 2446
\cventry 2434
\cvlanguage 2443
\cvline 2417, 2418, 2423, 2427, 2429, 2435, 2444
\cvlistdoubleitem . 2428
\cvlistitem 2426
\cvtheme 2360, 2363

D

\d 13668
\d@llarbegin 382, 411, 1413, 1414, 1415, 1478, 1481, 1482, 6933, 6936, 6937, 20413
\d@llarend 383, 411, 1413, 1414, 1415, 1480, 1481, 1482, 6935, 6936, 6937, 20414
\dashgapcolor 1473
\date 450, 486, 790, 835, 1042, 1087, 1292, 1337, 1921, 5635, 5683, 6390, 6567, 6656, 6692, 8377, 8411, 8474, 8510, 10696, 10730, 15687, 15732, 15828, 15875, 16078, 16119, 16265, 16301, 16724, 17273, 17972
\datename 17777
\deadcycles . . . 3200, 3203
\debugfootnotedirection 11093
\DeclareOption 2252, 2255, 2258, 2261, 2264, 2267, 2270, 2275, 2276, 2277, 2278, 2279, 2281, 4231, 4233, 4235, 4238, 4243, 5340, 5341, 5599, 5600, 5625, 5626, 5769, 5770, 5771, 5772, 5773, 5793, 5794, 5795, 5796, 5797, 7575, 7577, 7579, 7581, 7583, 7584, 7673, 7675, 7677, 7679, 7681, 7682
\DeclareRobustCommand 1979,

1980, 1981, 1982, 1983, 1984, 1985, 4566, 4573, 6965, 6980, 20222, 20265
\DeclareSectionCommand 17036, 17044, 17054, 17064, 17074, 17084, 17616, 17625, 17633, 17643, 17653, 17663, 17673, 18299, 18308, 18316, 18326, 18336, 18346, 18356
\DeclareTOCEntryStyle . 19111, 19268, 19470
\DecMargin 194
\dedication 16723, 17272, 17971
\dedicatory 333
\def 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 171, 172, 173, 174, 184, 188, 207, 228, 237, 238, 239, 240, 244, 247, 261, 276, 308, 311, 323, 329, 346, 348, 353, 355, 380, 385, 387, 408, 409, 410, 411, 457, 458, 489, 553, 590, 722, 745, 746, 754, 793, 794, 796, 801, 803, 808, 810, 838, 985, 997, 998, 1006, 1045, 1046, 1048, 1053, 1055, 1060, 1061, 1090, 1235, 1247, 1248, 1256, 1295, 1296, 1298, 1303, 1305, 1310, 1312, 1340, 1360, 1370, 1371, 1374, 1380, 1408, 1421, 1422, 1425, 1438, 1446, 1454, 1455, 1458, 1459, 1462, 1467, 1505, 1506, 1598, 1600, 1601, 1697, 1701, 1752, 1754, 1784, 1801, 1809, 1810, 1811, 1812, 1813, 1819, 1820, 1827, 1843, 1844, 1845, 1848, 1851, 1861, 1862, 1865, 1874, 1879, 1904, 1905, 1987, 1988, 1989, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2011, 2022, 2053, 2054, 2055, 2056, 2063, 2069, 2075, 2083, 2088, 2090, 2098, 2103, 2104, 2119, 2123, 2126, 2129, 2134, 2137, 2140, 2144, 2152, 2160, 2167, 2169, 2170, 2172, 2241, 2335, 2336, 2337, 2338, 2339, 2340, 2342, 2343, 2361, 2362, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2493, 2514, 2515, 2518, 2524, 2527, 2538, 2539, 2542, 2548, 2551, 2562, 2564, 2567, 2571, 2577, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2598, 2599, 2603, 2608, 2616, 2624, 2632, 2639, 2641, 2741, 2749, 2770, 2778, 2779, 2780, 2786, 2788, 2789, 2790, 2800, 2802, 2804, 2810, 2814, 2817, 2826, 2837, 2839, 2840, 2851, 2924, 2943, 2975, 2976, 2977, 2988, 3002, 3005, 3006, 3018, 3030, 3034, 3037, 3050, 3059, 3087, 3115, 3118, 3119, 3127, 3128, 3162, 3175, 3191, 3206, 3264, 3273, 3280, 3287, 3291, 3296, 3301, 3306, 3308, 3311, 3314, 3322, 3323, 3325, 3327, 3328, 3335, 3337, 3338, 3345, 3346, 3347, 3348, 3349, 3353, 3354, 3356, 3357, 3359, 3365, 3371, 3389, 3390, 3395, 3400, 3405, 3411, 3416, 3427, 3431, 3437, 3440, 3454, 3456, 3458, 3460, 3461, 3463, 3465, 3470, 3471, 3472, 3473, 3478, 3479, 3486, 3488, 3491, 3496, 3498, 3504, 3505, 3506, 3507, 3511, 3514, 3516, 3517, 3521, 3523, 3524, 3527, 3537, 3579, 3580, 3581, 3584, 3594, 3601, 3603, 3608, 3620, 3627, 3629, 3633, 3634, 3641, 3643, 3646, 3651, 3658, 3660, 3731, 3734, 3743, 3746, 3898, 3909, 3948, 4061, 4071, 4084, 4138, 4148, 4150, 4155, 4160, 4166, 4167, 4170, 4177, 4185, 4200, 4273, 4364, 4385, 4389,

4402, 4482, 4551,
4569, 4575, 4612,
4737, 4739, 4740,
4741, 4750, 4752,
4753, 4754, 4758,
4760, 4766, 4767,
4794, 4808, 4811,
4815, 4819, 4832,
4838, 4852, 4855,
4859, 4863, 4876,
4882, 4896, 4899,
4903, 4907, 4920,
4972, 4987, 4992,
5118, 5120, 5148,
5166, 5184, 5205,
5234, 5263, 5483,
5520, 5528, 5757,
5895, 5896, 5898,
5916, 5917, 5920,
5930, 5931, 5932,
5933, 5939, 5942,
5953, 5954, 5955,
5965, 5991, 5995,
6002, 6024, 6043,
6044, 6045, 6051,
6081, 6084, 6087,
6091, 6094, 6097,
6100, 6107, 6114,
6124, 6125, 6126,
6136, 6140, 6143,
6148, 6149, 6150,
6152, 6161, 6167,
6188, 6189, 6313,
6345, 6346, 6354,
6501, 6522, 6523,
6531, 6571, 6591,
6663, 6664, 6695,
6766, 6780, 6813,
6817, 6829, 6842,
6849, 6853, 6856,
6919, 6922, 6925,
6957, 6964, 6967,
6974, 6982, 6988,
6995, 6996, 6998,
7112, 7125, 7128,
7129, 7134, 7141,
7146, 7150, 7213,
7273, 7782, 7786,
7789, 7807, 7810,
7828, 7885, 8062,
8104, 8131, 8133,
8138, 8169, 8170,
8243, 8292, 8311,
8334, 8384, 8385,
8414, 8481, 8482,
8513, 8560, 8575,
8608, 8684, 8691,
8707, 8723, 8739,
8752, 8765, 8794,
8795, 8796, 8806,
8807, 8808, 8879,
8941, 8951, 8961,
8987, 8999, 9012,
9039, 9052, 9067,
9072, 9092, 9101,
9110, 9135, 9146,
9158, 9184, 9196,
9211, 9216, 9236,
9246, 9256, 9282,
9294, 9307, 9334,
9347, 9362, 9367,
9387, 9397, 9407,
9433, 9445, 9458,
9485, 9498, 9513,
9518, 9538, 9548,
9558, 9584, 9596,
9609, 9636, 9649,
9664, 9669, 9689,
9699, 9709, 9735,
9747, 9760, 9787,
9800, 9815, 9820,
9840, 9850, 9860,
9886, 9898, 9911,
9938, 9951, 9966,
9971, 9991, 10001,
10011, 10037,
10049, 10062,
10089, 10102,
10117, 10122,
10142, 10152,
10162, 10188,
10200, 10213,
10240, 10253,
10268, 10273,
10335, 10347,
10359, 10371,
10396, 10410,
10424, 10452,
10465, 10479,
10501, 10509,
10583, 10618,
10630, 10661,
10703, 10704,
10733, 10764,
10796, 10802,
10809, 10845,
10919, 10930,
10978, 11085,
11172, 11176,
11178, 11180,
11182, 11184,
11186, 11187,
11189, 11193,
11202, 11204,
11211, 11212,
11229, 11232,
11238, 11241,
11249, 11250,
11251, 11257,
11274, 11290,
11318, 11332,
11346, 11360,
11366, 11372,
11379, 11392,
11396, 11400,
11406, 11411,
11415, 11427,
11441, 11443,
11445, 11447,
11455, 11560,
11570, 11601,
11649, 11706,
11710, 11716,
11725, 11727,
11743, 11754,
11755, 11757,
11770, 11771,
11773, 11789,
11791, 11794,
11796, 11797,
11812, 11819,
11879, 11880,
11881, 11882,
11891, 11893,
11929, 12181,
12208, 12219,
12230, 12241,
12251, 12262,
12273, 12284,
12299, 12314,

12331, 12357,
12374, 12382,
12395, 12412,
12420, 12428,
12445, 12453,
12459, 12476,
12484, 12490,
12507, 12515,
12523, 12537,
12541, 12555,
12563, 12570,
12578, 12581,
12584, 12618,
12650, 12679,
12706, 12709,
12711, 12714,
12723, 12724,
12728, 12730,
12731, 12732,
12734, 12743,
12745, 12770,
12774, 12783,
12784, 12785,
12787, 12791,
12793, 12798,
12801, 12822,
12834, 12870,
12891, 12893,
12894, 12901,
12906, 12966,
13056, 13072,
13073, 13105,
13106, 13110,
13112, 13418,
13430, 13434,
13435, 13436,
13443, 13471,
13502, 13510,
13513, 13518,
13548, 13556,
13622, 13623,
14228, 14230,
14280, 14282,
14330, 14341,
14352, 14371,
14471, 14568,
14576, 14609,
14621, 14633,
14647, 14680,
14694, 14730,
14758, 14762,
14766, 14770,
14774, 14865,
14879, 14881,
14888, 14894,
14974, 15027,
15031, 15035,
15037, 15053,
15065, 15079,
15129, 15136,
15255, 15256,
15258, 15259,
15265, 15266,
15267, 15277,
15287, 15295,
15303, 15304,
15305, 15306,
15307, 15308,
15313, 15314,
15317, 15319,
15320, 15321,
15322, 15324,
15325, 15338,
15344, 15351,
15352, 15353,
15354, 15355,
15357, 15358,
15497, 15498,
15619, 15642,
15643, 15651,
15690, 15691,
15693, 15698,
15700, 15705,
15707, 15735,
15781, 15782,
15790, 15831,
15832, 15834,
15839, 15841,
15846, 15848,
15878, 15900,
16013, 16042,
16044, 16085,
16087, 16122,
16210, 16272,
16273, 16304,
16375, 16387,
16413, 16417,
16460, 16507,
16510, 16517,
16520, 16528,
16535, 16538,
16564, 16566,
16586, 16770,
16771, 16823,
16830, 16979,
16981, 17113,
17115, 17135,
17319, 17403,
17410, 17559,
17561, 17687,
17704, 17708,
17711, 17715,
17787, 17812,
17814, 17834,
18018, 18086,
18093, 18242,
18244, 18376,
18380, 18397,
18418, 18421,
18436, 18441,
18444, 18467,
18471, 18475,
18485, 18501,
18507, 18515,
18536, 18545,
18546, 18562,
18566, 18569,
18573, 18576,
18606, 18648,
18682, 18704,
18710, 18713,
18715, 18718,
18742, 19395,
19419, 19961,
19982, 19984,
20140, 20183,
20186, 20192,
20196, 20215,
20221, 20224,
20246, 20255,
20261, 20267,
20289, 20295,
20304, 20308,
20312, 20313,
20314, 20317,
20322, 20328,
20329, 20330,
20340, 20350,
20359, 20370,
20371, 20372,

20373, 20374, 20375, 20380, 20381, 20384, 20386, 20387, 20388, 20389, 20391, 20393, 20395, 20396, 20409, 20411, 20416, 20418, 20424, 20426, 20433, 20435, 20438, 20440, 20441, 20442, 20443, 20445, 20455, 20492, 20522, 20527, 20528, 20533, 20570, 20580, 20583, 20586, 20591, 20592, 20593, 20594, 20595, 20597, 20600, 20610, 20615, 20618, 20638, 20641, 20651, 20652, 20653, 20654, 20655, 20675, 20677, 20710, 20717, 20764, 20811, 20825, 20828, 20832, 20836, 20849, 20855, 20869, 20872, 20876, 20880, 20893, 20899, 20939, 20943, 20944, 20945, 20946, 20956, 21047, 21059, 21060, 21062, 21181, 21183, 21187, 21189, 21216, 21218
\default@color 6964, 20221
\DefaultFindent .. 12877
\DefaultLhang 12873
\DefaultLoversize 12874
\DefaultLraise ... 12875
\DefaultNindent .. 12878
\DefaultOptionsFile . 12883, 12886, 12889
\DefaultSlope 12879
\deffootnote .. 16563, 16588, 17112, 17137, 17686, 17706, 17811, 17836
\define@choicekey 1634, 1640, 1646, 1652, 1658, 1664, 1676, 1682, 1688, 1695, 1709, 1716, 20015, 20023
\define@key 20013
\definecolor 1928, 1929, 1930, 1931, 1932, 2334, 2341, 7589, 7594, 7597, 7598, 7599, 7601, 7602, 7605, 7606, 7608, 7609, 7612, 7613, 7615, 7616, 7619, 7620, 7622, 7623, 7626, 7627, 7692, 7693, 7698, 7699, 7704, 7705, 7710, 7711, 7716, 7717, 8236
\DefineTOCEntryCommandOption 19477, 19479, 19481, 19485, 19487, 19489, 19491, 19493
\DefineTOCEntryIfOption . 19473, 19475, 19507
\DefineTOCEntryLengthOption .. 19112, 19114, 19269, 19471, 19483, 19509, 19511
\DefineTOCEntryOption 19495
\DefNewDummy .. 3371, 3388
\delimiter 11424
\DEPTH 18609, 18616
\depth 11719, 14169, 14176, 14201
\depthof .. 8111, 8116, 8125, 8126, 8130, 8135
\descriptionlabel . 5561
\DetectColumn 20681, 20685
\detokenize 2747, 2749, 2975, 2977, 2978, 3005, 3020, 3037, 3040, 3048, 3050, 3118, 3119, 3944
\dfn@afteroutput 7877, 7880, 7929, 7932
\dfn@boxa . 7786, 7791, 7794, 7798, 7799, 7800, 7807, 7812, 7815, 7819, 7820, 7821, 7834, 7841, 7844, 7846, 7853, 7861, 7891, 7898, 7901, 7903, 7907, 7915
\dfn@boxb 7800, 7821, 7838, 7839, 7846, 7851, 7895, 7896, 7903, 7906
\dfn@countins . 7830, 7887
\dfn@dima 7791, 7792, 7793, 7804, 7812, 7813, 7814, 7825, 7829, 7846, 7866, 7886, 7903, 7918
\dfn@dimb 7866, 7867, 7869, 7870, 7872, 7918, 7919, 7921, 7922, 7924
\dfn@elt@adjust 7866, 7918
\dfn@elt@getht 7831, 7888
\dfn@fnht . 7802, 7823, 7864, 7867, 7873, 7874, 7875, 7916, 7919, 7925, 7926, 7927
\dfn@fnmaxdp 7790, 7795, 7800, 7811, 7816, 7821, 7843, 7846, 7900, 7903
\dfn@footnoterule 7884, 7936
\dfn@footnotetext . 7785
\dfn@gobble ... 7787, 7808
\dfn@ins .. 7795, 7796, 7797, 7799, 7816, 7817, 7818, 7820, 7834, 7835, 7891, 7892
\dfn@latex@footnotetext 7784

\dfn@latex@LTRfootnotetext 7790, 7805
\dfn@latex@makecol 7883, 7935
\dfn@latex@RTLfootnotetext 7811, 7826
\dfn@list . 7804, 7825, 7832, 7865, 7867, 7870, 7876, 7889, 7917, 7919, 7922, 7928
\dfn@LTRfootnotetext 7786, 7806
\dfn@LTRmakecol 7885, 7937, 7939
\dfn@makecol 7937, 7938, 7939
\dfn@makefnmark 7789, 7810
\dfn@RTLfootnotetext 7807, 7827
\dfn@RTLmakecol 7828, 7937, 7938
\dfn@split 7800, 7821, 7834, 7846, 7891, 7903
\DFNalwaysdouble . . 7940
\DFNcolumnsep 7849, 7862, 7906
\DFNcolumnwidth 7783, 7788, 7809, 7848, 7850, 7853, 7863, 7905, 7907
\diagbox@double 7942, 7945
\diagbox@double@pict@NE 8016, 8023
\diagbox@double@pict@NW 8015
\diagbox@double@pict@SE 8008, 8015
\diagbox@double@pict@SW 8023
\diagbox@font 7943, 7946, 7950, 7952, 7957, 7959, 7963, 7966, 7969, 7973, 7975, 7979, 7981
\diagbox@ht 8010, 8013, 8018, 8021
\diagbox@insepl . . . 7943, 7950, 7952, 7963, 7966, 7973, 7975, 7985, 7995, 7997
\diagbox@insepr . . . 7946, 7957, 7959, 7969, 7979, 7981, 7988, 7991, 8002, 8004
\diagbox@setlinecolor 8009, 8012, 8017, 8020, 8025, 8029, 8034, 8038, 8043, 8047, 8052, 8056
\diagbox@triple@pict@NE 8033
\diagbox@triple@pict@NW 8024
\diagbox@triple@pict@SE 8051
\diagbox@triple@pict@SW 8042
\diagbox@triple@setbox@NE 8007
\diagbox@triple@setbox@NW 7962, 7965, 7968, 7983
\diagbox@triple@setbox@SE 7984, 7987, 7990, 8007
\diagbox@triple@setbox@SW 7983
\diagbox@wd 8010, 8013, 8018, 8021
\DigitsDotDashInterCharToks 1740, 1741
\dim 13843, 13844, 14167, 14168, 14169
\dimen 1605, 1817, 8862, 8903, 8920, 8921, 8922, 8930, 9034, 9081, 9179, 9225, 9329, 9376, 9480, 9527, 9631, 9678, 9782, 9829, 9933, 9980, 10084, 10131, 10235, 10324, 10449, 14666, 14673, 14674, 14682, 14683, 14688, 14689, 14705, 14706, 14713, 14714, 20948, 20951
\dimen@ . . . 6960, 6961, 10530, 10532, 11463, 11464, 11465, 11475, 11476, 11477, 11480, 11481, 11482, 11488, 11498, 11500, 11509, 11511, 11518, 11519, 11520, 11521, 13525, 13526, 13527, 15326, 15331, 18399, 18401, 18407, 18413, 20154, 20155, 20156, 20157, 20158, 20159, 20218, 20219
\dimen@i 18400, 18401, 18406, 18412
\dimen@ii 11513, 11514, 11515, 11521, 11523, 11526, 11527, 11528
\dimexpr 28, 242, 734, 968, 1214, 2698, 2701, 2794, 6325, 6478, 12789, 13593, 13602, 14569, 14772, 15602, 16025, 16591, 16598, 16601, 17140, 17147, 17150, 17839, 17846, 17849, 19256, 19422, 19429, 19439, 19441, 20537, 20539, 20540, 20541, 20546, 20548, 20549, 20550, 20555, 20557, 20558, 20559, 20564, 20566, 20567, 20568
\DiscardVskip 12880
\display@setup 6818, 6843
\displayindent 6859

\displaystyle 10893, 10909
\displaywidth 6859, 8107, 8109, 8114, 10912, 12845
\divide 3689, 5903, 8921, 10340, 10341, 10457, 10458, 10779, 10780, 11718, 11719, 15170, 15171, 18481
\do 329, 330, 331, 332, 333, 334, 2194, 3928, 3988, 4003, 4024, 4027, 5013, 5018, 5032, 5037, 5051, 5056, 5079, 5088, 7130, 10767, 12968, 19704
\do@@hvFloat 11879
\document 3158, 3172
\documentclass 3911, 3914
\doloopbody 3549, 3550, 3594, 3667, 3674, 3681, 3684, 3686, 3690, 3692, 3694, 3698
\doubleitemmaincolumnwidth 2383, 2396, 2397, 2398, 2399, 2423, 2425
\doublerulesepcolor 1472
\downtovalue . . . 3547, 3559, 3641, 3680
\dp 40, 54, 70, 253, 267, 282, 392, 1465, 1622, 1834, 6961, 6962, 7410, 7791, 7812, 7839, 7858, 7860, 7896, 7912, 7914, 8110, 8115, 8128, 8134, 8248, 8253, 8257, 8260, 8867, 10286, 10530, 10538, 10778, 10791, 11263, 11280, 11296, 11731, 11732, 11735, 11777, 11778, 11781, 12963, 13454, 13601, 13604, 14666, 14682, 14683, 14688, 14689, 14705, 14706, 14713, 14714, 15150, 15151, 15152, 15326, 15370, 16426, 16468, 16471, 16525, 16532, 16916, 16919, 17496, 17499, 18179, 18182, 18448, 18483, 18495, 18609, 18611, 20210, 20219, 20220, 20623, 20920, 20927, 21014
\dquad 6851, 6853
\draw 20034, 20041, 20045, 20068, 20078, 20086, 20089, 20092, 20095, 20107, 20112, 20119, 20125, 20126
\dseries@display@setup 6843

E

\edef 123, 362, 1387, 1441, 1449, 1509, 1534, 1757, 1782, 2081, 2096, 2124, 2127, 2130, 2501, 2504, 2517, 2521, 2528, 2541, 2545, 2552, 2745, 2748, 2858, 2859, 2862, 2863, 2880, 2881, 2884, 2885, 2974, 2979, 2989, 3004, 3007, 3020, 3024, 3029, 3036, 3039, 3046, 3049, 3055, 3058, 3111, 3117, 3120, 3275, 3285, 3363, 3372, 3434, 3481, 3484, 3511, 3514, 3518, 3602, 3607, 3608, 3630, 3635, 3647, 3652, 3749, 3757, 3767, 3899, 3942, 3986, 4008, 4022, 4050, 4142, 4154, 4161, 4178, 4982, 5127, 5138, 6082, 6085, 6088, 8160, 8163, 10920, 10926, 11034, 11036, 11037, 11038, 11123, 11144, 11495, 12351, 12358, 12389, 12396, 12429, 12460, 12491, 12835, 12969, 12973, 13511, 13514, 14877, 15022, 15041, 15044, 15070, 16422, 16465, 16808, 17388, 17688, 18071, 18451, 18476, 18490, 18508, 18563, 18570, 18583, 19044, 19516, 19549, 19556, 19561, 19622, 19776, 19880, 19993, 20230, 20235, 20244, 20259, 20263, 20273, 20278, 20287, 20293, 20306, 20310, 20511, 20523, 20626, 20690, 20704
\EdefEscapeName . . 12682
\egroup 192, 193, 196, 385, 409, 644, 1203, 1370, 1371, 1488, 2119, 2120, 2245, 5992, 6203, 6862, 6943, 8891, 10898, 10899, 10913, 11390,

11535, 11539, 13537, 13540, 14577, 15113, 15123, 15138, 15269, 15275, 15279, 15285, 15289, 15293, 15297, 15301, 15364, 15535, 15985, 18441, 18442, 18467, 18473, 19880, 20332, 20338, 20342, 20348, 20352, 20357, 20361, 20366, 20416, 20424, 20425, 20615, 20616
\eightcolumnfootnotes 9823
\eightcolumnfootstyle 9920
\eject 7420, 11466, 11535, 11555
\else 4, 12, 13, 25, 36, 87, 104, 116, 134, 136, 151, 155, 159, 167, 184, 209, 217, 218, 234, 249, 300, 315, 319, 356, 357, 358, 360, 361, 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 401, 407, 453, 464, 467, 516, 533, 536, 537, 557, 560, 575, 596, 607, 612, 623, 627, 635, 639, 640, 644, 648, 651, 652, 657, 668, 679, 693, 696, 697, 700, 710, 757, 766, 774, 798, 802, 804, 815, 818, 861, 872, 875, 878, 879, 885, 895, 898, 899, 902, 912, 923, 934, 942, 946, 955, 973, 1009, 1018, 1026, 1050, 1054, 1056, 1067, 1070, 1113, 1124, 1128, 1131, 1134, 1135, 1140, 1151, 1162, 1177, 1180, 1181, 1184, 1194, 1198, 1199, 1203, 1223, 1259, 1268, 1276, 1300, 1304, 1306, 1317, 1320, 1357, 1362, 1363, 1376, 1381, 1382, 1383, 1385, 1386, 1389, 1390, 1391, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1424, 1425, 1426, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 1540, 1546, 1552, 1590, 1592, 1601, 1611, 1788, 1802, 1804, 1813, 1823, 2065, 2071, 2077, 2092, 2175, 2183, 2188, 2198, 2437, 2438, 2439, 2441, 2477, 2503, 2506, 2525, 2533, 2549, 2557, 2573, 2643, 2651, 2657, 2663, 2669, 2675, 2681, 2687, 2693, 2706, 2714, 2718, 2724, 2732, 2736, 2758, 2765, 2809, 3013, 3296, 3309, 3310, 3323, 3324, 3326, 3328, 3336, 3338, 3360, 3374, 3427, 3431, 3437, 3443, 3475, 3644, 3653, 3708, 3732, 3747, 3812, 3824, 3856, 3867, 3905, 3917, 3918, 3935, 3944, 3989, 4004, 4007, 4034, 4035, 4049, 4330, 4336, 4531, 4534, 4537, 4540, 4570, 4798, 4804, 4836, 4842, 4848, 4886, 4892, 5071, 5468, 5469, 5757, 5842, 5895, 5908, 5917, 6007, 6028, 6053, 6065, 6133, 6153, 6154, 6169, 6174, 6178, 6220, 6231, 6235, 6238, 6241, 6242, 6247, 6258, 6267, 6281, 6284, 6285, 6289, 6301, 6357, 6366, 6374, 6397, 6408, 6412, 6415, 6418, 6419, 6424, 6435, 6444, 6458, 6461, 6462, 6466, 6489, 6534, 6543, 6551, 6573, 6584, 6586, 6607, 6618, 6659, 6670, 6673, 6722, 6737, 6740, 6741, 6768, 6782, 6791, 6798, 6821, 6851, 6877, 6902, 6909, 6958, 6963, 7001, 7002, 7008, 7026, 7049, 7072, 7095, 7120, 7121, 7123, 7135, 7140, 7142, 7144, 7164, 7169, 7187, 7203, 7227, 7232, 7246, 7262, 7280, 7288, 7311, 7329, 7356, 7360, 7375, 7382, 7401, 7411, 7423, 7432, 7446, 7458, 7486, 7503, 7531, 7535, 7550, 7559, 7651, 7733, 7747, 7792, 7796, 7798, 7813, 7817, 7819, 7828, 7833, 7842, 7853, 7857, 7865, 7885, 7890, 7899, 7907, 7911,

7917, 7937, 7951,
7958, 7974, 7980,
7996, 8003, 8065,
8072, 8089, 8113,
8195, 8210, 8225,
8226, 8227, 8228,
8255, 8271, 8274,
8275, 8285, 8296,
8299, 8312, 8322,
8380, 8391, 8394,
8477, 8488, 8491,
8539, 8562, 8577,
8586, 8593, 8614,
8615, 8617, 8622,
8628, 8630, 8634,
8690, 8737, 8814,
8817, 8826, 8829,
8838, 8841, 8855,
8872, 8882, 8940,
8985, 9091, 9133,
9235, 9280, 9386,
9431, 9537, 9581,
9688, 9732, 9839,
9884, 9990, 10035,
10141, 10186,
10296, 10307,
10354, 10404,
10527, 10563,
10575, 10594,
10609, 10612,
10613, 10620,
10632, 10649,
10699, 10710,
10713, 10772,
10822, 10827,
10858, 10863,
10888, 10901,
10918, 10945,
10949, 10970,
11010, 11079,
11083, 11109,
11133, 11215,
11218, 11258,
11309, 11347,
11348, 11364,
11382, 11426,
11444, 11446,
11462, 11467,
11487, 11516,
11522, 11538,
11545, 11550,
11563, 11593,
11617, 11622,
11665, 11670,
11710, 11712,
11715, 11716,
11717, 11723,
11725, 11733,
11739, 11742,
11745, 11752,
11759, 11761,
11767, 11771,
11774, 11779,
11785, 11788,
11801, 11804,
11807, 11813,
11820, 11830,
11843, 11852,
11860, 11867,
11870, 11873,
11892, 11895,
11901, 11902,
11905, 11912,
11914, 11920,
11931, 11939,
11941, 11942,
11943, 11946,
11951, 11957,
11959, 11960,
11961, 11964,
11974, 11976,
11989, 11995,
11998, 12002,
12008, 12011,
12014, 12020,
12025, 12028,
12032, 12034,
12037, 12041,
12043, 12045,
12049, 12054,
12058, 12065,
12070, 12074,
12081, 12086,
12090, 12094,
12096, 12099,
12103, 12105,
12107, 12111,
12115, 12119,
12125, 12128,
12132, 12138,
12141, 12144,
12150, 12165,
12175, 12184,
12195, 12215,
12226, 12237,
12255, 12266,
12277, 12288,
12303, 12318,
12378, 12416,
12449, 12480,
12511, 12564,
12576, 12579,
12596, 12605,
12615, 12630,
12638, 12647,
12661, 12676,
12690, 12702,
12762, 12780,
12800, 12803,
12811, 12812,
12828, 12850,
12851, 12853,
12858, 12881,
12882, 12884,
12897, 12913,
12922, 12945,
12966, 12969,
12973, 12990,
13000, 13008,
13038, 13049,
13067, 13077,
13083, 13120,
13199, 13202,
13205, 13208,
13211, 13214,
13217, 13220,
13223, 13227,
13230, 13233,
13236, 13239,
13242, 13245,
13248, 13251,
13254, 13257,
13260, 13263,
13266, 13269,
13272, 13275,
13278, 13281,
13284, 13287,
13290, 13293,
13296, 13299,
13302, 13305,

13308, 13311,
13314, 13317,
13320, 13323,
13326, 13329,
13332, 13335,
13338, 13341,
13344, 13347,
13350, 13353,
13356, 13359,
13362, 13365,
13368, 13371,
13374, 13377,
13380, 13383,
13386, 13389,
13392, 13395,
13398, 13401,
13404, 13407,
13410, 13413,
13421, 13422,
13423, 13424,
13447, 13476,
13485, 13491,
13522, 13537,
13539, 13611,
14234, 14237,
14248, 14249,
14250, 14251,
14252, 14253,
14282, 14298,
14304, 14310,
14335, 14345,
14367, 14385,
14401, 14414,
14427, 14431,
14485, 14501,
14514, 14527,
14531, 14587,
14595, 14601,
14610, 14612,
14616, 14617,
14622, 14624,
14629, 14634,
14636, 14641,
14651, 14664,
14697, 14729,
14745, 14749,
14753, 14849,
14854, 14887,
14893, 14901,
14904, 14928,
14948, 14963,
15043, 15067,
15125, 15133,
15167, 15193,
15231, 15232,
15233, 15259,
15313, 15314,
15317, 15321,
15322, 15325,
15327, 15333,
15351, 15352,
15357, 15365,
15374, 15384,
15390, 15393,
15400, 15402,
15408, 15419,
15421, 15432,
15434, 15445,
15447, 15456,
15458, 15475,
15497, 15498,
15503, 15514,
15518, 15526,
15530, 15531,
15535, 15539,
15542, 15543,
15548, 15559,
15568, 15582,
15585, 15586,
15590, 15607,
15654, 15663,
15671, 15695,
15699, 15701,
15712, 15715,
15758, 15769,
15793, 15802,
15810, 15836,
15840, 15842,
15853, 15856,
15897, 15902,
15903, 15911,
15914, 15915,
15920, 15931,
15940, 15954,
15957, 15958,
15962, 15968,
15976, 15980,
15981, 15985,
16001, 16030,
16081, 16097,
16100, 16146,
16161, 16164,
16165, 16170,
16171, 16195,
16217, 16228,
16268, 16279,
16282, 16331,
16346, 16349,
16350, 16377,
16389, 16398,
16430, 16475,
16509, 16511,
16515, 16519,
16521, 16526,
16530, 16533,
16537, 16539,
16543, 16570,
16571, 16579,
16592, 16599,
16619, 16624,
16631, 16637,
16661, 16668,
16672, 16686,
16689, 16732,
16736, 16744,
16750, 16762,
16770, 16771,
16784, 16786,
16798, 16813,
16829, 16839,
16848, 16853,
16856, 16857,
16858, 16860,
16885, 16897,
16902, 16907,
16924, 16938,
16944, 16957,
16967, 16985,
17015, 17119,
17120, 17128,
17141, 17148,
17168, 17173,
17180, 17186,
17210, 17217,
17221, 17235,
17238, 17281,
17285, 17293,
17299, 17311,
17319, 17324,
17340, 17348,

17356, 17364, 17365, 17378, 17393, 17409, 17419, 17428, 17433, 17436, 17437, 17438, 17440, 17465, 17477, 17482, 17487, 17504, 17518, 17524, 17537, 17547, 17565, 17595, 17692, 17693, 17699, 17716, 17717, 17718, 17719, 17720, 17721, 17722, 17723, 17727, 17730, 17733, 17736, 17739, 17742, 17745, 17748, 17751, 17754, 17757, 17760, 17763, 17766, 17769, 17772, 17775, 17778, 17783, 17784, 17790, 17818, 17819, 17827, 17840, 17847, 17867, 17872, 17879, 17885, 17909, 17916, 17920, 17934, 17937, 17980, 17984, 17992, 17998, 18010, 18018, 18047, 18048, 18061, 18076, 18092, 18102, 18111, 18116, 18119, 18120, 18121, 18123, 18148, 18160, 18165, 18170, 18187, 18201, 18207, 18220, 18230, 18248, 18278, 18370, 18373, 18409, 18426, 18459, 18472, 18480, 18493, 18498, 18577, 18578, 18579, 18581, 18582, 18585, 18586, 18587, 18588, 18589, 18590, 18591, 18593, 18594, 18595, 18596, 18597, 18600, 18601, 18602, 18662, 18679, 18686, 18688, 18693, 18698, 18699, 18702, 18707, 18711, 18712, 18727, 18751, 18755, 18765, 18771, 18777, 18782, 18788, 18798, 18810, 18818, 18823, 18824, 18825, 18833, 18840, 18854, 18855, 18856, 18864, 18873, 18877, 18878, 18879, 18887, 18894, 18895, 18896, 18904, 18911, 18912, 18913, 18921, 18928, 18929, 18930, 18938, 18945, 18946, 18947, 18955, 18962, 18963, 18964, 18972, 18980, 18981, 18982, 18990, 18999, 19000, 19001, 19009, 19019, 19020, 19021, 19029, 19039, 19054, 19055, 19056, 19064, 19086, 19104, 19105, 19106, 19244, 19352, 19369, 19379, 19394, 19398, 19501, 19766, 19780, 19784, 19807, 19822, 19832, 19836, 19846, 19847, 19848, 19849, 19854, 19856, 19857, 19865, 19871, 19888, 19898, 19904, 19910, 19913, 19924, 19962, 19964, 19969, 19978, 19983, 19985, 19992, 19999, 20030, 20037, 20042, 20048, 20059, 20062, 20073, 20080, 20094, 20144, 20151, 20152, 20154, 20162, 20170, 20172, 20173, 20184, 20188, 20193, 20202, 20208, 20216, 20220, 20229, 20248, 20253, 20272, 20297, 20302, 20322, 20368, 20369, 20380, 20381, 20384, 20388, 20389, 20448, 20467, 20470, 20475, 20478, 20481, 20484, 20487, 20501, 20509, 20514, 20515, 20516, 20538, 20539, 20541, 20547, 20548, 20550, 20556,

20557, 20559, 20565, 20566, 20568, 20576, 20577, 20578, 20579, 20582, 20585, 20588, 20591, 20592, 20593, 20594, 20596, 20598, 20599, 20603, 20605, 20619, 20636, 20641, 20642, 20643, 20644, 20645, 20646, 20647, 20648, 20651, 20652, 20656, 20658, 20663, 20692, 20701, 20711, 20731, 20736, 20778, 20783, 20808, 20815, 20821, 20859, 20865, 20903, 20905, 20915, 20931, 20933, 20936, 20940, 20949, 20978, 20981, 20984, 20990, 21011, 21023, 21032, 21052, 21059, 21060, 21173, 21181, 21187
\em 5561
\email 332, 2373
\emaillink 2455, 7666, 7764
\emailsymbol 2333, 7666, 7764
\empty 11892, 18379
\EmptyList 3471
\end . 172, 174, 197, 432, 435, 438, 503, 506, 769, 777, 780, 850, 853, 1021, 1029, 1032, 1102, 1105, 1271, 1279, 1282, 1353, 1356, 1361, 1362, 1363, 1865, 2014, 2025, 2026, 2421, 2423, 2425, 2427, 2429, 2433, 2441, 2444, 2494, 2517, 2525, 2527, 2528, 2534, 2541, 2549, 2551, 2552, 2558, 3228, 3234, 3254, 3260, 4370, 4371, 4376, 4379, 4456, 4457, 4464, 4465, 4472, 4473, 4493, 4494, 4532, 4535, 4538, 4541, 4548, 4549, 4732, 4733, 5352, 5408, 5415, 5422, 5429, 5436, 5447, 5455, 5582, 5583, 5719, 5762, 5784, 6175, 6369, 6377, 6380, 6546, 6554, 6557, 6586, 6598, 6638, 6641, 6644, 6709, 6712, 7025, 7035, 7048, 7058, 7071, 7081, 7094, 7104, 7645, 7754, 7766, 7774, 8157, 8231, 8361, 8364, 8367, 8426, 8429, 8456, 8459, 8462, 8527, 8530, 8619, 10680, 10683, 10686, 10745, 10748, 10900, 11949, 11967, 12069, 12085, 12176, 12855, 14369, 14982, 15666, 15674, 15677, 15747, 15750, 15805, 15813, 15816, 15893, 15896, 15901, 15902, 15903, 16060, 16063, 16066, 16138, 16247, 16250, 16253, 16318, 16321, 16418, 16461, 16627, 16642, 16649, 16655, 16659, 16667, 16739, 16756, 16766, 16794, 17176, 17191, 17198, 17204, 17208, 17216, 17288, 17305, 17315, 17374, 17875, 17890, 17897, 17903, 17907, 17915, 17987, 18004, 18014, 18057, 18532, 18725, 20034, 20041, 20051, 20056, 20069, 20076, 20079, 20098, 20115, 20122, 20128, 20130
\end@dblfloat 16505
\end@float 4396, 4725, 16456
\end@rotdblfloat . 16460
\end@rotfloat 16417, 16458, 16459
\endarray 385, 409, 1370, 1371, 18467, 18471, 20416
\endBCmd 2016
\endbidi@lrbox . . . 20533
\endbidi@switch 3384, 3388, 3389
\endbidi@tabular@RTLcases . 20416, 20424, 20431
\endcsname . 8, 44, 58, 74, 166, 168, 213, 257, 271, 286, 343, 344, 386, 1372, 2082, 2083, 2097, 2098, 2124, 2127, 2130, 2146, 2154, 2162, 2217, 2520, 2521, 2544, 2545, 2572, 2600, 2604, 2614, 2622, 2630, 2638, 2640, 2642, 2646, 2647, 2704,

2710, 2711, 2753,
2763, 2769, 2770,
2772, 2773, 2775,
2776, 2778, 2821,
2822, 2844, 2845,
2900, 2901, 2902,
2903, 2909, 2910,
2911, 2912, 2995,
2996, 2999, 3000,
3215, 3217, 3229,
3231, 3282, 3287,
3291, 3307, 3325,
3327, 3335, 3337,
3346, 3347, 3427,
3431, 3462, 3470,
3471, 3484, 3492,
3494, 3521, 3542,
3579, 3580, 3581,
3597, 3598, 3599,
3600, 3706, 3709,
3714, 3730, 3733,
3735, 3745, 3748,
3750, 3757, 3761,
3762, 3767, 3776,
3777, 3793, 3796,
3810, 3822, 3854,
3865, 3950, 3952,
3990, 3992, 3998,
4041, 4181, 4202,
4553, 4554, 4561,
4562, 5154, 5172,
5190, 5221, 5250,
5279, 5521, 6047,
6082, 6085, 6088,
6102, 6109, 6116,
6124, 6125, 6163,
6188, 6189, 6971,
6977, 6985, 6992,
7564, 8697, 8713,
8729, 8742, 8755,
8768, 8945, 8955,
8965, 8991, 9004,
9016, 9034, 9035,
9043, 9056, 9096,
9105, 9114, 9139,
9151, 9162, 9179,
9180, 9188, 9200,
9240, 9250, 9260,
9286, 9299, 9311,
9329, 9330, 9338,
9351, 9391, 9401,
9411, 9437, 9450,
9462, 9480, 9481,
9489, 9502, 9542,
9552, 9562, 9588,
9601, 9613, 9631,
9632, 9640, 9653,
9693, 9703, 9713,
9739, 9752, 9764,
9782, 9783, 9791,
9804, 9844, 9854,
9864, 9890, 9903,
9915, 9933, 9934,
9942, 9955, 9995,
10005, 10015,
10041, 10054,
10066, 10084,
10085, 10093,
10106, 10146,
10156, 10166,
10192, 10205,
10217, 10235,
10236, 10244,
10257, 10351,
10363, 10375,
10401, 10415,
10429, 10449,
10450, 10469,
10483, 10767,
10920, 10922,
10926, 10928,
11035, 11036,
11037, 11038,
11040, 11042,
11043, 11044,
11045, 11047,
11048, 11049,
11106, 11130,
11148, 11234,
11243, 11266,
11283, 11299,
11327, 11341,
11355, 11402,
11417, 12183,
12186, 12188,
12192, 12196,
12210, 12221,
12232, 12432,
12463, 12494,
12807, 12895,
12898, 13317,
13383, 14354,
14355, 14362,
14873, 14883,
14897, 16553,
16557, 16561,
16999, 17001,
17003, 17006,
17012, 17021,
17023, 17025,
17031, 17102,
17106, 17110,
17579, 17581,
17583, 17586,
17592, 17600,
17602, 17605,
17611, 17801,
17805, 17809,
18262, 18264,
18266, 18269,
18275, 18283,
18285, 18288,
18294, 18443,
18469, 18471,
18503, 18525,
18527, 18543,
18544, 18564,
18571, 18781,
19044, 19045,
19061, 19062,
19063, 19070,
19072, 19073,
19126, 19127,
19281, 19282,
19392, 19396,
19400, 19499,
19502, 19516,
19532, 19533,
19549, 19556,
19561, 19622,
19677, 19679,
19681, 19697,
19700, 19706,
19708, 19711,
19715, 19720,
19724, 19728,
19742, 19746,
19749, 19752,
19756, 19758,
19791, 19792,

19794, 19796, 19801, 19803, 19805, 19809, 19812, 19813, 19816, 19817, 19826, 19828, 19830, 19834, 19838, 19839, 19892, 19894, 19896, 19900, 19920, 19921, 19929, 19933, 19937, 19941, 19945, 19949, 19953, 19957, 19995, 19996, 19998, 20001, 20002, 20006, 20454, 20519, 20617, 20678, 20691, 20693, 21114
\enddocument . . 3184, 3199
\endflushleft . 2036, 2044
\endgraf 13479, 13498, 16964, 17544, 18227
\endgroup . . . 17, 127, 222, 320, 327, 383, 399, 473, 525, 539, 677, 699, 824, 901, 921, 1076, 1160, 1183, 1326, 1495, 1910, 2148, 2156, 2164, 2511, 2530, 2554, 2762, 2781, 2925, 2944, 2989, 3011, 3021, 3038, 3088, 3159, 3455, 3457, 3485, 3490, 3499, 3657, 3705, 3729, 3744, 3815, 3827, 3839, 3859, 3870, 3881, 4045, 4144, 4154, 4194, 4563, 4990, 4992, 5223, 5252, 5281, 5658, 5675, 5691, 5702, 5742, 6061, 6104, 6111, 6118, 6176, 6265, 6288, 6442, 6465, 6679, 6729, 6744, 6950, 7210, 7269, 8081, 8099, 8277, 8290, 8400, 8497, 8546, 10343, 10460, 10601, 10616, 10719, 10843, 10883, 10967, 10988, 11236, 11245, 11404, 11419, 11438, 11479, 11510, 11644, 11696, 11753, 11768, 12174, 12212, 12223, 12234, 12245, 12346, 12371, 12409, 12442, 12473, 12504, 12733, 12744, 12816, 12839, 12900, 13096, 13465, 14245, 14363, 14463, 14560, 14761, 14765, 14769, 15061, 15111, 15116, 15118, 15121, 15126, 15363, 15394, 15566, 15589, 15721, 15862, 15938, 15961, 16106, 16153, 16168, 16288, 16338, 16353, 16695, 16795, 16933, 17244, 17375, 17513, 17943, 18058, 18196, 18546, 18667, 18846, 19262, 19373, 19774, 19902, 20212, 20245, 20288, 20307, 20414, 20524, 20761, 20804, 20957, 20967
\endL 1499, 1627, 1839, 2466, 6954, 6963, 6964, 6973, 6979, 6998, 10354, 10366, 10404, 10418, 10786, 10899, 10913, 11078, 11715, 11723, 11742, 11752, 11767, 11788, 12576, 13063, 15125, 15265, 15284, 15393, 16515, 16526, 16533, 16543, 18621, 20220, 20221, 20260, 20264, 20317, 20328, 20347, 20936, 21011, 21032
\endlist 96, 309, 592, 724, 955, 987, 1237, 5546, 5554, 5559, 6315, 6503, 6815, 8336, 8610, 10663, 12771, 14868, 15621, 16015, 16212, 16415, 16837, 17417, 18100, 18744
\endlooprepeat 3584, 3613, 3620
\endLTR 15304, 20371
\endMakeFramed . . . 11452
\endmath 6848
\endmdf@lrbox 13596
\endminipage 8879, 11379, 18625
\endmodernpoem 6189
\endpgfpicture . . . 15079
\endpspicture 15358
\endR 346, 351, 385, 409, 1370, 1371, 1488, 2119, 2120, 6856, 6943, 6959, 6964, 6966, 6998, 8062, 8913, 8917, 10354, 10378, 10404, 10432, 10918, 11712, 11717,

11774, 11813, 11820, 12189, 12197, 12579, 12615, 12647, 12676, 12702, 12712, 12715, 12846, 13063, 13473, 13537, 13540, 13550, 13641, 13649, 13840, 14166, 14332, 14334, 15134, 15266, 15274, 15353, 15354, 15355, 16511, 16521, 16530, 16539, 16931, 17511, 18194, 18441, 18442, 18467, 18473, 18620, 20217, 20221, 20223, 20317, 20329, 20337, 20424, 20581, 20584, 20587, 20604, 20615, 20616, 20936, 20949, 20951, 21011, 21032, 21051, 21054, 21062
\endrotate 16520
\endRTL 15306, 20373
\ends@math 6848
\endsideways 16538
\endsidewaysfigure 16458
\endsidewaystable 16459
\endstabular 18441, 18443
\endstrip 14576
\endtabular . 385, 386, 1371, 1372, 2119, 18467, 18469, 18553, 20615, 20617
\endtabularx 18504, 18533, 18544
\endtcb@lrbox 18625, 18626
\endtcb@savebox . . 18626
\endtcb@vbox 18636
\endtitlepage . . 634, 941, 1193, 6297, 6485, 15525, 15975
\endtraditionalpoem 6125
\endtrivlist 10914
\endturn 16510
\endwindow 15136
\enskip 19887, 19912
\enspace 318, 15130, 15132
\ensuremath 1536
\env@RTLcases 20429, 20433
\EQ 8104, 8110, 8111, 8115, 8116, 8125, 8126, 8128, 8130, 8131, 8133, 8134, 8135, 8136, 8138, 8139, 8140, 8152, 8155, 8157, 8159, 8160, 8162, 8165, 8167, 8169, 8170, 8172, 8173, 8175, 8178, 8179, 8180, 8183, 8186, 8194, 8201, 8209, 8216, 8218, 8221, 8225, 8226, 8227, 8228, 8240, 8242, 8243
\eq@addpunct 6853
\EQ@box 6858, 6864
\eq@group 6821, 6830
\eq@GRP@first@dmath 6830
\eq@if . . . 2595, 2596, 2598
\eq@isIntertext . . . 6868
\eq@prelim . . . 6821, 6838
\eq@setnumber 6824
\eq@setup@a 6826
\eq@startup 6827
\eq@wdCond 6845
\eqnewif 1562, 1563, 1567, 1579, 2591
\eqno 337, 15349, 15351, 21057, 21059
\eqnumform 6856
\eqstyle 6823
\equal 2431, 2448, 2452, 2456, 4384, 4418, 4429, 4461, 4462, 4478, 4519, 4777, 5019, 5020, 5038, 5039, 5057, 5058, 5089, 5090, 7753, 11026
\errmessage 1602, 1814, 14664
\ERROR 20702
\escapechar 2500, 2592, 2597, 2781, 3274, 3279, 3281, 3283, 3296
\ESO@isMEMOIR 8067
\evenpage . 1871, 1874, 1875, 1876, 1878, 1879, 1880, 1881, 1883
\evensidemargin 1895, 8090, 11861, 11866, 11874, 20977, 20985
\everycr 13469
\everydisplay 6818
\everyhbox . . . 15268, 15270, 15278, 15280, 20331, 20333, 20341, 20343
\everyjob 1534, 1535, 1782, 1783
\everymath 349
\everypar . . 523, 675, 919, 1158, 4836, 4880, 4924, 6264, 6441, 6728, 8545, 10600, 10794, 15260, 15264, 15472, 15486, 15565, 15937, 16152, 16337, 18839, 18843, 19371, 20323, 20327, 20853, 20897
\everyvbox 1374, 1375, 15288, 15290, 15296, 15298, 20351, 20353, 20360, 20362
\ExecuteOptions 2282, 4248, 5629, 5631, 7586, 7684
\ExecuteOptionsX . . 1723
\exhyphenpenalty 626, 933, 1127, 6234, 6411, 15517, 15967, 16029
\exp 13717, 13720, 13774, 13949, 14003

\expandafter . . . 166, 362, 386, 756, 765, 773, 799, 802, 1008, 1017, 1025, 1051, 1054, 1258, 1267, 1275, 1301, 1304, 1372, 1387, 1469, 1470, 1471, 1473, 1539, 1541, 1545, 1547, 1551, 1553, 2064, 2066, 2070, 2072, 2076, 2078, 2082, 2083, 2091, 2093, 2097, 2098, 2122, 2125, 2128, 2131, 2135, 2138, 2141, 2192, 2193, 2246, 2514, 2516, 2520, 2521, 2525, 2528, 2538, 2540, 2544, 2545, 2549, 2552, 2572, 2574, 2579, 2599, 2600, 2603, 2604, 2640, 2642, 2646, 2650, 2652, 2656, 2658, 2662, 2664, 2668, 2670, 2674, 2676, 2680, 2682, 2686, 2688, 2692, 2694, 2705, 2707, 2711, 2712, 2713, 2715, 2716, 2719, 2723, 2725, 2730, 2731, 2733, 2734, 2737, 2746, 2753, 2757, 2759, 2762, 2763, 2764, 2766, 2769, 2770, 2772, 2773, 2775, 2776, 2778, 2782, 2816, 2817, 2818, 2819, 2820, 2822, 2845, 2849, 2900, 2901, 2902, 2903, 2909, 2910, 2911, 2912, 2995, 2996, 3010, 3011, 3012, 3014, 3021, 3022, 3025, 3040, 3047, 3056, 3277, 3278, 3287, 3291, 3346, 3347, 3359, 3360, 3455, 3457, 3462, 3464, 3465, 3484, 3486, 3489, 3492, 3493, 3494, 3496, 3499, 3504, 3567, 3579, 3581, 3597, 3598, 3599, 3600, 3638, 3649, 3654, 3668, 3705, 3706, 3707, 3710, 3713, 3729, 3730, 3744, 3745, 3757, 3762, 3767, 3777, 3793, 3796, 3822, 3865, 3927, 3936, 3948, 3950, 3951, 3991, 4001, 4002, 4023, 4040, 4051, 4053, 4180, 4181, 4980, 5521, 5951, 6083, 6086, 6089, 6092, 6095, 6098, 6124, 6125, 6188, 6189, 6203, 6356, 6365, 6373, 6533, 6542, 6550, 6818, 6928, 6970, 6991, 7158, 7160, 7221, 7223, 8892, 9034, 9035, 9179, 9180, 9329, 9330, 9480, 9481, 9631, 9632, 9782, 9783, 9933, 9934, 10084, 10085, 10235, 10236, 10449, 10450, 10816, 10818, 10852, 10854, 10920, 10921, 10926, 10927, 11027, 11044, 11049, 11108, 11111, 11132, 11135, 11148, 11162, 11163, 11164, 11165, 11167, 11391, 11479, 11501, 11502, 11510, 11611, 11613, 11659, 11661, 11758, 11796, 11797, 12214, 12216, 12225, 12227, 12236, 12238, 12341, 12355, 12369, 12393, 12407, 12440, 12471, 12502, 12733, 12734, 12741, 12755, 12895, 12903, 12908, 13077, 13078, 13083, 13084, 13466, 13512, 13515, 14344, 14347, 14379, 14381, 14479, 14481, 15023, 15040, 15052, 15057, 15262, 15653, 15662, 15670, 15696, 15699, 15792, 15801, 15809, 15837, 15840, 16423, 16435, 16445, 16466, 16481, 16493, 16998, 17000, 17002, 17005, 17011, 17020, 17022, 17024, 17030, 17578, 17580, 17582, 17585, 17591, 17599, 17601, 17604, 17610, 18261, 18263, 18265, 18268, 18274, 18282, 18284, 18287, 18293, 18443, 18469, 18502, 18505, 18525, 18528, 18530, 18532,

18543, 18544, 18552, 18556, 18558, 18565, 18567, 18572, 18574, 18583, 19044, 19045, 19061, 19062, 19063, 19070, 19072, 19073, 19126, 19281, 19392, 19396, 19400, 19499, 19502, 19516, 19532, 19549, 19556, 19561, 19622, 19676, 19678, 19680, 19696, 19700, 19705, 19707, 19710, 19714, 19719, 19723, 19727, 19741, 19746, 19748, 19751, 19755, 19758, 19804, 19808, 19829, 19833, 19895, 19899, 19995, 19996, 19998, 20001, 20002, 20005, 20230, 20242, 20245, 20253, 20254, 20273, 20285, 20288, 20302, 20303, 20307, 20325, 20617, 20678, 20690, 20725, 20727, 20772, 20774, 21114
\ExplSyntaxOff ... 15015
\ExplSyntaxOn 14985
\extrafeetendmini 8871, 8878
\extrafeetendminihook 8876, 8877
\extrafeetins . 8850, 8851
\extrafeetinshook 8856, 8857
\extrafeetminihook 8870
\extrainfo 2374
\extrarowheight 389, 13440, 13448
\extrarulesep 18496
\extratitle 16717, 17266, 17965

F

\f@nch@everypar .. 10794
\f@nch@foot 10802
\f@nch@head 10796
\f@nch@reset 10796, 10802
\f@nch@vbox . 10797, 10803
\f@size 350
\FamilyKeyState .. 19497
\FamilyKeyStateProcessed 19497
\familyname 2367
\familynamecolour 2336, 7590, 7688
\familynamefont 2345, 2353, 7630, 7724
\familynamestyle 2353, 7641, 7731, 7752
\FamilySetBool ... 19496
\fancy@@oval 10764
\fancyfoot 2466, 4604, 4605, 7656
\fancyhead 4593, 4594, 4595, 5820, 5821, 5832, 5833, 5834
\fancyhf .. 2315, 4591, 4600, 4610, 5818, 5829
\fancyhfoffset 4584, 4585
\fancypagestyle 2312, 2465, 4599, 4609, 7655
\FAX 2332
\fax 2372
\faxsymbol 2332, 7665, 7763
\fb@adjheight 11466, 11536, 11556
\fb@afterframe 11461, 11486, 11544
\FB@captype 10925, 10926, 10928
\fb@frh . 11473, 11477, 11492, 11527, 11530
\fb@put@frame . 11455, 11466, 11537, 11557
\fb@putboxa ... 11460, 11485, 11543, 11560
\fb@resto@set 11495, 11535, 11539
\fb@sizeoframe 11468, 11490
\fbox 2016, 2026, 6997, 8244, 11988, 11994, 12001, 12007, 12013, 12019, 12027, 12031, 12036, 12040, 12044, 12048, 12063, 12064, 12079, 12080, 12089, 12093, 12098, 12102, 12106, 12110, 12118, 12124, 12131, 12137, 12143, 12149, 15392
\fboxrule 1964, 11429, 11435, 11441, 11443, 11445, 11447
\fboxsep .. 1965, 2032, 2041, 6959, 6960, 6961, 6997, 11429, 11441, 11443, 11445, 11447, 15391, 20217, 20218, 20219, 20315
\fcolorbox 1966
\FeetAboveFloat 10581, 10585
\FeetAtBottom 10583
\FeetBelowFloat .. 10582
\FeetBelowRagged 10584, 10586
\ff@backcol 11038
\ff@col 11036
\ff@frametype 11034, 11045
\ff@txtcol 11026, 11027, 11037
\fi ... 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117, 134, 136, 142, 150, 154, 158, 162, 169, 184, 217, 218, 223, 228,

234, 237, 238, 239, 249, 300, 315, 319, 338, 346, 351, 365, 366, 378, 379, 382, 385, 401, 407, 409, 466, 471, 509, 516, 524, 526, 533, 536, 537, 540, 559, 560, 566, 575, 598, 607, 614, 623, 627, 640, 643, 644, 645, 651, 652, 657, 660, 668, 676, 678, 685, 686, 693, 696, 697, 702, 710, 749, 759, 768, 776, 800, 802, 817, 822, 856, 863, 872, 878, 879, 885, 888, 895, 898, 899, 904, 912, 920, 922, 929, 930, 934, 954, 955, 956, 973, 1001, 1011, 1020, 1028, 1052, 1054, 1069, 1074, 1108, 1115, 1124, 1128, 1134, 1135, 1140, 1143, 1151, 1159, 1161, 1168, 1169, 1177, 1180, 1181, 1186, 1199, 1202, 1203, 1204, 1223, 1251, 1261, 1270, 1278, 1302, 1304, 1319, 1324, 1362, 1363, 1365, 1368, 1370, 1371, 1376, 1390, 1391, 1405, 1406, 1420, 1428, 1429, 1435, 1436, 1440, 1445, 1448, 1453, 1456, 1464, 1465, 1474, 1475, 1487, 1488, 1499, 1542, 1548, 1554, 1593, 1594, 1601, 1602, 1613, 1639, 1645, 1651, 1657, 1663, 1675, 1681, 1687, 1693, 1707, 1714, 1721, 1731, 1741, 1750, 1790, 1805, 1806, 1813, 1814, 1825, 1859, 2067, 2073, 2079, 2094, 2115, 2119, 2120, 2122, 2178, 2179, 2185, 2200, 2201, 2204, 2207, 2210, 2214, 2215, 2223, 2437, 2438, 2439, 2441, 2469, 2477, 2509, 2510, 2525, 2535, 2549, 2559, 2568, 2575, 2645, 2653, 2659, 2665, 2671, 2677, 2683, 2689, 2695, 2708, 2717, 2720, 2726, 2735, 2738, 2760, 2767, 2811, 2846, 2997, 3015, 3296, 3301, 3306, 3309, 3310, 3311, 3319, 3329, 3331, 3339, 3346, 3349, 3353, 3360, 3365, 3376, 3388, 3389, 3427, 3431, 3438, 3442, 3444, 3475, 3567, 3601, 3639, 3645, 3649, 3654, 3668, 3711, 3737, 3751, 3763, 3778, 3814, 3826, 3858, 3869, 3923, 3925, 3926, 3955, 3957, 3961, 3962, 3971, 3973, 3994, 3995, 3997, 4011, 4012, 4014, 4015, 4030, 4043, 4044, 4052, 4069, 4124, 4134, 4145, 4332, 4338, 4531, 4534, 4537, 4540, 4559, 4570, 4800, 4809, 4836, 4844, 4853, 4888, 4897, 5073, 5130, 5132, 5142, 5468, 5469, 5586, 5587, 5588, 5766, 5844, 5896, 5909, 5917, 5948, 5949, 6004, 6005, 6009, 6016, 6021, 6030, 6059, 6070, 6072, 6075, 6077, 6131, 6133, 6137, 6156, 6158, 6159, 6160, 6171, 6173, 6174, 6183, 6185, 6222, 6231, 6235, 6241, 6242, 6247, 6250, 6258, 6266, 6273, 6274, 6281, 6284, 6285, 6291, 6301, 6333, 6335, 6337, 6349, 6359, 6368, 6376, 6399, 6408, 6412, 6418, 6419, 6424, 6427, 6435, 6443, 6450, 6451, 6458, 6461, 6462, 6468, 6489, 6510, 6512, 6514, 6526, 6536, 6545, 6553, 6573, 6579, 6580, 6584, 6586, 6609, 6618, 6672, 6677, 6715, 6722, 6730, 6737, 6740, 6741, 6745, 6755, 6757, 6759, 6768, 6774, 6775, 6782, 6793, 6798, 6817, 6819, 6820, 6821, 6829, 6840, 6842, 6851, 6856, 6858, 6873, 6874, 6875, 6877, 6879, 6904, 6911, 6917, 6929, 6930, 6942, 6943, 6954, 6958, 6959, 6963, 6964, 6966, 6973, 6979, 6998, 7001, 7002, 7008, 7013, 7036, 7059, 7082, 7105, 7120, 7123, 7124, 7140, 7144, 7145, 7147,

7168, 7193, 7200,
7209, 7211, 7231,
7252, 7259, 7268,
7270, 7280, 7319,
7326, 7335, 7338,
7345, 7358, 7366,
7372, 7377, 7379,
7380, 7381, 7414,
7415, 7431, 7440,
7445, 7446, 7492,
7500, 7509, 7512,
7519, 7533, 7541,
7547, 7552, 7554,
7555, 7556, 7557,
7571, 7606, 7613,
7620, 7627, 7652,
7701, 7707, 7713,
7719, 7733, 7748,
7794, 7797, 7798,
7815, 7818, 7819,
7844, 7860, 7861,
7863, 7872, 7881,
7882, 7901, 7914,
7915, 7924, 7933,
7934, 7937, 7953,
7960, 7976, 7982,
7998, 8005, 8062,
8065, 8076, 8079,
8091, 8097, 8117,
8201, 8216, 8225,
8226, 8227, 8228,
8258, 8271, 8274,
8275, 8278, 8285,
8291, 8298, 8299,
8305, 8312, 8322,
8393, 8398, 8432,
8490, 8495, 8533,
8539, 8547, 8549,
8551, 8553, 8562,
8568, 8569, 8577,
8588, 8593, 8614,
8617, 8620, 8622,
8629, 8630, 8634,
8655, 8675, 8690,
8737, 8819, 8820,
8831, 8832, 8843,
8844, 8855, 8875,
8887, 8912, 8913,
8916, 8917, 8919,
8940, 8950, 8985,
9002, 9091, 9100,
9133, 9149, 9235,
9245, 9280, 9297,
9386, 9396, 9431,
9448, 9537, 9547,
9581, 9599, 9688,
9698, 9732, 9750,
9839, 9849, 9884,
9901, 9990, 10000,
10035, 10052,
10141, 10151,
10186, 10203,
10296, 10307,
10316, 10354,
10404, 10534,
10565, 10577,
10594, 10602,
10609, 10612,
10613, 10617,
10620, 10625,
10632, 10649,
10712, 10717,
10751, 10758,
10760, 10762,
10772, 10776,
10783, 10784,
10785, 10786,
10826, 10842,
10844, 10862,
10882, 10884,
10895, 10902,
10918, 10940,
10948, 10952,
10966, 10973,
11013, 11053,
11055, 11057,
11066, 11068,
11070, 11078,
11081, 11083,
11098, 11112,
11136, 11220,
11222, 11258,
11311, 11319,
11333, 11347,
11348, 11363,
11364, 11387,
11430, 11444,
11446, 11456,
11524, 11525,
11553, 11558,
11567, 11580,
11581, 11582,
11596, 11621,
11642, 11645,
11669, 11694,
11697, 11710,
11712, 11715,
11716, 11717,
11723, 11725,
11736, 11742,
11745, 11752,
11761, 11767,
11769, 11771,
11774, 11782,
11788, 11803,
11809, 11810,
11813, 11820,
11832, 11833,
11846, 11856,
11862, 11869,
11875, 11876,
11892, 11896,
11901, 11905,
11906, 11916,
11917, 11922,
11923, 11924,
11932, 11941,
11943, 11944,
11945, 11946,
11947, 11959,
11961, 11962,
11963, 11964,
11965, 11970,
11976, 11977,
11978, 11991,
11997, 12004,
12010, 12016,
12022, 12023,
12024, 12029,
12033, 12038,
12042, 12046,
12050, 12051,
12052, 12053,
12060, 12068,
12076, 12084,
12091, 12095,
12100, 12104,
12108, 12112,
12113, 12114,
12121, 12127,

12134, 12140,
12146, 12152,
12153, 12154,
12155, 12156,
12157, 12158,
12167, 12172,
12173, 12177,
12189, 12197,
12201, 12202,
12217, 12228,
12239, 12259,
12270, 12281,
12296, 12311,
12326, 12385,
12423, 12456,
12487, 12518,
12544, 12547,
12550, 12553,
12562, 12564,
12568, 12574,
12576, 12579,
12593, 12598,
12607, 12615,
12627, 12632,
12640, 12647,
12658, 12663,
12669, 12676,
12687, 12692,
12702, 12708,
12712, 12715,
12743, 12747,
12762, 12774,
12780, 12783,
12784, 12785,
12800, 12811,
12812, 12817,
12829, 12846,
12850, 12853,
12856, 12858,
12881, 12882,
12899, 12909,
12915, 12932,
12947, 12948,
12966, 12969,
12973, 12992,
13002, 13010,
13041, 13042,
13052, 13053,
13070, 13079,
13085, 13119,
13122, 13201,
13204, 13207,
13210, 13213,
13216, 13219,
13222, 13226,
13229, 13232,
13235, 13238,
13241, 13244,
13247, 13250,
13253, 13256,
13259, 13262,
13265, 13268,
13271, 13274,
13277, 13280,
13283, 13286,
13289, 13292,
13295, 13298,
13301, 13304,
13307, 13310,
13313, 13316,
13319, 13322,
13325, 13328,
13331, 13334,
13337, 13340,
13343, 13346,
13349, 13352,
13355, 13358,
13361, 13364,
13367, 13370,
13373, 13376,
13379, 13382,
13385, 13388,
13391, 13394,
13397, 13400,
13403, 13406,
13409, 13412,
13415, 13421,
13423, 13426,
13435, 13436,
13451, 13473,
13478, 13487,
13491, 13532,
13533, 13537,
13538, 13540,
13545, 13550,
13558, 13562,
13595, 13617,
13641, 13649,
13840, 14166,
14236, 14240,
14243, 14248,
14249, 14250,
14251, 14252,
14253, 14265,
14279, 14282,
14288, 14292,
14293, 14314,
14315, 14316,
14321, 14332,
14334, 14338,
14348, 14360,
14367, 14389,
14396, 14399,
14420, 14430,
14460, 14466,
14467, 14489,
14496, 14499,
14520, 14530,
14557, 14563,
14564, 14569,
14589, 14599,
14600, 14605,
14606, 14612,
14616, 14617,
14620, 14624,
14629, 14632,
14636, 14641,
14645, 14653,
14664, 14678,
14683, 14689,
14706, 14714,
14720, 14729,
14736, 14744,
14748, 14752,
14756, 14849,
14856, 14875,
14880, 14885,
14892, 14902,
14903, 14906,
14907, 14908,
14913, 14918,
14922, 14928,
14934, 14939,
14942, 14948,
14967, 14980,
14981, 15032,
15046, 15054,
15055, 15059,
15067, 15082,
15090, 15125,

15134, 15135,
15153, 15157,
15164, 15165,
15167, 15169,
15170, 15171,
15177, 15202,
15204, 15215,
15226, 15233,
15239, 15241,
15244, 15245,
15259, 15313,
15314, 15317,
15321, 15322,
15325, 15330,
15331, 15336,
15351, 15352,
15353, 15354,
15355, 15357,
15360, 15368,
15379, 15384,
15389, 15392,
15393, 15400,
15402, 15406,
15408, 15417,
15419, 15421,
15430, 15432,
15434, 15443,
15445, 15447,
15456, 15458,
15475, 15497,
15498, 15505,
15514, 15518,
15531, 15534,
15535, 15536,
15542, 15543,
15548, 15551,
15559, 15567,
15574, 15575,
15582, 15585,
15586, 15592,
15607, 15628,
15630, 15632,
15646, 15656,
15665, 15673,
15697, 15699,
15714, 15719,
15753, 15760,
15769, 15785,
15795, 15804,
15812, 15838,
15840, 15855,
15860, 15902,
15903, 15905,
15908, 15914,
15915, 15920,
15923, 15931,
15939, 15946,
15947, 15954,
15957, 15958,
15964, 15968,
15981, 15984,
15985, 15986,
15993, 15995,
15997, 16001,
16030, 16099,
16104, 16140,
16146, 16154,
16161, 16164,
16165, 16169,
16170, 16171,
16182, 16184,
16186, 16195,
16219, 16228,
16281, 16286,
16324, 16331,
16339, 16346,
16349, 16350,
16354, 16364,
16366, 16368,
16377, 16382,
16389, 16398,
16432, 16436,
16446, 16477,
16482, 16483,
16494, 16495,
16509, 16511,
16515, 16519,
16521, 16526,
16530, 16533,
16537, 16539,
16543, 16570,
16579, 16581,
16592, 16599,
16622, 16628,
16634, 16637,
16660, 16665,
16666, 16678,
16688, 16693,
16696, 16733,
16734, 16740,
16747, 16750,
16765, 16770,
16771, 16772,
16788, 16791,
16798, 16815,
16836, 16843,
16848, 16853,
16856, 16857,
16858, 16860,
16887, 16911,
16912, 16913,
16931, 16932,
16940, 16946,
16959, 16969,
16987, 16993,
17017, 17119,
17128, 17130,
17141, 17148,
17171, 17177,
17183, 17186,
17209, 17214,
17215, 17227,
17237, 17242,
17245, 17282,
17283, 17289,
17296, 17299,
17314, 17319,
17320, 17323,
17326, 17339,
17342, 17347,
17350, 17355,
17358, 17367,
17371, 17378,
17395, 17416,
17423, 17428,
17433, 17436,
17437, 17438,
17440, 17467,
17491, 17492,
17493, 17511,
17512, 17520,
17526, 17539,
17549, 17567,
17573, 17597,
17692, 17699,
17700, 17716,
17717, 17718,
17719, 17720,
17721, 17722,
17723, 17730,

17732, 17736, 17738, 17742, 17744, 17748, 17750, 17754, 17756, 17760, 17762, 17766, 17768, 17772, 17774, 17778, 17780, 17784, 17786, 17790, 17818, 17827, 17829, 17840, 17847, 17870, 17876, 17882, 17885, 17908, 17913, 17914, 17926, 17936, 17941, 17944, 17981, 17982, 17988, 17995, 17998, 18013, 18018, 18019, 18050, 18054, 18061, 18078, 18099, 18106, 18111, 18116, 18119, 18120, 18121, 18123, 18150, 18174, 18175, 18176, 18194, 18195, 18203, 18209, 18222, 18232, 18250, 18256, 18280, 18371, 18374, 18416, 18432, 18437, 18441, 18442, 18459, 18467, 18473, 18480, 18487, 18493, 18498, 18529, 18586, 18587, 18603, 18604, 18620, 18655, 18662, 18664, 18679, 18690, 18693, 18700, 18701, 18702, 18707, 18711, 18712, 18727, 18750, 18757, 18775, 18776, 18792, 18793, 18794, 18798, 18799, 18808, 18812, 18813, 18814, 18820, 18823, 18824, 18825, 18833, 18844, 18845, 18847, 18848, 18854, 18855, 18856, 18864, 18867, 18868, 18876, 18877, 18878, 18879, 18887, 18890, 18894, 18895, 18896, 18904, 18907, 18911, 18912, 18913, 18921, 18924, 18928, 18929, 18930, 18938, 18941, 18945, 18946, 18947, 18955, 18958, 18962, 18963, 18964, 18972, 18975, 18980, 18981, 18982, 18990, 18993, 18999, 19000, 19001, 19009, 19012, 19019, 19020, 19021, 19029, 19032, 19046, 19054, 19055, 19056, 19064, 19067, 19089, 19104, 19105, 19106, 19247, 19263, 19355, 19369, 19372, 19374, 19402, 19403, 19404, 19411, 19426, 19443, 19465, 19504, 19505, 19773, 19775, 19782, 19784, 19797, 19798, 19799, 19806, 19810, 19815, 19819, 19825, 19831, 19835, 19841, 19844, 19846, 19847, 19848, 19851, 19854, 19857, 19858, 19867, 19873, 19882, 19883, 19891, 19897, 19901, 19904, 19905, 19916, 19917, 19927, 19928, 19932, 19936, 19940, 19944, 19948, 19952, 19956, 19960, 19964, 19969, 19977, 19980, 19987, 19988, 19992, 19999, 20022, 20028, 20039, 20044, 20050, 20052, 20059, 20062, 20075, 20084, 20097, 20100, 20111, 20117, 20118, 20124, 20129, 20132, 20146, 20151, 20154, 20155, 20156, 20157, 20161, 20164, 20166, 20172, 20173, 20187, 20197, 20198, 20205, 20210, 20213, 20216, 20217, 20220, 20221, 20223, 20232, 20233, 20237, 20243, 20249, 20250, 20251,

20254, 20260, 20264, 20275, 20276, 20280, 20286, 20298, 20299, 20300, 20303, 20317, 20322, 20368, 20369, 20380, 20381, 20384, 20388, 20389, 20424, 20450, 20469, 20477, 20483, 20489, 20497, 20504, 20505, 20506, 20512, 20517, 20520, 20540, 20541, 20549, 20550, 20558, 20559, 20567, 20568, 20576, 20577, 20578, 20579, 20582, 20585, 20588, 20591, 20592, 20593, 20594, 20596, 20598, 20599, 20606, 20609, 20611, 20615, 20616, 20619, 20635, 20636, 20644, 20645, 20648, 20649, 20650, 20651, 20652, 20658, 20663, 20671, 20688, 20694, 20696, 20703, 20713, 20715, 20735, 20759, 20762, 20782, 20802, 20805, 20808, 20817, 20826, 20861, 20870, 20902, 20905, 20906, 20907, 20908, 20909, 20917, 20931, 20935, 20936, 20940, 20948, 20949, 20950, 20951, 20952, 20973, 20980, 20986, 20987, 20988, 20989, 20991, 20992, 20993, 21011, 21026, 21032, 21051, 21054, 21055, 21059, 21060, 21062, 21070, 21072, 21177, 21183, 21189

\figcaption . 11941, 11959

\fill 5759, 5763, 11976, 12171, 13421, 13423, 13425

\filright .. 18642, 18671

\FirstFrameCommand 11443, 11489

\firstmark 7166, 7229, 10824, 10860, 11020, 11619, 11667, 14387, 14487, 20733, 20780, 21043

\firstname 2366

\firstnamecolour 2335, 7591, 7687

\firstnamefont 2344, 2352, 7629, 7630, 7721, 7724

\firstnamestyle 2352, 7641, 7731, 7752

\fivecolumnfootnotes 9370

\fivecolumnfootstyle 9467

\flnew@within 10925

\float@newx 10919

\floatalignment 4388, 4389, 4430, 4431, 4453, 4460, 4468, 4519, 4730

\FloatBarrier . 4360, 4710

\floatc@bidituftefloatplain 4728, 4738, 4745, 4751, 4759

\floatc@bidituftefloatplaintop 4745

\floatc@bidituftefloatruled 4746

\floatc@plain 10916

\floatingpenalty 41, 55, 71, 254, 268, 283, 7803, 7824, 7871, 7878, 7923, 7930, 8865, 11263, 11280, 11296

\floatstyle 4779

\flushleft ... 2033, 2042

\FN@sf@@footnote 2060, 2064

\FN@sf@@footnotemark 2089, 2091

\FN@sf@@LTRfootnote 2061, 2070

\FN@sf@@RTLfootnote 2062, 2076

\FN@sf@gobble@bracket 2100, 2103

\FN@sf@gobble@opt 2066, 2072, 2078, 2081

\FN@sf@gobble@optonly 2093, 2096

\FN@sf@gobble@twobracket 2085, 2088

\font 18383, 18384

\fontdimen . 18383, 18384

\fontsize 313, 5714, 5716, 5718, 7629, 7721, 12795, 14965, 14978

\foo 15037, 15039, 15049, 15051

\footdir@abspage 11123, 11126, 11127, 11130, 11131, 11134

\footdir@debug 11095, 11103, 11107, 11110, 11120, 11127, 11131, 11134

\footdir@debugfalse 1686

\footdir@debugtrue 1684, 11093

\footdir@fntext . . .
. 11141, 11158, 11160
\footdir@LeftRightElse
. 11101, 11117, 11194
\footdir@name . . . . .
. 11144, 11147, 11148
\footdir@ORG@bidi@amsart@footnotetext
. 79
\footdir@ORG@bidi@amsart@LTRfootnotetext
. 81
\footdir@ORG@bidi@amsart@RTLfootnotetext
. 80
\footdir@ORG@bidi@amsbook@footnotetext
. 292
\footdir@ORG@bidi@amsbook@LTRfootnotetext
. 294
\footdir@ORG@bidi@amsbook@RTLfootnotetext
. 293
\footdir@ORG@bidi@footnotetext
. 11314
\footdir@ORG@bidi@LTRfootnotetext
. 11316
\footdir@ORG@bidi@RTLfootnotetext
. 11315
\footdir@temp . . . . .
. . 79, 80, 81, 292,
293, 294, 11153,
11314, 11315, 11316
\footdir@toks . . . . .
. . 11094, 11161,
11162, 11163, 11167
\footdir@write . . . .
. 11088, 11118, 11157
\footersymbol . . . . .
. . . . 7648, 7649,
7664, 7665, 7666, 7667
\footfootmark . . . . .
. . . . 8809, 8977,
9125, 9272, 9423,
9574, 9725, 9876,
10027, 10178, 10384
\footfudgefactor . .
. 10287, 10342, 10459
\footfudgefiddle . 10317
\footins 35, 49,
65, 248, 262, 277,
7803, 7824, 7828,
7829, 7840, 7843,
7847, 7871, 7877,
7885, 7886, 7897,
7900, 7904, 7923,
7929, 8689, 8705,
8721, 8862, 10542,
10546, 10553,
10557, 10561,
10574, 11257,
11274, 11290,
11605, 11606,
11653, 11654,
15327, 15328, 15330
\footinsdim . . . . .
8861, 8862, 8903,
9034, 9081,
9179, 9225, 9329,
9376, 9430, 9527,
9631, 9678, 9782,
9831, 9935, 9980,
10084, 10131,
10235, 10324, 10449
\footinsv@r 8855, 8900,
8901, 8902, 8903,
8930, 8931, 8940,
8950, 8960, 9081,
9082, 9091, 9100,
9109, 9225, 9226,
9235, 9245, 9255,
9376, 9377, 9386,
9396, 9406, 9527,
9528, 9537, 9547,
9557, 9678, 9679,
9688, 9698, 9708,
9829, 9830, 9839,
9849, 9859, 9980,
9981, 9990, 10000,
10010, 10131,
10132, 10141,
10151, 10161,
10324, 10325,
10345, 10357, 10369
\footmarksep 8804
\footmarkstyle 8806, 8845
\footmarkwidth . 8803,
8810, 8811, 8813,
8815, 8818, 8822,
8823, 8825, 8827,
8830, 8834, 8835,
8837, 8839, 8842, 8848
\footnote 420,
494, 744, 843,
996, 1095, 1246,
1346, 2060, 2063,
5296, 5615, 5646,
6344, 6521, 6626,
6700, 8351, 8419,
8444, 8518, 10670,
10738, 14283,
14286, 15641,
15740, 15778,
15884, 16038,
16126, 16235,
16309, 16613,
16729, 17162,
17278, 17861, 17977
\footnotelayout . . .
. . . 5114, 5115, 5118
\footnotemark . . . . .
2089, 2090, 11392,
11406, 14284, 14287
\footnoterule . . 7782,
7844, 7850, 7855,
7883, 7884, 7901,
7905, 7909, 7935,
7936, 8684, 8874,
8885, 8899, 10519,
10545, 10556,
11085, 11182,
11186, 11189,
11204, 11209,
11210, 11212,
11705, 15329, 18637
\footnotes 5111
\footnotesep . . 29, 31,
40, 46, 54, 60, 70,
76, 243, 245, 253,
259, 267, 273, 282,
288, 7800, 7821,
7846, 7903, 8700,
8716, 8732, 8746,
8759, 8772, 8866,
11262, 11270,
11279, 11287,
11295, 11303,
11330, 11344,
11358, 12790, 12792
\footnotesize . . . 38,
52, 68, 106, 236,
251, 265, 280, 416,
740, 992, 1242,
2444, 2466, 4268,
4269, 4307, 4926,

4927, 4928, 5120, 5150, 5168, 5186, 6340, 6517, 6622, 8347, 8440, 8858, 8859, 8860, 10666, 11253, 11254, 11255, 11260, 11277, 11293, 11323, 11337, 11351, 12782, 15130, 15132, 15637, 15774, 16034, 16231, 16609, 17158, 17857
\footnotetext .. 2124, 2135, 6082, 6092
\footparindent 8805, 8849
\footrule 10803
\footrulewidth 2314, 4589
\footscript 8806, 8812, 8816, 8818
\footskip .. 10803, 21029
\foottextfont .. 8693, 8700, 8740, 8746, 8858, 8925, 8942, 8977, 8988, 9076, 9093, 9125, 9136, 9220, 9237, 9272, 9283, 9371, 9388, 9423, 9434, 9522, 9539, 9574, 9585, 9673, 9690, 9725, 9736, 9824, 9841, 9876, 9887, 9975, 9992, 10027, 10038, 10126, 10143, 10178, 10189, 10292, 10319, 10336, 10348, 10384, 10398
\forcerectofloat .. 4391
\forceversofloat .. 4392
\forvariable 3547, 3553, 3629, 3665, 3672, 3677, 3683, 3688, 3692, 3693
\fourcolumnfootnotes 9219
\fourcolumnfootstyle 9316
\fp 13938, 13939, 13940, 13941
\fps@figure 11929
\framebox 172, 174, 7639, 7770, 14598, 14604
\FrameCommand 11441
\FrameHeightAdjust 11515
\FrameRestore . 11449, 11453, 11569, 11570
\fromaddress 8612, 8618, 8628, 12848, 12854
\fromname 8633
\fromplace 17784
\fromsig 8632, 8634, 17791
\fromvalue 3547, 3633, 3656, 3678, 3693
\frontmatter 5813
\fs@bidituftefloatboxed 4757
\fs@bidituftefloatplain 4736, 4744
\fs@bidituftefloatplaintop 4744
\fs@bidituftefloatruled 4749
\fslice . 15147, 15148, 15150, 15151, 15154
\ftn@font 16584, 17133, 17832
\ftn@rule@height 16591, 16594, 16598, 16601, 17140, 17143, 17147, 17150, 17839, 17842, 17846, 17849
\ftn@rule@test@values 16590, 16597, 17139, 17146, 17838, 17845
\ftn@rule@width 16594, 16601, 17143, 17150, 17842, 17849
\ftnm@font 16586, 17135, 17834
\full@width 14656, 14668, 14719
\futurelet 793, 795, 1045, 1047, 1295, 1297, 2565, 3355, 3358, 15690, 15692, 15831, 15833

G

\g 8123, 8125, 8129, 8222, 13636, 13641, 13643, 13649, 13651, 13694, 13698, 13699, 13745, 13749, 13750, 13767, 13768, 13805, 13821, 13824, 13830, 13831, 13832, 13833, 13834, 13843, 13844, 13846, 13848, 13849, 13850, 13857, 13858, 13863, 13869, 13878, 13881, 13889, 13890, 13893, 13894, 13895, 13896, 13897, 13898, 13900, 13903, 13904, 13906, 13909, 13911, 13914, 13919, 13927, 13928, 13930, 13931, 13932, 13933, 13934, 13935, 13936, 13938, 13939, 13940, 13941, 13943, 13944, 13954, 13962, 13963, 13964, 13966, 13971, 13972, 13977, 13978, 13982, 13987, 13990, 13997, 13999, 14002, 14003, 14007, 14009, 14010, 14013, 14014, 14015, 14019, 14020,

14024, 14025, 14032, 14047, 14048, 14049, 14051, 14056, 14059, 14060, 14063, 14067, 14068, 14069, 14073, 14074, 14075, 14082, 14083, 14084, 14086, 14087, 14090, 14091, 14096, 14102, 14113, 14118, 14119, 14120, 14124, 14127, 14128, 14129, 14130, 14132, 14140, 14154, 14155, 14156, 14157, 14159, 14162, 14170, 14171, 14174, 14178, 14179, 14181, 14183, 14184, 14185, 14189, 14190, 14191, 14196, 14203, 14988, 14990, 14999, 15002, 15004, 15005
\g@addto@macro 3796, 4040, 4125, 4135, 4386, 5072, 5074, 8152, 8155, 8157, 19704, 20000
\g@mix@page@int .. 14076
\gdef .. 409, 411, 1963, 2335, 2336, 2337, 2338, 2339, 2340, 2342, 2343, 3319, 3321, 3331, 3333, 3642, 3644, 3645, 4119, 4130, 4404, 4405, 4407, 4410, 4490, 4495, 4496, 4497, 4649, 4690, 5069, 5207, 5236, 5265, 5304, 5313, 5322, 5651, 5668, 5684, 5696, 5736, 5737, 5738, 5925, 5928, 6190, 6202, 6204, 7165, 7228, 8106, 8119, 10559, 10570, 10581, 10582, 10823, 10859, 11148, 11208, 11618, 11666, 12896, 13118, 13121, 14386, 14486, 14910, 14931, 15321, 18381, 18643, 18644, 18649, 18672, 18673, 19997, 20388, 20438, 20675, 20732, 20779
\geometry 4290, 4293, 4297, 4300, 4304
\Gin@angle 14971
\Gin@bboxtrue 11746
\Gin@defaultbp 11747, 11748, 11749, 11750, 18608, 18609, 18612
\Gin@eheight 14973
\Gin@esetsize 11765
\Gin@ewidth . 14972, 14973
\Gin@exclamation .. . 11795, 14972, 14975
\Gin@gridfalse ... 14958
\Gin@ii 11754
\Gin@iii ... 11743, 11757
\Gin@llx 11747
\Gin@lly 11748
\Gin@outer@scalex 14969
\Gin@outer@scaley 14970
\Gin@scalex 14974
\Gin@scaley 14975
\Gin@urx 11749
\Gin@ury 11750
\Ginclude@graphics 11751, 11763
\Ginput@path 13836
\global 311, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 469, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 522, 523, 674, 675, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 820, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 918, 919, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1072, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1157, 1158, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1322, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1464, 1465, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 2122, 2125, 2128, 2131, 2135, 2138, 2141, 2220, 2224, 2246, 2502, 2514, 2538, 2622, 2638, 3455, 3457, 3470, 3471, 3481, 3489, 3499, 3612, 3631, 3633, 3635, 3647, 3652, 4255, 4389, 4433, 4434, 4806, 4817, 4820, 4850, 4861, 4864, 4894, 4905, 4908, 4962, 5729, 5926, 5929, 5947, 5951, 5967, 5978, 6004, 6005, 6032, 6045, 6046, 6074, 6083, 6086, 6089, 6092,

6095, 6098, 6130,
6140, 6154, 6156,
6161, 6162, 6168,
6169, 6171, 6191,
6203, 6205, 6263,
6264, 6382, 6383,
6384, 6385, 6386,
6387, 6388, 6389,
6390, 6391, 6440,
6441, 6559, 6560,
6561, 6562, 6563,
6564, 6565, 6566,
6567, 6568, 6646,
6647, 6648, 6649,
6650, 6651, 6652,
6653, 6654, 6655,
6656, 6657, 6675,
6681, 6682, 6683,
6684, 6685, 6686,
6687, 6688, 6689,
6690, 6691, 6692,
6693, 6727, 6728,
6820, 6830, 6831,
6832, 6833, 6834,
6835, 6836, 6837,
6845, 6858, 6863,
6867, 6923, 7152,
7153, 7163, 7170,
7204, 7215, 7216,
7226, 7233, 7263,
7322, 7330, 7340,
7350, 7359, 7361,
7362, 7365, 7368,
7378, 7392, 7393,
7395, 7397, 7398,
7400, 7406, 7407,
7410, 7412, 7413,
7416, 7419, 7424,
7433, 7441, 7496,
7504, 7514, 7523,
7525, 7534, 7536,
7537, 7540, 7543,
7553, 7561, 7562,
7569, 7795, 7802,
7816, 7823, 7835,
7843, 7847, 7864,
7867, 7875, 7880,
7892, 7900, 7904,
7916, 7919, 7927,
7932, 8232, 8369,
8370, 8371, 8372,
8373, 8374, 8375,
8376, 8377, 8378,
8396, 8402, 8403,
8404, 8405, 8406,
8407, 8408, 8409,
8410, 8411, 8412,
8464, 8465, 8466,
8467, 8468, 8469,
8470, 8471, 8472,
8473, 8474, 8475,
8493, 8499, 8500,
8501, 8502, 8503,
8504, 8505, 8506,
8507, 8508, 8509,
8510, 8511, 8544,
8545, 8737, 8750,
8763, 8919, 8985,
8997, 9010, 9050,
9133, 9144, 9156,
9194, 9280, 9292,
9305, 9345, 9431,
9443, 9456, 9496,
9582, 9594, 9607,
9647, 9733, 9745,
9758, 9798, 9884,
9896, 9909, 9949,
10035, 10047,
10060, 10100,
10186, 10198,
10211, 10251,
10278, 10292,
10394, 10408,
10422, 10477,
10522, 10569,
10580, 10599,
10600, 10688,
10689, 10690,
10691, 10692,
10693, 10694,
10695, 10696,
10697, 10715,
10721, 10722,
10723, 10724,
10725, 10726,
10727, 10728,
10729, 10730,
10731, 10811,
10812, 10821,
10827, 10847,
10848, 10857,
10864, 10935,
10938, 10971,
10974, 10976,
10982, 10983,
10984, 11000,
11004, 11007,
11015, 11017,
11021, 11319,
11320, 11333,
11334, 11347,
11348, 11603,
11604, 11605,
11606, 11616,
11624, 11651,
11652, 11653,
11654, 11664,
11672, 12355,
12369, 12393,
12407, 12440,
12471, 12502,
12565, 12575,
13068, 13460,
13461, 13512,
13515, 13534,
13535, 13543,
14216, 14217,
14218, 14219,
14220, 14221,
14222, 14223,
14224, 14241,
14336, 14373,
14374, 14384,
14390, 14393,
14395, 14397,
14398, 14400,
14405, 14413,
14415, 14423,
14424, 14425,
14426, 14428,
14429, 14432,
14433, 14464,
14465, 14473,
14474, 14484,
14490, 14493,
14495, 14497,
14498, 14500,
14505, 14513,
14515, 14523,
14524, 14525,

14526, 14528, 14529, 14532, 14533, 14561, 14562, 14568, 14569, 14581, 14582, 14583, 14584, 14585, 14586, 14588, 14594, 14666, 14683, 14689, 14706, 14714, 14851, 15069, 15086, 15087, 15088, 15089, 15097, 15104, 15137, 15161, 15162, 15163, 15362, 15412, 15564, 15565, 15679, 15680, 15681, 15682, 15683, 15684, 15685, 15686, 15687, 15688, 15717, 15723, 15724, 15725, 15726, 15727, 15728, 15729, 15730, 15731, 15732, 15733, 15818, 15819, 15820, 15821, 15822, 15823, 15824, 15825, 15826, 15827, 15828, 15829, 15858, 15864, 15865, 15866, 15867, 15868, 15869, 15870, 15871, 15872, 15873, 15874, 15875, 15876, 15936, 15937, 16068, 16069, 16070, 16071, 16072, 16073, 16074, 16075, 16076, 16077, 16078, 16079, 16102, 16108, 16109, 16110, 16111, 16112, 16113, 16114, 16115, 16116, 16117, 16118, 16119, 16120, 16151, 16152, 16255, 16256, 16257, 16258, 16259, 16260, 16261, 16262, 16263, 16264, 16265, 16266, 16284, 16290, 16291, 16292, 16293, 16294, 16295, 16296, 16297, 16298, 16299, 16300, 16301, 16302, 16336, 16337, 16691, 16703, 16704, 16705, 16706, 16707, 16708, 16709, 16710, 16711, 16712, 16713, 16714, 16715, 16716, 16717, 16718, 16719, 16720, 16721, 16722, 16723, 16724, 16725, 16925, 16979, 16981, 17240, 17252, 17253, 17254, 17255, 17256, 17257, 17258, 17259, 17260, 17261, 17262, 17263, 17264, 17265, 17266, 17267, 17268, 17269, 17270, 17271, 17272, 17273, 17274, 17505, 17559, 17561, 17939, 17951, 17952, 17953, 17954, 17955, 17956, 17957, 17958, 17959, 17960, 17961, 17962, 17963, 17964, 17965, 17966, 17967, 17968, 17969, 17970, 17971, 17972, 17973, 18188, 18242, 18244, 18472, 18476, 18477, 18478, 18495, 18507, 18512, 18516, 18528, 18565, 18567, 18572, 18574, 18838, 18839, 18842, 18843, 19370, 19371, 19421, 19425, 19994, 20142, 20150, 20160, 20163, 20207, 20449, 20678, 20689, 20719, 20720, 20730, 20737, 20766, 20767, 20777, 20784, 20823, 20834, 20837, 20867, 20878, 20881, 20909, 20918, 20919, 20920, 20921, 20923, 20926, 20927, 20941, 20946, 20960, 20961, 20963, 20972, 21005, 21017, 21020, 21027, 21034, 21038, 21040, 21041, 21044, 21053

\GlobalSetatBoolean 2631

\GlobalSetBoolean 2615, 4391, 4392, 4419, 4420,

4424, 4425, 4718, 4719
\glossary .. 10994, 21000
\glueexpr 19550, 19557, 19562, 19623, 19684, 19687, 19691, 19697
\Gm@pageframes ... 11857
\Gm@vrule 11840, 11841, 11842, 11844, 11845, 11846, 11849, 11850, 11851, 11854, 11855, 11856
\Gm@vrules@mpi ... 11837
\Gm@vrules@mpii .. 11847
\grid 14966, 14979
\Grot@box 11715, 11723, 16515, 16526, 16533, 16543
\Grot@box@kv 11716
\Grot@box@std 11710
\Grot@setangle 11711, 11722, 16508, 16518, 16529, 16536
\Grot@x 11713, 11718, 16513, 16523, 16531, 16541
\Grot@y 11714, 11719, 16514, 16524, 16531, 16542
\group .. 13817, 13838, 14125, 14138, 14143, 14150, 14206
\grp@aligned 6836
\GRP@box . 6831, 6863, 6865
\grp@eqs@numbered . 6835
\grp@hasNumber 6840
\GRP@label 6832
\grp@linewidth 6834
\GRP@queue ... 6831, 6867
\grp@setnumber 6840
\grp@shiftnumber .. 6837
\grp@wdL 6833
\grp@wdNum 6834
\grp@wdR 6833
\grp@wdT 6833
\Gscale@box 11725, 11817, 11834
\Gscale@div 11816, 11823, 11826
\Gscale@end . 11729, 11775
\Gscale@start 11729, 11775
\Gscale@x .. 11727, 11773
\Gscale@y .. 11727, 11773
\gsetlength 4253, 4406, 4498, 4960, 5209, 5211, 5238, 5240, 5267, 5269

H

\H@@footnotemark 12246, 12335, 12528, 12542, 12559
\H@@footnotetext 8663, 12205, 12216, 12285, 12332, 12446, 12529, 12545, 12559
\H@@mpfootnotetext ... 8669, 12214, 12248, 12252, 12336
\H@refstepcounter 12735
\halign 5966, 13463
\hangafter .. 7013, 14309
\hangindent 107, 108, 109, 237, 238, 239, 650, 877, 1133, 5586, 5587, 5588, 6240, 6417, 6917, 7013, 12783, 12784, 12785, 14302, 14308, 15541, 15913, 20596, 21072
\hb@xt@ 459, 519, 538, 671, 698, 900, 915, 1062, 1154, 1182, 1906, 6261, 6286, 6438, 6463, 6665, 6725, 6742, 7003, 7172, 7177, 7181, 7235, 7236, 7242, 7300, 7304, 7307, 7312, 7317, 7477, 7481, 7483, 7487, 7491, 8276, 8288, 8386, 8483, 8542, 8811, 8818, 8823, 8830, 8835, 8842, 10597, 10614, 10705, 10866, 10867, 10873, 10893, 10908, 11030, 11626, 11627, 11633, 11674, 11679, 11683, 11738, 11784, 11839, 11844, 11849, 11853, 12844, 12982, 12989, 12996, 13001, 13069, 14337, 14439, 14444, 14448, 14539, 14540, 14546, 14643, 15562, 15587, 15934, 15959, 16050, 16093, 16166, 16274, 16334, 16351, 16891, 16931, 17471, 17511, 18154, 18194, 18419, 19101, 19259, 19365, 19757, 19870, 19907, 19909, 19975, 19982, 19984, 20400, 20593, 20594, 20669, 20739, 20744, 20748, 20786, 20787, 20793, 20930, 21011, 21032, 21054
\hbadness 4761, 7788, 7809, 18548, 18550, 20081, 20082, 20099
\hbox . 15, 28, 180, 220, 242, 348, 382, 390, 407, 547, 657, 734, 885, 968, 1140, 1214, 1416, 1475, 1617, 1829, 2105, 4365, 4453, 4455, 4460, 4493, 4494, 4503, 4510, 4730,

4763, 5081, 5120, 5147, 5165, 5183, 5305, 5314, 5323, 5758, 5766, 5885, 5935, 5939, 5950, 5967, 5978, 6191, 6205, 6247, 6325, 6424, 6478, 6752, 6864, 6930, 6959, 7119, 7122, 7139, 7143, 7847, 7850, 7853, 7904, 7905, 7907, 8109, 8114, 8120, 8343, 8642, 10285, 10298, 10303, 10308, 10313, 10499, 10508, 10644, 10782, 10796, 10797, 10802, 10804, 10828, 10831, 10835, 10912, 10916, 10918, 10956, 10961, 11174, 11707, 11708, 11712, 11717, 11728, 11729, 11774, 11775, 11813, 11820, 12789, 12795, 12814, 12867, 13452, 13472, 13477, 13537, 13540, 13822, 13838, 13839, 13857, 14117, 14119, 14129, 14165, 14200, 14616, 14650, 14666, 14668, 14772, 14997, 14999, 15002, 15005, 15081, 15130, 15134, 15154, 15187, 15191, 15196, 15200, 15212, 15223, 15240, 15250, 15267, 15276, 15277, 15286, 15340, 15341, 15342, 15344, 15345, 15371, 15389, 15400, 15548, 15602, 15920, 16025, 16149, 16179, 16361, 16530, 16584, 16586, 16601, 16854, 16962, 17133, 17135, 17150, 17434, 17542, 17703, 17704, 17713, 17729, 17735, 17741, 17747, 17753, 17759, 17765, 17771, 17777, 17832, 17834, 17849, 18117, 18225, 18398, 18446, 18459, 18487, 18498, 18537, 18607, 19862, 19863, 19912, 19914, 19971, 19972, 20175, 20209, 20211, 20217, 20330, 20339, 20340, 20349, 20398, 20399, 20402, 20403, 20404, 20405, 20413, 20419, 20525, 20595, 20604, 20606, 20611, 20621, 20636, 20665, 20666, 20938, 20948, 20950

\hboxL 1612, 1824, 11549, 11566, 12984, 15277, 20340

\hboxR 1610, 1822, 15267, 20330

\head@style 624, 931, 1125, 1358, 6232, 6409, 15515, 15898, 15965, 16027

\headheight 1888, 8094, 10797, 11002, 21007

\headrule 10800

\headrulewidth 2313, 4588

\headsep .. 1896, 1899, 8095, 11003, 21016

\headwidth 2403, 10796, 10798, 10799, 10800, 10802, 10804, 10805, 10806

\height . 11719, 11793, 12001, 12003, 12007, 12009, 12036, 12037, 12040, 12041, 12098, 12099, 12102, 12103, 12131, 12133, 12137, 12139, 14168, 14176, 14201

\hfil 15, 220, 519, 538, 671, 698, 900, 915, 1063, 1154, 1182, 1412, 1413, 1414, 1415, 1443, 1444, 1445, 1451, 1452, 1453, 1878, 1883, 5936, 5938, 6043, 6261, 6286, 6438, 6463, 6725, 6742, 7003, 7120, 7123, 7140, 7144, 7174, 7176, 7239, 7241, 7303, 7314, 7316, 7480, 7488, 7490, 8276, 8288, 8542, 8918, 10597, 10614, 10830, 10870, 10872, 10898, 10911, 10918, 11630, 11632, 11676, 11678, 11846, 11851, 12814, 13069, 13477, 14337, 14441, 14443, 14543, 14545, 14643,

15134, 15188, 15192, 15197, 15201, 15213, 15224, 15250, 15562, 15587, 15934, 15959, 16149, 16166, 16334, 16351, 19101, 19259, 19365, 19757, 19870, 19907, 19909, 19975, 19982, 19984, 20427, 20669, 20741, 20743, 20790, 20792, 20949, 20951, 20988, 20989, 20991, 20992, 21054
\hfill 180, 193, 1481, 1482, 2424, 2430, 2444, 4522, 4523, 4526, 4527, 5907, 5917, 6936, 6937, 7640, 10798, 10799, 10804, 10805, 14618, 14642, 14778, 14781, 14782, 14783, 14786, 14787, 14788, 14789, 14790, 14793, 14794, 14795, 14796, 14797, 14798, 14799, 14802, 14803, 14804, 14805, 14806, 14807, 14808, 14809, 14810, 14813, 14814, 14815, 14818, 14819, 14820, 14823, 14824, 14825, 14826, 14827, 14830, 14831, 14832, 14833, 14834, 14837, 14838, 14839, 14840, 14841, 15241, 15245, 16601, 16999, 17016, 17150, 17579, 17596, 17731, 17737, 17743, 17749, 17755, 17761, 17767, 17773, 17849, 18262, 18279, 18644, 18673, 19731, 19734, 19738, 19864, 19973, 20130, 20667
\hfilneg 8912, 8916
\hfuzz . 8107, 18549, 18551
\hintcolour 2343
\hintfont 2351, 2359, 2413, 2420, 2425
\hintscolumnwidth 2379, 2393, 2397, 2405, 2413, 2419, 2425, 2482
\hintstyle 2359
\hline 13429, 13431, 13437
\HLOFF 1968
\HLON 1962
\HLTR@@LTRfootnotetext . . . 8665, 12207, 12238, 12315, 12333, 12375, 12477, 12531, 12551
\HLTR@@mpLTRfootnotetext . . . 8671, 12236, 12250, 12274, 12337
\hoffset 1892
\hold@viper 7186, 7189, 7245, 7248, 7280, 7321, 7322, 7330, 7331, 7340, 7341, 7349, 7446, 7495, 7496, 7504, 7505, 7514, 7515, 7524, 7560, 7562, 7563
\holder . 15144, 15147, 15156, 15166, 15167, 15185, 15189, 15194, 15198, 15210, 15214, 15221, 15225
\href 2449, 2450, 2453, 2454, 2457, 2458
\HRTL@@mpRTLfootnotetext . . . 8673, 12225, 12249, 12263, 12338
\HRTL@@RTLfootnotetext . . . 8667, 12206, 12227, 12300, 12334, 12413, 12508, 12530, 12548
\hrule 31, 245, 543, 728, 963, 1208, 4752, 4753, 4763, 4764, 5937, 6319, 6472, 6582, 6588, 6594, 6600, 6748, 7783, 8339, 8638, 8685, 10640, 11177, 11179, 11211, 11554, 12792, 12863, 13595, 14775, 15242, 15596, 16019, 16175, 16357, 16594, 16601, 16849, 17143, 17150, 17429, 17709, 17842, 17849, 18112
\hrulefill 28, 242, 547, 734, 968, 1214, 6325, 6478, 6752, 8343, 8642, 10644, 11174, 12789, 12867, 14772, 15602, 16025, 16179, 16361, 16854, 17434, 17713, 18117
\hsize 41, 55, 71, 172, 174, 178, 183, 201, 254, 268, 283, 627, 934, 1128, 1843, 2237, 4762, 4763, 4823, 4867, 4911, 5508, 6235, 6412, 6860, 7120, 7123, 7140, 7144, 8695, 8711, 8727, 8740, 8753, 8766,

8911, 8971, 8989, 9001, 9014, 9054, 9119, 9137, 9148, 9160, 9198, 9266, 9284, 9296, 9309, 9349, 9417, 9435, 9447, 9460, 9500, 9568, 9586, 9598, 9611, 9651, 9719, 9737, 9749, 9762, 9802, 9870, 9888, 9900, 9913, 9953, 10021, 10039, 10051, 10064, 10104, 10172, 10190, 10202, 10215, 10255, 10297, 10352, 10364, 10376, 10399, 10402, 10413, 10416, 10427, 10430, 10470, 10481, 10484, 10917, 10918, 11264, 11281, 11297, 11324, 11338, 11352, 11369, 11370, 11449, 11554, 11584, 11587, 11591, 11594, 11595, 13065, 13069, 13463, 13474, 13477, 13507, 13564, 13565, 13572, 13595, 14333, 14337, 14570, 14650, 14652, 14660, 14699, 14703, 14707, 14710, 14715, 14718, 14759, 14763, 14767, 15303, 15305, 15473, 15487, 15518, 15968, 16030, 16046, 16089, 16568, 16575, 16577, 16891, 16892, 16931, 17117, 17124, 17126, 17471, 17472, 17511, 17690, 17695, 17697, 17816, 17823, 17825, 18154, 18155, 18194, 19922, 19925, 19930, 19934, 19938, 19942, 19946, 19950, 19954, 19958, 20178, 20199, 20203, 20370, 20372, 20508, 20840, 20884, 21050, 21054

\hskip 14, 28, 219, 242, 315, 319, 537, 547, 657, 658, 697, 734, 885, 886, 899, 947, 968, 1140, 1141, 1181, 1214, 1361, 1414, 1415, 1453, 1477, 1480, 2496, 5469, 5909, 5953, 5954, 5957, 5959, 5960, 5963, 6247, 6248, 6285, 6325, 6424, 6425, 6462, 6478, 6741, 6752, 6932, 6935, 7002, 7173, 7180, 7184, 7185, 7302, 7306, 7309, 7310, 7479, 7482, 7484, 7485, 7848, 7849, 7852, 7862, 7863, 7906, 8275, 8343, 8642, 10283, 10613, 10644, 10829, 10834, 10838, 10839, 10894, 10910, 11174, 11675, 11682, 11686, 11687, 11839, 11841, 11842, 11845, 11850, 11853, 11855, 11856, 12789, 12813, 12845, 12867, 12977, 14440, 14447, 14451, 14452, 14617, 14629, 14641, 14699, 14703, 14707, 14710, 14711, 14715, 14718, 14719, 14772, 14778, 14781, 14783, 14786, 14788, 14790, 14793, 14795, 14797, 14799, 14802, 14804, 14806, 14808, 14810, 14813, 14815, 14818, 14820, 14823, 14825, 14827, 14830, 14832, 14834, 14837, 14839, 14841, 14855, 15098, 15105, 15548, 15549, 15586, 15602, 15901, 15920, 15921, 15958, 16025, 16165, 16179, 16350, 16361, 16439, 16441, 16448, 16450, 16486, 16488, 16497, 16499, 16601, 16854, 17150, 17434, 17713, 17849, 18117, 18407, 18413, 18425, 18430, 18643, 18672, 18833, 18864, 18887, 18904, 18921, 18938, 18955, 18972, 18990,

19009, 19029, 19064, 19256, 19415, 19447, 19857, 19904, 19914, 19969, 20663, 20740, 20747, 20751, 20752, 20932, 20934, 20948, 20951
\hspace 108, 109, 238, 239, 556, 2414, 2419, 2425, 4505, 4512, 4734, 5412, 5413, 5419, 5420, 5426, 5427, 5433, 5434, 5561, 5587, 5588, 7770, 7943, 7946, 7950, 7952, 7957, 7959, 7963, 7966, 7969, 7973, 7975, 7979, 7981, 7985, 7988, 7991, 7995, 7997, 8002, 8004, 8295, 8629, 8813, 8825, 8837, 11976, 11992, 12005, 12017, 12030, 12039, 12047, 12092, 12101, 12109, 12122, 12135, 12147, 12171, 12784, 12785, 16886, 16901, 16906, 16908, 16909, 17466, 17481, 17486, 17488, 17489, 17789, 18149, 18164, 18169, 18171, 18172, 18370, 18371, 18649, 18661, 21171, 21175, 21180, 21182, 21186, 21188
\hss 460, 519, 538, 671, 698, 900, 915, 1154, 1182, 1631, 1843, 1907, 5528, 6261, 6286, 6438, 6463, 6666, 6725, 6742, 7003, 7179, 7183, 7238, 7244, 7305, 7308, 7313, 7318, 7481, 7483, 7487, 7491, 7851, 7861, 7906, 7915, 8109, 8112, 8114, 8117, 8120, 8276, 8288, 8387, 8484, 8542, 8812, 8818, 8824, 8830, 8836, 8842, 10597, 10614, 10706, 10833, 10837, 10869, 10875, 11030, 11629, 11635, 11681, 11685, 11738, 11784, 11842, 11856, 12989, 12996, 13001, 13472, 13480, 13859, 14120, 14201, 14446, 14450, 14542, 14548, 14686, 14687, 14700, 14701, 15112, 15122, 15342, 15353, 15354, 15355, 15562, 15587, 15934, 15959, 16050, 16093, 16149, 16166, 16275, 16334, 16351, 16584, 16962, 16971, 17133, 17542, 17551, 17703, 17832, 18225, 18234, 18419, 19259, 19365, 20183, 20185, 20190, 20196, 20400, 20518, 20581, 20582, 20584, 20585, 20587, 20588, 20593, 20594, 20651, 20652, 20653, 20654, 20746, 20750, 20789, 20795, 20936
\ht 388, 1463, 1496, 1623, 1835, 6951, 6960, 6962, 7278, 7280, 7287, 7293, 7294, 7295, 7349, 7388, 7406, 7418, 7442, 7446, 7456, 7464, 7465, 7468, 7469, 7471, 7472, 7524, 7560, 7791, 7800, 7812, 7821, 7829, 7839, 7841, 7857, 7886, 7896, 7898, 7911, 8260, 8920, 9068, 9073, 9212, 9217, 9363, 9368, 9514, 9519, 9665, 9670, 9816, 9821, 9967, 9972, 10118, 10123, 10269, 10274, 10287, 10778, 11474, 11481, 11498, 11505, 11506, 11519, 11523, 11546, 11731, 11732, 11734, 11777, 11778, 11780, 11913, 12919, 12920, 12926, 12929, 12962, 13438, 13496, 13509, 13524, 13526, 13527, 13593, 13600, 13603, 14424, 14428, 14433, 14524, 14528, 14533, 14584, 14586, 15156, 15214, 15225, 15230, 15231, 15232, 15233, 15237,

15252, 15369, 15392, 16425, 16467, 16470, 16525, 16532, 16915, 16917, 16918, 17495, 17497, 17498, 18178, 18180, 18181, 18447, 18483, 18495, 18610, 20218, 20220, 20622, 20912, 20922, 20926
\ht@strip 14581, 14582, 14583, 14584, 14585, 14588, 14590
\ht@viper 7277, 7282, 7305, 7308, 7313, 7318, 7386, 7387, 7442, 7443, 7444, 7448, 7481, 7483, 7487, 7491
\httplink 2451
\Huge 5495, 6585, 6597, 6777, 6785, 8571, 8580, 10627, 10635, 16384, 16392
\huge 567, 5349, 5351, 5494, 6576, 6771, 8306, 8315, 8565, 10622, 16379, 16635, 16748, 17184, 17297, 17883, 17996
\hv@Bottom 12071
\hv@Center . . . 11975, 11986, 12026, 12088, 12116, 12169
\hv@figure . 11940, 11958
\hv@floatObject 11901, 11905
\hv@floatType . 11931, 11940, 11958, 12176
\hv@Height 11913
\hv@label 11882
\hv@Left . . . 11916, 11984
\hv@longCap 11881
\hv@Right . . 11917, 11973
\hv@shortCap 11880, 11946, 11964
\hv@Top . 11999, 12035, 12055, 12097, 12129
\hv@Width . . 11911, 11934
\hv@Zero . . . 11900, 12163
\hvAboveCaptionSkip 12079, 12082
\hvBelowCaptionSkip 12063, 12066
\hvCaptionBox . 11935, 11952, 11994, 11996, 12007, 12009, 12019, 12021, 12027, 12028, 12036, 12037, 12044, 12045, 12056, 12057, 12063, 12066, 12072, 12073, 12080, 12083, 12089, 12090, 12098, 12099, 12106, 12107, 12124, 12126, 12137, 12139, 12149, 12151
\hvCapWidth . . . 11909, 11911, 11913, 11915, 11919, 11921, 11936, 11954
\hvFloat 11883
\hvMaxCapWidth 11894, 11895, 11916, 11917, 11918, 11921
\hvObjectBox 11898, 11901, 11903, 11907, 11913, 11988, 11990, 12001, 12003, 12013, 12015, 12031, 12032, 12040, 12041, 12048, 12049, 12056, 12059, 12064, 12067, 12072, 12075, 12079, 12082, 12093, 12094, 12102, 12103, 12110, 12111, 12118, 12120, 12131, 12133, 12143, 12145
\hvObjectWidth 11907, 11911, 11915, 11916, 11917
\hvOBox 11901, 11905
\hvSet@capAngle 11934, 11953
\hvSet@capPos 11916, 11917, 11984, 12055, 12071
\hvSet@capVPos 11986, 11999, 12026, 12035, 12088, 12097, 12116, 12129
\hvSet@capWidth 11911, 11913, 11918, 11919
\hvSet@floatCapSep 11992, 12005, 12017, 12030, 12039, 12047, 12092, 12101, 12109, 12122, 12135, 12147
\hvSet@floatPos . . 11929
\hvSet@objectAngle 11900, 11904
\hvSet@objectPos . . . 11973, 11975, 12169
\hvSet@rotAngle 11894, 12163, 12166
\Hy@Acrobatmenu . . 12680
\Hy@backout 12707
\Hy@BeginAnnot 12563, 12583, 12620, 12652, 12681
\Hy@bidipoem@footnotetext 12436, 12445
\Hy@bidipoem@LTRfootnotetext 12467, 12476
\Hy@bidipoem@RTLfootnotetext 12498, 12507
\Hy@CleanupFile . . 12585
\Hy@colorlink . 12613, 12645, 12674, 12700
\Hy@EndAnnot 12570, 12616, 12648, 12677, 12703
\Hy@endcolorlink . 12572

\Hy@footnote@currentHlabel . 12292, 12307, 12322
\Hy@footnote@currentHref 12254, 12257, 12265, 12268, 12276, 12279, 12287, 12290, 12293, 12302, 12305, 12308, 12317, 12320, 12323, 12366, 12404, 12437, 12468, 12499
\Hy@gtemp . . 12342, 12347
\Hy@href@nextactionraw 12609, 12641, 12670, 12696
\Hy@href@page 12604
\Hy@linkcounter 8160, 8165
\Hy@linktoc 12185
\Hy@LT@currentHref 12737, 12748
\Hy@LT@LTRfootnotetext 12365, 12374
\Hy@LT@RTLfootnotetext 12403, 12412
\Hy@MakeRemoteAction 12588
\Hy@maketitle@end . . 12534, 12539, 12541
\Hy@maketitle@optarg 12532, 12537
\Hy@pstringD 12587, 12606
\Hy@pstringdef 12586, 12587, 12621, 12622, 12653
\Hy@pstringF 12584, 12585, 12586, 12601, 12621, 12634, 12639
\Hy@pstringP 12622, 12639
\Hy@pstringURI 12653, 12666
\Hy@raisedlink 12256, 12267, 12278, 12289, 12304, 12319, 12379, 12417, 12450, 12481, 12512, 12749
\Hy@saved@footnotemark 12524, 12543
\Hy@saved@footnotetext 12525, 12546
\Hy@SetNewWindow 12608, 12636
\Hy@setpdfborder 12594, 12628, 12659, 12688
\Hy@tabularx@hook 12331, 12343
\Hy@temp@menu 12682, 12695
\Hy@xspace@end 12579, 12615, 12647, 12676, 12702
\HyLTR@saved@LTRfootnotetext 12527, 12552
\HyOrg@maketitle . . . 12522, 12533, 12538
\HyOrg@TX@endtabularx 12330
\hyper@@anchor 12254, 12257, 12265, 12268, 12276, 12279, 12287, 12290, 12302, 12305, 12317, 12320, 12377, 12380, 12415, 12418, 12448, 12451, 12479, 12482, 12510, 12513
\hyper@anchorend . 12750
\hyper@anchorstart 12750
\hyper@link 12578
\hyper@linkend 12189, 12193, 12197, 12199, 12579, 12712, 12715
\hyper@linkfile . . 12581
\hyper@linkstart 12189, 12193, 12197, 12199, 12579, 12708, 12715
\hyper@linkurl . . . 12650
\hyper@makecurrent 12736
\hyper@nat@current 12709
\hyper@natlinkbreak 12714
\hyper@natlinkend 12711
\hyper@natlinkstart 12706
\hypersetup 2297, 2305, 5605, 5664, 5681
\hyphenpenalty . . . 6, 105, 211, 235, 626, 933, 1127, 6234, 6411, 12781, 12805, 15517, 15967, 16029, 16172
\HyRTL@saved@RTLfootnotetext 12526, 12549

I

\i 3668, 3669, 3681, 3693, 3694
\ialign . . . 396, 18452, 18490, 20427, 20627
\if 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 401, 407, 1389, 1390, 1391, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 2196, 2202, 2205, 2208, 2211, 3372, 3427, 3431, 3437, 3441, 3474, 3557, 3944, 6821, 6840, 6873, 6874, 6875, 11106, 11130, 11364, 12883, 13420, 13422, 13424, 15030, 18459, 18493, 18498, 18585, 18586, 18587, 18588, 18589, 18590, 18591, 18593, 18594, 18595, 18596, 18597, 18600, 18601, 18602, 20513, 20514, 20619, 20636, 20643,

20644, 20645, 20646, 20647, 20648
\if@allcaps 755, 764, 772, 1007, 1016, 1024, 1257, 1266, 1274, 6355, 6364, 6372, 6532, 6541, 6549, 15652, 15661, 15669, 15791, 15800, 15808
\if@altsecnumformat . 16772, 17320, 18019
\if@bib@break@ 16782, 16807, 16822, 16838, 17362, 17387, 17402, 17418, 18045, 18070, 18085, 18101
\if@bibchapter ... 18758
\if@bidi@amsmathloaded@ 13199
\if@bidi@amstextloaded@ 13202
\if@bidi@amsthmloaded@ 13205
\if@bidi@animateloaded@ 13208
\if@bidi@arabxetexloaded@ 13407
\if@bidi@arrayloaded@ 13341
\if@bidi@arydshlnloaded@ 13365
\if@bidi@blank 2739, 3031, 3038
\if@bidi@breqnloaded@ 13211
\if@bidi@calsloaded@ 13214
\if@bidi@captionloaded@ 13217
\if@bidi@colorloaded@ 13223
\if@bidi@colortblloaded@ 13242
\if@bidi@croploaded@ 13220
\if@bidi@csdef 2703, 2752
\if@bidi@csmacro .. 2751
\if@bidi@csprimitive 2761
\if@bidi@csundef .. 2709, 2782, 4149, 4201, 8646, 8647, 8660, 8661, 21071
\if@bidi@cutedloaded@ 13230
\if@bidi@cutwinloaded@ 13227
\if@bidi@dblfnoteloaded@ 13233
\if@bidi@def 2721
\if@bidi@defmacro 2744, 2745, 2753, 2930, 2949, 3093
\if@bidi@defparam 2951, 3045, 3046, 3095
\if@bidi@defprimitive 2755
\if@bidi@defprotected 2958, 3054, 3055, 3106
\if@bidi@diagboxloaded@ 13236
\if@bidi@draftwatermarkloaded@ 13296
\if@bidi@empheqloaded@ 13299
\if@bidi@fancyboxloaded@ 13290
\if@bidi@fancyhdrloaded@ 13293
\if@bidi@fancyvrbloaded@ 13413
\if@bidi@floatloaded@ 13245
\if@bidi@floatrowloaded@ 13248
\if@bidi@flowframloaded@ 13251
\if@bidi@fontspecloaded@ 13404
\if@bidi@framedloaded@ 13254
\if@bidi@ftnrightloaded@ 13257
\if@bidi@geometryloaded@ 13272
\if@bidi@graphicxloaded@ 13269
\if@bidi@hvfloatloaded@ 13275
\if@bidi@hyperrefloaded@ 13287
\if@bidi@lettrineloaded@ 13308
\if@bidi@linenoloaded@ 13311
\if@bidi@list@minipage@parbox 1580, 20464, 20536, 20545, 20554, 20563, 20576, 20577, 20591, 20592
\if@bidi@list@minipage@parbox@not@nob 1581, 20472, 20538, 20547, 20556, 20565
\if@bidi@listingsloaded@ 13314
\if@bidi@longtableloaded@ 13362
\if@bidi@mdf@RTL 13555, 13562
\if@bidi@mdframedloaded@ 13278
\if@bidi@midfloatloaded@ 13281
\if@bidi@minitocloaded@ 13374
\if@bidi@multicolloaded@ 13368
\if@bidi@multienumloaded@ 13371
\if@bidi@natbibloaded@ 13377
\if@bidi@newfloatloaded@ 13380
\if@bidi@ntheoremloaded@ 13284
\if@bidi@overpicloaded@ 13302
\if@bidi@patchable 2918, 2919
\if@bidi@pdfm@mark 1571, 1743, 1794, 1852

\if@bidi@pdfpagesloaded@ 13305
\if@bidi@pgfloaded@ 13323
\if@bidi@picinparloaded@ 13326
\if@bidi@polyglossialoaded@ 13410
\if@bidi@pstricksloaded@ 13320
\if@bidi@quotchaploaded@ 13329
\if@bidi@rotatingloaded@ 13386
\if@bidi@soulloaded@ 13347
\if@bidi@stabularloaded@ 13344
\if@bidi@subfigloaded@ 13350
\if@bidi@subfigureloaded@ 13353
\if@bidi@supertabularloaded@ 13356
\if@bidi@tablsloaded@ 13389
\if@bidi@tabularyloaded@ 13392
\if@bidi@tikzloaded@ 13332
\if@bidi@titlesecloaded@ 13335
\if@bidi@titletocloaded@ 13338
\if@bidi@tocbasicloaded@ 13395
\if@bidi@tocbibindloaded@ 13401
\if@bidi@tocstyleloaded@ 13398
\if@bidi@todonotes@figposition@right . . 20011, 20109, 20114, 20121, 20127
\if@bidi@todonotes@textdirectionRTL 20010, 20044, 20084, 20118
\if@bidi@undef 2727, 2786, 2827, 2838, 2857, 2861, 2865, 2869, 2879, 2883, 2887, 2891, 2927, 2946, 3090
\if@bidi@wrapfigloaded@ 13266
\if@bidi@xcolorloaded@ 13239
\if@bidi@xltxtraloaded@ 13260
\if@bidi@xtabloaded@ 13359
\if@bidi@xunicodeloaded@ 13263
\if@capbreak 16903, 17483, 18166
\if@captionabove 16936, 16942, 16955, 16965, 17516, 17522, 17535, 17545, 18199, 18205, 18218, 18228
\if@cftdopart 18815
\if@cfthaschapter 18806, 18810, 18816, 18837, 18849, 18871
\if@cfthaspart . . . 18802
\if@chapterentrywithdots 17593, 18276
\if@colour 2280
\if@colourgreen 7578, 7607, 7676, 7702
\if@colourgrey . 7582, 7621, 7680, 7714
\if@colourorange 7576, 7600, 7674, 7696
\if@colourred . . 7580, 7614, 7678, 7708
\if@compatibility . . . 521, 673, 749, 1001, 1156, 1251, 6349, 6526, 15646, 15785, 19371, 19369, 20607
\if@contcw . 14289, 14318
\if@conthang 14299
\if@contindent . . . 14305
\if@DEBUG 2251
\if@displaypagenumbers 2459, 2462
\if@donumindex 18759, 18778
\if@dotocbib 18720
\if@dotocind 18766, 18783
\if@extrafootnotefeatures 1576, 1729
\if@fcolmade 7200, 7259, 10842, 10882, 10966, 11642, 11694, 14460, 14557, 20759, 20802
\if@ff@nwpg 10934
\if@firstcolumn 7151, 7214, 7274, 7355, 7374, 7530, 7549, 10810, 10846, 11602, 11650, 14372, 14472, 14578, 20718, 20765, 20902
\if@firstdetailselement 7743, 7745
\if@firstfooterelement 7647, 7650
\if@flushend@auto@baselineskip 7390
\if@hboxRconstruct 1568, 1797, 2673, 2679, 11363, 20471, 20495, 20538, 20547, 20556, 20565, 20576, 20577, 20591, 20592
\if@ignore . . . 3255, 3257
\if@inlabel 6820
\if@inltxdoc 18751
\if@insert 7558
\if@komalongtable . . . 16952, 17532, 18215
\if@LTRbibitems . 87, 300, 575, 710, 973, 1223, 1574, 2477, 6301, 6489, 6798, 8322, 8593, 10649, 12762, 14367, 14849, 15607, 16001, 16195,

16398, 16798, 17378, 18061, 18727
\if@LTRmarginpar 1573, 20931, 20936, 20940
\if@mainmatter . 5812, 6575, 6770, 8564, 15405, 17323, 17339, 17347, 17355
\if@minipage . 4557, 14358
\if@mparswitch ... 20904
\if@newlist ... 10982, 11017, 20960, 21040
\if@nobreak 4145, 11571, 13566, 15466, 15480
\if@nonlatin 346, 351, 1564, 1741, 2685, 2691, 6856, 6858, 13550
\if@noparlist . 6065, 6178
\if@noskipsec 6819, 11572, 13567, 15467, 15481
\if@oldtoc . 661, 687, 889, 905, 1144, 1171, 6251, 6275, 6428, 6452, 15552, 15576, 15924, 15948
\if@openright 5840, 6789, 8584
\if@ovb 10786
\if@ovl 10784
\if@ovr 10783
\if@ovt 10785
\if@parafootRTL ... 1577, 10296, 10307
\if@pboxsw 20520
\if@ref 17726
\if@restonecol 607, 623, 872, 1124, 6231, 6408, 6618, 15514, 15769, 16228, 18798
\if@reversemargin 20907
\if@rjfield 20946
\if@rl 1563
\if@rl@footnote ... 1579
\if@rlmain 1562
\if@rot@twoside 16429, 16434, 16444, 16474, 16480, 16492
\if@RTL . 12, 13, 25, 87, 104, 107, 108, 109, 217, 218, 234, 237, 238, 239, 300, 315, 319, 516, 533, 536, 537, 560, 575, 627, 640, 651, 652, 657, 668, 693, 696, 697, 710, 878, 879, 885, 895, 898, 899, 912, 934, 973, 1128, 1134, 1135, 1140, 1151, 1177, 1180, 1181, 1199, 1223, 1362, 1363, 1474, 1475, 1488, 1499, 1563, 1591, 1796, 1803, 2477, 2649, 2655, 5468, 5469, 5586, 5587, 5588, 6235, 6241, 6242, 6247, 6258, 6281, 6284, 6285, 6301, 6412, 6418, 6419, 6424, 6435, 6458, 6461, 6462, 6489, 6573, 6584, 6586, 6722, 6737, 6740, 6741, 6768, 6782, 6798, 6817, 6829, 6842, 6917, 6958, 6959, 6963, 6964, 6966, 6973, 6979, 6998, 7001, 7002, 7008, 7013, 7120, 7123, 7140, 7144, 7949, 7956, 7972, 7978, 7994, 8001, 8108, 8188, 8203, 8225, 8226, 8227, 8228, 8251, 8271, 8274, 8275, 8285, 8299, 8312, 8322, 8539, 8562, 8577, 8593, 8614, 8617, 8622, 8630, 10594, 10609, 10612, 10613, 10620, 10632, 10649, 10918, 11078, 11364, 11444, 11446, 11710, 11712, 11715, 11716, 11717, 11723, 11725, 11742, 11745, 11752, 11761, 11767, 11771, 11774, 11788, 11813, 11820, 11985, 12087, 12189, 12197, 12579, 12615, 12647, 12676, 12702, 12708, 12712, 12715, 12762, 12780, 12783, 12784, 12785, 12800, 12811, 12812, 12846, 12850, 12853, 12858, 12966, 12969, 12973, 12988, 12998, 13473, 13558, 13641, 13649, 13840, 14166, 14248, 14249, 14250, 14251, 14252, 14253, 14332, 14334, 14367, 14612, 14616, 14617, 14624, 14629, 14636, 14641, 14849, 14928, 14948, 14963, 14977, 15134, 15184, 15259, 15313, 15314, 15317, 15321, 15353, 15354, 15355, 15400, 15402, 15408, 15419, 15421, 15432, 15434, 15445,

15447, 15456,
15458, 15475,
15497, 15498,
15518, 15531,
15542, 15543,
15548, 15559,
15582, 15585,
15586, 15607,
15902, 15903,
15914, 15915,
15920, 15931,
15954, 15957,
15958, 15968,
15981, 16001,
16030, 16146,
16161, 16164,
16165, 16170,
16171, 16195,
16331, 16346,
16349, 16350,
16377, 16389,
16398, 16509,
16511, 16515,
16519, 16521,
16526, 16530,
16533, 16537,
16539, 16543,
16570, 16579,
16770, 16771,
16798, 16856,
16857, 16858,
16860, 16931,
17119, 17128,
17319, 17378,
17436, 17437,
17438, 17440,
17511, 17692,
17699, 17784,
17790, 17818,
17827, 18018,
18061, 18119,
18120, 18121,
18123, 18194,
18369, 18372,
18402, 18422,
18620, 18662,
18679, 18699,
18702, 18707,
18711, 18712,
18727, 18823,
18824, 18825,
18833, 18854,
18855, 18856,
18864, 18877,
18878, 18879,
18887, 18894,
18895, 18896,
18904, 18911,
18912, 18913,
18921, 18928,
18929, 18930,
18938, 18945,
18946, 18947,
18955, 18962,
18963, 18964,
18972, 18980,
18981, 18982,
18990, 18999,
19000, 19001,
19009, 19019,
19020, 19021,
19029, 19054,
19055, 19056,
19064, 19104,
19105, 19106,
19784, 19846,
19847, 19848,
19854, 19857,
19904, 19964,
19969, 19992,
19999, 20059,
20062, 20146,
20181, 20189,
20216, 20217,
20220, 20221,
20223, 20260,
20264, 20317,
20322, 20368,
20369, 20380,
20381, 20384,
20388, 20465,
20473, 20479,
20485, 20498,
20578, 20579,
20581, 20584,
20587, 20591,
20592, 20593,
20594, 20596,
20598, 20599,
20604, 20651,
20652, 20658,
20663, 20931,
20936, 20940,
20948, 20949,
20950, 20951,
21051, 21054,
21062, 21072,
21170, 21180, 21186
\if@RTL@footnote 36,
249, 1579, 1799,
4836, 8690, 8737,
8940, 8985, 9091,
9133, 9235, 9280,
9386, 9431, 9537,
9581, 9688, 9732,
9839, 9884, 9990,
10035, 10141,
10186, 10354,
10404, 11258,
11307, 11347, 11348
\if@RTLbibitems . 87,
300, 575, 710, 973,
1223, 1575, 2477,
6301, 6489, 6798,
8322, 8593, 10649,
12762, 14367,
14849, 15607,
16001, 16195,
16398, 16798,
17378, 18061, 18727
\if@RTLcolumnfootnotes
. . . . 1578, 8912,
8913, 8916, 8917,
8950, 9002, 9100,
9149, 9245, 9297,
9396, 9448, 9547,
9599, 9698, 9750,
9849, 9901, 10000,
10052, 10151, 10203
\if@RTLmain 1562, 1590,
1609, 1795, 1802,
1821, 7016, 7039,
7062, 7085, 7301,
7478, 7937, 8062,
8065, 8079, 8097,
11083, 11838,
11848, 11865,
11871, 13006,
14569, 14729,
20808, 20976,

20982, 21011, 21032
\if@RTLmarginpar 1572, 20931, 20936, 20940
\if@RTLtab . 365, 366, 382, 385, 407, 409, 1370, 1371, 1390, 1391, 1428, 1429, 1567, 2115, 2119, 2120, 2661, 2667, 6877, 6879, 6900, 6907, 6929, 6930, 6943, 6954, 13421, 13423, 13537, 13540, 18437, 18441, 18442, 18459, 18467, 18473, 18498, 18586, 18587, 20424, 20611, 20615, 20616, 20636, 20644, 20645
\if@sectionentrywithdots 17013
\if@sentdir 1798
\if@specialpage 10937, 20971
\if@star 15389
\if@tab@rl 1567
\if@tablecaptionabove . 16983, 17563, 18246
\if@tempswa 3987, 4032, 7845, 7902, 19498
\if@thmmarks . . 14911, 14915, 14932, 14936
\if@titlecentered 1344, 15882
\if@titlepage . . 414, 628, 736, 935, 988, 1187, 1238, 6620, 8345, 8438, 10664, 15519, 15633, 15770, 15969, 16032, 16229, 16604, 17153, 17852
\if@tocstyle@penalties 19767, 19876
\if@todonotes@authorgiven 20035, 20046, 20071, 20088
\if@todonotes@disabled 20029, 20030
\if@todonotes@dviStyle 20032, 20066
\if@ttb@rotate . . . 11077
\if@twocolumn . . . 98, 228, 461, 594, 610, 637, 644, 812, 859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5766, 6218, 6395, 6605, 6667, 8388, 8485, 10707, 12774, 14231, 15501, 15528, 15535, 15709, 15756, 15850, 15978, 15985, 16094, 16215, 16276, 16683, 17232, 17931, 18753, 20680, 20901, 21065
\if@twoside 5757, 10941, 16652, 16665, 16733, 17201, 17214, 17282, 17900, 17913, 17981, 20172, 20974
\if@vihproof 14597, 14603
\ifadl@inactive . . . 1376
\ifadl@usingarypkg 1379
\ifAM@output 15056
\ifAM@survey 15034
\ifartopt 14268
\ifbidi@autofootnoterule 11084, 11319, 11333, 11347
\ifbidi@in@label 3436, 3438
\IfbidiPackageVersion 1549
\IfbidiPackageVersionBefore 1543
\IfbidiPackageVersionLater 1537
\ifblendcolors 20228, 20249, 20271, 20298
\ifbool 13580, 13589
\ifcase . . . 1411, 1438, 1442, 1446, 1450, 1476, 1635, 1641, 1647, 1653, 1659, 1665, 1677, 1683, 1689, 1696, 1710, 1717, 6931, 12185, 13491, 18693, 19074, 19836, 19906, 20016, 20024, 20248, 20297, 20695, 20696
\ifcat 1601, 1813, 3322, 3323
\ifconvertcolorsU 20234, 20250, 20277, 20299
\ifcpoddpage 4334
\ifcsname 2704, 2710, 2844, 3761, 3776, 3990, 3998, 14873, 14883, 14897, 19791, 19792, 19801, 19812, 19816, 19826, 19838, 19892, 19920, 19921, 19929, 19933, 19937, 19941, 19945, 19949, 19953, 19957
\ifdefined . . . 2722, 2728
\ifdefining 3442
\ifdfn@allowcbreak 7798, 7819
\ifdfn@ruleboth 7856, 7910
\ifdfn@trysingle 7837, 7894
\ifdim 1464, 1465, 1538, 1544, 1550, 4570, 5137, 5906, 5943, 5945, 6004, 6005, 6007, 6013, 6053, 6066, 6073, 6154, 6156, 6169, 6171, 6179, 6850, 7294, 7339, 7351, 7364, 7367, 7369, 7399, 7403, 7404, 7418, 7443, 7468, 7513, 7526, 7539, 7542,

7544, 7792, 7813, 7833, 7842, 7869, 7873, 7890, 7899, 7921, 7925, 8810, 8815, 8822, 8827, 8834, 8839, 10772, 10774, 10917, 11456, 11464, 11480, 11481, 11511, 11519, 11532, 11547, 11580, 11581, 11730, 11737, 11776, 11783, 11828, 11918, 12056, 12072, 12934, 12940, 13065, 13474, 13485, 13524, 13527, 14238, 14281, 14288, 14292, 14294, 14333, 14394, 14402, 14404, 14494, 14502, 14504, 14579, 14590, 14674, 14682, 14688, 14705, 14713, 15084, 15131, 15156, 15214, 15225, 15232, 15237, 15252, 15365, 15390, 16890, 16898, 17470, 17478, 17730, 17736, 17742, 17748, 17754, 17760, 17766, 17772, 17778, 18153, 18161, 18484, 19409, 19423, 19428, 19802, 19827, 19893, 20149, 20151, 20153, 20155, 20156, 20157, 20159, 20199, 20206, 20913, 21050

\ifdofullc@p 16893, 17473, 18156
\iffalse 2593, 2594, 2596, 11571, 11572, 13116, 13566, 13567, 15466, 15467, 15480, 15481
\IfFileExists . . 3701, 3716, 4314, 5786, 5851
\iffootdir@debug 11092, 11096
\ifGin@grid . 14964, 14977
\ifGin@iso 11827
\ifhbox 10302, 10312, 10316
\ifhmode . . 2180, 4795, 4839, 4883, 5126, 5132, 6964, 6966, 6973, 6979, 6998, 18655, 20221, 20223, 20260, 20264, 20317, 20591, 20592, 20635, 20812, 20856
\ifhv@fbox . . . 11987, 11993, 12000, 12006, 12012, 12018, 12027, 12031, 12036, 12040, 12044, 12048, 12062, 12078, 12089, 12093, 12098, 12102, 12106, 12110, 12117, 12123, 12130, 12136, 12142, 12148
\ifhv@nonFloat 11930, 11937, 11955, 11976, 12168, 12170
\ifhv@onlyText 11938, 11956
\ifhv@useOBox 11901, 11905
\ifHy@href@ismap . 12667
\ifHy@hyperfootnotes . . 8648, 8662, 12204
\ifHy@nesting 12253, 12264, 12275, 12286, 12301, 12316, 12376, 12414, 12447, 12478, 12509
\ifHy@pdfa . . . 12593, 12627, 12658, 12687
\ifin@ 4006
\ifin@label 3444
\ifinner . . 2186, 4801, 4845, 4889, 11459, 20141, 20818, 20862
\ifL@grid 12935
\ifL@image 12911
\iflatin 2684
\ifLettrineImage . 12881
\ifLettrineOnGrid 12882
\ifLtoR 2654
\ifLtoRhboxconstruct 2678
\ifLtoRtable 2666
\ifmaskcolors . 20238, 20249, 20281, 20298
\ifmmode 184, 1786, 6958, 6963, 10887, 10897, 11710, 11712, 11715, 11716, 11717, 11723, 11725, 11742, 11745, 11752, 11761, 11767, 11771, 11774, 11788, 11813, 11820, 12564, 12576, 12579, 12615, 12647, 12676, 12702, 15067, 15125, 15357, 15393, 16509, 16511, 16515, 16519, 16521, 16526, 16530, 16533, 16537, 16539, 16543, 20216, 20220, 20515, 20602
\ifNAT@openbib . . . 14852
\ifnonlatin 2690
\ifnum 3, 137, 143, 208, 314, 356, 357, 358, 359, 361, 462, 511, 528, 554, 563, 647,

663, 681, 813, 874, 907, 925, 1065, 1130, 1146, 1164, 1315, 1381, 1382, 1383, 1384, 1386, 1425, 1426, 1738, 1739, 2212, 3296, 3324, 3326, 3334, 3336, 3529, 3539, 3637, 3643, 3668, 3683, 3689, 6026, 6237, 6253, 6269, 6333, 6335, 6337, 6414, 6430, 6446, 6510, 6512, 6514, 6574, 6668, 6717, 6732, 6755, 6757, 6759, 6769, 6851, 7118, 7126, 7131, 7138, 7326, 7335, 7345, 7500, 7509, 7519, 7733, 8266, 8280, 8293, 8302, 8389, 8486, 8535, 8549, 8551, 8553, 8563, 8918, 10589, 10604, 10621, 10708, 10758, 10760, 10762, 11053, 11055, 11057, 11066, 11068, 11070, 11216, 11319, 11333, 11347, 11580, 11582, 12566, 12571, 12802, 12918, 13036, 13039, 13047, 13050, 13119, 13435, 13436, 13519, 13520, 14232, 14265, 14391, 14421, 14491, 14521, 14610, 14622, 14634, 14695, 14731, 14737, 14892, 14902, 15144, 15150, 15162, 15165, 15166, 15167, 15169, 15170, 15171, 15172, 15181, 15203, 15208, 15219, 15230, 15231, 15237, 15241, 15244, 15245, 15351, 15352, 15359, 15404, 15538, 15554, 15570, 15628, 15630, 15632, 15710, 15851, 15910, 15926, 15942, 15993, 15995, 15997, 16095, 16142, 16156, 16182, 16184, 16186, 16277, 16326, 16341, 16364, 16366, 16368, 16378, 16672, 16684, 17221, 17233, 17322, 17338, 17346, 17354, 17920, 17932, 18529, 18577, 18578, 18579, 18580, 18582, 18684, 18686, 18805, 18809, 18851, 18870, 18892, 18909, 18926, 18943, 18960, 18978, 18997, 19017, 19052, 19235, 19236, 19343, 19344, 19368, 19378, 19766, 19771, 19789, 19962, 20180, 20446, 20641, 20642, 20656, 20711, 20909, 20931, 21059, 21060

\ifodd 2197, 5757, 8070, 8087, 8147, 10942, 11858, 11864, 20172, 20905, 20975

\ifoddpage 4328

\ifonelinecaptions . 16864, 17444, 18127

\ifpgfrememberpicturepositiononpage 15080

\ifpoem@started 6000, 6006, 6153, 6160, 6174

\ifprimitive . . 2756, 2763

\ifPst@shift@star 15381

\ifr@ggedbottom . . 15331

\ifrot@messages 16479, 16491

\ifRtoL 2648

\ifRtoLhboxconstruct 2672

\ifRtoLtable 2660

\ifshowgrid 15359

\ifsomething 3567

\ifstr . . 19117, 19118, 19119, 19120, 19121, 19122, 19123, 19124, 19125, 19140, 19141, 19142, 19143, 19145, 19146, 19147, 19150, 19153, 19162, 19163, 19164, 19167, 19170, 19189, 19190, 19191, 19193, 19194, 19195, 19198, 19201, 19210, 19211, 19212, 19215, 19218, 19272, 19273, 19274, 19275, 19276, 19277, 19278, 19279, 19280, 19295, 19296, 19297, 19298, 19300, 19301, 19302, 19305, 19308, 19317, 19318, 19319, 19322,

19325, 19523, 19524, 19525, 19526, 19527, 19528, 19529, 19530, 19531, 19574, 19575, 19576, 19577, 19579, 19580, 19581, 19584, 19587, 19596, 19597, 19598, 19601, 19604, 19634, 19635, 19636, 19638, 19639, 19640, 19643, 19646, 19655, 19656, 19657, 19660, 19663, 19683, 19686, 19689, 19709, 19713, 19718, 19730, 19733, 19737, 19747
\ifstrstart 19514, 19546, 19620
\iftagsleft@ . . 338, 8105
\iftest 3379
\ifthenelse 181, 186, 194, 2431, 2448, 2452, 2456, 2464, 4227, 4287, 4289, 4292, 4296, 4299, 4302, 4327, 4384, 4403, 4418, 4423, 4429, 4438, 4449, 4455, 4461, 4462, 4469, 4476, 4478, 4484, 4501, 4519, 4521, 4525, 4543, 4544, 4547, 4548, 4583, 4592, 4603, 4613, 4662, 4777, 5001, 5019, 5020, 5038, 5039, 5057, 5058, 5089, 5090, 5208, 5213, 5237, 5242, 5266, 5271, 5348, 5352, 5400, 5613, 5659, 5668, 5676, 5703, 5750, 5819, 5830, 7637, 7643, 7660, 7663, 7664, 7665, 7666, 7667, 7753, 7758, 7761, 7762, 7763, 7764, 7765, 7768, 7772, 11026, 11041, 15024, 16433, 16478
\iftocstyle@autolength 19811
\iftocstyle@indentnotnumbered 19856, 19903
\iftrue 2595, 4742, 4755, 4768
\ifttl@label 18660
\ifTX@ 18519
\ifvbox 10525
\ifvmode . . 4145, 4531, 4534, 4537, 4540, 13595, 14664, 14922, 14942, 18471
\ifvoid 7186, 7202, 7245, 7261, 7280, 7288, 7321, 7446, 7457, 7495, 7796, 7817, 7828, 7853, 7885, 7907, 8855, 8872, 8882, 10561, 10574, 11009, 11382, 11540, 11561, 12743, 12747, 13537, 13611, 14649, 15259, 15325, 15327, 15332, 20322, 21022
\ifWF@float . 20154, 20168
\ifx . 115, 134, 136, 151, 155, 159, 166, 797, 801, 1049, 1053, 1299, 1303, 2063, 2069, 2075, 2090, 2121, 2173, 2176, 2437, 2438, 2439, 2441, 2502, 2505, 2525, 2529, 2549, 2553, 2568, 2572, 2642, 2711, 2729, 2807, 2995, 3011, 3302, 3308, 3309, 3346, 3347, 3348, 3349, 3359, 3365, 3390, 3395, 3400, 3405, 3411, 3416, 3596, 3706, 3730, 3745, 3810, 3822, 3854, 3865, 3900, 3906, 3917, 3918, 3929, 3959, 3968, 3969, 3989, 4004, 4014, 4028, 4035, 4047, 4063, 4118, 4129, 5071, 5895, 5916, 6077, 6128, 6133, 6135, 7162, 7225, 7865, 7917, 8612, 8628, 8632, 10820, 10856, 11213, 11424, 11615, 11663, 11756, 11798, 11799, 11805, 11892, 11894, 11900, 11911, 11913, 11916, 11917, 11934, 11940, 11941, 11943, 11946, 11958, 11959, 11961, 11964, 11973, 11975, 11984, 11986, 11999, 12026, 12035, 12055, 12071, 12088, 12097, 12116, 12129, 12163, 12169, 12182, 12213, 12224, 12235, 12542, 12545, 12548, 12551, 12595, 12603, 12629, 12637, 12660, 12689, 12827, 12848, 12895, 13076, 13077, 13081, 13083, 13440, 14342,

14383, 14483, 14745, 14749, 14753, 14878, 14882, 14889, 14895, 15040, 15052, 15322, 15374, 15415, 15428, 15441, 15694, 15698, 15835, 15839, 16566, 16592, 16599, 16619, 16624, 16631, 16637, 16661, 16732, 16736, 16744, 16750, 16762, 16786, 16848, 16853, 17115, 17141, 17148, 17168, 17173, 17180, 17186, 17210, 17281, 17285, 17293, 17299, 17311, 17365, 17428, 17433, 17688, 17716, 17717, 17718, 17719, 17720, 17721, 17722, 17723, 17727, 17733, 17739, 17745, 17751, 17757, 17763, 17769, 17775, 17784, 17814, 17840, 17847, 17867, 17872, 17879, 17885, 17909, 17980, 17984, 17992, 17998, 18010, 18048, 18111, 18116, 18479, 18695, 19037, 19392, 19396, 19400, 19497, 19778, 19849, 19861, 19869, 19886, 19911, 19978, 19983, 19985, 20229, 20272, 20389, 20499, 20502, 20509, 20682, 20690, 20729, 20776, 20988, 20989, 20991, 20992

\ifXC@@tst . 20252, 20301

\ignorespaces ... 46, 60, 76, 122, 259, 273, 288, 346, 633, 642, 940, 1192, 1201, 3177, 3615, 3631, 3633, 3639, 3642, 3645, 3649, 3654, 4554, 4561, 4562, 4571, 5158, 5176, 5194, 5230, 5259, 5288, 5553, 5977, 5988, 6148, 6149, 6296, 6484, 6854, 6860, 6973, 6979, 6987, 6994, 8617, 8631, 8700, 8716, 8732, 8746, 8759, 8772, 11270, 11287, 11303, 11330, 11344, 11358, 11840, 11844, 11849, 11854, 12834, 12853, 13550, 14355, 14362, 15524, 15533, 15974, 15983, 16509, 16519, 16537, 16873, 16894, 16899, 16904, 16909, 16927, 17453, 17474, 17479, 17484, 17489, 17507, 17790, 18136, 18157, 18162, 18167, 18172, 18190, 20260, 20264, 20491, 20532, 20542, 20551, 20560, 20569

\iii 3675

\ilg 15153, 15176

\immediate ... 4142, 6140

\in@ 4005

\includegraphics 2472, 7639, 7770, 14952, 15026

\includemedia 13815, 14145, 14146

\includepdf 15017

\IncMargin 186

\indentedwidth 8630

\index 3553, 3554, 10993, 20999

\indexname 601, 602, 603, 617, 618, 866, 867, 1118, 1119, 5573, 5574, 6225, 6226, 6402, 6403, 6612, 6613, 6614, 15508, 15509, 15763, 15764, 16222, 16223, 16224, 18762, 18763, 18764, 18768, 18769, 18770, 18773, 18774, 18780, 18781, 18785, 18786, 18787, 18790, 18791

\indexspace 5589

\input 1632, 1633, 1730, 1792, 1863, 2284, 5787, 5852, 21064, 21074, 21075, 21076, 21077, 21078, 21079, 21080, 21081, 21082, 21083, 21084, 21085, 21086, 21087, 21088, 21089, 21090, 21091, 21092, 21093, 21094, 21095, 21096, 21097, 21098, 21099, 21100, 21102,

21103, 21107, 21112, 21119, 21120, 21121, 21122, 21123, 21124, 21125, 21126, 21127, 21128, 21129, 21130, 21131, 21132, 21133, 21134, 21135, 21136, 21137, 21138, 21139, 21140, 21141, 21142, 21143, 21144, 21145, 21146, 21147, 21148, 21149, 21150, 21151, 21152, 21153, 21154, 21155, 21156, 21157, 21158, 21159, 21160, 21161, 21163, 21164, 21165, 21166, 21167, 21168, 21191, 21192, 21193, 21194, 21195, 21196, 21197, 21198, 21199, 21200, 21201, 21202, 21203, 21204, 21205, 21206, 21207, 21208, 21209, 21210, 21211, 21212, 21213
\input@path 13836
\InputIfFileExists 3700, 3704, 3713, 12886
\insert 35, 49, 65, 248, 262, 277, 1607, 1819, 7787, 7803, 7808, 7824, 7871, 7877, 7923, 7929, 8689, 8705, 8721, 8940, 8950, 8960, 9038, 9091, 9100, 9109, 9183, 9235, 9245, 9255, 9333, 9386, 9396, 9406, 9484, 9537, 9547, 9557, 9635, 9688, 9698, 9708, 9786, 9839, 9849, 9859, 9937, 9990, 10000, 10010, 10088, 10141, 10151, 10161, 10239, 10345, 10357, 10369, 10464, 11257, 11274, 11290
\insert@column 1413, 1414, 1415, 1416, 1418, 1419, 1479, 1481, 1482, 1484, 1485, 1486, 6934, 6936, 6937, 6939, 6940, 6941
\insertpenalties . 11221
\int 13869, 13916, 13917, 13921, 13999, 14087, 14090, 14091, 14102, 14140, 14178, 14203, 14988, 14990, 15004
\interfootnotelinepenalty . . 39, 53, 69, 252, 266, 281, 8864, 11261, 11278, 11294
\interlinepenalty 39, 53, 69, 252, 266, 281, 561, 625, 650, 877, 932, 1126, 1133, 5465, 6233, 6240, 6410, 6417, 6581, 6776, 6784, 7324, 7333, 7343, 7498, 7507, 7517, 8300, 8313, 8570, 8579, 8864, 10626, 10634, 11261, 11278, 11294, 14614, 14626, 14638, 15408, 15516, 15541, 15913, 15966, 16028, 16383, 16391, 18652, 18693, 18827, 18858, 18881, 18898, 18915, 18932, 18949, 18966, 18984, 19003, 19023, 19058, 19391, 19852, 19966, 20147, 20660
\intermath@penalty 6853
\intextsep . 20207, 20209
\InTheoType 8121, 14912, 14914, 14933, 14935
\invoicename 17753
\ior . . 13919, 13920, 13924
\iow 14989
\isempty . . 4403, 5001, 5208, 5213, 5237, 5242, 5266, 5271, 5659, 5668, 5676, 5703
\isodd 16433, 16478
\isSC@ODD 18370, 18371, 18373, 18374, 21171, 21173, 21175, 21177
\isundefined 4613, 4662, 7637, 7643, 7660, 7663, 7664, 7665, 7666, 7667, 7758, 7761, 7762, 7763, 7764, 7765, 7768, 7772
\item 102, 232, 606, 621, 870, 953, 1122, 5545, 5553, 5558, 5579, 6229, 6406, 6617, 10892, 10907, 12778, 15512, 15767, 16227, 18797
\itemindent 5540, 5541, 5549, 20453
\itemsep 4276, 5486, 5525, 5539
\itemx 14777
\itemxox 14812
\itemxoxx 14822
\itemxx 14780

\itemxxo 14817
\itemxxox 14829
\itemxxx 14785
\itemxxxo 14836
\itemxxxx 14792
\itemxxxxx 14801
\itshape . . 1971, 2444, 5349, 5351, 5355, 5362, 5369, 5404, 5411, 5418, 5425, 5432, 5736, 5737, 5738

J

\j 3689, 3690, 3694
\juo@ht 14410, 14417, 14510, 14517, 14586, 14593
\juo@pr 14393, 14423, 14493, 14523
\juo@sar 14392, 14422, 14464, 14492, 14522, 14561
\juo@sk . 14391, 14421, 14464, 14491, 14521, 14561, 14594
\justifying 4310, 4380, 4950, 15453
\JustifyingParfillskip 15459
\JustifyingParindent 4282, 4953, 5512, 15460

K

\keepthetitle 14214
\kern . . . 27, 29, 30, 31, 241, 243, 244, 245, 346, 542, 544, 546, 548, 726, 727, 729, 732, 733, 735, 747, 962, 964, 967, 969, 999, 1206, 1207, 1209, 1212, 1213, 1215, 1249, 1477, 1482, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2005, 2006, 2053, 2055, 2056, 4752, 4753, 4763, 4764, 4766, 5231, 5232, 5260, 5261, 5289, 5290, 6317, 6318, 6320, 6323, 6324, 6326, 6347, 6470, 6471, 6473, 6476, 6477, 6479, 6524, 6747, 6749, 6751, 6753, 6932, 6937, 6959, 7782, 7783, 8191, 8198, 8206, 8213, 8252, 8256, 8338, 8340, 8342, 8344, 8637, 8639, 8641, 8643, 8684, 8685, 8801, 8802, 10639, 10641, 10643, 10645, 10783, 10784, 10785, 11030, 11173, 11175, 11176, 11177, 11178, 11179, 11211, 11429, 11493, 11738, 11784, 12788, 12790, 12791, 12792, 12862, 12864, 12866, 12868, 13550, 14673, 14771, 14773, 14774, 14775, 15331, 15342, 15345, 15372, 15388, 15594, 15595, 15597, 15600, 15601, 15603, 15644, 15783, 16017, 16018, 16020, 16023, 16024, 16026, 16174, 16176, 16178, 16180, 16356, 16358, 16360, 16362, 16591, 16595, 16598, 16601, 16602, 16847, 16850, 16852, 16855, 17140, 17144, 17147, 17150, 17151, 17427, 17430, 17432, 17435, 17708, 17710, 17712, 17714, 17839, 17843, 17846, 17849, 17850, 18110, 18113, 18115, 18118, 18406, 18412, 18666, 20182, 20186, 20192, 20195, 20217, 20400, 20403, 20405, 20928
\keys . . . 13632, 13828, 13922, 14161, 14162
\keywords 334
\kill 13437
\KOMAClassName 16673, 16990, 17222, 17570, 17921, 18253
\KV@do 12903, 12908
\KV@prefix . 12901, 12906

L

\l 8147, 8163, 8166, 8172, 8175, 8177, 8178, 8181, 8182, 8185, 8188, 8189, 8190, 8195, 8196, 8197, 8203, 8204, 8205, 8210, 8211, 8212, 8221, 8224, 8232, 13640, 13642, 13648, 13650, 13656, 13657, 13658, 13659, 13660, 13661, 13662, 13663, 13664, 13665, 13666, 13668, 13669, 13671, 13672, 13673, 13680, 13681, 13682, 13684, 13686, 13689, 13690,

13697, 13707, 13708, 13709, 13710, 13711, 13712, 13713, 13714, 13715, 13716, 13717, 13718, 13719, 13720, 13721, 13725, 13726, 13727, 13729, 13731, 13734, 13735, 13737, 13738, 13739, 13748, 13758, 13759, 13760, 13761, 13762, 13763, 13764, 13765, 13766, 13772, 13774, 13775, 13776, 13779, 13781, 13783, 13788, 13789, 13790, 13792, 13794, 13799, 13801, 13803, 13811, 13822, 13823, 13838, 13839, 13840, 13841, 13859, 13879, 13887, 13892, 13906, 13911, 13915, 13916, 13917, 13919, 13920, 13921, 13924, 13928, 13930, 13931, 13932, 13933, 13934, 13935, 13936, 13938, 13939, 13940, 13941, 13943, 13944, 13945, 13947, 13948, 13949, 13952, 13953, 13954, 13957, 13990, 13992, 13995, 14020, 14022, 14054, 14058, 14070, 14071, 14117, 14127, 14133, 14145, 14146, 14165, 14166, 14167, 14168, 14169, 14170, 14171, 14172, 14173, 14209, 14210, 14993, 14995, 15008

\l@ 19068

\L@ante 12876, 12951, 12976

\l@chapter 6276, 6290, 6453, 6467, 6731, 10603, 15577, 15591, 15949, 15963, 16155, 16340, 18717, 18718, 18850, 19931

\l@color . . . 12891, 12892

\l@figure 5473, 5474, 18959, 19959

\L@Findent 12877, 12953, 12977

\L@first 12919, 12920, 12923, 12924, 12926, 12927, 12928, 12929, 12934, 12940, 12942, 12946, 12951, 12952, 12954, 12955, 12966

\L@gridfalse 12882

\L@gridtrue 12882

\L@hang 12873, 12950

\L@imagefalse 12881

\L@imagetrue 12881

\L@lbox 12904, 12905, 12912, 12914, 12919, 12929, 12949, 12950, 12961, 12962, 12963, 12976

\l@LOKeys 12896, 12898, 12903, 12908

\L@lraise 12921, 12927, 12928, 12930, 12931, 12976

\L@next 12957, 12958, 12969, 12971

\l@ngrel@x 2807, 2808, 2810

\L@Nindent . . . 12878, 12956, 12958, 12960, 12969, 12970

\L@novskip 12880, 12934, 12938

\L@oversize 12874

\l@paragraph 18925, 19947

\L@parshape . . . 12966, 12969, 12973, 12975

\l@part . 510, 662, 680, 906, 924, 1145, 1163, 6252, 6268, 6429, 6445, 6716, 8279, 8534, 10588, 15553, 15569, 15925, 15941, 16141, 16325, 18714, 18715, 18803, 19923, 19926

\L@Pindent . . . 12949, 12950, 12952, 12953, 12955, 12956, 12959, 12966

\L@raise . . . 12875, 12927

\l@section 527, 688, 701, 890, 903, 1172, 1185, 8265, 18869, 19935

\L@slope 12879, 12970, 12971

\l@subfigure 18996

\l@subparagraph 18942, 19951

\l@subsection 18891, 19939

\l@subsubsection 18908, 19943

\l@subtable 19016

\l@table 5474, 18977, 19955

\L@tbox 12916, 12920, 12978

\l@textcolor 12893, 12894

\label 2468, 4432, 4434, 4436, 4440, 4492, 10992, 11948, 11966, 20998

\labelitemi . 746, 998, 1061, 1248, 6346, 6523, 15643, 15782

\labelname . . . 14778, 14781, 14783,

14786, 14788, 14790, 14793, 14795, 14797, 14799, 14802, 14804, 14806, 14808, 14810, 14813, 14815, 14818, 14820, 14823, 14825, 14827, 14830, 14832, 14834, 14837, 14839, 14841
\labelsep 85, 90, 298, 303, 580, 715, 978, 1228, 2483, 2485, 5502, 5504, 5561, 6306, 6494, 6803, 8327, 8598, 10654, 12760, 12765, 14778, 14781, 14783, 14786, 14788, 14790, 14793, 14795, 14797, 14799, 14802, 14804, 14806, 14808, 14810, 14813, 14815, 14818, 14820, 14823, 14825, 14827, 14830, 14832, 14834, 14837, 14839, 14841, 15612, 16006, 16200, 16403, 16805, 17385, 18068, 18732
\labelwidth 89, 90, 302, 303, 578, 579, 713, 714, 976, 977, 1226, 1227, 2482, 2484, 5503, 5504, 6304, 6305, 6492, 6493, 6801, 6802, 8325, 8326, 8596, 8597, 10652, 10653, 11585, 12764, 12765, 14778, 14781, 14783, 14786, 14788, 14790, 14793, 14795, 14797, 14799, 14802, 14804, 14806, 14808, 14810, 14813, 14815, 14818, 14820, 14823, 14825, 14827, 14830, 14832, 14834, 14837, 14839, 14841, 15610, 15611, 16004, 16005, 16198, 16199, 16401, 16402, 16803, 16804, 17383, 17384, 18066, 18067, 18730, 18731
\langle 1972
\Larg 1971, 1972, 1973, 1974, 1975
\Larga 1972
\Largb 1973
\LARGE 426, 497, 754, 844, 1006, 1096, 1256, 1347, 1358, 5404, 5411, 5493, 5736, 6354, 6531, 6632, 6703, 7722, 8355, 8420, 8450, 8521, 10674, 10739, 15651, 15741, 15790, 15887, 15898, 16054, 16241, 16312
\Large 564, 5355, 5418, 5492, 5737, 5738, 7633, 7726, 8303, 16130, 16639, 16645, 16647, 16663, 16752, 16759, 16761, 16764, 17188, 17194, 17196, 17212, 17301, 17308, 17310, 17313, 17887, 17893, 17895, 17911, 18000, 18007, 18009, 18012
\large 428, 434, 499, 505, 519, 671, 761, 771, 846, 852, 915, 1013, 1023, 1098, 1104, 1154, 1263, 1273, 1349, 1355, 1359, 1364, 5362, 5425, 5491, 6261, 6361, 6371, 6438, 6538, 6548, 6634, 6640, 6705, 6711, 6725, 7632, 7634, 7725, 7727, 8288, 8357, 8363, 8422, 8428, 8452, 8458, 8523, 8529, 8542, 10597, 10676, 10682, 10741, 10747, 15562, 15658, 15668, 15743, 15749, 15797, 15807, 15889, 15895, 15899, 15904, 15934, 16056, 16062, 16149, 16243, 16249, 16314, 16320, 16334, 19361, 19711, 19749
\Largr 1975
\Largs 1974
\lastbox 7405, 7409, 7435, 10278, 10301, 10311, 10315, 13592, 15259, 20322
\lastbox@a 7405, 7406, 7409, 7410
\LastFrameCommand 11447, 11557
\lastkern ... 5137, 11532
\lastpenalty . 6851, 19771
\lastrule 6898
\lastskip 4570, 6066, 6067, 6179, 6180, 6850, 7392, 7393, 7397,

7398, 7400, 7407, 7412
\lastskip@a 7395, 7399, 7403
\lastskip@b 7393, 7395, 7397, 7399, 7403, 7404
\lastskip@d 7392, 7398, 7400, 7406, 7407, 7410, 7412, 7413, 7416, 7426
\LastTOCLevelWasHigher 19681
\LastTOCLevelWasLower 19677
\LastTOCLevelWasSame 19679
\LaTeX 12724, 20392, 20393, 20405
\LaTeXe 20394, 20395
\LBEG 1976
\lcb . 1973, 1976, 1977, 1980
\lccode 3324, 3326, 20173, 20174
\Lcs 1987
\LcsStar 1988
\leaders 16601, 17150, 17849, 18419, 18708, 19862, 19971, 20665
\leavevmode 14, 219, 315, 381, 518, 535, 656, 670, 695, 747, 884, 897, 914, 999, 1062, 1139, 1153, 1179, 1249, 2105, 2413, 5125, 5466, 5934, 6010, 6246, 6260, 6283, 6347, 6423, 6437, 6460, 6524, 6724, 6739, 6819, 6820, 6958, 7010, 8273, 8287, 8541, 8974, 9122, 9269, 9420, 9571, 9722, 9873, 10024, 10175, 10596, 10611, 10892, 10907, 11361, 11726, 11772, 11792, 12582, 12619, 12651, 12794, 12813, 13587, 13819, 14152, 14615, 14627, 14639, 15258, 15339, 15344, 15390, 15411, 15547, 15561, 15584, 15644, 15783, 15919, 15933, 15956, 16148, 16163, 16333, 16348, 16601, 17150, 17849, 18386, 18437, 18658, 18681, 18828, 18859, 18882, 18899, 18916, 18933, 18950, 18967, 18985, 19004, 19024, 19059, 19252, 19360, 19405, 19853, 19967, 20216, 20397, 20402, 20404, 20412, 20419, 20493, 20611, 20661
\left . 20413, 20420, 20426
\left@footnoterule 30, 244, 418, 541, 725, 742, 961, 994, 1205, 1244, 6316, 6342, 6469, 6519, 6624, 6746, 8337, 8349, 8442, 8636, 10638, 10668, 11176, 11182, 11195, 11197, 11333, 11347, 12791, 12861, 15593, 15639, 15776, 16016, 16036, 16173, 16233, 16355, 16589, 16611, 16846, 17138, 17160, 17426, 17708, 17837, 17859, 18109
\leftfootnoterule . 1668, 7779, 8681, 11180, 11183, 11421, 11701, 21067
\leftline 15354, 20583, 20589, 20591
\leftlinenumbers 13009, 13012
\leftmargin 90, 303, 579, 580, 714, 715, 950, 977, 978, 1227, 1228, 2484, 2485, 4273, 5483, 5542, 5543, 5550, 5556, 6305, 6306, 6493, 6494, 6802, 6803, 8326, 8327, 8597, 8598, 10653, 10654, 12765, 15408, 15611, 15612, 16005, 16006, 16199, 16200, 16402, 16403, 16804, 16805, 17384, 17385, 18067, 18068, 18731, 18732, 20463, 20466, 20476, 20480, 20488, 20537, 20539, 20540, 20541, 20546, 20548, 20549, 20550, 20555, 20557, 20558, 20559, 20564, 20566, 20567, 20568
\leftmargini . . . 4273, 5483, 5496, 5503
\leftmarginii 5497
\leftmarginiii 5498
\leftmarginiv 5499
\leftmarginv 5500
\leftmarginvi 5501
\leftmarginwidth . 16170
\leftmark 5833
\leftskip 12, 13, 217, 218, 315,

319, 516, 533, 536, 537, 627, 640, 651, 652, 657, 668, 693, 696, 697, 878, 879, 885, 895, 898, 899, 912, 934, 1128, 1134, 1135, 1140, 1151, 1177, 1180, 1181, 1199, 5460, 5468, 5469, 6040, 6235, 6241, 6242, 6247, 6258, 6281, 6284, 6285, 6412, 6418, 6419, 6424, 6435, 6458, 6461, 6462, 6722, 6737, 6740, 6741, 6873, 6874, 6875, 7001, 7002, 7008, 8271, 8274, 8275, 8285, 8539, 8897, 10515, 10594, 10609, 10612, 10613, 12811, 12812, 13574, 14248, 14249, 14612, 14616, 14617, 14624, 14629, 14636, 14641, 15419, 15421, 15432, 15434, 15445, 15447, 15456, 15458, 15475, 15518, 15531, 15542, 15543, 15548, 15559, 15582, 15585, 15586, 15914, 15915, 15920, 15931, 15954, 15957, 15958, 15968, 15981, 16030, 16146, 16161, 16164, 16165, 16170, 16171, 16331, 16346, 16349, 16350, 18650, 18662, 18679, 18700, 18702, 18707, 18711, 18712, 18823, 18824, 18825, 18833, 18854, 18855, 18856, 18864, 18877, 18878, 18879, 18887, 18894, 18895, 18896, 18904, 18911, 18912, 18913, 18921, 18928, 18929, 18930, 18938, 18945, 18946, 18947, 18955, 18962, 18963, 18964, 18972, 18980, 18981, 18982, 18990, 18999, 19000, 19001, 19009, 19019, 19020, 19021, 19029, 19054, 19055, 19056, 19064, 19104, 19105, 19106, 19784, 19846, 19847, 19848, 19854, 19857, 19904, 19964, 19969, 19992, 19999, 20368, 20369, 20572, 20598, 20599, 20658, 20663

\LEND 1977

\LenToUnit 8065, 8079, 8097

\leqno 338, 15350, 15352, 21058, 21060

\let 86, 102, 115, 152, 153, 156, 157, 160, 161, 164, 184, 188, 203, 204, 232, 299, 329, 337, 338, 350, 382, 383, 386, 403, 407, 411, 416, 417, 418, 419, 420, 421, 422, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 494, 495, 496, 583, 606, 621, 718, 740, 741, 742, 743, 744, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 843, 870, 981, 992, 993, 994, 995, 996, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1095, 1122, 1231, 1242, 1243, 1244, 1245, 1246, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1346, 1372, 1373, 1377, 1393, 1394, 1395, 1431, 1432, 1433, 1458, 1459, 1460, 1461, 1466, 1501, 1502, 1596, 1598, 1600, 1705, 1706, 1713, 1755, 1808, 1810, 1812, 1844, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 2060, 2061, 2062, 2089, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2116, 2117, 2118,

2228, 2229, 2230,
2231, 2232, 2233,
2234, 2235, 2236,
2488, 2497, 2502,
2520, 2544, 2563,
2568, 2593, 2594,
2601, 2602, 2605,
2606, 2640, 2773,
2776, 2784, 2808,
2830, 2852, 2853,
2983, 3063, 3065,
3066, 3067, 3068,
3069, 3124, 3160,
3167, 3173, 3179,
3187, 3190, 3193,
3201, 3205, 3207,
3354, 3357, 3388,
3467, 3473, 3476,
3486, 3496, 3507,
3574, 3584, 3586,
3620, 3631, 3726,
3742, 3762, 3777,
3793, 3886, 3907,
3908, 3924, 3967,
3970, 3972, 3977,
3991, 3999, 4000,
4020, 4021, 4048,
4059, 4064, 4068,
4070, 4073, 4083,
4094, 4121, 4132,
4141, 4190, 4195,
4211, 4212, 4213,
4214, 4216, 4217,
4218, 4219, 4265,
4395, 4396, 4433,
4434, 4440, 4442,
4446, 4491, 4492,
4574, 4576, 4578,
4724, 4725, 4738,
4742, 4744, 4745,
4751, 4755, 4759,
4768, 5012, 5013,
5031, 5032, 5050,
5051, 5078, 5079,
5107, 5108, 5109,
5206, 5227, 5228,
5229, 5235, 5256,
5257, 5258, 5264,
5285, 5286, 5287,
5303, 5307, 5308,
5309, 5312, 5316,
5317, 5318, 5321,
5325, 5326, 5327,
5474, 5538, 5579,
5666, 5733, 5734,
5735, 5925, 5926,
5928, 5929, 5947,
5968, 5969, 5970,
5971, 5972, 5973,
5974, 5975, 5976,
5979, 5980, 5981,
5982, 5983, 5984,
5985, 5986, 5987,
6048, 6074, 6124,
6130, 6151, 6164,
6174, 6188, 6192,
6193, 6194, 6195,
6196, 6197, 6198,
6199, 6200, 6206,
6207, 6208, 6209,
6210, 6211, 6212,
6213, 6214, 6229,
6309, 6340, 6341,
6342, 6343, 6344,
6382, 6383, 6384,
6385, 6386, 6387,
6388, 6389, 6390,
6391, 6406, 6497,
6517, 6518, 6519,
6520, 6521, 6559,
6560, 6561, 6562,
6563, 6564, 6565,
6566, 6567, 6568,
6617, 6622, 6623,
6624, 6625, 6626,
6627, 6628, 6646,
6647, 6648, 6649,
6650, 6651, 6652,
6653, 6654, 6655,
6656, 6657, 6681,
6682, 6683, 6684,
6685, 6686, 6687,
6688, 6689, 6690,
6691, 6692, 6693,
6700, 6701, 6702,
6806, 6830, 6832,
6835, 6836, 6837,
6843, 6848, 6868,
6880, 6881, 6882,
6884, 6885, 6891,
6892, 6893, 6894,
6914, 6923, 6964,
6970, 6991, 7163,
7166, 7167, 7226,
7229, 7230, 7777,
7778, 7779, 7780,
7781, 7784, 7785,
7787, 7805, 7806,
7808, 7826, 7827,
7831, 7866, 7868,
7880, 7883, 7884,
7888, 7918, 7920,
7932, 7935, 7936,
7983, 8007, 8015,
8023, 8330, 8347,
8348, 8349, 8350,
8351, 8369, 8370,
8371, 8372, 8373,
8374, 8375, 8376,
8377, 8378, 8402,
8403, 8404, 8405,
8406, 8407, 8408,
8409, 8410, 8411,
8412, 8419, 8440,
8441, 8442, 8443,
8444, 8445, 8446,
8464, 8465, 8466,
8467, 8468, 8469,
8470, 8471, 8472,
8473, 8474, 8475,
8499, 8500, 8501,
8502, 8503, 8504,
8505, 8506, 8507,
8508, 8509, 8510,
8511, 8518, 8519,
8520, 8601, 8649,
8650, 8651, 8652,
8653, 8654, 8663,
8664, 8665, 8666,
8667, 8668, 8669,
8670, 8671, 8672,
8673, 8674, 8679,
8680, 8681, 8682,
8683, 8775, 8776,
8777, 8778, 8779,
8780, 8783, 8784,
8785, 8786, 8787,
8788, 8790, 8927,
8928, 8929, 8933,
8934, 8935, 8936,

8939, 9078, 9079,
9080, 9084, 9085,
9086, 9087, 9090,
9222, 9223, 9224,
9228, 9229, 9230,
9231, 9234, 9373,
9374, 9375, 9379,
9380, 9381, 9382,
9385, 9524, 9525,
9526, 9530, 9531,
9532, 9533, 9536,
9675, 9676, 9677,
9681, 9682, 9683,
9684, 9687, 9826,
9827, 9828, 9832,
9833, 9834, 9835,
9838, 9977, 9978,
9979, 9983, 9984,
9985, 9986, 9989,
10128, 10129,
10130, 10134,
10135, 10136,
10137, 10140,
10321, 10322,
10323, 10327,
10328, 10329,
10330, 10333,
10346, 10358,
10370, 10395,
10409, 10423,
10522, 10584,
10657, 10666,
10667, 10668,
10669, 10670,
10688, 10689,
10690, 10691,
10692, 10693,
10694, 10695,
10696, 10697,
10721, 10722,
10723, 10724,
10725, 10726,
10727, 10728,
10729, 10730,
10731, 10738,
10794, 10821,
10824, 10825,
10857, 10860,
10861, 10943,
10944, 10946,
10947, 10950,
10951, 10980,
10982, 10984,
10992, 10993,
10994, 11000,
11004, 11007,
11015, 11017,
11020, 11021,
11155, 11183,
11209, 11210,
11319, 11333,
11347, 11373,
11374, 11375,
11376, 11410,
11425, 11431,
11436, 11571,
11572, 11573,
11574, 11616,
11619, 11620,
11664, 11667,
11668, 11701,
11702, 11703,
11704, 11705,
11795, 11829,
11831, 11859,
11861, 11866,
11868, 11872,
11874, 12205,
12206, 12207,
12248, 12249,
12250, 12292,
12293, 12294,
12307, 12308,
12309, 12322,
12323, 12324,
12330, 12332,
12333, 12334,
12335, 12336,
12337, 12338,
12347, 12383,
12421, 12454,
12485, 12516,
12522, 12524,
12525, 12526,
12527, 12528,
12529, 12530,
12531, 12543,
12546, 12549,
12552, 12719,
12720, 12721,
12722, 12737,
12748, 12761,
12778, 12827,
12892, 12902,
12907, 13104,
13116, 13427,
13428, 13429,
13431, 13433,
13437, 13439,
13441, 13442,
13444, 13445,
13446, 13450,
13456, 13468,
13504, 13505,
13506, 13566,
13567, 13568,
13569, 13570,
13578, 13625,
13626, 13627,
14216, 14217,
14218, 14219,
14220, 14221,
14222, 14223,
14224, 14280,
14283, 14284,
14286, 14287,
14384, 14387,
14388, 14484,
14487, 14488,
14723, 14726,
14746, 14747,
14750, 14751,
14754, 14755,
14859, 14860,
14861, 14969,
14970, 14971,
14972, 14973,
14975, 15020,
15025, 15039,
15071, 15260,
15264, 15309,
15310, 15311,
15312, 15315,
15316, 15318,
15323, 15346,
15347, 15348,
15349, 15350,
15412, 15416,
15418, 15429,
15431, 15442,

15444, 15454,
15455, 15466,
15467, 15468,
15469, 15470,
15480, 15481,
15482, 15483,
15484, 15493,
15495, 15496,
15512, 15615,
15637, 15638,
15639, 15640,
15641, 15679,
15680, 15681,
15682, 15683,
15684, 15685,
15686, 15687,
15688, 15723,
15724, 15725,
15726, 15727,
15728, 15729,
15730, 15731,
15732, 15733,
15740, 15767,
15774, 15775,
15776, 15777,
15778, 15779,
15780, 15818,
15819, 15820,
15821, 15822,
15823, 15824,
15825, 15826,
15827, 15828,
15829, 15864,
15865, 15866,
15867, 15868,
15869, 15870,
15871, 15872,
15873, 15874,
15875, 15876,
15884, 15885,
15886, 16009,
16034, 16035,
16036, 16037,
16038, 16039,
16040, 16068,
16069, 16070,
16071, 16072,
16073, 16074,
16075, 16076,
16077, 16078,
16079, 16108,
16109, 16110,
16111, 16112,
16113, 16114,
16115, 16116,
16117, 16118,
16119, 16120,
16126, 16127,
16128, 16203,
16227, 16231,
16232, 16233,
16234, 16235,
16236, 16237,
16255, 16256,
16257, 16258,
16259, 16260,
16261, 16262,
16263, 16264,
16265, 16266,
16290, 16291,
16292, 16293,
16294, 16295,
16296, 16297,
16298, 16299,
16300, 16301,
16302, 16309,
16310, 16311,
16406, 16431,
16458, 16459,
16476, 16548,
16549, 16550,
16609, 16610,
16611, 16612,
16613, 16614,
16615, 16617,
16681, 16698,
16699, 16700,
16701, 16702,
16703, 16704,
16705, 16706,
16707, 16708,
16709, 16710,
16711, 16712,
16713, 16714,
16715, 16716,
16717, 16718,
16719, 16720,
16721, 16722,
16723, 16724,
16725, 16729,
16730, 16731,
16816, 16841,
16842, 16866,
16867, 16868,
16869, 16870,
16871, 16877,
16878, 16879,
16880, 16881,
16882, 16976,
16978, 16984,
16986, 17097,
17098, 17099,
17158, 17159,
17160, 17161,
17162, 17163,
17164, 17166,
17230, 17247,
17248, 17249,
17250, 17251,
17252, 17253,
17254, 17255,
17256, 17257,
17258, 17259,
17260, 17261,
17262, 17263,
17264, 17265,
17266, 17267,
17268, 17269,
17270, 17271,
17272, 17273,
17274, 17278,
17279, 17280,
17396, 17421,
17422, 17446,
17447, 17448,
17449, 17450,
17451, 17457,
17458, 17459,
17460, 17461,
17462, 17556,
17558, 17564,
17566, 17796,
17797, 17798,
17857, 17858,
17859, 17860,
17861, 17862,
17863, 17865,
17929, 17946,
17947, 17948,
17949, 17950,

17951, 17952, 17953, 17954, 17955, 17956, 17957, 17958, 17959, 17960, 17961, 17962, 17963, 17964, 17965, 17966, 17967, 17968, 17969, 17970, 17971, 17972, 17973, 17977, 17978, 17979, 18079, 18104, 18105, 18129, 18130, 18131, 18132, 18133, 18134, 18140, 18141, 18142, 18143, 18144, 18145, 18239, 18241, 18247, 18249, 18377, 18378, 18379, 18382, 18438, 18439, 18440, 18443, 18454, 18455, 18456, 18463, 18464, 18469, 18478, 18479, 18480, 18482, 18485, 18489, 18492, 18494, 18497, 18506, 18509, 18522, 18523, 18524, 18539, 18540, 18541, 18542, 18543, 18544, 18546, 18547, 18550, 18551, 18625, 18626, 18629, 18631, 18632, 18633, 18645, 18674, 18703, 18708, 18714, 18717, 18735, 18797, 18801, 18830, 18831, 18832, 18861, 18862, 18863, 18884, 18885, 18886, 18901, 18902, 18903, 18918, 18919, 18920, 18935, 18936, 18937, 18952, 18953, 18954, 18969, 18970, 18971, 18987, 18988, 18989, 19006, 19007, 19008, 19026, 19027, 19028, 19061, 19062, 19063, 19126, 19281, 19418, 19499, 19502, 19532, 19765, 19981, 19989, 19994, 20001, 20018, 20021, 20081, 20139, 20143, 20221, 20226, 20236, 20240, 20269, 20279, 20283, 20323, 20327, 20376, 20377, 20378, 20379, 20382, 20383, 20385, 20390, 20392, 20394, 20406, 20407, 20408, 20409, 20413, 20414, 20420, 20421, 20422, 20434, 20456, 20518, 20571, 20574, 20575, 20589, 20590, 20608, 20612, 20613, 20614, 20617, 20629, 20630, 20631, 20632, 20638, 20639, 20640, 20678, 20730, 20733, 20734, 20777, 20780, 20781, 20958, 20960, 20963, 20975, 20977, 20979, 20981, 20983, 20985, 20988, 20989, 20991, 20992, 20998, 20999, 21000, 21005, 21017, 21020, 21027, 21034, 21038, 21040, 21043, 21044, 21057, 21058, 21066, 21067, 21068, 21215, 21217

\Letter 2333
\lettergroup 5590
\LettrineDepth . . . 12963
\LettrineFont 12904, 12914
\LettrineFontEPS . 12912
\LettrineHeight . . 12962
\LettrineTextFont 12916, 12925
\LettrineWidth 12905, 12961
\lftside 15190, 15192, 15195, 15197, 15211, 15213
\Line 8010, 8013, 8018, 8021, 8026, 8027, 8030, 8031, 8035, 8036, 8039, 8040, 8044, 8045, 8048, 8049, 8053, 8054, 8057, 8058
\line 7020, 7021, 7023, 7024, 7030, 7031, 7033, 7034, 7043, 7044, 7046, 7047, 7053, 7054, 7056, 7057, 7066, 7067, 7069, 7070, 7076, 7077, 7079, 7080, 7089, 7090, 7092, 7093, 7099, 7100, 7102, 7103, 15353, 15354, 15355

\LineNumber . . . 12987, 12989, 12991, 12996, 12999, 13001
\linenumberwidth . . . 12989, 12996, 13001
\lineskip . . 202, 404, 429, 500, 762, 847, 1014, 1099, 1264, 1350, 1359, 2317, 6362, 6539, 6635, 6706, 8358, 8423, 8453, 8524, 10677, 10742, 10996, 13469, 13575, 15476, 15490, 15659, 15744, 15798, 15890, 15899, 16057, 16133, 16244, 16315, 16639, 16753, 17188, 17302, 17887, 18001, 18458, 18497, 20634, 21001
\lineskiplimit 10997, 21001
\linespacing . . 24, 12799
\linespread 2794
\linewidth 2441, 4468, 10893, 10908, 10912, 11583, 11591, 11592, 11594, 11595, 11895, 12954, 12957, 12973, 13572, 14288, 14294, 14926, 14928, 14946, 14948, 15148, 15154, 15240, 15249, 15250, 15303, 15305, 15473, 15487, 16962, 17542, 18225, 20370, 20372, 20462, 20463, 20490, 20537, 20539, 20540, 20541, 20546, 20548, 20549, 20550, 20555, 20557, 20558, 20559, 20564, 20566, 20567, 20568, 20947, 20950
\link 2447
\list 89, 302, 577, 712, 948, 975, 1225, 5521, 5539, 5548, 5556, 6303, 6491, 6800, 8324, 8595, 10651, 12764, 14851, 15609, 16003, 16197, 16400, 16800, 17380, 18063, 18729, 20445
\listdoubleitemmaincolumnwidth 2387, 2400, 2401, 2402, 2429, 2433
\listfigurename 5443, 5444
\listitemmaincolumnwidth 2386, 2394, 2395, 2427
\listitemsymbol 2328, 2385, 2426, 2428, 7588, 7686
\listitemsymbolwidth 2384, 2385, 2395, 2401
\listoffigures 5441
\listoftables 5449
\listparindent 948, 5541, 5548, 5549, 20452, 20461
\listtablename 5451, 5452
\llap 5528, 8120, 8811, 8823, 8835, 10800, 10806, 11708, 11840, 11842, 11844, 11846, 11849, 11851, 11854, 11856, 12976, 18404, 18663, 18681
\LoadClass . . . 5775, 5799
\long . . 34, 48, 64, 247, 261, 276, 458, 745, 810, 997, 1060, 1247, 1312, 1905, 2123, 2126, 2129, 2134, 2137, 2140, 2538, 2539, 2548, 2551, 2562, 2741, 2745, 2778, 2810, 2814, 2924, 2943, 3018, 3034, 3046, 3055, 3087, 3115, 3127, 3128, 3454, 3456, 3460, 3472, 3479, 3488, 3491, 3498, 3516, 4138, 4402, 4551, 4811, 4815, 4819, 4855, 4859, 4863, 4899, 4903, 4907, 5118, 5205, 5234, 5263, 6081, 6084, 6087, 6091, 6094, 6097, 6345, 6522, 6664, 6957, 7786, 7807, 8385, 8482, 10704, 11257, 11274, 11290, 11318, 11332, 11346, 11706, 11716, 11725, 11771, 11812, 11819, 12251, 12262, 12273, 12284, 12299, 12314, 12357, 12374, 12395, 12412, 12428, 12445, 12459, 12476, 12490, 12507, 12732, 13056, 14230, 14280, 14330, 14352, 14758, 14762, 14766, 15129, 15338, 15642, 15707, 15781, 15848, 16044, 16087, 16273, 16564, 17113, 17687, 17787, 17812, 18376, 18562, 18566,

18569, 18573, 20215, 20396, 20492, 20828, 20832, 20836, 20872, 20876, 20880, 20939, 21047
\longindentation . . 8629
\longthickrule 16125, 16131
\loop 1738, 1739, 3529, 3539, 7113, 7283, 7289, 7394, 7449, 7461, 10299, 10309, 12940, 15146, 15182, 15209, 15220, 15247, 18517
\looprepeat 3546, 3550, 3594, 3665, 3672, 3677, 3683, 3686, 3688, 3692, 3693, 3698
\lower 1626, 1838, 15344, 15378, 15386, 20209, 20402, 20404
\lowercase 2608, 2616, 2624, 2632
\lowertitleback 16722, 17271, 17970
\LR 12720, 15311, 15344, 20378, 20402, 20404
\lrb 1975, 1984
\LRE 1597, 1631, 1809, 1843, 12719, 15311, 15314, 20021, 20378, 20381
\LRfootnoterule 7781, 8683, 11183
\lsb 1974, 1982
\lst@@caption . 13077, 13083, 13090, 13095
\lst@alloverstyle 1963, 1969
\lst@HRefStepCounter 13077, 13083
\lst@ifnumberbychapter 13116, 13117
\lst@Key . . . 13020, 13027
\lst@MakeCaption 13075, 13088
\lst@makecaption 13072, 13105
\lst@maketitle 13073, 13106, 13110, 13112
\lst@title@dropdelim 13073
\lstKV@SwitchCases 13021, 13028
\lstset 1933
\LT@@hl 13429, 13431
\LT@@tabarray 13428, 13432
\LT@array 12728, 13418, 16976, 16977, 17556, 17557, 18239, 18240
\LT@bchunk 13459, 13466, 13470
\LT@caption . . . 13437, 16978, 16984, 16986, 17558, 17564, 17566, 18241, 18247, 18249
\LT@cols 13472, 16961, 17541, 18224
\LT@end@pen 13520
\LT@endpbox 13439
\LT@err 13521
\LT@foot 12743, 12747, 13524, 13528, 13537, 13540
\LT@head . . . 13531, 13544
\LT@hline 13437
\LT@kill 13437
\LT@lastfoot 13524, 13526, 13537
\LT@LL@FM@cr 13446, 13450
\LT@make@row 13467
\LT@makecaption 13471, 13482, 16953, 17533, 18216
\LT@mcol 13427, 13472, 16961, 17541, 18224
\LT@no@pgbk . 13435, 13436
\LT@nofcols 13466
\LT@output 13518
\LT@p@ftn 12352, 12355, 12359, 12369, 12390, 12393, 12397, 12407, 13511, 13512, 13514, 13515
\LT@p@ftntext 13504
\LT@p@LTRftntext 12350, 12357, 13505, 13510
\LT@p@RTLftntext 12388, 12395, 13506, 13513
\LT@rows . . . 13461, 13491
\LT@setprevdepth . 13462
\LT@start . . 12745, 12755
\LT@startpbox 13443, 13450, 13502
\LT@tabularcr 13433
\LTcaptype 13484, 13493, 13494
\LTcapwidth 13472, 13485, 13486
\LTleft 13421, 13423, 13425, 13463
\LTR 15303, 20370
\LTR@column@boxes 14680, 14696, 14727, 14729
\LTR@outputdblcol 7213, 10845, 11601, 14471, 20764, 20808, 20810
\LTRbidituftesidenotemarginpar . . . 4838, 5164, 5314
\LTRcite 5108, 5228, 5257, 5286, 5308, 5317, 5326
\LTRcolumnfootnotes 8792
\LTRdblcol 20810
\LTRdfnmakecol 7939
\LTRfootfootmark 8821, 8980, 9128, 9275, 9426, 9577, 9728, 9879, 10030, 10181, 10388
\LTRfootmarkstyle 8807, 8846
\LTRfootnote . . . 421, 495, 2061, 2069, 5297, 5647, 6627, 6701, 8445, 8519, 11238, 15779, 15885, 16039,

16127, 16236, 16310, 16614, 16730, 17163, 17279, 17862, 17978
\LTRfootnotetext 2127, 2138, 6085, 6095, 11394, 11396, 12353, 13511, 18563, 18567
\LTRfootscript . 8807, 8824, 8828, 8830
\LTRfoottextfont 8725, 8732, 8753, 8759, 8859, 8952, 8980, 9000, 9102, 9128, 9147, 9247, 9275, 9295, 9398, 9426, 9446, 9549, 9577, 9597, 9700, 9728, 9748, 9851, 9879, 9899, 10002, 10030, 10050, 10153, 10181, 10201, 10360, 10388, 10412
\LTright 13421, 13423, 13425, 13464
\LTRmarginnote 5311
\LTRmarginpar 20811
\LTRmulticolcolumns 14725
\LTRsidenote . . 5033, 5293
\LTRthanks . 421, 441, 476, 495, 5647, 5655, 5672, 5688, 5699, 6627, 6647, 6682, 6701, 8445, 8465, 8500, 8519, 11392, 14217, 15779, 15819, 15865, 15885, 16039, 16069, 16109, 16127, 16236, 16256, 16291, 16310, 16614, 16699, 16730, 17163, 17248, 17279, 17862, 17947, 17978
\ltx@firstofthree 11108, 11132
\ltx@ifundefined 11102, 11126
\ltx@secondofthree 11111, 11135
\ltx@thirdofthree . . 11104, 11121, 11128

M

\m@addvipersep 14413, 14513
\m@m@float@spacing 8796
\m@m@footnote@spacing 8691, 8707, 8723, 8739, 8752, 8765, 8795, 8941, 8951, 8961, 8987, 8999, 9012, 9039, 9052, 9067, 9072, 9092, 9101, 9110, 9135, 9146, 9158, 9184, 9196, 9211, 9216, 9236, 9246, 9256, 9282, 9294, 9307, 9334, 9347, 9362, 9367, 9387, 9397, 9407, 9433, 9445, 9458, 9485, 9498, 9513, 9518, 9538, 9548, 9558, 9584, 9596, 9609, 9636, 9649, 9664, 9669, 9689, 9699, 9709, 9735, 9747, 9760, 9787, 9800, 9815, 9820, 9840, 9850, 9860, 9886, 9898, 9911, 9938, 9951, 9966, 9971, 9991, 10001, 10011, 10037, 10049, 10062, 10089, 10102, 10117, 10122, 10142, 10152, 10162, 10188, 10200, 10213, 10240, 10253, 10268, 10273, 10335, 10347, 10359, 10371, 10396, 10410, 10424, 10452, 10465, 10479, 10501, 10509
\m@m@h 8908, 8910, 8912, 8915, 8916, 8921
\m@m@k 8908, 8910, 8915, 8918, 8919, 8921
\m@m@makecolfloats . 10520, 10567, 10573
\m@m@makecolintro . . 10535, 10560, 10571
\m@m@makecoltext . . . 10524, 10568, 10579
\m@m@singlespace . . 8794
\m@make@eightcol@footgroup . . . 9831, 9924, 9964
\m@make@eightcolfootfmt 9923, 9959
\m@make@eightcolfootnotetext 9921, 9935
\m@make@fivecol@footgroup . . . 9378, 9471, 9511
\m@make@fivecolfootfmt 9470, 9506
\m@make@fivecolfootnotetext 9468, 9482
\m@make@footstart 8893, 8904, 9027, 9172, 9322, 9473, 9624, 9775, 9926, 10077, 10228
\m@make@fourcol@footgroup . . . 9227, 9320, 9360
\m@make@fourcolfootfmt 9319, 9355
\m@make@fourcolfootnotetext 9317, 9331
\m@make@mpeightcol@footgroup . . . 9837, 9925, 9969
\m@make@mpeightcolfootnotetext 9922, 9947
\m@make@mpfivecol@footgroup . . . 9384, 9472, 9516
\m@make@mpfivecolfootnotetext 9469, 9494
\m@make@mpfourcol@footgroup . . . 9233, 9321, 9365

\m@make@mpfourcolfootnotetext 9318, 9343
\m@make@mpninecol@footgroup . 9988, 10076, 10120
\m@make@mpninecolfootnotetext 10073, 10098
\m@make@mppara@footgroup . 10332, 10440, 10504
\m@make@mpparafootnotetext 10437, 10475
\m@make@mpsevencol@footgro . . . 9686, 9774, 9818
\m@make@mpsevencolfootnote 9771, 9796
\m@make@mpsixcol@footgroup . . . 9535, 9623, 9667
\m@make@mpsixcolfootnotetext 9620, 9645
\m@make@mptencol@footgroup . 10139, 10227, 10271
\m@make@mptencolfootnotetext 10224, 10249
\m@make@mpthreecol@footgro . . . 9089, 9171, 9214
\m@make@mpthreecolfootnote 9168, 9192
\m@make@mptwocol@footgroup . . . 8938, 9026, 9070
\m@make@mptwocolfootnotetext 9023, 9048
\m@make@ninecol@footgroup . 9982, 10075, 10115
\m@make@ninecolfootfmt 10074, 10110
\m@make@ninecolfootnotetext 10072, 10086
\m@make@para@footgroup . 10326, 10439, 10495
\m@make@para@footstart 10441, 10512
\m@make@parafootfmt 10438, 10489
\m@make@parafootnotetext 10436, 10462
\m@make@sevencol@footgroup . . . 9680, 9773, 9813
\m@make@sevencolfootfmt 9772, 9808
\m@make@sevencolfootnotetext 9770, 9784
\m@make@sixcol@footgroup . . . 9529, 9622, 9662
\m@make@sixcolfootfmt 9621, 9657
\m@make@sixcolfootnotetext 9619, 9633
\m@make@tencol@footgroup . 10133, 10226, 10266
\m@make@tencolfootfmt 10225, 10261
\m@make@tencolfootnotetext 10223, 10237
\m@make@threecol@footgroup . . . 9083, 9170, 9209
\m@make@threecolfootfmt 9169, 9204
\m@make@threecolfootnotetext 9167, 9181
\m@make@twocol@footgroup . . . 8932, 9025, 9065
\m@make@twocolfootfmt 9024, 9060
\m@make@twocolfootnotetext 9022, 9036
\m@mdoextrafeet . . . 8850, 10566, 10578
\m@mdoextrafeetendmini 8878, 8888
\m@mdoextrafeetmini 8869
\m@mdosplits . . . 8913, 8917, 8918, 8919
\m@minterparanoteglue 10291, 10293
\m@mipn@skip 10283, 10290, 10292
\m@mmakehboxofhboxes 10295, 10306, 10498, 10507
\m@mmf@prepare . 8703, 8719, 8735, 8800, 8949, 8959, 8969, 8995, 9008, 9020, 9047, 9059, 9099, 9108, 9117, 9142, 9154, 9165, 9191, 9203, 9244, 9254, 9264, 9290, 9303, 9315, 9342, 9354, 9395, 9405, 9415, 9441, 9454, 9466, 9493, 9505, 9546, 9556, 9566, 9592, 9605, 9617, 9644, 9656, 9697, 9707, 9717, 9743, 9756, 9768, 9795, 9807, 9848, 9858, 9868, 9894, 9907, 9919, 9946, 9958, 9999, 10009, 10019, 10045, 10058, 10070, 10097, 10109, 10150, 10160, 10170, 10196, 10209, 10221, 10248, 10260, 10356, 10368, 10380, 10406, 10420, 10434, 10474, 10488
\m@mold@footnotetext 8775, 8783
\m@mold@LTRfootnotetext 8776, 8784
\m@mold@mpfootnotetext 8778, 8786
\m@mold@mpLTRfootnotetext 8779, 8787
\m@mold@mpRTLfootnotetext 8780, 8788
\m@mold@RTLfootnotetext 8777, 8785
\m@mopfootnote 10536, 10564
\m@mremovehboxes 10315, 10316, 10499, 10508
\m@mrigidbalance 8910, 8915, 9069, 9074, 9213, 9218, 9364, 9369, 9515, 9520, 9666, 9671, 9817, 9822, 9968, 9973, 10119, 10124, 10270, 10275
\m@msplitoff . . 8918, 8920
\m@mungebox 10284, 10356, 10368, 10380,

10406, 10420, 10434, 10474, 10488
\m@munvxh . . 10276, 10285
\m@ne 314, 554, 563, 2592, 2781, 3274, 3281, 3525, 3530, 3540, 3621, 4806, 4850, 4894, 6574, 6732, 6769, 7113, 8293, 8302, 8563, 10604, 10621, 12575, 14654, 15404, 16156, 16341, 16378, 17040, 17618, 17621, 18301, 18304, 18809, 18851, 19790, 20823, 20867, 20902, 20905
\m@th 406, 8109, 8114, 8120, 10893, 10908, 13468, 19862, 19971, 20426, 20520, 20604, 20606, 20665
\maincolumnwidth . . 2382, 2391, 2392, 2393, 2394, 2396, 2400, 2415, 2419, 2444
\mainmatter 5826
\makeatletter . 2990, 3009
\makebox 8108, 8113, 8182, 8185, 8188, 8195, 8203, 8210, 8251, 8255, 14963, 14981
\makefooter 7653, 7654, 7670
\MakeFramed 11449
\makelabel . . 5528, 20456
\MakeLineNo 12981
\makeLineNumber 12982, 12984
\makeLineNumberLeft 12987
\makeLineNumberRight 12995
\maketag@@@ 346, 8106, 8119, 13550
\makethanksmark . . 14230
\maketitle . 110, 323, 330, 415, 443, 454, 478, 738, 783, 805, 827, 990, 1035, 1057, 1079, 1240, 1285, 1307, 1329, 1901, 1913, 2408, 5623, 5727, 5751, 6338, 6383, 6515, 6560, 6621, 6649, 6660, 6684, 7635, 7749, 8346, 8370, 8381, 8403, 8439, 8467, 8478, 8502, 10665, 10689, 10700, 10722, 12522, 12523, 12822, 14225, 15635, 15680, 15702, 15724, 15772, 15821, 15843, 15867, 16033, 16071, 16082, 16111, 16230, 16258, 16269, 16293, 16603, 16674, 16701, 17152, 17223, 17250, 17851, 17922, 17949
\maketitledetailsnewline 7744, 7759, 7761, 7762, 7763, 7764, 7765
\maketitledetailswidth 7736, 7738, 7739, 7740, 7741, 7756
\maketitlehookb . . 14275
\maketitlehookc . . 14277
\maketitlenamefullwidth . . . 7730, 7731, 7733
\maketitlenamemaxwidth . . . 7728, 7729, 7733
\maketitlenamewidth 7732, 7733, 7739, 7751
\maketitlepage 5709, 5751
\maketitlepicturewidth 7734, 7735, 7741, 7770
\MakeUppercase . 125, 574, 602, 603, 618, 709, 867, 972, 1119, 1222, 6226, 6300, 6403, 6488, 6613, 6614, 6797, 8321, 8592, 10648, 12837, 15509, 15606, 15764, 16000, 16223, 16224, 16397
\marginline 16859, 17439, 18122
\marginnote 5302
\marginpar 4372, 5080, 16860, 17440, 18123, 20057
\marginparpush 4305, 20921
\marginparsep 1891, 2293, 4346, 4349, 4353, 4505, 4512, 11839, 11841, 11845, 11850, 11853, 11855, 20932, 20934
\marginparwidth 1890, 2294, 4345, 4350, 4362, 4460, 4730, 4823, 4867, 4911, 11839, 11841, 11853, 11855, 20840, 20884, 20934
\markboth 124, 568, 5831, 8307, 12836
\mathindent . 10894, 10910
\mathsurround 6847
\max@poem@no 6026, 6135, 6136
\maxdepth . . 10569, 10580
\maxdimen 7154, 7155, 7157, 7217, 7218, 7220, 10352, 10364, 10376, 10402, 10416, 10430, 10470, 10484, 10765, 10813, 10814, 10815, 10849, 10850, 10851, 11456, 11607, 11608,

11610, 11655, 11656, 11658, 14375, 14376, 14378, 14475, 14476, 14478, 18510, 18549, 19922, 19925, 19930, 19934, 19938, 19942, 19946, 19950, 19954, 19958, 20143, 20721, 20722, 20724, 20768, 20769, 20771
\mbox . 11800, 12976, 17790
\mc@col@status@write 14684, 14708
\mc@gridwarn 14674
\mc@lastcol@status@write 14690, 14716
\mdf@footenotedistance@length 13613
\mdf@footnoteinput 13621
\mdf@footnoteoutput 13610
\mdf@frametitleaboveskip@length 13605
\mdf@frametitlealignment 13586
\mdf@frametitlebelowskip@length 13606
\mdf@frametitlebox .. 13585, 13598, 13599, 13600, 13601, 13603, 13604
\mdf@frametitlefont 13588
\mdf@frametitlefontcolor 13587
\mdf@horizontalmargin@equation 13563
\mdf@ignorevbadness 13597
\mdf@lrbox . 13556, 13585
\mdf@par@local ... 13579
\mdf@patchamsthm . 13557
\mdfframedtitleenv 13584
\mdfframetitleboxdepth 13601
\mdfframetitleboxheight 13600
\mdfframetitleboxtotalheight 13602
\mdfframetitleboxwidth 13599
\mdseries 317, 7629, 7631, 7633, 7634, 7721, 7722, 7723, 7726, 7727
\meaning 2501, 2504, 2747, 2980, 3007, 3022, 3040, 3048, 3057, 3121
\mediabutton 14148, 14209, 14210
\medskip 5933
\medskipamount 8631
\mem@makecol 10559, 10581
\memRTLleftskip .. 14248
\memRTLraggedleft 14253
\memRTLraggedright 14252
\memRTLrightskip . 14249
\memRTLvleftskip . 14250
\memRTLvrightskip 14251
\message .. 1781, 1783, 11457, 11465, 11469, 11474, 11482, 11488, 11498, 11503, 11505, 11512, 11520, 11533, 11541, 11546, 11551, 11564, 11575, 11583, 11595
\MessageBreak 148, 3220, 3234, 3246, 3260, 3902, 3913, 3920, 3932, 3938, 4036, 4089, 4090, 4091, 4105, 4106, 4108, 4386, 4482, 4709, 4710, 4778, 5382, 5383, 5384, 5386, 5387, 5391, 5392, 5393, 5395, 5396, 14326, 14327, 14657, 14676, 14742, 16675, 16826, 16833, 17224, 17406, 17413, 17923, 18089, 18096, 19434, 19436, 19439
\MH 8118, 8122, 8127, 8128, 8132, 8136, 8137, 8141, 8149, 8151, 8156, 8168, 8176, 8181, 8184, 8187, 8189, 8190, 8192, 8193, 8196, 8197, 8199, 8200, 8202, 8204, 8205, 8207, 8208, 8211, 8212, 8214, 8215, 8217, 8222, 8223, 8224, 8225, 8226, 8227, 8228, 8229, 8230, 8239, 8241, 8245, 8246, 8248
\MHInternalSyntaxOff 8263, 13553
\MHInternalSyntaxOn 8103, 13547
\MidFrameCommand .. . 11445, 11489, 11557
\minrowclearance 1463, 1497, 6952
\mintagvsep 8123
\missingfigure 20101, 20131
\mix 13642, 13643, 13650, 13651, 13677, 13694, 13717, 13720, 13722, 13745, 13777, 13785, 13794, 13805, 13816, 13818, 13823, 13824, 13826, 13827, 13829, 13841, 13850, 13853, 13854, 13855, 13865, 13875, 13876, 13878, 13879, 13884, 13885, 13901, 13903, 13905, 13910,

13949, 13956, 13957, 13960, 13978, 13980, 13983, 13985, 13988, 13995, 14003, 14005, 14058, 14063, 14074, 14075, 14078, 14109, 14114, 14116, 14123, 14124, 14127, 14142, 14146, 14149, 14151, 14160, 14163, 14173, 14174, 14176, 14199, 14205, 14210
\mkern 19863, 19864, 19972, 20666
\mobile 2370
\Mobilefone 2330
\mobilesymbol 2330, 7663, 7761
\modernpoem 6188
\modernpoem@obeylines 5928, 6188
\modernpoem@par 5928, 5929, 6152
\morefloats . . . 4612, 4709
\moreLRE 1598, 1810, 15265, 20328
\moreRLE 1600, 1812, 15266, 20329
\moveleft . . . 4762, 14569
\moveright 10998, 14667, 21004
\mp@footgroupv@r . . 8874, 8907, 8939, 9090, 9234, 9385, 9536, 9687, 9838, 9989, 10140, 10333
\mpfootnoterule 11210, 11214
\msg 13697, 13700, 13748, 13751, 13766, 13769, 13811
\MT . 8142, 8148, 8150, 13548
\mult@cols 14757
\mult@footnotetext 151, 153, 14745, 14747, 14758
\mult@gfirstbox 14681, 14698, 14704
\mult@info 14655
\mult@LTRfootnotetext 155, 157, 14749, 14751, 14762
\mult@rightbox 14648, 14688, 14689, 14691, 14713, 14714, 14717
\mult@RTLfootnotetext 159, 161, 14753, 14755, 14766
\multfootsep . . 5122, 5140
\multicol@leftmargin 14658, 14667
\multicols 14730
\multicolumn 13427, 18484
\multiplefootnotemarker 5121, 5137, 5231, 5232, 5260, 5261, 5289, 5290, 8799, 8801, 8802
\multiply 1875, 1880, 2218, 10338, 10455, 15165, 15169
\myrefname 17741

N

\n@xt 1596, 1598, 1600, 1601, 1808, 1810, 1812, 1813
\na 15168, 15170, 15172, 15181, 15183, 15208, 15209
\narrower 20597
\NAT@bibitem@first@sw 14859
\nb 15168, 15171, 15172, 15181, 15182, 15203, 15219, 15220
\NC@find 18516
\NC@rewrite@X 18515
\NeedsTeXFormat 1504, 1868, 1924, 2057, 2249, 2498, 4221, 4787, 5329, 5475, 5591, 5618, 5767, 5791, 5856, 7573, 7671
\new@command . . 2783, 2785
\new@poem@width . . . 5943, 5944, 5945, 5946, 6031, 6073, 6076
\newblock . 2496, 6043, 6150, 14853, 14855
\newboolean 4229, 4232, 4234, 4236, 4237, 4249, 4313, 4323, 4390, 4413, 4714, 5338, 5597, 5624
\newbox 5998, 5999
\newcommand 1536, 1537, 1543, 1549, 1565, 1566, 1569, 1570, 1582, 1585, 1607, 1608, 1615, 1631, 1741, 1962, 1968, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 2274, 2360, 2365, 2366, 2367, 2369, 2370, 2371, 2373, 2374, 2376, 2377, 2388, 2389, 2409, 2416, 2418, 2422, 2426, 2428, 2434, 2443, 2445, 2447, 2451, 2455, 2460, 2472, 2496, 2607, 2615, 2623, 2631, 2648, 2654, 2660, 2666, 2672, 2678, 2684, 2690, 2697, 2700, 2703, 2709, 2721, 2727, 2739, 2742, 2744, 2751, 2755, 2761, 2768, 2771, 2774, 2777, 2793, 2799, 2843, 2848, 2970, 2994, 3045, 3054, 3131, 3134, 3137, 3140, 3143, 3146, 3149, 3153, 3156, 3170, 3182, 3197, 3724, 3725, 3741, 3756, 3760, 3766, 3769, 3772, 3775, 3780,

3783, 3786, 3790, 3794, 3797, 3798, 3799, 3801, 3809, 3818, 3820, 3830, 3832, 3844, 3846, 3853, 3861, 3863, 3872, 3874, 3885, 3887, 3888, 3892, 3896, 3966, 3976, 3980, 3985, 4019, 4057, 4080, 4081, 4082, 4114, 4115, 4116, 4117, 4128, 4225, 4226, 4227, 4228, 4250, 4253, 4280, 4307, 4308, 4309, 4310, 4325, 4344, 4380, 4382, 4383, 4388, 4389, 4391, 4392, 4399, 4400, 4401, 4409, 4412, 4500, 4518, 4728, 4736, 4746, 4749, 4757, 4926, 4927, 4928, 4929, 4930, 4931, 4932, 4933, 4934, 4935, 4936, 4937, 4938, 4939, 4940, 4941, 4942, 4943, 4944, 4945, 4946, 4947, 4948, 4949, 4950, 4951, 4960, 5010, 5029, 5048, 5070, 5076, 5101, 5102, 5136, 5292, 5293, 5294, 5302, 5311, 5320, 5333, 5334, 5457, 5510, 5590, 5603, 5637, 5638, 5639, 5640, 5641, 5642, 5643, 5644, 5695, 5709, 5885, 5892, 5901, 5905, 5915, 5934, 6138, 6139, 7744, 7938, 7939, 7948, 7955, 7971, 7977, 7993, 8000, 8645, 8659, 10548, 10581, 10582, 10583, 10584, 11026, 11029, 11088, 11093, 11095, 11101, 11117, 11141, 11153, 11207, 11253, 11254, 11255, 11308, 11310, 11883, 13034, 13045, 14722, 14725, 14728, 16546, 16547, 17095, 17096, 17794, 17795, 20012, 20014, 20319, 20320, 20368, 20369, 20444, 20578, 20579, 20681, 20809, 20810, 20954

\newcount 1732, 1871, 1872, 3267, 3370, 3522, 3583, 3663, 8908, 20673

\newcounter 5009, 6134, 10919, 11086, 19038, 19042, 19043

\newdimen 5889, 5890, 5940, 8908

\newenvironment . . . 2009, 2020, 2029, 2038, 2473, 4359, 4374, 4377, 4415, 4542, 6123, 6187, 12758, 20534, 20543, 20552, 20561

\newfloat@@setwithin 14886, 14892, 14900, 14902

\newfloat@Error . . 14905

\newfloat@setwithin 14872

\newif 1564, 1568, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1578, 1580, 1581, 1794, 1795, 1796, 1797, 1798, 1799, 2251, 2280, 2459, 2996, 3436, 5812, 6000, 7576, 7578, 7580, 7582, 7647, 7674, 7676, 7678, 7680, 7743, 11084, 11092, 13555, 20010, 20011

\newinsert 1603, 1815, 4615, 4616, 4617, 4618, 4619, 4620, 4621, 4622, 4623, 4624, 4625, 4626, 4627, 4628, 4629, 4630, 4631, 4632, 4633, 4634, 4635, 4636, 4637, 4638, 4639, 4640, 4641, 4642, 4643, 4644, 4645, 4646, 4647, 4648, 4664, 4665, 4666, 4667, 4668, 4669, 4670, 4671, 4672, 4673, 4674, 4675, 4676, 4677, 4678, 4679, 4680, 4681, 4682, 4683, 4684, 4685, 4686, 4687, 4688, 4689, 8900, 8906

\newlength 2378, 2379, 2380, 2382, 2383, 2384, 2386, 2387, 2470, 4341, 4342, 4343, 4397, 4414, 5202, 7728, 7730, 7732, 7734, 7736, 19070, 19072, 19073, 19700

\newline 2441, 4576

\newlinechar 1756

\newlinetospace . . . 4573, 4593, 4594, 4595, 5832, 5833, 5834

\NewList 3470

\newlistentry 19035, 19102

\newpage 468, 490, 819, 839, 1071, 1091, 1321, 1341, 4083, 4085, 4089, 4094, 4095, 4098, 4102,

4104, 4107, 5728, 5765, 5766, 6674, 6696, 7570, 8395, 8415, 8492, 8514, 10714, 10734, 13434, 14239, 15716, 15736, 15857, 15879, 16101, 16123, 16283, 16305, 16690, 17239, 17938
\newpoem@tabcr 6151, 6160, 6161
\newsavebox 2008, 4358, 4393, 4394
\newskip . . 2046, 2047, 2048, 2786, 10290
\newthought 5531
\newtoks 2059, 2512, 2513, 3268, 3269, 3439, 3452, 3470, 3522, 5941, 11094, 15261, 20324
\newXeTeXintercharclass 1734, 1735
\next 20704, 20707
\next@tpage 16620, 16652, 16662, 16665, 16733, 17169, 17201, 17211, 17214, 17282, 17868, 17900, 17910, 17913, 17981
\ninecolumnfootnotes 9974
\ninecolumnfootstyle 10071
\nl 188
\no@bib@break 16812, 17392, 18075
\noalign 1377, 6054, 8918, 13434, 13435, 13436, 16954, 16979, 16981, 17534, 17559, 17561, 18217, 18242, 18244
\nobibliography . . . 5006
\nobidilogo 1844
\nobreak 14, 16, 219, 221, 520, 538, 565, 569, 657, 658, 672, 698, 885, 886, 900, 916, 1140, 1141, 1155, 1182, 4145, 5129, 5469, 5470, 5954, 5956, 5962, 6247, 6248, 6262, 6286, 6424, 6425, 6439, 6463, 6577, 6585, 6597, 6726, 6742, 6772, 6777, 6785, 7003, 8276, 8289, 8304, 8308, 8316, 8543, 8566, 8571, 8580, 8624, 8625, 10598, 10614, 10623, 10627, 10635, 12813, 12815, 12860, 13544, 13612, 14618, 14629, 14630, 14641, 14642, 15407, 15409, 15548, 15549, 15563, 15587, 15920, 15921, 15935, 15959, 16150, 16166, 16335, 16351, 16380, 16384, 16392, 16787, 17787, 18668, 18685, 18692, 18833, 18836, 18864, 18865, 18887, 18888, 18904, 18905, 18921, 18922, 18938, 18939, 18955, 18956, 18972, 18973, 18990, 18991, 19009, 19010, 19029, 19030, 19064, 19065, 19100, 19258, 19259, 19365, 19367, 19415, 19447, 19452, 19455, 19855, 19860, 19868, 19969, 19970, 19974, 20663, 20664, 20668
\nobreakspace 564
\node . 20055, 20085, 20091
\noexpand 396, 2081, 2082, 2096, 2097, 2124, 2127, 2130, 2508, 2517, 2521, 2541, 2545, 2644, 2746, 2747, 2749, 2975, 2976, 2977, 2979, 2980, 3005, 3007, 3025, 3026, 3027, 3030, 3037, 3038, 3039, 3041, 3047, 3048, 3050, 3056, 3057, 3059, 3118, 3120, 3121, 3287, 3433, 3438, 3444, 3484, 3512, 3515, 3518, 3519, 3603, 3610, 3613, 3614, 3631, 3635, 3637, 3638, 3639, 3647, 3648, 3649, 3652, 3653, 3654, 3689, 3750, 3911, 3912, 3914, 4050, 4155, 4189, 4190, 4978, 4980, 4988, 5381, 5384, 5390, 5393, 6082, 6085, 6088, 6140, 7352, 7527, 7880, 7932, 10921, 10922, 10927, 10928, 10980, 12343, 12353, 12361, 12362, 12363, 12365, 12391, 12399, 12400, 12401, 12403, 12432, 12433, 12434, 12436, 12463, 12464, 12465,

12467, 12494, 12495, 12496, 12498, 13463, 13511, 13514, 14076, 14343, 16809, 16810, 17389, 17390, 18072, 18073, 18380, 18452, 18489, 18490, 18563, 18570, 19045, 19517, 19550, 19557, 19562, 19563, 19623, 19994, 19995, 19996, 19997, 19998, 19999, 20000, 20001, 20002, 20244, 20259, 20287, 20293, 20306, 20527, 20528, 20627, 20958
\noindent 171, 173, 458, 633, 642, 940, 1192, 1201, 1905, 4368, 4561, 5152, 5170, 5188, 5305, 5314, 5323, 5533, 5553, 5714, 5716, 5718, 5909, 6296, 6484, 6664, 6860, 8385, 8482, 8627, 10354, 10366, 10378, 10404, 10418, 10432, 10472, 10486, 10503, 10511, 10704, 11707, 12974, 14303, 15524, 15533, 15974, 15983, 16049, 16092, 16273, 16583, 16620, 16733, 16787, 16901, 16906, 17132, 17169, 17282, 17481, 17486, 17702, 17731, 17737, 17743, 17749, 17755, 17761, 17767, 17773, 17779, 17788, 17831, 17868, 17981, 18164, 18169, 20033, 20036, 20038, 20040, 20043, 20047, 20049, 20105, 20167, 20596
\nointerlineskip 7797, 7818, 11428, 13595, 14665, 20929, 20937
\nopagebreak 6008, 6018, 13436
\nopagenumbers 2460
\normalbaselines . 20426
\normalbaselineskip 321, 4266, 10337, 10454, 13576, 15477, 15491
\normalcolor 2226, 6964, 7175, 7240, 8237, 8874, 8884, 10544, 10555, 11384, 11437, 11631, 11677, 12846, 13614, 14643, 19753, 19975, 20221, 20669, 20742, 20791, 21010, 21031, 21062
\normalfont 25, 38, 52, 68, 85, 251, 265, 280, 298, 457, 460, 562, 809, 811, 1063, 1311, 1313, 1904, 1907, 1971, 1976, 1977, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 4307, 4926, 4927, 4928, 5016, 5035, 5054, 5120, 5355, 5362, 5369, 5561, 6573, 6593, 6663, 6666, 6768, 6783, 8109, 8114, 8120, 8301, 8314, 8384, 8387, 8481, 8484, 8562, 8578, 8812, 8816, 8818, 8824, 8828, 8830, 8836, 8840, 8842, 10620, 10633, 10703, 10706, 12760, 12795, 12800, 12846, 13588, 14229, 14643, 14965, 14978, 15706, 15708, 15847, 15849, 16043, 16050, 16086, 16093, 16272, 16275, 16377, 16390, 19090, 19095, 19096, 19454, 19753, 19975, 20669, 21062
\normalfootnotes 8781, 8790
\normallineskip 202, 2318, 13575, 15476, 15490
\normalparindent 42, 56, 72, 255, 269, 284
\normalsfcodes 10991, 20997
\normalsize 317, 4259, 4260, 4267, 4834, 4878, 4922, 5016, 5035, 5054, 5432, 7631, 7723, 10991, 14361, 16132, 16590, 16597, 17139, 17146, 17838, 17845, 19454, 20851, 20895, 20995
\NOT . . 4461, 4462, 4501, 4521, 4525, 5208, 5237, 5266, 5348, 5352
\null 423, 437, 491, 631, 634, 750, 779, 840, 938, 941, 1002,

1031, 1092, 1190, 1193, 1252, 1281, 1342, 5469, 6043, 6294, 6297, 6350, 6379, 6482, 6485, 6527, 6556, 6629, 6643, 6697, 8352, 8366, 8416, 8447, 8461, 8515, 10671, 10685, 10735, 14619, 14629, 14630, 14641, 14642, 15522, 15525, 15647, 15676, 15737, 15786, 15815, 15880, 15972, 15975, 16051, 16065, 16124, 16238, 16252, 16306, 16629, 16651, 16662, 16733, 16741, 17178, 17200, 17211, 17282, 17290, 17877, 17899, 17910, 17981, 17989, 18405, 18411, 18433, 18833, 18864, 18887, 18904, 18921, 18938, 18955, 18972, 18990, 19009, 19029, 19064, 19415, 19855, 19969, 20663

\number 8, 139, 213, 2991, 3554, 3669, 3675, 3681, 3684, 3690, 3694, 6026, 6127, 7804, 7825, 7870, 7876, 7879, 7922, 7928, 7931, 8160, 8163, 12807, 14733

\numberline 4554, 13090, 13095, 14355, 18763, 19765, 19983, 19986, 19989

\numberline@box 19418, 19419

\numberline@tempa 19985

\numberwithin 339

\numexpr . . 2794, 4162, 19235, 19343, 19517

\nxLcs . . . 1987, 1988, 1989

O

\obeylines . . . 6044, 6152

\ocgbase . . . 14132, 14134

\oddpage 1872, 1876, 1877, 1878, 1881, 1882, 1883

\oddsidemargin 1894, 2289, 8088, 11859, 11868, 11872, 20979, 20983

\on@line 20528

\on@stripcols@break 7436

\onecolumn 607, 623, 872, 1124, 2327, 6231, 6408, 6618, 15514, 15769, 16228, 18798

\opening 8612, 12848

\OptArg 1988, 2054

\OptArg@i 2054, 2055

\OptArg@ii . . . 2054, 2056

\OptArgs 2053

\optparams 4435, 5292, 5293, 5294, 5296, 5297, 5298

\OR 4429, 4501, 4521, 4525, 4777

\or 1413, 1414, 1415, 1417, 1418, 1438, 1439, 1440, 1444, 1445, 1446, 1447, 1448, 1452, 1453, 1481, 1482, 1483, 1485, 1486, 1637, 1643, 1649, 1655, 1661, 1667, 1669, 1671, 1673, 1679, 1685, 1691, 1704, 1712, 1719, 6935, 6936, 6937, 6939, 6940, 12187, 12191, 19077, 19080, 19083, 19908, 20019, 20026, 20248, 20297, 20696, 20697, 20699

\orig@footnotetext .. 152, 14746, 14761

\orig@LTRfootnotetext .. 156, 14750, 14765

\orig@RTLfootnotetext .. 160, 14754, 14769

\origin@RaggedLeft . 15495, 15497, 15498

\origin@RaggedRight . 15496, 15497, 15498

\originalHbadness 20081, 20099

\othermargin 882

\outer 1865

\outer@nobreak 2244, 4828, 4872, 4916, 20845, 20889

\outputpenalty 7326, 7327, 7335, 7336, 7345, 7346, 7500, 7501, 7509, 7510, 7519, 7520, 13519, 13520

\overfullrule 2278, 2279, 15390

\OVP@calc 14960

P

\p@ . . . 27, 29, 30, 31, 99, 103, 229, 233, 241, 243, 244, 245, 321, 424, 513, 530, 542, 544, 546, 548, 600, 605, 616, 620, 649, 665, 683, 690, 726, 732, 751, 865, 869, 876, 892, 909, 927, 962, 964, 967, 969, 1003, 1117, 1121, 1132, 1148, 1166, 1174, 1206, 1212, 1253, 1604, 1816, 2317, 2318, 2322, 2323, 4261, 4262, 4263, 4270, 4271,

4272, 4274, 4275, 5480, 5481, 5482, 5484, 5485, 5551, 6224, 6228, 6239, 6255, 6271, 6278, 6317, 6323, 6351, 6401, 6405, 6416, 6432, 6448, 6455, 6470, 6476, 6528, 6572, 6578, 6583, 6587, 6589, 6592, 6595, 6599, 6601, 6611, 6616, 6630, 6719, 6734, 6747, 6749, 6751, 6753, 6767, 6773, 6778, 6781, 6786, 7018, 7028, 7041, 7051, 7064, 7074, 7087, 7097, 7459, 7782, 7783, 8268, 8282, 8338, 8340, 8342, 8344, 8353, 8448, 8537, 8561, 8567, 8572, 8576, 8581, 8637, 8639, 8641, 8643, 8684, 8685, 10591, 10606, 10619, 10624, 10628, 10631, 10636, 10639, 10641, 10643, 10645, 10672, 10773, 11173, 11175, 11176, 11177, 11178, 11179, 11211, 11730, 11737, 11776, 11783, 11828, 12775, 12779, 12788, 12790, 12791, 12792, 12844, 12862, 12864, 12866, 12868, 14281, 14611, 14623, 14635, 14771, 14773, 14774, 14775, 15507, 15511, 15540, 15556, 15572, 15579, 15594, 15600, 15648, 15762, 15766, 15787, 15912, 15928, 15944, 15951, 16017, 16023, 16052, 16144, 16158, 16174, 16176, 16178, 16180, 16221, 16226, 16239, 16328, 16343, 16356, 16358, 16360, 16362, 16376, 16381, 16385, 16388, 16393, 16591, 16595, 16598, 16602, 16847, 16850, 16852, 16855, 17006, 17025, 17140, 17144, 17147, 17151, 17427, 17430, 17432, 17435, 17586, 17605, 17708, 17710, 17712, 17714, 17839, 17843, 17846, 17850, 18110, 18113, 18115, 18118, 18269, 18288, 18796, 19071, 19239, 19242, 19246, 19347, 19350, 19354, 19684, 19687, 19691, 19697, 19779, 19963, 20657, 21072

\p@enumiv 86, 299, 583, 718, 981, 1231, 2488, 6309, 6497, 6806, 8330, 8601, 10657, 12761, 15615, 16009, 16203, 16406, 16816, 17396, 18079, 18735

\p@subfigure 18463

\p@subtable 18464

\PackageError . . 144, 2578, 2610, 2613, 2618, 2621, 2626, 2629, 2634, 2637, 2788, 4099, 4226, 5334, 13025, 13032, 13200, 13203, 13206, 13209, 13212, 13215, 13218, 13221, 13225, 13228, 13231, 13234, 13237, 13240, 13243, 13246, 13249, 13252, 13255, 13258, 13261, 13264, 13267, 13270, 13273, 13276, 13279, 13282, 13285, 13288, 13291, 13294, 13297, 13300, 13303, 13306, 13309, 13312, 13315, 13318, 13321, 13324, 13327, 13330, 13333, 13336, 13339, 13342, 13345, 13348, 13351, 13354, 13357, 13360, 13363, 13366, 13369, 13372, 13375, 13378, 13381, 13384, 13387, 13390, 13393, 13396, 13399, 13402, 13405, 13408, 13411, 13414, 14738, 18696, 19049, 20683

\PackageInfo 2790, 3787, 3889,

4036, 4228, 20005
\PackageWarning 138, 2789, 3890, 3919, 6129, 7585, 7683, 10923, 11562, 12888, 14675, 14732, 14866, 19040, 19431
\PackageWarningNoLine 4086
\page@sofar . . . 164, 14647
\pagebreak 13435, 20151, 20160
\pagecontents 15325
\pagedepth 20145
\pagefillstretch . 20157
\pagefilstretch . . 20156
\pagefootnoterule 11209, 11217
\pagegoal 11456, 11458, 11463, 11470, 11511, 11513, 13525, 14581, 20148
\pageinwindow 7120
\pagenumbering 2325, 5816
\pageref 2464, 2466
\pageshrink . . . 11472, 11476, 11492, 11518, 11530, 20151
\pagestretch . . 11471, 11492, 11530, 20155
\pagestyle 1870, 2316, 2324, 2467, 4581, 5817, 7669
\pagetotal . . . 11458, 11463, 11469, 14238, 14579, 14582, 14593, 20143, 20148, 20206
\paperheight 2253, 2256, 2259, 2262, 2265, 2268, 2271, 2272, 8065
\paperwidth 2254, 2257, 2260, 2263, 2266, 2269, 2272, 2273, 8065, 8073
\par 5, 15, 46, 60, 76, 107, 108, 109, 110, 172, 174, 210, 220, 237, 238, 239, 259, 273, 288, 320, 323, 407, 426, 432, 434, 435, 454, 497, 503, 507, 519, 538, 565, 568, 634, 644, 658, 671, 698, 759, 769, 776, 777, 805, 844, 850, 854, 886, 900, 915, 941, 955, 1011, 1021, 1028, 1029, 1057, 1096, 1102, 1106, 1141, 1154, 1182, 1193, 1203, 1261, 1271, 1278, 1279, 1307, 1347, 1353, 1358, 1363, 1366, 1865, 1901, 2242, 4455, 4463, 4522, 4523, 4526, 4527, 4552, 4561, 4562, 4731, 4747, 5471, 5586, 5587, 5588, 5589, 5714, 5716, 5718, 5736, 5737, 5738, 5912, 6019, 6033, 6044, 6062, 6144, 6152, 6177, 6248, 6261, 6286, 6297, 6359, 6369, 6376, 6377, 6425, 6438, 6463, 6485, 6536, 6546, 6553, 6554, 6577, 6585, 6597, 6632, 6638, 6640, 6641, 6660, 6703, 6709, 6713, 6725, 6742, 6772, 6777, 6785, 6862, 7003, 7420, 7790, 7811, 8276, 8288, 8304, 8307, 8315, 8355, 8361, 8363, 8364, 8381, 8420, 8426, 8430, 8450, 8456, 8458, 8459, 8478, 8521, 8527, 8531, 8542, 8566, 8571, 8580, 8614, 8619, 8622, 8624, 8625, 8635, 8880, 8977, 8980, 8983, 9064, 9125, 9128, 9131, 9208, 9272, 9275, 9278, 9359, 9423, 9426, 9429, 9510, 9574, 9577, 9580, 9661, 9725, 9728, 9731, 9812, 9876, 9879, 9882, 9963, 10027, 10030, 10033, 10114, 10178, 10181, 10184, 10265, 10503, 10511, 10597, 10614, 10623, 10627, 10635, 10674, 10680, 10682, 10683, 10700, 10739, 10745, 10749, 10917, 11380, 12783, 12784, 12785, 12804, 12814, 12822, 12850, 12855, 12858, 12860, 12933, 13066, 13468, 13568, 13591, 13595, 14225, 14297, 14303, 14309, 14313, 14319, 14334, 14353, 14362, 14619, 14631, 14644, 14779, 14791, 14853, 15132, 15303, 15304, 15305, 15306, 15399, 15400, 15407, 15408, 15468, 15482, 15525, 15535, 15549, 15562, 15587, 15656, 15666, 15673, 15674, 15702, 15741,

15747, 15751, 15795, 15805, 15812, 15813, 15843, 15887, 15893, 15898, 15903, 15906, 15921, 15934, 15959, 15975, 15985, 16049, 16054, 16060, 16062, 16063, 16082, 16092, 16130, 16135, 16138, 16149, 16166, 16241, 16247, 16249, 16250, 16269, 16312, 16318, 16322, 16334, 16351, 16380, 16384, 16392, 16582, 16627, 16632, 16635, 16637, 16642, 16645, 16647, 16649, 16655, 16663, 16669, 16739, 16745, 16748, 16750, 16756, 16759, 16761, 16764, 16767, 16787, 16896, 16900, 16901, 16905, 16906, 16910, 17131, 17176, 17181, 17184, 17186, 17191, 17194, 17196, 17198, 17204, 17212, 17218, 17288, 17294, 17297, 17299, 17305, 17308, 17310, 17313, 17316, 17476, 17480, 17481, 17485, 17486, 17490, 17701, 17731, 17737, 17743, 17749, 17755, 17761, 17767, 17773, 17779, 17781, 17784, 17787, 17791, 17830, 17875, 17880, 17883, 17885, 17890, 17893, 17895, 17897, 17903, 17911, 17917, 17987, 17993, 17996, 17998, 18004, 18007, 18009, 18012, 18015, 18159, 18163, 18164, 18168, 18169, 18173, 18494, 19101, 19107, 19260, 19366, 19447, 19874, 19976, 20033, 20034, 20040, 20041, 20043, 20051, 20104, 20370, 20371, 20372, 20373, 20535, 20544, 20553, 20562, 20631, 20670, 21051, 21072

\par@updaterelative 16623, 16735, 17172, 17284, 17871, 17983

\paragraph 5367

\paragraphfootnotes 10318

\paragraphfootstyle 10435

\parbox . . . 2413, 2415, 7657, 8630, 10798, 10799, 10800, 10804, 10805, 10806, 11988, 11990, 11994, 11996, 12027, 12028, 12031, 12032, 12089, 12090, 12093, 12094, 12118, 12120, 12124, 12126, 13472, 14291, 14320, 14777, 14779, 14780, 14782, 14784, 14785, 14787, 14789, 14791, 14792, 14794, 14796, 14797, 14798, 14799, 14800, 14801, 14803, 14804, 14805, 14806, 14807, 14808, 14809, 14810, 14811, 14812, 14814, 14815, 14816, 14817, 14819, 14820, 14821, 14822, 14824, 14825, 14826, 14827, 14828, 14829, 14831, 14832, 14833, 14834, 14835, 14836, 14838, 14839, 14840, 14841, 14842, 16962, 17542, 17731, 17737, 17743, 17749, 17755, 17761, 17767, 17773, 17779, 17790, 18225

\parfillskip . 13, 218, 517, 534, 653, 669, 694, 880, 896, 913, 1136, 1152, 1178, 5462, 6038, 6243, 6259, 6282, 6420, 6436, 6459, 6723, 6738, 6890, 7009, 8272, 8286, 8540, 10383, 10387, 10391, 10492, 10595, 10610, 12812, 13575,

14612, 14624, 14636, 15422, 15435, 15448, 15459, 15476, 15544, 15560, 15583, 15916, 15932, 15955, 16147, 16162, 16332, 16347, 18647, 18676, 18706, 18825, 18856, 18879, 18896, 18913, 18930, 18947, 18964, 18982, 19001, 19021, 19056, 19251, 19359, 19385, 19387, 19447, 19848, 19850, 19964, 20573, 20658
\parindent 12, 42, 56, 72, 103, 217, 233, 255, 269, 284, 458, 516, 533, 560, 604, 619, 655, 668, 693, 745, 762, 868, 883, 895, 912, 949, 997, 1014, 1060, 1120, 1138, 1151, 1177, 1247, 1264, 1905, 2320, 4283, 4954, 5463, 5505, 5513, 5578, 5731, 6037, 6147, 6227, 6245, 6258, 6281, 6345, 6362, 6404, 6422, 6435, 6458, 6522, 6539, 6573, 6593, 6615, 6664, 6722, 6737, 6768, 6782, 6886, 6917, 7008, 8271, 8285, 8299, 8312, 8385, 8482, 8539, 8562, 8577, 8972, 9120, 9267, 9418, 9569, 9720, 9871, 10022, 10173, 10382, 10386, 10390, 10491, 10517, 10594, 10609, 10620, 10632, 10704, 11706, 12779, 12811, 13571, 14613, 14625, 14637, 14846, 15423, 15436, 15449, 15460, 15471, 15510, 15546, 15559, 15582, 15642, 15659, 15765, 15781, 15798, 15918, 15931, 15954, 16049, 16092, 16129, 16146, 16161, 16225, 16273, 16331, 16346, 16377, 16389, 16583, 17132, 17702, 17831, 18657, 18694, 18795, 18826, 18857, 18880, 18897, 18914, 18931, 18948, 18965, 18983, 19002, 19022, 19057, 19250, 19358, 19389, 19784, 19845, 19846, 19965, 20461, 20573, 20598, 20599, 20659
\parsep . . . 952, 4275, 4276, 5485, 5486, 5524, 5551, 20460
\parshape 6859, 11584, 11592, 12975, 14928, 14948, 15138, 15303, 15305, 16048, 16091, 16570, 16579, 17119, 17128, 17692, 17699, 17818, 17827, 20370, 20372, 20490, 20537, 20539, 20540, 20541, 20546, 20548, 20549, 20550, 20555, 20557, 20558, 20559, 20564, 20566, 20567, 20568
\parskip 103, 181, 233, 605, 620, 869, 1121, 1898, 2321, 4284, 4955, 5506, 5514, 5577, 5732, 6036, 6068, 6146, 6181, 6228, 6405, 6616, 7326, 7335, 7345, 7500, 7509, 7519, 8618, 8621, 8623, 8625, 12779, 12854, 12857, 12859, 13571, 13580, 15138, 15471, 15485, 15511, 15766, 16129, 16226, 17724, 18796, 19784, 20142, 20146, 20460
\part 23, 12798
\partname 564, 8303
\partopsep 5527, 14276, 14278, 14922, 14942
\PassOptionsToClass 5769, 5770, 5771, 5772, 5773, 5793, 5794, 5795, 5796, 5797
\PassOptionsToPackage 4786, 5616
\pbs . . 14986, 15012, 15013
\pbs@last@page . . . 15004
\pbs@newkey 14990
\pdfstringdefDisableCommands 12718
\penalty . . 754, 1006, 1256, 5958, 6287, 6354, 6464, 6531, 6743, 6847, 6853, 7324, 7333, 7343, 7498, 7507, 7517,

10289, 10384, 10388, 10392, 10494, 10615, 11493, 15588, 15651, 15790, 15960, 16167, 16352, 19261, 19772, 19880, 20147
\pgf@baseline 15093
\pgf@insertlayers 15115
\pgf@nodecallback 15071
\pgf@oldpicture .. 15078
\pgf@picmaxx .. 15072, 15084, 15086, 15104
\pgf@picmaxy 15074, 15088
\pgf@picminx 15073, 15087, 15097
\pgf@picminy 15075, 15089
\pgf@picture 15078
\pgf@picture@serial@count 15069, 15070
\pgf@process 15093, 15096, 15103
\pgf@relevantforpicturesizefalse 15092
\pgf@relevantforpicturesizetrue 15076
\pgf@remember@layerlist@globally 15110
\pgf@resetpathsizes 15077
\pgf@restore@layerlist@from@global 15114
\pgf@shift@baseline 15094
\pgf@trimleft 15096
\pgf@trimleft@final . 15098, 15099, 15101
\pgf@trimright ... 15103
\pgf@trimright@final . 15105, 15106, 15108
\pgf@x 15097, 15101, 15104, 15108
\pgf@y 15094
\pgfpic 15124
\pgfpicture 15065
\pgfpictureid 15070, 15081
\pgfpicturetrue .. 15068
\pgfsys@discardpath 15117
\pgfsys@endpicture 15120
\pgfsys@endscope . 15119
\pgfsys@markposition 15081
\pgfsys@typesetpicturebox 15124
\pgfutil@gobble .. 15071
\pgfutil@ifnextchar 15078
\phantom ... 13822, 14670
\phantomsection ... 2411
\phone 2371
\phonesymbol 2331, 7664, 7762
\photo 2376
\picbox 15243
\picinwindow 7140
\picwd 15131, 15134, 15242, 15244
\plainauthor 4593, 5636, 5638, 5677, 5678, 5681
\plainfootnotes ... 8790
\plainpublisher 5639, 5704, 5705
\plaintitle 4594, 4595, 5636, 5637, 5660, 5661, 5664, 5832, 5834
\plitemsep 5525
\plparsep 5524
\plpartopsep 5527
\pLRE 1597, 1598, 1809, 1810
\pltopsep 5526
\poem@finish 6077, 6126, 6133
\poem@line 5996, 6002, 6053
\poem@linebegin 5953, 6011
\poem@lineend . 5954, 6017
\poem@lineparsebegin ... 5965, 6022, 6049
\poem@lineparseend ... 5991, 6003, 6060
\poem@lineversesep 5955, 6014
\poem@needrun .. 5947, 6074, 6128, 6130
\poem@obeylines 6048, 6124, 6164, 6188
\poem@prop ... 6029, 6138
\poem@startedfalse ... 6046, 6162, 6168
\poem@startedtrue 6004, 6005, 6045, 6154, 6156, 6161, 6169, 6171
\poem@verse 5942, 6012, 6015
\poem@width 5945, 5946, 5950, 6027, 6029, 6032, 6073
\poem@write@aux 6076, 6127, 6139
\poemblocksep 5939, 6043, 6150
\poemcolsepskip 5930, 5959
\poemextrabaselineskip ... 5932, 6020, 6055
\poemmarginskip 5931, 5953, 5954
\poemskip 5933, 6033, 6064
\postbibhook 14369
\postdisplaypenalty 10891, 10905
\postmath 6853
\PotEndMark 8112, 8117, 8120
\predisplaydirection 15351, 15352, 21059, 21060
\predisplaypenalty 10890, 10904
\premath 6849
\preparefootins 11623, 11671
\prepnext@tok 1410, 1420, 1468, 1500, 6927, 6955
\presetkeys 20133
\presig@skip 17790
\prevdepth 4455, 4463, 7860, 7914, 14281, 14672
\pRLE 1599, 1600, 1811, 1812
\process@cols . 14648, 14681, 14698, 14704
\ProcessOptions 2283, 4251, 5342, 5601, 5633, 5774, 5798, 7587, 7685

\ProcessOptionsX .. 1727
\protect 403, 1597, 1598, 1599, 1600, 1755, 1809, 1810, 1811, 1812, 2063, 2069, 2075, 2081, 2090, 2096, 2852, 2853, 3438, 3444, 4141, 4554, 10980, 11394, 11408, 13090, 13095, 13456, 14355, 18484, 18485, 18489, 18497, 18763, 19107, 20313, 20958
\protected 1809, 1811, 2788, 2789, 2790, 2800, 2808, 2810, 2816, 3002, 3018, 3034, 3057, 3059, 3109, 3162, 3175, 15267, 15277, 15287, 15295, 20330, 20340, 20350, 20359
\protected@edef 43, 57, 73, 256, 270, 285, 5153, 5171, 5189, 8696, 8712, 8728, 8741, 8754, 8767, 8944, 8954, 8964, 8990, 9003, 9015, 9042, 9055, 9095, 9104, 9113, 9138, 9150, 9161, 9187, 9199, 9239, 9249, 9259, 9285, 9298, 9310, 9337, 9350, 9390, 9400, 9410, 9436, 9449, 9461, 9488, 9501, 9541, 9551, 9561, 9587, 9600, 9612, 9639, 9652, 9692, 9702, 9712, 9738, 9751, 9763, 9790, 9803, 9843, 9853, 9863, 9889, 9902, 9914, 9941, 9954, 9994, 10004, 10014, 10040, 10053, 10065, 10092, 10105, 10145, 10155, 10165, 10191, 10204, 10216, 10243, 10256, 10350, 10362, 10374, 10400, 10414, 10428, 10468, 10482, 11265, 11282, 11298, 11326, 11340, 11354
\protected@write 1698, 1702, 4121, 4132
\protected@xdef 5216, 5245, 5274, 5657, 5674, 5690, 5701, 11230, 11239, 11393, 11398, 11407, 11413, 12362, 12400, 12433, 12464, 12495, 12558
\providecommand ... 2328, 2329, 2330, 2331, 2332, 2333, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2500, 5114, 5121, 5122, 5531, 7648, 7653, 11116
\ProvidesClass 2250, 5768, 5792
\ProvidesExplPackage 13629
\ProvidesFile 1, 131, 165, 206, 336, 347, 352, 354, 413, 608, 857, 1109, 1369, 6216, 6393, 6570, 6603, 6816, 6871, 6913, 6915, 6918, 6956, 6999, 7014, 7110, 7148, 7776, 7941, 8060, 8063, 8102, 8264, 8437, 8611, 8644, 10587, 10763, 10792, 10808, 10885, 10915, 10924, 10929, 11082, 11422, 11599, 11709, 11836, 11878, 12179, 12757, 12843, 12847, 12869, 12980, 13019, 13123, 13417, 13546, 13554, 14213, 14370, 14608, 14646, 14776, 14843, 14871, 14909, 14930, 14950, 14984, 15016, 15064, 15128, 15356, 15397, 15413, 15499, 15754, 16031, 16213, 16416, 16545, 17094, 17685, 17793, 18368, 18375, 18435, 18461, 18466, 18500, 18575, 18605, 18624, 18641, 18670, 18719, 18800, 19108, 19763, 20009, 20138, 20214, 20318, 21214
\ProvidesPackage 1507, 1869, 1925, 2058, 2499, 4222, 4788, 5330, 5476, 5592, 5619, 5857, 7574, 7672
\prune 15148, 15186, 15190, 15195, 15199, 15211, 15222, 15249
\prw@mkboth ... 18769, 18774, 18786, 18791
\psgrid 15360
\pspicture 15357

\psset 15395
\pst@dima 15372
\pst@dimb 15370, 15375, 15377, 15382, 15385
\pst@dimc 15388
\pst@dimd 15369, 15375, 15376, 15377, 15378, 15382, 15383, 15384, 15385, 15386
\pst@hbox 15365, 15369, 15370, 15371, 15387, 15389, 15390, 15392
\pst@ifstar 15357
\pst@killglue 15361
\pst@picture 15357
\pst@shift 15362, 15384, 15392
\pst@tempa . 15374, 15376
\publisher . . . 5694, 5695
\publishers 16720, 17269, 17968
\put 7019, 7020, 7021, 7022, 7023, 7024, 7029, 7030, 7031, 7032, 7033, 7034, 7042, 7043, 7044, 7045, 7046, 7047, 7052, 7053, 7054, 7055, 7056, 7057, 7065, 7066, 7067, 7068, 7069, 7070, 7075, 7076, 7077, 7078, 7079, 7080, 7088, 7089, 7090, 7091, 7092, 7093, 7098, 7099, 7100, 7101, 7102, 7103, 8065, 8079, 8097, 14963, 14965, 14978, 14981

Q

\Q 4971, 4993
\q 13717, 13720, 13949, 14003
\qauthor 15398
\qquad 5407, 5414, 5421, 5428, 5435, 5470, 15400
\quad 1631, 1843, 4593, 4594, 4595, 5832, 5833, 5834, 5939, 20427, 20436
\quote 2377
\quotecolour 2339, 7592, 7690
\quotefont 2348, 2356, 7632, 7725
\quotestyle 2356, 7645, 7774
\quotewidth 2378, 2390, 7645, 7774

R

\R@@page 16421, 16422, 16431, 16433, 16464, 16465, 16476, 16478
\raggedbottom 2326
\raggeddictum 16856, 17436, 18119
\raggeddictumauthor . 16858, 17438, 18121
\raggeddictumtext . . 16857, 17437, 18120
\RaggedLeft 15427, 15495, 15497, 18373, 18374, 21173, 21177, 21181, 21189
\raggedleft 25, 104, 234, 560, 6573, 6768, 6782, 8299, 8312, 8562, 8577, 8614, 8617, 8622, 8630, 10620, 10632, 12780, 12800, 12850, 12853, 12858, 14252, 14253, 15400, 15402, 15408, 16377, 16389, 16770, 16771, 16856, 16857, 16858, 16860, 17319, 17436, 17437, 17438, 17440, 17784, 17790, 18018, 18119, 18120, 18121, 18123, 20574, 20576, 20578, 20579
\RaggedLeftLeftskip 15432
\RaggedLeftParfillskip 15435
\RaggedLeftParindent 15436
\RaggedLeftRightskip 15433
\raggedpart 16771
\RaggedRight . . 15440, 15489, 15496, 15498, 18373, 18374, 21173, 21177, 21183, 21187
\raggedright 25, 104, 185, 234, 560, 6573, 6593, 6768, 6782, 8299, 8312, 8562, 8577, 8614, 8617, 8622, 8630, 10620, 10632, 12780, 12800, 12850, 12853, 12858, 14252, 14253, 15400, 15402, 15408, 16377, 16389, 16770, 16771, 16856, 16857, 16858, 16860, 17319, 17436, 17437, 17438, 17440, 17784, 17790, 18018, 18119, 18120, 18121, 18123, 19392, 19395, 19399, 19500, 20570, 20575, 20577, 20578, 20579
\RaggedRightLeftskip 15445
\RaggedRightParfillskip 15448
\RaggedRightParindent 4281,

4952, 5511, 15449
\RaggedRightRightskip 5508, 15446
\raggedsection 16770, 17319, 18018
\raise 10786, 12795
\raisebox . 4506, 4511, 4522, 4523, 4526, 4527, 8110, 8115, 8131, 8134, 8250, 12001, 12003, 12007, 12009, 12036, 12037, 12040, 12041, 12098, 12099, 12102, 12103, 12131, 12133, 12137, 12139, 12976
\rangle 1972
\rawtext 15138, 15144, 15166, 15167, 15248, 15252
\rbrace 20416, 20425
\rcb . 1973, 1976, 1977, 1981
\rcol@footinsskip 11606, 11654
\realfootnote 12555
\recomputelengths 2389, 2406
\recomputethemelengths 2388, 2404, 7737, 7742
\reflectbox 11770
\refname 573, 574, 708, 709, 971, 972, 1221, 1222, 2475, 5566, 8320, 8321
\refstepcounter 555, 8294, 10906, 12732, 13078, 13084, 13419, 14346, 14919, 14940, 18760
\refvskip 17725
\regex 13657, 13662, 13665, 13668, 13671, 13672, 13708, 13713, 13715, 13759, 13760, 13772
\relax 2, 8, 10, 12, 14, 28, 85, 103, 132, 166, 207, 213, 215, 217, 219, 233, 242, 298, 311, 329, 403, 417, 418, 419, 440, 441, 442, 443, 448, 449, 450, 451, 475, 476, 477, 478, 479, 484, 485, 486, 487, 511, 605, 620, 627, 657, 663, 681, 734, 741, 742, 743, 747, 756, 765, 782, 783, 788, 789, 790, 791, 794, 797, 801, 826, 827, 828, 833, 834, 835, 836, 869, 885, 907, 925, 934, 968, 993, 994, 995, 999, 1008, 1017, 1034, 1035, 1040, 1041, 1042, 1043, 1046, 1049, 1053, 1078, 1079, 1080, 1085, 1086, 1087, 1088, 1121, 1128, 1140, 1146, 1164, 1214, 1243, 1244, 1245, 1249, 1258, 1267, 1284, 1285, 1290, 1291, 1292, 1293, 1296, 1299, 1303, 1328, 1329, 1330, 1335, 1336, 1337, 1338, 1425, 1426, 1443, 1444, 1445, 1635, 1641, 1647, 1653, 1659, 1665, 1677, 1683, 1689, 1696, 1705, 1706, 1710, 1717, 1755, 1785, 1912, 1913, 1914, 1919, 1920, 1921, 1922, 2146, 2154, 2162, 2213, 2283, 2500, 2698, 2701, 2711, 2729, 2783, 2794, 2807, 2991, 2995, 3278, 3279, 3283, 3322, 3323, 3365, 3388, 3507, 3521, 3584, 3586, 3595, 3596, 3612, 3620, 3637, 3648, 3653, 3706, 3730, 3745, 3762, 3777, 3793, 3810, 3822, 3854, 3865, 3944, 4152, 4153, 4162, 4190, 4255, 4753, 4962, 5070, 5133, 5137, 5141, 5221, 5232, 5250, 5261, 5279, 5290, 5348, 5545, 5553, 5558, 5589, 5774, 5798, 5894, 5899, 5902, 5909, 5947, 5953, 6048, 6074, 6102, 6109, 6116, 6128, 6164, 6228, 6235, 6247, 6253, 6269, 6325, 6341, 6342, 6343, 6347, 6356, 6365, 6382, 6383, 6388, 6389, 6390, 6391, 6405, 6412, 6424, 6430, 6446, 6478, 6518, 6519, 6520, 6524, 6533, 6542, 6559, 6560, 6565, 6566, 6567, 6568, 6616, 6623, 6624, 6625, 6646, 6647, 6648, 6649, 6654, 6655, 6656, 6657, 6681, 6682, 6683, 6684, 6685, 6690, 6691, 6692, 6693, 6717, 6859, 6873, 6874, 6875, 6880, 6881, 6882, 6883, 6886, 6890, 6891, 6892, 6893, 6894, 6895, 6995, 7013, 7163, 7226, 7587, 7685, 7777, 7778, 7779, 7780, 7781,

7793, 7814, 7868,
7880, 7883, 7920,
7932, 7935, 8086,
8092, 8153, 8232,
8280, 8348, 8349,
8350, 8369, 8370,
8375, 8376, 8377,
8378, 8402, 8403,
8404, 8409, 8410,
8411, 8412, 8441,
8442, 8443, 8464,
8465, 8466, 8467,
8472, 8473, 8474,
8475, 8499, 8500,
8501, 8502, 8503,
8508, 8509, 8510,
8511, 8535, 8679,
8680, 8681, 8682,
8683, 8802, 8931,
8973, 9035, 9082,
9121, 9180, 9226,
9268, 9330, 9377,
9419, 9481, 9528,
9570, 9632, 9679,
9721, 9783, 9830,
9872, 9934, 9981,
10023, 10085,
10132, 10174,
10236, 10292,
10325, 10450,
10583, 10584,
10589, 10667,
10668, 10669,
10688, 10689,
10694, 10695,
10696, 10697,
10721, 10722,
10723, 10728,
10729, 10730,
10731, 10768,
10770, 10774,
10821, 10857,
10886, 10896,
10939, 10959,
10960, 10975,
11080, 11212,
11234, 11243,
11402, 11417,
11455, 11477,
11515, 11616,
11664, 11941,
11943, 11946,
11959, 11961,
11964, 12210,
12221, 12232,
12243, 12257,
12268, 12279,
12290, 12305,
12320, 12361,
12380, 12399,
12418, 12432,
12451, 12463,
12482, 12494,
12513, 12595,
12629, 12660,
12689, 12760,
12779, 12789,
12801, 12807,
12809, 12811,
12813, 12883,
12895, 12902,
12903, 12907,
12908, 12975,
13456, 13593,
13596, 13599,
13600, 13601,
13607, 14216,
14217, 14218,
14219, 14220,
14280, 14384,
14484, 14610,
14612, 14613,
14616, 14622,
14624, 14625,
14628, 14634,
14636, 14637,
14640, 14730,
14772, 14969,
14970, 14971,
15020, 15025,
15030, 15039,
15047, 15069,
15072, 15073,
15074, 15075,
15084, 15086,
15087, 15088,
15089, 15258,
15322, 15412,
15493, 15511,
15518, 15548,
15554, 15570,
15602, 15638,
15639, 15640,
15644, 15653,
15662, 15679,
15680, 15685,
15686, 15687,
15688, 15691,
15694, 15698,
15723, 15724,
15725, 15730,
15731, 15732,
15733, 15766,
15775, 15776,
15777, 15783,
15792, 15801,
15818, 15819,
15820, 15821,
15826, 15827,
15828, 15829,
15832, 15835,
15839, 15864,
15865, 15866,
15867, 15868,
15873, 15874,
15875, 15876,
15920, 15926,
15942, 15968,
16025, 16030,
16035, 16036,
16037, 16068,
16069, 16070,
16071, 16076,
16077, 16078,
16079, 16108,
16109, 16110,
16111, 16112,
16117, 16118,
16119, 16120,
16142, 16226,
16232, 16233,
16234, 16255,
16256, 16257,
16258, 16263,
16264, 16265,
16266, 16290,
16291, 16292,
16293, 16294,
16299, 16300,
16301, 16302,

16326, 16591, 16592, 16598, 16599, 16601, 16610, 16611, 16612, 16672, 16698, 16699, 16700, 16701, 16702, 16715, 16716, 16717, 16718, 16719, 16720, 16721, 16722, 16723, 16724, 16725, 16786, 16848, 16853, 17014, 17031, 17140, 17141, 17147, 17148, 17150, 17159, 17160, 17161, 17221, 17247, 17248, 17249, 17250, 17251, 17264, 17265, 17266, 17267, 17268, 17269, 17270, 17271, 17272, 17273, 17274, 17322, 17338, 17346, 17354, 17365, 17428, 17433, 17594, 17611, 17839, 17840, 17846, 17847, 17849, 17858, 17859, 17860, 17920, 17946, 17947, 17948, 17949, 17950, 17963, 17964, 17965, 17966, 17967, 17968, 17969, 17970, 17971, 17972, 17973, 18048, 18111, 18116, 18277, 18294, 18382, 18419, 18482, 18497, 18507, 18509, 18538, 18693, 18711, 18712, 18796, 18805, 18823, 18826, 18829, 18854, 18857, 18860, 18877, 18880, 18883, 18894, 18897, 18900, 18911, 18914, 18917, 18926, 18928, 18931, 18934, 18943, 18945, 18948, 18951, 18962, 18965, 18968, 18980, 18983, 18986, 18999, 19002, 19005, 19019, 19022, 19025, 19037, 19052, 19054, 19057, 19060, 19074, 19104, 19105, 19106, 19235, 19256, 19343, 19369, 19381, 19383, 19389, 19406, 19410, 19422, 19424, 19430, 19439, 19441, 19503, 19517, 19551, 19558, 19564, 19625, 19684, 19687, 19691, 19697, 19742, 19778, 19786, 19787, 19789, 19790, 19803, 19814, 19818, 19823, 19828, 19836, 19840, 19849, 19850, 19861, 19869, 19880, 19886, 19890, 19894, 19911, 19915, 19964, 19965, 19968, 20016, 20024, 20165, 20248, 20297, 20312, 20389, 20446, 20458, 20509, 20601, 20604, 20606, 20658, 20659, 20662, 20682, 20691, 20695, 20730, 20777, 21066, 21067, 21068

\remainx 14779
\remainxox . 14814, 14821
\remainxoxx 14824, 14833, 14842
\remainxx . . 14782, 14784
\remainxxx 14787, 14789, 14791, 14816, 14819
\remainxxxx . . . 14794, 14796, 14798, 14800, 14826, 14828, 14831, 14835, 14838, 14840
\remainxxxxx 14803, 14805, 14807, 14809, 14811
\remove@strip . 14392, 14422, 14492, 14522
\renewcommand . . . 19, 20, 21, 22, 86, 168, 175, 190, 224, 225, 226, 227, 299, 339, 415, 454, 456, 510, 527, 541, 545, 549, 550, 551, 552, 584, 624, 646, 662, 680, 688, 701, 703, 704, 705, 706, 719, 725, 731, 737, 738, 748, 805, 807, 873, 890, 903, 906, 924, 931, 957, 958, 959, 960, 961, 966, 982, 989, 990, 1000, 1057, 1059, 1125, 1129, 1145, 1163, 1172, 1185, 1205, 1211, 1216,

1217, 1218, 1219,
1232, 1239, 1240,
1250, 1307, 1309,
1901, 1903, 2275,
2276, 2277, 2313,
2314, 2319, 2368,
2372, 2403, 2408,
2489, 3704, 3728,
4060, 4065, 4085,
4098, 4120, 4131,
4259, 4268, 4309,
4427, 4430, 4431,
4435, 4436, 4588,
4589, 4938, 4939,
4940, 4941, 4942,
4943, 4944, 4945,
4946, 5000, 5115,
5124, 5145, 5163,
5181, 5296, 5297,
5298, 5380, 5389,
5441, 5449, 5473,
5478, 5489, 5490,
5491, 5492, 5493,
5494, 5495, 5561,
5566, 5568, 5569,
5586, 5587, 5588,
5589, 5646, 5647,
5648, 5650, 5654,
5655, 5656, 5660,
5661, 5667, 5671,
5672, 5673, 5677,
5678, 5683, 5687,
5688, 5689, 5698,
5699, 5700, 5704,
5705, 5727, 5751,
5813, 5826, 5831,
5839, 6232, 6236,
6252, 6268, 6276,
6290, 6310, 6316,
6322, 6327, 6328,
6329, 6330, 6331,
6332, 6334, 6336,
6338, 6348, 6409,
6413, 6429, 6445,
6453, 6467, 6469,
6475, 6498, 6504,
6505, 6506, 6507,
6508, 6509, 6511,
6513, 6515, 6525,
6621, 6660, 6662,
6716, 6731, 6746,
6750, 6754, 6756,
6758, 6760, 6761,
6762, 6763, 6764,
6765, 6788, 6807,
6872, 6877, 6899,
6906, 6916, 7000,
7005, 7015, 7038,
7061, 7084, 7111,
7127, 7588, 7628,
7629, 7630, 7631,
7632, 7633, 7634,
7635, 7649, 7654,
7686, 7720, 7721,
7722, 7723, 7724,
7725, 7726, 7727,
7737, 7749, 7937,
7938, 7939, 8061,
8064, 8068, 8084,
8237, 8238, 8265,
8279, 8331, 8337,
8341, 8346, 8381,
8383, 8433, 8434,
8435, 8436, 8439,
8478, 8480, 8534,
8548, 8550, 8552,
8554, 8555, 8556,
8557, 8558, 8559,
8583, 8602, 8612,
8625, 8636, 8640,
8688, 8704, 8720,
8736, 8749, 8762,
10588, 10603,
10638, 10642,
10658, 10665,
10700, 10702,
10752, 10753,
10754, 10755,
10756, 10757,
10759, 10761,
10886, 10896,
10916, 10925,
11033, 11052,
11054, 11056,
11058, 11059,
11060, 11061,
11062, 11063,
11065, 11067,
11069, 11071,
11072, 11073,
11074, 11075,
11076, 11077,
11087, 11156,
11423, 11837,
11847, 12761,
12818, 12819,
12820, 12821,
12844, 12848,
12861, 12865,
12873, 12874,
12875, 12876,
13482, 14214,
14225, 14248,
14249, 14250,
14251, 14252,
14253, 14254,
14255, 14257,
14259, 14261,
14263, 14264,
14266, 14267,
14274, 14275,
14277, 14283,
14284, 14777,
14780, 14785,
14792, 14801,
14812, 14817,
14822, 14829,
14836, 14853,
14855, 14872,
14914, 14935,
15017, 15026,
15398, 15401,
15410, 15414,
15427, 15440,
15453, 15464,
15479, 15515,
15537, 15553,
15569, 15577,
15591, 15593,
15599, 15616,
15622, 15623,
15624, 15625,
15626, 15627,
15629, 15631,
15634, 15635,
15645, 15702,
15704, 15771,
15772, 15784,
15843, 15845,
15909, 15925,

15941, 15949,
15963, 15965,
15987, 15988,
15989, 15990,
15991, 15992,
15994, 15996,
16010, 16016,
16022, 16027,
16033, 16041,
16082, 16084,
16141, 16155,
16170, 16173,
16177, 16181,
16183, 16185,
16187, 16188,
16189, 16190,
16191, 16204,
16230, 16269,
16271, 16325,
16340, 16355,
16359, 16363,
16365, 16367,
16369, 16370,
16371, 16372,
16373, 16374,
16407, 16551,
16555, 16559,
16563, 16589,
16596, 16603,
16616, 16618,
16680, 16682,
16727, 16772,
16773, 16774,
16777, 16778,
16792, 16817,
16846, 16851,
16856, 16857,
16858, 16859,
16862, 16935,
16953, 16975,
16977, 16998,
17000, 17002,
17005, 17011,
17020, 17022,
17024, 17030,
17100, 17104,
17108, 17112,
17138, 17145,
17152, 17165,
17167, 17229,
17231, 17276,
17320, 17321,
17329, 17330,
17333, 17334,
17337, 17345,
17353, 17372,
17397, 17426,
17431, 17436,
17437, 17438,
17439, 17442,
17515, 17533,
17555, 17557,
17578, 17580,
17582, 17585,
17591, 17599,
17601, 17604,
17610, 17686,
17799, 17803,
17807, 17811,
17837, 17844,
17851, 17864,
17866, 17928,
17930, 17975,
18019, 18020,
18024, 18025,
18028, 18029,
18032, 18036,
18040, 18055,
18080, 18109,
18114, 18119,
18120, 18121,
18122, 18125,
18198, 18216,
18238, 18240,
18261, 18263,
18265, 18268,
18274, 18282,
18284, 18287,
18293, 18369,
18372, 18642,
18671, 18677,
18709, 18722,
18736, 18747,
18803, 18850,
18869, 18891,
18908, 18925,
18942, 18959,
18977, 18995,
18996, 19015,
19016, 19035,
19103, 19377,
19399, 19676,
19678, 19680,
19696, 19703,
19705, 19707,
19710, 19714,
19719, 19723,
19727, 19741,
19746, 19748,
19751, 19755,
19758, 19764,
19884, 19991,
20013, 20031,
20053, 20065,
20101, 20576,
20577, 20808,
20809, 20810,
21072, 21114,
21116, 21117,
21118, 21170,
21172, 21174,
21176, 21180,
21182, 21186, 21188
\RenewDocumentCommand
. . . . . 13815, 14148
\renewenvironment 83,
296, 572, 593,
609, 629, 636, 707,
858, 936, 943, 970,
1110, 1188, 1195,
1220, 4530, 4533,
4536, 4539, 5537,
5547, 5555, 5571,
5782, 6217, 6292,
6298, 6394, 6480,
6486, 6604, 6795,
6857, 6878, 7012,
8319, 8590, 10646,
10903, 11440,
14365, 14844,
14951, 15500,
15520, 15527,
15604, 15755,
15970, 15977,
15998, 16192,
16214, 16395,
16781, 17361,
18044, 18723,
18726, 18752, 20428
\renewrobustcmd . . .

. 13584, 13610, 13621
\renewtagform 13552
\repeat 1738, 1739, 3534, 3541, 7126, 7288, 7294, 7402, 7460, 7470, 10304, 10314, 12943, 15156, 15203, 15214, 15225, 15253, 18521
\RequirePackage ... 1555, 1557, 1558, 1559, 1560, 1561, 1926, 1927, 2285, 2286, 2287, 2288, 2295, 2296, 2311, 2364, 3907, 3908, 3924, 3968, 3969, 3972, 4224, 4286, 4288, 4295, 4316, 4320, 4356, 4357, 4580, 4790, 4791, 4792, 4793, 4997, 4998, 5113, 5332, 5507, 5518, 5570, 5596, 5604, 5621, 5776, 5777, 5778, 5779, 5780, 5781, 5800, 5801, 5802, 5803, 5804, 5805, 21106, 21109, 21110, 21111, 21162
\RequireXeTeX . 1556, 1793
\reserved@a 2192, 2196, 2202, 2205, 2208, 2211, 2564, 2568, 2839, 2840, 2841, 3909, 3917, 3927, 3929, 3936, 3938, 3943, 3945, 3946, 3949, 3952, 3988, 3989, 3990, 3992, 3999, 4002, 4027, 4028, 4048, 4050, 4054, 4061, 4063, 4142, 4143, 19395, 19396, 19399, 19400, 19880, 19881, 20523, 20529
\reserved@b 2172, 2173, 2564, 2568, 2569, 3899, 3900, 3928, 3986, 3988, 4005, 4022, 4023, 4028, 4033, 4035, 4036, 4038, 4041, 4061, 4063
\reserved@c 4001, 4004, 4005, 4009, 4020, 4033, 4047, 4051
\reserved@d 2563, 2568, 4021, 4040, 4053
\reset@dir . 15322, 20389
\reset@font ... 37, 51, 67, 250, 264, 279, 4833, 4877, 4921, 5149, 5150, 5167, 5168, 5185, 5186, 8692, 8708, 8724, 8744, 8757, 8770, 8942, 8952, 8962, 8988, 9000, 9013, 9040, 9053, 9093, 9102, 9111, 9136, 9147, 9159, 9185, 9197, 9237, 9247, 9257, 9283, 9295, 9308, 9335, 9348, 9388, 9398, 9408, 9434, 9446, 9459, 9486, 9499, 9539, 9549, 9559, 9585, 9597, 9610, 9637, 9650, 9690, 9700, 9710, 9736, 9748, 9761, 9788, 9801, 9841, 9851, 9861, 9887, 9899, 9912, 9939, 9952, 9992, 10002, 10012, 10038, 10050, 10063, 10090, 10103, 10143, 10153, 10163, 10189, 10201, 10214, 10241, 10254, 10348, 10360, 10372, 10398, 10412, 10426, 10466, 10480, 10991, 11259, 11260, 11276, 11277, 11292, 11293, 11322, 11323, 11336, 11337, 11350, 11351, 20850, 20894, 20994
\resizebox 11791
\restore@protect .. 2854
\restoreCaptionSkip 11972
\restorecounters@ . 8164
\restylefloat 4780
\resumename 2365
\righskip 19105
\right 20416, 20425, 20427
\right@cor ... 14394, 14395, 14494, 14495
\right@footnoterule 26, 240, 417, 545, 731, 741, 966, 993, 1211, 1243, 6322, 6341, 6475, 6518, 6623, 6750, 8341, 8348, 8441, 8640, 10642, 10667, 11172, 11186, 11196, 11319, 11347, 12787, 12865, 14770, 15599, 15638, 15775, 16022, 16035, 16177, 16232, 16359, 16596, 16610, 16851, 17145, 17159, 17431, 17711, 17844, 17858, 18114
\rightfootnoterule 1670, 7778, 8680, 11184, 11702, 21068
\rightline ... 15355, 20586, 20590, 20592
\rightlinenumbers 13007, 13015
\rightmargin ... 951, 5523, 5542, 5550, 5556, 11577, 11581, 12959,

12960, 12973, 15408, 20451, 20462, 20468, 20474, 20482, 20486
\rightskip 12, 13, 217, 218, 315, 319, 516, 533, 536, 537, 627, 640, 651, 652, 657, 668, 693, 696, 697, 878, 879, 885, 895, 898, 899, 912, 934, 1128, 1134, 1135, 1140, 1151, 1177, 1180, 1181, 1199, 5461, 5468, 5469, 6039, 6235, 6241, 6242, 6247, 6258, 6281, 6284, 6285, 6412, 6418, 6419, 6424, 6435, 6458, 6461, 6462, 6722, 6737, 6740, 6741, 6873, 6874, 6875, 7001, 7002, 7008, 8271, 8274, 8275, 8285, 8539, 8898, 10516, 10594, 10609, 10612, 10613, 12811, 12812, 13574, 14248, 14249, 14612, 14616, 14617, 14624, 14629, 14636, 14641, 15419, 15421, 15432, 15434, 15445, 15447, 15456, 15458, 15475, 15518, 15531, 15542, 15543, 15548, 15559, 15582, 15585, 15586, 15914, 15915, 15920, 15931, 15954, 15957, 15958, 15968, 15981, 16030, 16146, 16161, 16164, 16165, 16170, 16171, 16331, 16346, 16349, 16350, 18646, 18651, 18662, 18675, 18679, 18699, 18702, 18707, 18711, 18712, 18823, 18824, 18825, 18833, 18854, 18855, 18856, 18864, 18877, 18878, 18879, 18887, 18894, 18895, 18896, 18904, 18911, 18912, 18913, 18921, 18928, 18929, 18930, 18938, 18945, 18946, 18947, 18955, 18962, 18963, 18964, 18972, 18980, 18981, 18982, 18990, 18999, 19000, 19001, 19009, 19019, 19020, 19021, 19029, 19054, 19055, 19056, 19064, 19104, 19106, 19784, 19846, 19847, 19848, 19854, 19857, 19904, 19964, 19969, 19992, 19999, 20368, 20369, 20571, 20598, 20599, 20658, 20663
\RL . . . 12722, 15312, 20379
\rlap . . . 316, 457, 808, 1310, 1904, 6663, 8384, 8481, 10703, 10798, 10804, 11429, 11729, 11775, 11841, 11842, 11855, 11856, 12845, 14670, 15341, 15705, 15846, 16043, 16086, 16272, 16618, 16682, 17167, 17231, 17866, 17930, 18410, 20399
\RLE . 1599, 1811, 12721, 15312, 15313, 15317, 20018, 20379, 20380, 20384
\rmfamily 737, 989, 1239, 5351, 5404, 5407, 5411, 5414, 5418, 5421, 5425, 5428, 5432, 5435, 15634, 15771
\romannumeral . . 3580, 3581, 6076, 6138, 8172, 8175, 8221, 11035, 11036, 11037, 11038, 11040, 11041, 11042, 11043, 11044, 11047, 11048, 11049, 20454
\rot@float@box 16424, 16425, 16426, 16440, 16449, 16467, 16468, 16469, 16470, 16471, 16487, 16498
\rot@label . 16420, 16463
\rot@LR 16431, 16476
\rot@mess@toks 16423, 16435, 16445, 16454, 16466, 16481, 16493, 16503
\rot@message 16454, 16503
\rot@pageref 16421, 16464
\rotate 16517
\rotatebox 11078, 11904, 11953, 12166, 13641, 13649, 14171, 16440, 16449, 16487, 16498
\rotateframe 11040, 11077

\rotFPbot 16441, 16448, 16488, 16497
\rotFPtop 16439, 16450, 16486, 16499
\rrb 1975, 1985
\rsb 1974, 1983
\RTL 15305, 20372
\RTL@column@boxes .. 14694, 14724, 14729
\RTL@outputdblcol ... 7150, 10809, 11649, 14371, 20717, 20808, 20809
\RTLbidituftesidenotemarginpar ... 4882, 5182, 5323
\RTLcases .. 20426, 20429
\RTLcite 5109, 5229, 5258, 5287, 5309, 5318, 5327
\RTLcolumnfootnotes 8791
\RTLdblcol 20809
\RTLdfnmakecol 7938
\RTLfootfootmark 8833, 8983, 9131, 9278, 9429, 9580, 9731, 9882, 10033, 10184, 10392
\RTLfootmarkstyle 8808, 8847
\RTLfootnote ... 422, 496, 2062, 2075, 5298, 5648, 6628, 6702, 8446, 8520, 11229, 15780, 15886, 16040, 16128, 16237, 16311, 16615, 16731, 17164, 17280, 17863, 17979
\RTLfootnotetext 2130, 2141, 6088, 6098, 11408, 11411, 12391, 13514, 18570, 18574
\RTLfootscript . 8808, 8836, 8840, 8842
\RTLfoottextfont 8709, 8716, 8766, 8772, 8860, 8962, 8983, 9013, 9111, 9131, 9159, 9257, 9278, 9308, 9408, 9429, 9459, 9559, 9580, 9610, 9710, 9731, 9761, 9861, 9882, 9912, 10012, 10033, 10063, 10163, 10184, 10214, 10372, 10392, 10426
\RTLmarginnote 5320
\RTLmarginpar 20855
\RTLmulticolcolumns 14722
\RTLsidenote .. 5052, 5294
\RTLthanks . 422, 442, 477, 496, 5648, 5656, 5673, 5689, 5700, 6628, 6648, 6683, 6702, 8446, 8466, 8501, 8520, 11406, 14218, 15780, 15820, 15866, 15886, 16040, 16070, 16110, 16128, 16237, 16257, 16292, 16311, 16615, 16700, 16731, 17164, 17249, 17280, 17863, 17948, 17979
\rtside 15186, 15188, 15199, 15201, 15222, 15224
\rule 46, 60, 76, 259, 273, 288, 2413, 7642, 8253, 8257, 8260, 8700, 8716, 8732, 8746, 8759, 8772, 11270, 11287, 11303, 11330, 11344, 11358, 13822, 15392

S

\s 13671, 13672
\save@dir .. 15321, 20388
\savebox 8178, 11901, 11903, 11983
\saveCaptionSkip . 11933
\savecounters@ 8161
\saved@@dir ... 15321, 15322, 20388, 20389
\sbox 8244, 11935, 11952, 12904, 12912, 12914, 12916, 12925, 13060, 13473, 13640, 13648, 13840, 14127, 14166, 14171, 14285, 14300, 14332, 14952, 16872, 16886, 16926, 17452, 17466, 17506, 18135, 18149, 18189, 18661, 18678, 19420, 21049
\sc@@temp 17730, 17731, 17736, 17737, 17742, 17743, 17748, 17749, 17754, 17755, 17760, 17761, 17766, 17767, 17772, 17773, 17778, 17779
\SC@FLOAT 18369, 21170, 21174, 21180, 21182, 21186, 21188
\SC@justify@caption .. 18372, 21172, 21176, 21181, 21183, 21187, 21189
\sc@temp 17728, 17730, 17734, 17736, 17740, 17742, 17746, 17748, 17752, 17754, 17758, 17760, 17764, 17766, 17770, 17772, 17776, 17778, 17788, 17790
\sc@wm@text 8062
\scalebox 11789
\scantokens ... 2990, 3010
\scr@caption .....

. . 16978, 16980, 16982, 17558, 17560, 17562, 18241, 18243, 18245
\scr@caption@before@longtable@warning . 16950, 17530, 18213
\scr@compatibility 17322, 17338, 17346, 17354
\scr@dte@current 19499, 19502
\scr@dte@def@l@largetocline 19266
\scr@dte@def@l@tocline 19468
\scr@dte@def@l@undottedtocline 19109
\scr@dte@donumwidth 19703, 19704
\scr@dte@largetocline@init 19267
\scr@dte@nosub 19515, 19517, 19547, 19548, 19550, 19555, 19557, 19562, 19563, 19621, 19623
\scr@dte@numberline@box 19418, 19445
\scr@dte@tocline 19377, 19760
\scr@dte@tocline@init 19469
\scr@dte@tocline@numberwidth 19421, 19423, 19425, 19428
\scr@dte@tocline@numbox . 19420, 19422, 19436
\scr@dte@undottedtocline@init 19110
\scr@ifundefinedorrelax . . 19144, 19192, 19237, 19299, 19345, 19369, 19408, 19513, 19515, 19544, 19547, 19548, 19555, 19578, 19618, 19619, 19621, 19637, 19690, 19717, 19736
\scr@LT@array . 12731, 16975, 16976, 17555, 17556, 17568, 18238, 18239, 18251
\scr@parindent 17087, 17676, 18359
\scr@saved@footnotetext 16548, 16552, 17097, 17101, 17796, 17800
\scr@saved@LTRfootnotetext . . 16546, 16549, 16556, 17095, 17098, 17105, 17794, 17797, 17804
\scr@saved@RTLfootnotetext . . 16547, 16550, 16560, 17096, 17099, 17109, 17795, 17798, 17808
\scr@smashdp . . 16894, 16908, 16909, 16927, 17474, 17488, 17489, 17507, 18157, 18171, 18172, 18190
\scr@tmp@footnotetext . . 16866, 16877, 16878, 17446, 17457, 17458, 18129, 18140, 18141
\scr@tmp@LTRfootnotetext . . 16868, 16879, 16880, 17448, 17459, 17460, 18131, 18142, 18143
\scr@tmp@RTLfootnotetext . . 16870, 16881, 16882, 17450, 17461, 17462, 18133, 18144, 18145
\scriptsize 5489, 17729, 17735, 17741, 17747, 17753, 17759, 17765, 17771, 17777
\scshape 6576
\secshape . . 16129, 16170
\SectFont 632, 641, 939, 947, 1191, 1200, 6295, 6483, 15523, 15532, 15973, 15982
\sectfont 15402
\section 573, 601, 617, 632, 638, 641, 708, 866, 939, 945, 947, 971, 1118, 1191, 1197, 1200, 1221, 2409, 2475, 5353, 5375, 5443, 5451, 5566, 5569, 5573, 6295, 6483, 8320, 15523, 15529, 15532, 15973, 15979, 15982
\sectionbib 18747
\sectionfont . . . 2349, 2357, 7633, 7726
\sectionstyle . 2357, 2415
\sectiontitlecolour 2340, 7595, 7603, 7610, 7617, 7624, 7694, 7700, 7706, 7712, 7718
\selectfont 350, 2795, 5714, 5716, 5718, 14965, 14978
\separatorcolumnwidth 2380, 2381, 2392, 2398, 2414, 2419, 2425, 2483, 7740, 7770
\SepMark . . . 20438, 20439
\seq 13903, 13904, 14999, 15002, 15005
\set@color 6959, 6964, 6972, 6978, 6986, 6993, 6998, 11436, 20217, 20221, 20317
\set@typeset@protect 10986, 10990, 18457, 20633, 20966, 20968
\SetatBoolean 2623
\setbaselineskip . . 2793
\SetBoolean 2607
\setboolean 4230, 4231, 4233, 4235, 4240,

4241, 4245, 4246, 4317, 4321, 4324, 4329, 4331, 4335, 4337, 4715, 5339, 5340, 5341, 5598, 5599, 5600, 5625, 5626
\setbox 390, 1416, 1418, 1419, 1475, 1617, 1829, 2224, 4761, 4817, 4820, 4861, 4864, 4905, 4908, 5967, 5978, 6191, 6205, 6831, 6858, 6863, 6895, 6930, 6959, 7114, 7115, 7119, 7122, 7132, 7136, 7139, 7143, 7153, 7156, 7157, 7171, 7188, 7204, 7216, 7219, 7220, 7234, 7247, 7263, 7284, 7285, 7290, 7291, 7296, 7299, 7322, 7330, 7340, 7391, 7405, 7409, 7419, 7424, 7433, 7435, 7450, 7451, 7462, 7463, 7475, 7476, 7496, 7504, 7514, 7562, 7786, 7794, 7795, 7799, 7807, 7815, 7816, 7820, 7835, 7838, 7843, 7847, 7855, 7892, 7895, 7900, 7904, 7909, 8737, 8750, 8763, 8852, 8910, 8915, 8922, 8985, 8997, 9010, 9050, 9133, 9144, 9156, 9194, 9280, 9292, 9305, 9345, 9431, 9443, 9456, 9496, 9582, 9594, 9607, 9647, 9733, 9745, 9758, 9798, 9884, 9896, 9909, 9949, 10035, 10047, 10060, 10100, 10186, 10198, 10211, 10251, 10277, 10278, 10285, 10298, 10301, 10303, 10308, 10311, 10313, 10315, 10352, 10364, 10376, 10394, 10402, 10408, 10416, 10422, 10430, 10470, 10477, 10484, 10499, 10508, 10528, 10536, 10549, 10562, 10572, 10782, 10812, 10815, 10828, 10848, 10851, 10865, 10916, 10956, 10961, 11320, 11334, 11348, 11367, 11491, 11500, 11504, 11528, 11542, 11604, 11609, 11610, 11625, 11652, 11657, 11658, 11673, 11712, 11721, 11728, 11729, 11774, 11775, 13452, 13461, 13523, 13528, 13531, 13540, 13560, 13592, 13598, 14374, 14377, 14378, 14400, 14405, 14415, 14433, 14438, 14474, 14477, 14478, 14500, 14505, 14515, 14533, 14538, 14569, 14650, 14666, 15130, 15144, 15147, 15166, 15167, 15173, 15174, 15185, 15187, 15189, 15191, 15194, 15196, 15198, 15200, 15210, 15212, 15221, 15223, 15238, 15240, 15248, 15250, 15259, 15340, 15341, 15371, 15389, 16509, 16519, 16530, 16537, 16892, 17472, 17729, 17735, 17741, 17747, 17753, 17759, 17765, 17771, 17777, 18155, 18398, 18446, 18487, 18537, 18607, 19922, 19925, 19930, 19934, 19938, 19942, 19946, 19950, 19954, 19958, 20209, 20217, 20322, 20398, 20399, 20525, 20595, 20621, 20720, 20723, 20724, 20738, 20767, 20770, 20771, 20785, 20834, 20837, 20878, 20881, 20909, 20923, 20941, 21007
\setcaptionfont . . . 4309
\setcaptionwidth . 13486
\setchapterpreamble 17366, 18049
\setcitationfont . . 4944
\setcounter 439, 474, 749, 781, 825, 1001, 1033, 1077, 1251, 1283, 1327, 1911, 5017, 5036, 5055, 5087, 5337, 5849,

6134, 6349, 6381, 6526, 6558, 6645, 6680, 8368, 8401, 8463, 8498, 10687, 10720, 11019, 12871, 12872, 14246, 14917, 14938, 15646, 15678, 15722, 15785, 15817, 15863, 16067, 16107, 16254, 16289, 16606, 16697, 16810, 16883, 16884, 17155, 17246, 17390, 17463, 17464, 17854, 17945, 18073, 18146, 18147, 19047
\setdefaultbibitems 20443
\setdefaultmarginpar 20945
\setDefaults 11890
\setfloatalignment 4389
\setfootnoteLR . . . 11251
\setfootnoteRL . . . 11249
\setkeys . . 6822, 6839, 8142, 8148, 8150, 11720, 11764, 11892, 12910, 14958, 15023, 16428, 16473, 20102
\setlatin 1565
\setlength 178, 201, 202, 514, 531, 667, 691, 893, 911, 948, 949, 950, 951, 952, 1150, 1175, 2049, 2050, 2051, 2253, 2254, 2256, 2257, 2259, 2260, 2262, 2263, 2265, 2266, 2268, 2269, 2271, 2272, 2273, 2278, 2279, 2317, 2318, 2320, 2321, 2322, 2323, 2381, 2390, 2391, 2394, 2396, 2399, 2400, 2402, 2405, 2471, 2481, 2482, 2483, 4254, 4281, 4282, 4283, 4284, 4305, 4311, 4312, 4345, 4348, 4352, 4398, 4450, 4451, 4952, 4953, 4954, 4955, 4961, 5203, 5496, 5497, 5498, 5499, 5500, 5501, 5502, 5503, 5505, 5506, 5508, 5511, 5512, 5513, 5514, 5731, 5732, 6257, 6279, 6434, 6456, 6720, 6735, 7006, 7729, 7733, 7735, 7738, 8124, 8269, 8284, 8848, 8849, 8862, 10593, 10607, 11365, 11814, 11815, 11821, 11822, 11824, 11825, 11894, 11895, 11907, 11911, 11913, 11915, 11919, 11921, 12877, 12878, 12879, 12880, 12905, 12919, 12921, 12923, 12927, 12949, 12954, 12957, 12961, 12962, 12963, 13507, 14957, 15558, 15580, 15930, 15952, 16159, 16329, 16344, 16565, 16889, 16915, 17114, 17469, 17495, 17813, 18152, 18178, 18650, 18651, 18699, 18700, 18702, 19071, 19075, 19076, 19078, 19079, 19081, 19082, 19084, 19085, 19087, 19088, 19248, 19356, 19701, 20507, 20510
\setLR 15347, 20407
\setLTR 15308, 15309, 15322, 15347, 15348, 20375, 20376, 20389, 20407, 20408
\setLTRbibitems . . 20442
\setLTRcitationfont 4945
\setLTRmarginnotefont 4942
\setLTRmarginpar . 20944
\setLTRparagraphfootnotes 8687
\setLTRsidenotefont 4939
\setLTRtable 1570
\setmarginnotefont 4941
\setnonlatin 1566
\setparsizes . . 16623, 16735, 17172, 17284, 17871, 17983
\setRL 15346, 20406
\setRTL . 15307, 15310, 15322, 15346, 20044, 20084, 20118, 20374, 20377, 20389, 20406
\setRTLbibitems . . 20441
\setRTLcitationfont 4946
\setRTLmain 1801
\setRTLmarginnotefont 4943
\setRTLmarginpar . 20943
\setRTLparagraphfootnotes 8686
\setRTLsidenotefont 4940
\setRTLtable 1569
\setsidenotefont . . 4938
\setSingleSpace 8793, 8798
\setspace@singlespace . . . 5148, 5166, 5184
\setthesection . . . 14263
\settodepth 14953
\settoheight . 8121, 14954

\settowidth 89, 302, 578, 713, 976, 1226, 2385, 6304, 6492, 6801, 7731, 8166, 8325, 8596, 10652, 12764, 12951, 14956, 15610, 16004, 16198, 16401, 16803, 17383, 17728, 17734, 17740, 17746, 17752, 17758, 17764, 17770, 17776, 18066, 18730, 19887, 19889
\Setversedim 5862, 5866, 5892
\SetWatermarkText . 8061
\sevencolumnfootnotes 9672
\sevencolumnfootstyle 9769
\sf 17729, 17735, 17741, 17747, 17753, 17759, 17765, 17771, 17777
\sf@size 12795
\sfcode 93, 306, 589, 721, 984, 1234, 6312, 6500, 6812, 8333, 8607, 10660, 12768, 14858, 15618, 16012, 16209, 16412, 16820, 17400, 18083, 18741
\sh@wgridXunit . . . 15360
\sh@wgridYunit . . . 15360
\shadowbox 8238
\shadowsize 8248, 8252, 8253, 8256, 8257, 8260
\shipout . . . 10986, 20965
\shortauthors 115, 116, 121, 12827, 12828, 12833
\shortcite 14860
\shorttitle 114, 115, 121, 12826, 12827, 12833
\showbox 11565
\showgridp@s 15359
\showoutput 11565
\sidecaptionsep 18370, 18371, 21171, 21175, 21180, 21182, 21186, 21188
\sidenote 5014, 5068, 5106, 5201, 5292
\sidenotes 5111
\sideways 16535
\sigindent 17789
\sixcolumnfootnotes 9521
\sixcolumnfootstyle 9618
\sixt@@n 2191, 2213
\size@chapter 15402
\skip 1604, 1816, 6055, 6056, 7840, 7897, 8873, 8883, 8901, 10518, 10542, 10553, 11011, 11383, 11606, 11654, 15328, 15334, 21024
\skip@ 321, 322
\skipalgocfslide 186, 194
\skiptotal 202
\sloppy 42, 56, 72, 92, 255, 269, 284, 305, 585, 720, 983, 1233, 2490, 6311, 6499, 6808, 8332, 8603, 10659, 11597, 12767, 13577, 14857, 15478, 15492, 15617, 16011, 16205, 16408, 16819, 17399, 18082, 18737
\slshape . . . 658, 886, 1141, 2437, 6248, 6425, 7631, 7632, 7722, 7723, 7725, 15549, 15921, 16135
\small . . 416, 641, 740, 947, 992, 1200, 1242, 1936, 2351, 2441, 2446, 2476, 5478, 5479, 5544, 5552, 5557, 5576, 6340, 6517, 6622, 8347, 8440, 10666, 15532, 15637, 15774, 15982, 16034, 16231, 16609, 17158, 17857
\smallcaps 5832, 5833, 5834
\smallskip 14779, 14784, 14791, 14800, 14811, 14816, 14821, 14828, 14835, 14842, 15399
\smash 4506, 4511, 4522, 4523, 4526, 4527, 4734, 7789, 7810, 11429, 12976, 15344, 20402, 20404
\SOUL@apo 18392
\SOUL@comma 18391
\SOUL@do 18394
\SOUL@eventuallyexhyphen 18381
\SOUL@grave 18393
\SOUL@ignorespacesfalse 18385
\SOUL@lasttoken . . 18388
\SOUL@lowerthan . . 18378
\SOUL@minus 18390
\SOUL@postamble . . 18395
\SOUL@preamble . . . 18387
\SOUL@soeventuallyskip 18382
\SOUL@spaceskip . . 18383
\SOUL@start 18376
\SOUL@ulcolor . 18407, 18413, 18419, 18427
\SOUL@uldp 18419
\SOUL@uleveryspace 18421
\SOUL@ulht 18419
\SOUL@ulleaders . . . 18407, 18413, 18429
\SOUL@uloverlap . . 18400
\SOUL@ulunderline 18397
\SOUL@word 18389
\soulomit 18380
\space 1507, 2976, 3119, 3902, 4089, 4091, 4102,

4104, 4107, 4570, 4575, 4576, 4709, 4710, 6576, 6771, 7287, 7293, 7456, 7464, 7465, 8565, 10622, 11465, 11473, 11474, 11498, 11506, 12889, 13948, 14656, 14658, 14659, 14660, 14661, 15367, 16379, 16422, 16465, 16674, 16825, 17223, 17405, 17922, 18088, 18557, 18559, 18616, 19438, 19440, 20006, 20685, 20914
\spacefactor . . . 5127, 5132, 5138, 5141
\spaceskip . 18425, 18430
\special . . 1618, 1744, 1830, 1853, 1900, 15341, 18613, 18614, 18618, 18619, 18621, 20399
\spinemargin . . 8071, 8075
\split@prev 11208, 11216, 11221
\splitbotmark 11502
\splitfirstmark 7160, 7223, 10818, 10854, 11501, 11613, 11661, 14381, 14481, 20727, 20774
\SplitFootnoteRule 1672, 11207
\splitfootnoterule 11211, 11219
\splitmaxdepth 40, 54, 70, 253, 267, 282, 7154, 7217, 8867, 10813, 10849, 11263, 11280, 11296, 11607, 11655, 14375, 14475, 20721, 20768
\splittopskip . . . 40, 54, 70, 253, 267, 282, 8866, 8912, 8916, 9068, 9069, 9073, 9074, 9212, 9213, 9217, 9218, 9363, 9364, 9368, 9369, 9514, 9515, 9519, 9520, 9665, 9666, 9670, 9671, 9816, 9817, 9821, 9822, 9967, 9968, 9972, 9973, 10118, 10119, 10123, 10124, 10269, 10270, 10274, 10275, 11262, 11279, 11295, 11496, 11497, 15140
\stepcounter . . . 5025, 5044, 5063, 5095, 5215, 5244, 5273, 6025, 11018, 11089, 11159, 11229, 11238, 12557, 13419, 14912, 14916, 14933, 14937, 16419, 16462, 21042
\stopbreaks . . 8626, 17788
\str 13660, 13711, 13783, 13801, 13863, 13887, 13892, 13966, 13997, 14010, 14032, 14086, 14118
\stretch 1477, 1480, 6932, 6935
\string . . . 362, 1387, 1699, 1703, 2501, 2507, 2579, 2581, 2599, 2600, 2603, 2604, 2781, 2821, 2822, 2828, 2976, 3006, 3027, 3030, 3057, 3059, 3119, 3220, 3221, 3234, 3235, 3246, 3247, 3260, 3261, 3275, 3276, 3277, 3278, 3282, 3902, 3911, 3915, 3921, 3932, 4089, 4091, 4102, 4104, 4105, 4106, 4107, 4109, 4709, 4710, 6968, 6971, 6989, 6992, 11469, 11470, 11471, 11472, 11473, 11595, 11796, 11797, 16674, 16825, 16827, 16833, 17223, 17405, 17407, 17413, 17922, 18088, 18090, 18096, 18583, 20005, 20262, 20309, 20685, 20705
\strip@prefix . 3027, 3040
\strip@pt . 2698, 2794, 8010, 8013, 8018, 8021, 10342, 10459
\stripsep . 7205, 7264, 7279, 7325, 7334, 7344, 7389, 7499, 7508, 7518, 14409, 14411, 14418, 14509, 14511, 14518, 14580, 14583, 14585, 14592
\strut . 46, 60, 76, 259, 273, 288, 1966, 8634, 8977, 8980, 8983, 9063, 9064, 9125, 9128, 9131, 9207, 9208, 9272, 9275, 9278, 9358, 9359, 9423, 9426, 9429, 9509, 9510, 9574, 9577, 9580, 9660, 9661, 9725, 9728, 9731, 9811, 9812, 9876, 9879, 9882, 9962, 9963, 10027, 10030, 10033, 10113, 10114, 10178, 10181, 10184, 10264, 10265,

10384, 10388, 10392, 10493, 13591, 16873, 16875, 16894, 16896, 16899, 16901, 16904, 16908, 16910, 16920, 16922, 16927, 16931, 17453, 17455, 17474, 17476, 17479, 17481, 17484, 17488, 17490, 17500, 17502, 17507, 17511, 17791, 18136, 18138, 18157, 18159, 18162, 18164, 18167, 18171, 18173, 18183, 18185, 18190, 18194, 18661, 18666
\strutbox 40, 54, 70, 253, 267, 282, 388, 392, 8701, 8717, 8733, 8747, 8760, 8773, 8867, 9068, 9073, 9212, 9217, 9363, 9368, 9514, 9519, 9665, 9670, 9816, 9821, 9967, 9972, 10118, 10123, 10269, 10274, 11263, 11270, 11280, 11287, 11296, 11303, 11330, 11344, 11358, 13438, 13454, 13496, 13593, 16917, 16918, 17497, 17498, 18180, 18181, 18447, 18448, 18483, 20622, 20623
\subfig@oldlabel 4440, 4442
\subfigure ... 4439, 4446
\subitem 108, 238, 5587, 12784
\subjclass 334
\subject 16719, 17268, 17967
\subject@font . 16632, 16745, 17181, 17294, 17880, 17993
\subparagraph 5389, 5390, 5393
\subsection 2416, 5360, 5376
\subsectioncolour 2342, 7596, 7604, 7611, 7618, 7625, 7695, 7701, 7707, 7713, 7719
\subsectionfont 2350, 2358, 7634, 7727
\subsectionstyle 2358, 2417
\subsubitem 109, 239, 5588, 12785
\subsubsection 5380, 5381, 5384
\subtable 4446
\supereject 1865
\symbol 1979, 1989
\sys 13881

T

\t@cb@bchapsec ... 18722
\tabcaption . 11943, 11961
\tabcolsep 382, 1359, 13449, 15899, 20413
\tablinesep 18480
\tabskip .. 398, 6035, 13463, 13464, 18453, 18491, 20628
\tabular 18552
\tabularnewline 407, 13433, 18455, 20630
\tabularx 18543
\tabularxcolumn .. 18505
\tagform@ 346
\tamark 14229
\tcb@vbox 18628
\tcd .. 15137, 15144, 15145
\tcdsav 15137
\tcl .. 15161, 15162, 15168
\tcn 15145, 15146, 15168, 15169, 15170, 15171
\Telefon 2331
\tencolumnfootnotes 10125
\tencolumnfootstyle 10222
\TeX 12723, 15323, 15324, 15345, 20390, 20391, 20403
\textbf 2444, 5533, 11442, 11444, 11446, 11448
\textbullet 2328, 7588, 7652, 7686
\textcolor 8237, 8252, 8256, 8259, 11432, 12893
\textdef@ 348
\textdir 14126
\textendash . 746, 998, 1061, 1248, 6346, 6523, 15643, 15782
\textheight 1885, 2292, 7188, 7247, 11894, 16427, 16472, 21041
\textit 19107
\textsf 1631
\textsl .. 4593, 4594, 4595
\textsuperscript 5140, 8845, 8846, 8847, 16588, 17137, 17707, 17836
\texttt 1989, 2053, 2055, 2056, 3264
\textwidth 1631, 1884, 2290, 2381, 2390, 2391, 2403, 2405, 4348, 4352, 4451, 4752, 4753, 5893, 7172, 7180, 7235, 7300, 7306, 7477, 7482, 7642, 7657, 7729, 7738, 7852, 8074, 8911, 10297, 10828, 10834, 10866, 10956, 10961, 11370, 11626, 11674, 11682,

11842, 11845, 11850, 11856, 13565, 14439, 14447, 14539, 14570, 14759, 14760, 14763, 14764, 14767, 14768, 14772, 14775, 16625, 16653, 16657, 16737, 17174, 17202, 17206, 17286, 17788, 17873, 17901, 17905, 17985, 20739, 20747, 20786, 21011, 21032
\textwidth@footnoterule . . 419, 743, 995, 1245, 6343, 6520, 6625, 8350, 8443, 10669, 11178, 11189, 14774, 15640, 15777, 16037, 16234, 16612, 17161, 17860
\textwidthfootnoterule 1674, 7780, 8682, 11187, 11703, 21069
\TeXXeTOff . 15256, 20320
\TeXXeTOn 15255, 15257, 20319, 20321
\TeXXeTstate . . 15255, 15256, 20319, 20320
\TF@conlab 11425, 11427, 11434
\TF@savecolor 11431, 11436
\TF@Title 11434
\thanklessauthor 5641, 5674, 5677, 5714
\thanklesspublisher 5642, 5701, 5704, 5718
\thanklesstitle 5640, 5657, 5660, 5716
\thanks 333, 420, 440, 475, 494, 744, 756, 782, 793, 794, 803, 826, 843, 996, 1008, 1034, 1045, 1046, 1055, 1078, 1095, 1246, 1258, 1284, 1295, 1296, 1305, 1328, 1346, 1912, 5640, 5641, 5642, 5643, 5646, 5653, 5654, 5670, 5671, 5686, 5687, 5698, 6344, 6356, 6382, 6521, 6533, 6559, 6626, 6646, 6681, 6700, 8351, 8369, 8402, 8419, 8444, 8464, 8499, 8518, 10670, 10688, 10721, 10738, 14216, 15641, 15653, 15679, 15690, 15691, 15700, 15723, 15740, 15778, 15792, 15818, 15831, 15832, 15841, 15864, 15884, 16038, 16068, 16108, 16126, 16235, 16255, 16290, 16309, 16613, 16698, 16729, 17162, 17247, 17278, 17861, 17946, 17977
\thankses 333
\the . . . 124, 125, 1375, 1469, 1470, 1472, 1473, 1534, 1629, 1782, 1841, 1876, 1878, 1881, 1883, 2122, 2124, 2127, 2130, 2135, 2138, 2141, 2246, 2514, 2516, 2517, 2538, 2540, 2541, 2991, 3277, 3372, 3427, 3455, 3457, 3462, 3464, 3465, 3475, 3482, 3484, 3489, 3493, 3494, 3499, 3504, 3512, 3515, 3519, 3525, 3609, 3610, 3611, 3636, 4155, 4162, 4191, 4982, 4992, 5127, 5138, 5944, 5951, 6082, 6085, 6088, 6092, 6095, 6098, 6203, 6818, 6823, 6867, 6928, 7159, 7161, 7222, 7224, 7287, 7293, 7294, 7295, 7427, 7437, 7456, 7464, 7465, 7466, 7469, 7471, 7472, 7473, 10817, 10819, 10853, 10855, 11087, 11102, 11103, 11106, 11107, 11110, 11163, 11167, 11221, 11394, 11408, 11458, 11465, 11469, 11470, 11471, 11472, 11473, 11474, 11482, 11488, 11495, 11496, 11498, 11503, 11505, 11506, 11520, 11546, 11576, 11577, 11578, 11583, 11584, 11585, 11595, 11612, 11614, 11660, 11662, 11766, 11811, 12344, 12352, 12353, 12359, 12361, 12390, 12391, 12397, 12399, 12430, 12432, 12461, 12463, 12492, 12494, 12836, 12837, 12965, 12966, 12969, 12973, 12977, 13511, 13514, 14076,

14380, 14382, 14393, 14410, 14417, 14423, 14480, 14482, 14493, 14510, 14517, 14523, 14593, 14656, 14658, 14659, 14660, 14661, 14662, 14851, 15022, 15038, 15042, 15045, 15070, 15094, 15101, 15108, 15262, 15263, 16435, 16445, 16454, 16481, 16493, 16503, 16810, 17390, 18073, 18476, 18477, 18507, 18526, 18528, 18552, 18557, 18559, 18560, 18563, 18564, 18567, 18570, 18571, 18574, 18679, 19436, 19439, 19441, 19517, 19788, 19791, 19792, 19794, 19796, 19800, 19805, 19809, 19820, 19821, 19824, 19830, 19834, 19842, 19843, 19880, 19896, 19900, 19999, 20162, 20174, 20179, 20200, 20201, 20203, 20325, 20326, 20454, 20511, 20691, 20693, 20705, 20726, 20728, 20773, 20775

\the@cornersize 10774, 10775

\thealgocf 168

\theAlgoLine 21114

\thechapter 318, 5349, 6327, 6333, 6335, 6337, 6504, 6510, 6512, 6514, 6576, 6755, 6757, 6759, 6760, 6761, 6771, 8549, 8551, 8553, 8554, 8555, 8565, 10622, 10752, 10758, 10760, 10762, 11053, 11055, 11057, 11058, 11059, 11066, 11068, 11070, 11071, 11072, 13119, 14254, 14263, 14265, 14266, 14267, 14892, 15405, 15622, 15628, 15630, 15632, 15987, 15993, 15995, 15997, 16182, 16184, 16186, 16187, 16364, 16366, 16368, 16369, 16370, 16379, 17323, 17325, 17339, 17341, 17347, 17349, 17355, 17357, 18021, 18033, 18037, 18041, 18763

\thecontentspage 5407, 5414, 5421, 5428, 5435

\thedate . 5636, 5644, 5690

\theDefaultDepth . 12872

\theDefaultLines . 12871

\theenumiv 86, 89, 299, 302, 584, 719, 982, 1232, 2489, 6310, 6498, 6807, 8331, 8602, 10658, 12761, 12764, 15616, 16010, 16204, 16407, 16817, 17397, 18080, 18736

\theequation 6332, 6509, 6754, 8548, 10757, 11052, 11065, 12846, 14264, 15627, 15996, 16181, 16363, 17353, 18040, 21062

\thefigure 6334, 6511, 6756, 8550, 10759, 11054, 11067, 14266, 15629, 15992, 16183, 16365, 17337, 18032, 18463

\thefootdir@label . . . 11087, 11090, 11119, 11124, 11142, 11145, 11165

\thefootnote . . . 456, 748, 807, 1000, 1059, 1250, 1309, 1903, 6348, 6525, 6662, 8383, 8480, 10702, 12244, 15645, 15704, 15784, 15845, 16041, 16084, 16271, 16616, 16680, 17165, 17229, 17864, 17928

\thefootnotemark 16588, 17137, 17707, 17836

\theHchapter 14892

\theHsection 14900, 14902

\theindex . 98, 228, 12774

\theL@lines 12918, 12923, 12930

\TheList 3473

\thelstlisting 13090, 13095, 13118, 13121

\thempfn 2147, 2155, 2163, 5216, 5222, 5245, 5251, 5274, 5280, 6103, 6110, 6117, 11230, 11235, 11239, 11244,

11372, 11398, 11403, 11413, 11418, 12211, 12222, 12233, 12363, 12401, 12434, 12465, 12496, 12558, 13623
\thempfootnote 11372, 13623
\theorem@indent 14926, 14927, 14946, 14947
\theorem@prework . 14920
\theorempostskipamount 14921, 14941
\theorempreskipamount 14924, 14944
\thepage . . 1874, 1879, 2466, 4481, 4593, 4594, 4595, 4604, 4605, 5820, 5821, 5832, 5833, 5834, 7353, 7371, 7528, 7546, 20206, 20914
\theparagraph . . . 21, 22, 226, 227, 551, 552, 705, 706, 959, 960, 1218, 1219, 5370, 6330, 6331, 6507, 6508, 6764, 6765, 8435, 8436, 8558, 8559, 10755, 10756, 11062, 11063, 11075, 11076, 12820, 12821, 14259, 14262, 15625, 15626, 15990, 15991, 16190, 16191, 16373, 16374, 16777, 16779, 17333, 17335, 18028, 18030
\thepart 556, 564, 8295, 8303
\ther@tfl@t . . . 16420, 16421, 16463, 16464
\thesection 19, 224, 549, 703, 957, 1216, 5356, 6327, 6328, 6504, 6505, 6761, 6762, 8433, 8555, 8556, 10752, 10753, 11059, 11060, 11072, 11073, 12818, 14254, 14256, 14900, 14902, 15622, 15623, 15987, 15988, 16187, 16188, 16370, 16371, 16773, 17321, 17329, 18020, 18024
\thesubparagraph 22, 227, 552, 706, 960, 1219, 6331, 6508, 6765, 8436, 8559, 10756, 11063, 11076, 12821, 14261, 15626, 15991, 16191, 16374, 16778, 17334, 18029
\thesubsection . . 19, 20, 224, 225, 549, 550, 703, 704, 957, 958, 1216, 1217, 5363, 6328, 6329, 6505, 6506, 6762, 6763, 8433, 8434, 8556, 8557, 10753, 10754, 11060, 11061, 11073, 11074, 12818, 12819, 14255, 14258, 15623, 15624, 15988, 15989, 16188, 16189, 16371, 16372, 16773, 16775, 17329, 17331, 18024, 18026
\thesubsubsection 20, 21, 225, 226, 550, 551, 704, 705, 958, 959, 1217, 1218, 6329, 6330, 6506, 6507, 6763, 6764, 8434, 8435, 8557, 8558, 10754, 10755, 11061, 11062, 11074, 11075, 12819, 12820, 14257, 14260, 15624, 15625, 15989, 15990, 16189, 16190, 16372, 16373, 16774, 16777, 17330, 17333, 18025, 18028
\thetable 6336, 6513, 6758, 8552, 10761, 11056, 11069, 14267, 15631, 15994, 16185, 16367, 17345, 18036, 18464
\thinlines 7018, 7028, 7041, 7051, 7064, 7074, 7087, 7097
\thispagestyle . 101, 113, 231, 472, 604, 619, 823, 868, 1075, 1120, 1325, 5721, 5743, 5764, 6227, 6404, 6615, 6678, 8399, 8496, 8613, 8616, 10718, 12777, 12825, 12849, 12852, 14244, 15510, 15720, 15765, 15861, 16105, 16225, 16287, 16621, 16694, 17170, 17243, 17869, 17942, 18795
\thm@topsepadd 14921, 14922, 14925, 14941, 14942, 14945
\thr@@ 359, 375, 1384, 1402, 1426, 1435, 9213, 9218, 18383, 18580, 18600
\threecolumnfootnotes 9075
\threecolumnfootstyle 9166
\tiny 1949, 5118, 5490

\title 330, 448, 484, 788, 833, 1040, 1085, 1290, 1335, 1919, 2368, 2407, 5635, 5650, 6388, 6565, 6654, 6690, 8375, 8409, 8472, 8508, 10694, 10728, 15685, 15730, 15826, 15873, 16076, 16117, 16263, 16299, 16716, 17265, 17964
\TitleBarFrame 11423, 11442, 11444, 11446, 11448
\titlecolour .. 2337, 7689
\titlecontents . 5402, 5409, 5416, 5423, 5430
\TitleFont 737, 753, 844, 846, 852, 989, 1005, 1096, 1098, 1104, 1239, 1255, 1347, 1349, 1355, 1358, 1359, 1364, 6353, 6530, 15634, 15650, 15741, 15743, 15749, 15771, 15789, 15887, 15889, 15895, 15898, 15899, 15904
\titlefont 2346, 2354, 7722, 16635, 16748, 17184, 17297, 17883, 17996
\titleformat ... 5346, 5353, 5360, 5367
\titlehead 16718, 17267, 17966
\titlepage 630, 937, 1189, 6293, 6481, 15521, 15971
\titlepagestyle 16694, 17243, 17942
\titlespacing 5374, 5375, 5376
\titlestyle ... 2354, 7753
\tl 13643, 13651, 13656, 13658, 13659, 13660, 13661, 13663, 13664, 13666, 13669, 13673, 13682, 13686, 13689, 13694, 13699, 13707, 13709, 13710, 13711, 13712, 13714, 13716, 13718, 13719, 13721, 13727, 13731, 13734, 13735, 13738, 13745, 13750, 13758, 13761, 13762, 13763, 13764, 13765, 13768, 13774, 13775, 13776, 13781, 13783, 13790, 13794, 13799, 13801, 13803, 13805, 13824, 13830, 13831, 13832, 13833, 13834, 13846, 13849, 13852, 13854, 13878, 13879, 13881, 13890, 13893, 13894, 13895, 13896, 13897, 13898, 13900, 13906, 13911, 13914, 13915, 13928, 13930, 13931, 13932, 13933, 13934, 13935, 13936, 13945, 13948, 13952, 13953, 13954, 13957, 13971, 13977, 13990, 13995, 13999, 14020, 14028, 14029, 14054, 14058, 14059, 14060, 14073, 14145, 14146, 14154, 14155, 14156, 14157, 14167, 14168, 14169, 14174, 14179, 14181, 14184, 14185, 14190, 14191, 14196, 14209, 14210
\tmpcount 3663, 3689
\toaddress .. 8622, 12858
\toc@headstar 18785, 18790
\tocbasic@DependOnPenaltyAndTOCLevel 19380
\tocbasic@SetPenaltyByTOCLevel 19464
\TOCEntryStyleStartInitCode .. 16997, 17010, 17029, 17577, 17590, 17609, 18260, 18273, 18292
\toclevel@subfigure 18997
\toclevel@subtable 19017
\TOCLineLeaderFill 17014, 17031, 17594, 17611, 18277, 18294, 19481, 19742
\tocstyle@@numberline 19887, 19889, 19907, 19909, 19912, 19914
\tocstyle@activate@all@l 20000
\tocstyle@activate@features 19777
\tocstyle@dottedtocline 19764
\tocstyle@feature@dothook 19863
\tocstyle@feature@entryhook 19859
\tocstyle@feature@entryvskip 19778, 19781
\tocstyle@feature@leaders 19861, 19866
\tocstyle@feature@pagenumberbox 19869, 19872

\tocstyle@feature@pagenumberhook
. . . . . 19870, 19872
\tocstyle@feature@parfillskip
. . . . . 19849, 19850
\tocstyle@feature@raggedhook
. 19785
\tocstyle@feature@spaceafternumber
. 19886,
19890, 19911, 19915
\tocstyle@indentstyle
. . . . . 19836, 19906
\tocstyle@l@define
. . 19923, 19926,
19931, 19935,
19939, 19943,
19947, 19951,
19955, 19959, 19991
\tocstyle@macrochangewarning
. . . . . 19979, 19986
\tocstyle@numberline
. . . . . 19765, 19884
\tocstyle@saved@dottedtocline
. 19981
\tocstyle@saved@numberline
. 19989
\tocstyledepth 19776,
19788, 19800,
19820, 19821,
19824, 19842,
19843, 19892,
19894, 19896, 19900
\tocstyleTOC . . . . . .
. . 19788, 19791,
19792, 19794,
19796, 19800,
19801, 19803,
19804, 19808,
19812, 19813,
19816, 19817,
19820, 19821,
19824, 19826,
19828, 19829,
19833, 19838,
19839, 19842,
19843, 19892,
19894, 19895, 19899
\today 5644
\token 14990
\toks 122,
124, 1469, 1470,
1472, 1473, 4975,
4976, 4982, 6928,
11501, 11502,
11503, 12834, 12836
\toks@ 121, 125,
1616, 1629, 1828,
4141, 4187, 4191,
7158, 7159, 7160,
7161, 7221, 7222,
7223, 7224, 10816,
10817, 10818,
10819, 10852,
10853, 10854,
10855, 11611,
11612, 11613,
11614, 11659,
11660, 11661,
11662, 11763,
11766, 11800,
11802, 11806,
11808, 11811,
12341, 12344,
12833, 12837,
14379, 14380,
14381, 14382,
14479, 14480,
14481, 14482,
18526, 18546,
18552, 20725,
20726, 20727,
20728, 20772,
20773, 20774, 20775
\tolerance . . . . . .
8973, 9121, 9268,
9419, 9570, 9721,
9872, 10023, 10174
\toname 8622, 12858
\topheight . . . . . .
. . 15149, 15151,
15152, 15153,
15155, 15161,
15163, 15165,
15166, 15167,
15230, 15231,
15232, 15233,
15237, 15238, 15242
\topins 15325
\topmargin 1889, 2291,
8093, 10998, 21003
\topmark . . 7158, 7167,
7221, 7230, 10816,
10825, 10852,
10861, 11611,
11620, 11659,
11668, 14379,
14388, 14479,
14488, 20725,
20734, 20772, 20781
\topsep . . . 2031, 2040,
2481, 4274, 5484,
5526, 14276, 14278
\topskip 311,
1897, 7413, 7416,
11507, 11509,
11514, 14282,
14573, 18761,
18767, 18772,
18779, 18784, 18789
\TOTALHEIGHT 18612, 18616
\totalheight 11793
\tovalue . . . . . .
3547, 3634, 3642,
3673, 3686, 3692, 3693
\tracingmacros 3662
\traditionalconnverses
. . . 5882, 5905, 5921
\traditionalhalfverses
. 5871,
5875, 5882, 5915
\traditionalpoem . . 6124
\traditionalpoem@cr
. . . 5995, 6044, 6045
\traditionalpoem@obeylines
. . . . . 5925, 6124
\traditionalpoem@par
. . . 5925, 5926, 6044
\trimb 4977, 4984
\trimc 4986
\trivlist . . . . . .
. 10907, 14923, 14943
\ttdefault . . . 7628, 7720
\ttfamily . . . . . .
1936, 1976, 1977,
1979, 1980, 1981,
1982, 1983, 1984, 1985
\ttl@a 18684, 18686
\ttl@b 18679,
18680, 18684, 18686
\ttl@beginlongest 18654
\ttl@calc . . 18649, 18661

\ttl@changecentercr 18653
\ttl@contentsstretch 18691
\ttl@corr 18706, 18707, 18710
\ttl@endlongest . . 18669
\ttl@filleft 18643, 18672
\ttl@filright 18644, 18673
\ttl@glcmds 18656
\ttl@hmode@error . 18655
\ttl@leaders 18708
\ttl@lselect 18715, 18718
\ttl@makeline 18649, 18704
\ttl@margin . 18703, 18709
\ttl@midlongest . . 18668
\ttl@outnoblock . . 18682
\ttl@savel@chapter 18717
\ttl@savel@part . . 18714
\ttlh@hang 18648
\turn 16507
\turnbox 16528
\tw@ . . . 358, 366, 1383, 1391, 1425, 1429, 1434, 2203, 2822, 9069, 9074, 10779, 10780, 11500, 11504, 11505, 11519, 11523, 11528, 11531, 11542, 11546, 11547, 11548, 11549, 11552, 11718, 11719, 11729, 11731, 11732, 11734, 11735, 11738, 11740, 11741, 11775, 11777, 11778, 11780, 11781, 11784, 11786, 11787, 12967, 14666, 14673, 14674, 14682, 14683, 14688, 14689, 14695, 14705, 14706, 14713, 14714, 14731, 14736, 15341, 15342, 16579, 17128, 17699, 17827, 18383, 18481, 18579, 18587, 18909, 20399, 20400, 20641, 20645, 20647
\twocolumn 465, 601, 617, 816, 866, 1068, 1118, 1318, 1873, 6225, 6402, 6612, 6671, 7352, 7527, 8392, 8489, 10711, 14235, 15508, 15713, 15763, 15854, 16098, 16222, 16280, 16687, 17236, 17935, 18761, 18767, 18772, 18779, 18784, 18789
\twocolumnfootnotes 8924
\twocolumnfootstyle 9021
\TX@ 18503, 18504, 18532, 18533
\TX@align .. 18556, 18558
\TX@arith 18518
\TX@ckpt . . . 18508, 18554
\TX@col@width . 18505, 18511, 18516, 18559
\TX@cols 18512, 18516, 18560
\TX@endtabularx 12330, 12341, 12347, 18501
\TX@find@endtabularxa 18503, 18504
\TX@find@endtabularxb 18533
\TX@find@endtabularxbb 18531
\TX@ftn . 18528, 18563, 18565, 18567, 18570, 18572, 18574
\TX@ftntext 18522
\TX@LTRftntext 18523, 18562
\TX@newcol 18505
\TX@old@table 18510
\TX@RTLftntext 18524, 18569
\TX@target . 18511, 18525
\TX@trial 18515, 18520, 18536
\TX@trial@ftn 18539, 18540, 18541
\TX@typeout@ 18513, 18555
\TX@verb 18506
\TX@vwarn 18542
\TX@xftntext 18522
\TX@xLTRftntext 18523, 18566
\TX@xRTLftntext 18524, 18573
\typeout 1533, 1535, 4477, 4479, 4480, 4481, 4483, 4485, 4486, 4487, 11097, 15381, 19788, 19800, 19820, 19821, 19824, 19842, 19843

U

\uc@authornothanks . . 765, 794, 799, 1017, 1046, 1051, 1267, 1296, 1301, 6365, 6542, 15662, 15691, 15696, 15801, 15832, 15837
\uc@ax 795, 796, 1047, 1048, 1297, 1298, 15692, 15693, 15833, 15834
\uc@nothanks 756, 793, 794, 803, 1008, 1045, 1046, 1055, 1258, 1295, 1296, 1305, 6356, 6533, 15653, 15690, 15691, 15700, 15792, 15831, 15832, 15841
\uc@tx 793, 801, 1045, 1053, 1295, 1303, 15690, 15698, 15831, 15839

\uc@ty 802, 803, 1054, 1055, 1304, 1305, 15699, 15700, 15840, 15841
\undefined 3993, 6077, 6130, 6133, 6135, 16878, 16880, 16882, 17458, 17460, 17462, 18141, 18143, 18145
\underline . 20600, 20608
\undertext 20608
\unexpanded 2849, 2858, 2859, 2866, 2867, 2880, 2881, 2888, 2889, 2990, 3111
\unhbox 1499, 5950, 6215, 6954, 10279, 10303, 10313, 10316, 10499, 10503, 10508, 10511, 20518, 20651, 20652, 20653, 20654
\unhcopy 18403, 18415, 18491
\unhskip 3467
\unitindent 640, 651, 652, 654, 728, 734, 878, 879, 881, 947, 948, 950, 951, 963, 968, 1062, 1134, 1135, 1137, 1199, 1208, 1214, 6241, 6242, 6244, 6319, 6325, 6418, 6419, 6421, 6472, 6478, 15531, 15542, 15543, 15545, 15596, 15602, 15914, 15915, 15917, 15981, 16019, 16025
\unitlength 7018, 7028, 7041, 7051, 7064, 7074, 7087, 7097, 14957
\unkern 5139
\unpenalty 6853, 7396, 7408, 7419, 7425, 10282, 10300, 10310, 11531
\unrestored@protected@xdef 2147, 2155, 2163, 5222, 5251, 5280, 6103, 6110, 6117, 11235, 11244, 11403, 11418, 12211, 12222, 12233, 12244
\unsetfootnoteRL 11250, 11251
\unsetLTR . . 15310, 20377
\unsetRL . . . 15348, 20408
\unsetRTL . . 15309, 20376
\unskip 46, 60, 76, 259, 273, 288, 346, 1451, 1452, 1453, 4531, 4534, 4537, 4540, 5230, 5259, 5288, 5977, 5988, 6850, 7156, 7219, 7396, 7408, 7419, 7421, 7425, 7429, 8881, 10280, 10281, 11381, 11609, 11657, 13550, 13592, 13595, 14377, 14477, 16512, 16522, 16540, 16875, 16896, 16901, 16910, 17455, 17476, 17481, 17490, 18138, 18159, 18164, 18173, 20533, 20723, 20770, 20946
\untilcondition 3548, 3562, 3646, 3689
\unvbox . . . 6864, 6865, 7119, 7122, 7139, 7143, 7156, 7206, 7219, 7265, 7323, 7331, 7332, 7341, 7419, 7421, 7425, 7428, 7434, 7438, 7497, 7505, 7506, 7515, 7563, 7794, 7797, 7798, 7815, 7818, 7819, 7844, 7851, 7856, 7861, 7901, 7906, 7910, 7915, 8738, 8751, 8764, 8854, 8886, 8892, 8923, 8986, 8998, 9011, 9051, 9134, 9145, 9157, 9195, 9281, 9293, 9306, 9346, 9432, 9444, 9457, 9497, 9583, 9595, 9608, 9648, 9734, 9746, 9759, 9799, 9885, 9897, 9910, 9950, 10036, 10048, 10061, 10101, 10187, 10199, 10212, 10252, 10277, 10397, 10411, 10425, 10478, 10497, 10506, 10531, 10539, 10546, 10551, 10557, 11012, 11321, 11335, 11349, 11386, 11391, 11494, 11504, 11531, 11609, 11657, 13523, 13528, 13537, 13540, 13598, 13616, 14377, 14406, 14408, 14416, 14434, 14436, 14477, 14506, 14508, 14516, 14534, 14536, 14591, 15187, 15191, 15196, 15200, 15212, 15223, 15243, 15246, 15251, 15325, 15326, 15330, 15335, 20518, 20723, 20770, 21025
\unvcopy . 7391, 7838, 7895

\uppercase 318, 773, 793, 1025, 1045, 1275, 1295, 6373, 6550, 15670, 15690, 15809, 15831
\uppercasenonmath 114, 12826
\uppermargin 8077
\uppertitleback 16721, 17270, 17969
\upshape 5407, 5414, 5421, 5428, 5435, 7629, 7633, 7634, 7721, 7726, 7727, 15400
\urlstyle 2310
\use 13774
\usebox ... 2016, 2026, 4372, 4504, 4506, 4511, 4513, 4522, 4523, 4526, 4527, 4734, 8183, 8186, 8194, 8201, 8209, 8216, 8259, 11901, 11905, 11988, 11990, 11994, 11996, 12001, 12003, 12007, 12009, 12013, 12015, 12019, 12021, 12027, 12028, 12031, 12032, 12036, 12037, 12040, 12041, 12044, 12045, 12048, 12049, 12063, 12064, 12066, 12067, 12079, 12080, 12082, 12083, 12089, 12090, 12093, 12094, 12098, 12099, 12102, 12103, 12106, 12107, 12110, 12111, 12118, 12120, 12124, 12126, 12131, 12133, 12137, 12139, 12143, 12145, 12149, 12151, 12164, 12166, 12976, 12978, 14953, 14954, 14956, 14963, 14981, 15258, 15259, 20322
\usecounter 91, 304, 582, 717, 980, 1230, 2487, 5522, 6308, 6496, 6805, 8329, 8600, 10656, 12766, 15614, 16008, 16202, 16405, 16809, 16814, 17389, 17394, 18072, 18077, 18734
\usekomafont .. 16593, 16600, 16637, 16750, 17001, 17004, 17021, 17023, 17142, 17149, 17186, 17299, 17581, 17584, 17600, 17603, 17841, 17848, 17885, 17998, 18264, 18267, 18283, 18286
\usepackage 3911, 3912, 3917, 3918, 3921, 3924, 3969, 3970
\usetocbasicnumberline 19417

V

\v@aaa 7284, 7286, 7287, 7288, 7290, 7292, 7293, 7294, 7295, 7450, 7452, 7454, 7456, 7457, 7462, 7463, 7465, 7468, 7469, 7472
\v@ccc 7285, 7291, 7293, 7294, 7295, 7296, 7305, 7313, 7451, 7463, 7464, 7468, 7471, 7475, 7481, 7487
\vadjust . 5953, 5954, 5961
\valign 8913, 8917
\value 5020, 5039, 5058, 5090, 11087, 11102, 11103, 11106, 11107, 11110, 16865, 17445, 18128, 18507
\varcustomer .. 17719, 17745, 17746, 17749
\varinvoice ... 17720, 17751, 17752, 17755
\varmyref 17718, 17739, 17740, 17743
\varrefitemi .. 17721, 17757, 17758, 17761
\varrefitemii . 17722, 17763, 17764, 17767
\varrefitemiii 17723, 17769, 17770, 17773
\varrefitemnamei . 17759
\varrefitemnameii 17765
\varrefitemnameiii 17771
\varyourmail .. 17717, 17733, 17734, 17737
\varyourref ... 17716, 17727, 17728, 17731
\vbadness . 7155, 7218, 8912, 8916, 10814, 10850, 10955, 11608, 11656, 14376, 14476, 15139, 20722, 20769
\vbox ... 179, 316, 401, 407, 1419, 1486, 2227, 4761, 4762, 4764, 5937, 6858, 6863, 6941, 7119, 7122, 7139, 7143, 7156, 7171, 7188, 7204, 7219, 7234, 7247, 7263, 7285, 7291, 7296, 7299, 7305, 7308, 7313, 7318, 7322, 7330, 7340, 7391, 7419, 7421, 7424, 7433, 7451, 7463, 7475, 7476, 7481, 7483, 7487, 7491, 7496,

7504, 7514, 7562, 7568, 7786, 7794, 7795, 7803, 7807, 7815, 7816, 7824, 7838, 7843, 7847, 7850, 7854, 7855, 7872, 7879, 7895, 7900, 7904, 7905, 7908, 7909, 7924, 7931, 8737, 8750, 8763, 8852, 8985, 8997, 9010, 9050, 9133, 9144, 9156, 9194, 9280, 9292, 9305, 9345, 9431, 9443, 9456, 9496, 9582, 9594, 9607, 9647, 9733, 9745, 9758, 9798, 9884, 9896, 9909, 9949, 10035, 10047, 10060, 10100, 10186, 10198, 10211, 10251, 10277, 10352, 10364, 10376, 10394, 10402, 10408, 10416, 10422, 10430, 10470, 10477, 10484, 10528, 10536, 10549, 10828, 10865, 10956, 10961, 10986, 10999, 11029, 11320, 11334, 11348, 11367, 11491, 11504, 11528, 11609, 11625, 11657, 11673, 13461, 13523, 13528, 13531, 13536, 13537, 13540, 13560, 13598, 14130, 14282, 14377, 14400, 14405, 14407, 14415, 14433, 14438, 14477, 14500, 14505, 14507, 14515, 14533, 14538, 14569, 15009, 15173, 15174, 15187, 15191, 15196, 15200, 15212, 15223, 15238, 15240, 15242, 15245, 15250, 15287, 15294, 15295, 15302, 15411, 16892, 17472, 18155, 18459, 18493, 18498, 19922, 19925, 19930, 19934, 19938, 19942, 19946, 19950, 19954, 19958, 20350, 20358, 20359, 20367, 20508, 20513, 20619, 20636, 20723, 20738, 20770, 20785, 20924, 20965, 21004, 21007

\vboxL 15295, 16427, 16472, 20359

\vboxR 15287, 20350

\vcenter 401, 1483, 6938, 18493, 20426, 20515, 20516, 20619

\veqno 337, 338

\verb 18506

\VerbBox 8240, 8242

\verse@i 5967, 5998, 6004, 6012, 6053

\verse@ii 5978, 5999, 6005, 6007, 6013, 6015, 6053

\versewidth 5930, 5940, 6032

\vfil 423, 437, 631, 634, 750, 779, 938, 941, 1002, 1031, 1190, 1193, 1252, 1281, 5937, 6294, 6297, 6350, 6379, 6482, 6485, 6527, 6556, 6629, 6643, 7794, 7815, 8352, 8366, 8447, 8461, 10671, 10685, 15331, 15522, 15525, 15647, 15676, 15786, 15815, 15972, 15975, 16051, 16065, 16238, 16252, 21008

\vfill 1865, 5717, 8913, 8917, 10583, 15238, 15243, 15244, 16437, 16452, 16484, 16501, 16629, 16651, 16656, 16662, 17178, 17200, 17205, 17211, 17877, 17899, 17904, 17910

\vfuzz . . . 4988, 4991, 4992

\vleftskip . 14250, 14251

\voffset 1893

\voidb@x 6831, 6895

\vphantom 20085

\vpic . 15163, 15173, 15174

\vrightskip . 14250, 14251

\vrule 390, 1498, 4763, 4764, 5936, 5938, 6953, 7175, 7240, 7303, 7315, 7480, 7489, 10830, 10871, 11631, 11677, 13452, 13509, 13858, 14120, 14201, 14410, 14417, 14442, 14510, 14517, 14544, 14573, 14686, 14700, 18419, 18447, 18488, 20622, 20742, 20791, 20938

\vsize 7361, 7536, 10976, 11456, 11507, 13535, 13543

\vskip 319, 322, 424, 427, 433, 492, 498, 504, 508, 570, 649, 751, 760, 770, 841, 845, 851, 855, 876, 1003, 1012, 1022, 1093, 1097, 1103, 1107, 1132, 1253, 1262, 1272, 1343, 1348, 1354, 1358, 1364, 1367, 2242, 5993, 6020, 6056, 6057, 6063, 6067, 6069, 6180, 6182, 6239, 6278, 6351, 6360, 6370, 6416, 6455, 6528, 6537, 6547, 6578, 6583, 6587, 6589, 6595, 6599, 6601, 6630, 6633, 6639, 6698, 6704, 6710, 6714, 6734, 6773, 6778, 6786, 7205, 7264, 7325, 7326, 7334, 7335, 7344, 7345, 7426, 7499, 7500, 7508, 7509, 7518, 7519, 7859, 7913, 8309, 8317, 8353, 8356, 8362, 8417, 8421, 8427, 8431, 8448, 8451, 8457, 8516, 8522, 8528, 8532, 8567, 8572, 8581, 8873, 8883, 8896, 10514, 10518, 10532, 10540, 10542, 10553, 10606, 10624, 10628, 10636, 10672, 10675, 10681, 10736, 10740, 10746, 10750, 10998, 11002, 11003, 11011, 11383, 11492, 11530, 11535, 12944, 12946, 13058, 13071, 13479, 13496, 13497, 13499, 13613, 14276, 14278, 14281, 14322, 14331, 14339, 14408, 14409, 14411, 14418, 14435, 14508, 14509, 14511, 14518, 14535, 14580, 14592, 14611, 14623, 14635, 15138, 15155, 15176, 15242, 15328, 15334, 15540, 15579, 15648, 15657, 15667, 15738, 15742, 15748, 15752, 15787, 15796, 15806, 15881, 15888, 15894, 15898, 15904, 15907, 15912, 15951, 16052, 16055, 16061, 16125, 16131, 16136, 16139, 16158, 16239, 16242, 16248, 16307, 16313, 16319, 16323, 16343, 16381, 16385, 16393, 16592, 16599, 16633, 16636, 16638, 16644, 16646, 16648, 16664, 16742, 16746, 16749, 16751, 16758, 16760, 16763, 16768, 16848, 16853, 16937, 16939, 16943, 16945, 16956, 16958, 16966, 16968, 17141, 17148, 17182, 17185, 17187, 17193, 17195, 17197, 17213, 17291, 17295, 17298, 17300, 17307, 17309, 17312, 17317, 17428, 17433, 17517, 17519, 17523, 17525, 17536, 17538, 17546, 17548, 17724, 17725, 17840, 17847, 17881, 17884, 17886, 17892, 17894, 17896, 17912, 17990, 17994, 17997, 17999, 18006, 18008, 18011, 18016, 18111, 18116, 18200, 18202, 18206, 18208, 18219, 18221, 18229, 18231, 18853, 18872, 18893, 18910, 18927, 18944, 18961, 18979, 18998, 19018, 19053, 19242, 19779, 19963, 20142, 20146, 20165, 20542, 20551, 20560, 20569, 20657, 20924, 21003, 21016, 21024, 21048, 21056

\vspace 2410, 4365, 4455, 4463, 5081, 5085, 5147, 5152, 5165, 5170, 5183, 5188, 5305, 5314, 5323, 5404, 5411, 5418, 5425, 5432, 5715, 5759, 5763, 6572,

6592, 6767, 6781, 8561, 8576, 8621, 8623, 8625, 10619, 10631, 12857, 12859, 13580, 13593, 16376, 16388, 17782, 17785, 17787, 17792, 18761, 18767, 18772, 18779, 18784, 18789
\vsplit 7114, 7115, 7132, 7136, 7157, 7220, 7286, 7292, 7297, 7452, 7454, 7463, 7475, 7565, 8922, 10815, 10851, 11500, 11610, 11658, 14378, 14478, 15144, 15147, 15166, 15167, 15185, 15189, 15194, 15198, 15210, 15221, 15248, 20724, 20771
\vss 316, 7191, 7250, 7286, 7292, 7297, 7305, 7308, 7313, 7318, 7453, 7463, 7475, 7481, 7483, 7487, 7491, 7566, 7851, 7861, 7906, 7915, 11030, 13528, 13540, 14131, 15173, 15174, 15245, 15411, 20518
\vtop 180, 401, 407, 1418, 1485, 4822, 4866, 4910, 6864, 6940, 13443, 18459, 18493, 18498, 20514, 20619, 20636, 20839, 20883

W

\waslice 15173, 15191, 15196, 15212, 15231, 15232, 15241
\wbslice 15174, 15187, 15200, 15223, 15230, 15232, 15233, 15237, 15238, 15245, 15250, 15251
\wd 1624, 1836, 5943, 5944, 6004, 6005, 6007, 6013, 6053, 6154, 6156, 6169, 6171, 6962, 8253, 8257, 10287, 10790, 10917, 11429, 11547, 11548, 11738, 11740, 11784, 11786, 11907, 11988, 11990, 11994, 11996, 12027, 12028, 12031, 12032, 12056, 12057, 12059, 12072, 12073, 12075, 12089, 12090, 12093, 12094, 12118, 12120, 12124, 12126, 12905, 12949, 12950, 12961, 13065, 13474, 13599, 14288, 14292, 14294, 14302, 14333, 14652, 15131, 15342, 15365, 15392, 16424, 16469, 16525, 16532, 16890, 17470, 17730, 17736, 17742, 17748, 17754, 17760, 17766, 17772, 17778, 18153, 18399, 18557, 18608, 18662, 18679, 19422, 19436, 20176, 20220, 20400, 20596, 21050
\WF@@everypar 20139
\WF@adjlw . . 20179, 20204
\WF@adjtlm . 20201, 20204
\WF@box 20176, 20209, 20210
\WF@floatfalse 20142, 20150, 20160, 20163
\WF@fltmes 20169
\WF@info 20149, 20159, 20162, 20171, 20206, 20208
\WF@ovh 20176
\WF@place . . 20174, 20180
\WF@putfigmaybe . . 20140
\WF@size . . . 20153, 20207
\WF@startwrapping 20212
\WF@wfname 20171, 20206, 20208
\WF@wrapil . 20200, 20203
\whilecondition 3548, 3562, 3651, 3683
\whiledo 10960
\widowpenalty . . . 92, 305, 588, 720, 983, 1233, 2490, 6041, 6311, 6499, 6811, 8332, 8606, 10659, 12767, 14857, 15617, 16011, 16208, 16411, 16819, 17399, 18082, 18740
\WIDTH 18608, 18616
\width . . 11450, 11718, 11806, 11808, 14167, 14176, 14200
\widthof 8108, 8113
\windowbox . 15240, 15246
\wlog 7287, 7293, 7295, 7456, 7464, 7471
\write 4142, 5926, 5929, 6140, 18545, 20704
\wstrutbox . 15150, 15152

X

\x 3683, 3684, 4154, 4157, 8026, 8027, 8030, 8031, 8036, 8040, 8044, 8045, 8048, 8049,

8054, 8058, 12732, 12741, 12743, 12755
\XC@@tmp 20247, 20248, 20262, 20296, 20297, 20305, 20309
\XC@@tstfalse 20247, 20296
\XC@@tsttrue .. 20248, 20249, 20250, 20297, 20298, 20299
\XC@bidideclaredc@lor 20303, 20308
\XC@bidideclaredcolor 20302, 20304
\XC@bidiundeclaredcolor 20287, 20289
\XC@coremodel 20231, 20274
\XC@current@color 20259, 20262, 20263, 20293, 20309, 20310
\XC@declaredc@lor 20254, 20261
\XC@declaredcolor 20253
\XC@display ... 20260, 20264, 20294, 20311
\XC@edef ... 20247, 20296
\XC@fbox 20315
\XC@getmodclr 20227, 20270
\XC@inflate . 20241, 20284
\XC@let@Nc . 20262, 20309
\XC@mclr ... 20241, 20284
\XC@mmod 20239, 20240, 20282, 20283
\XC@mul 20242, 20285
\XC@split 20305
\XC@tgt@mod . 20235, 20278
\XC@type ... 20248, 20297
\XC@undeclaredcolor 20244, 20255
\xcolor@ ... 20259, 20293
\xdef 343, 396, 1969, 2646, 2781, 2866, 2867, 2870, 2871, 2888, 2889, 2892, 2893, 4033, 4188, 5944, 5946, 6027, 6029, 6031, 7159, 7161, 7222, 7224, 7804, 7825, 7870, 7876, 7877, 7922, 7928, 7929, 10342, 10459, 10521, 10817, 10819, 10853, 10855, 11221, 11612, 11614, 11660, 11662, 12342, 12898, 13459, 14380, 14382, 14480, 14482, 15094, 15101, 15108, 18679, 19804, 19808, 19829, 19833, 19895, 19899, 20174, 20179, 20200, 20201, 20203, 20204, 20726, 20728, 20773, 20775
\XeLaTeX 12724, 20404, 21217, 21218
\XeTeX .. 12723, 15344, 20402, 21215, 21216
\XeTeXcharclass 1736, 1737, 1738, 1739
\XeTeXinterchartokenstate 1733
\XeTeXinterchartoks 1740
\xm .. 8027, 8031, 8045, 8049
\xxm . 8035, 8039, 8053, 8057
\xyzzy 4969

Y

\y ... 8027, 8031, 8035, 8039, 8044, 8045, 8048, 8049, 8053, 8054, 8057, 8058, 12728, 12730, 12731, 12734, 12741
\ym .. 8044, 8048, 8054, 8058
\yourmailname 17735
\yourrefname 17729
\yym . 8026, 8030, 8036, 8040

Z

\z@ ... 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 217, 229, 233, 259, 273, 288, 316, 324, 328, 346, 360, 364, 367, 378, 393, 398, 404, 405, 469, 516, 528, 533, 560, 599, 604, 605, 615, 619, 620, 649, 650, 653, 655, 668, 693, 745, 762, 820, 864, 868, 869, 876, 877, 880, 883, 895, 912, 949, 952, 997, 1014, 1060, 1072, 1116, 1120, 1121, 1132, 1133, 1136, 1138, 1151, 1177, 1247, 1264, 1322, 1359, 1385, 1389, 1392, 1405, 1427, 1435, 1453, 1463, 1465, 1475, 1477, 1482, 1496, 1498, 1499, 1617, 1622, 1623, 1624, 1626, 1829, 1834, 1835, 1836, 1838, 2187, 2242, 3528, 3538, 4262, 4271, 4570, 4803, 4807, 4847, 4851, 4891, 4895, 5481, 5508, 5539, 5551, 5729, 5957, 5960, 5963, 6004, 6005, 6007, 6013, 6027, 6031, 6035, 6036, 6037, 6038, 6039, 6040, 6053, 6066, 6134, 6146, 6147, 6154, 6156, 6169, 6171, 6179, 6223, 6227, 6228, 6239, 6240, 6243, 6245, 6258, 6281, 6333, 6335, 6337, 6345, 6362, 6400, 6404, 6405, 6416, 6417, 6420, 6422, 6435, 6458, 6510, 6512, 6514, 6522, 6539, 6573, 6593, 6610, 6615, 6616,

6675, 6722, 6737,
6755, 6757, 6759,
6768, 6782, 6833,
6834, 6845, 6847,
6930, 6932, 6937,
6951, 6953, 6954,
6959, 6960, 6961,
6962, 6963, 6997,
7008, 7126, 7280,
7327, 7336, 7346,
7364, 7367, 7404,
7446, 7501, 7510,
7520, 7539, 7542,
7792, 7813, 7830,
7831, 7833, 7834,
7842, 7864, 7866,
7869, 7887, 7888,
7890, 7891, 7899,
7916, 7918, 7921,
8222, 8244, 8246,
8248, 8251, 8253,
8255, 8257, 8259,
8260, 8266, 8271,
8285, 8299, 8312,
8396, 8493, 8539,
8549, 8551, 8553,
8562, 8577, 8700,
8716, 8732, 8746,
8759, 8772, 8810,
8815, 8822, 8827,
8834, 8839, 8897,
8898, 8972, 9120,
9267, 9418, 9569,
9720, 9871, 10022,
10173, 10286,
10382, 10386,
10390, 10491,
10515, 10516,
10517, 10594,
10609, 10620,
10632, 10715,
10758, 10760,
10762, 10791,
10942, 10997,
11030, 11053,
11055, 11057,
11066, 11068,
11070, 11216,
11270, 11287,
11303, 11330,
11344, 11358,
11372, 11376,
11497, 11547,
11554, 11580,
11581, 11582,
11712, 11713,
11714, 11721,
11728, 11729,
11730, 11731,
11732, 11734,
11735, 11737,
11738, 11740,
11774, 11775,
11776, 11777,
11778, 11780,
11781, 11783,
11784, 11786,
11858, 11864,
12775, 12779,
12795, 12799,
12811, 12823,
12840, 12921,
12982, 12984,
13024, 13031,
13036, 13047,
13119, 13421,
13423, 13455,
13461, 13464,
13469, 13472,
13509, 13523,
13527, 13528,
13531, 13537,
13550, 13571,
13573, 13595,
13624, 14238,
14241, 14265,
14390, 14394,
14404, 14465,
14490, 14494,
14504, 14562,
14579, 14588,
14590, 14611,
14623, 14635,
14655, 14666,
14672, 14846,
14851, 14892,
14902, 14952,
14953, 14954,
14956, 14958,
14963, 14981,
15259, 15303,
15305, 15340,
15341, 15342,
15351, 15352,
15365, 15389,
15390, 15411,
15456, 15457,
15471, 15474,
15488, 15506,
15510, 15511,
15540, 15541,
15544, 15546,
15559, 15582,
15628, 15630,
15632, 15642,
15659, 15717,
15761, 15765,
15766, 15781,
15798, 15858,
15899, 15912,
15913, 15916,
15918, 15931,
15954, 15993,
15995, 15997,
16050, 16093,
16102, 16129,
16146, 16161,
16182, 16184,
16186, 16220,
16225, 16226,
16284, 16331,
16346, 16364,
16366, 16368,
16377, 16389,
16424, 16425,
16426, 16469,
16470, 16471,
16509, 16513,
16514, 16519,
16523, 16524,
16525, 16530,
16531, 16532,
16537, 16541,
16542, 16584,
16592, 16599,
16601, 16623,
16646, 16664,
16691, 16735,
16760, 16848,
16853, 16898,

16962, 17038,
17041, 17047,
17057, 17067,
17077, 17133,
17141, 17148,
17150, 17172,
17195, 17213,
17240, 17284,
17309, 17428,
17433, 17478,
17542, 17622,
17627, 17630,
17636, 17646,
17656, 17666,
17703, 17832,
17840, 17847,
17849, 17871,
17894, 17912,
17939, 17983,
18008, 18111,
18116, 18161,
18225, 18305,
18310, 18313,
18319, 18329,
18339, 18349,
18390, 18391,
18392, 18393,
18398, 18399,
18403, 18415,
18449, 18472,
18484, 18488,
18581, 18585,
18592, 18603,
18646, 18647,
18657, 18661,
18662, 18663,
18666, 18675,
18676, 18678,
18679, 18681,
18689, 18694,
18709, 18795,
18796, 18870,
18960, 18978,
19071, 19250,
19358, 19387,
19697, 19701,
19779, 19784,
19789, 19837,
19963, 20149,
20156, 20157,
20175, 20191,
20194, 20203,
20204, 20206,
20210, 20217,
20218, 20219,
20220, 20315,
20322, 20370,
20372, 20398,
20399, 20400,
20451, 20452,
20453, 20542,
20551, 20560,
20569, 20573,
20593, 20594,
20624, 20635,
20643, 20648,
20657, 20820,
20824, 20864,
20868, 20909,
20913, 20916,
20926, 20927,
20931, 20938,
20975, 21001,
21014, 21059, 21060
\z@skip .. 2242, 10995,
10996, 13571,
13574, 15471,
15475, 15485,
18453, 18458,
18491, 18497,
20572, 20573,
20628, 20634, 21001
\zap@space 3899, 3986, 4022
\zifrefundefined ..
..... 11119, 11142
\zref@extractdefault
..... 11124, 11145
\zref@labelbyprops
..... 11090, 11165

□
\ 1739
\ 1739