

Table A1: Basic properties for all AGN of this work.

Section	BAT ID	Object	Redshift	D (Mpc)	Opt. class	Nuc. morph.	$F_{\nu}^{\text{nuc}}(12\mu\text{m})$ (mJy)	$F_{\nu}^{\text{nuc}}(18\mu\text{m})$ (mJy)	d_{unr} (pc)	$\langle R_{\text{AS}}^{\text{SAS}} \rangle$	$R_{\text{tot}}^{\text{SAS}}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
B1	31	1H 0419-577	0.1040	499.0	1.5	-	62 ± 12		712		0.762
B2	78	1RXS J112716.6	0.1055	512.0	1.8	?	41 ± 5		802		
B3	28	2MASX J03565655	0.0748	351.0	1.9	?	31 ± 13		541		
B4	64	2MASX J09180027	0.1564	781.0	2	?	18 ± 4		965		
B5		3C 29	0.0450	202.0	L	?	≤ 3		371		
B6		3C 33	0.0597	273.0	2	o	35 ± 18		839	0.82	
B7		3C 78	0.0287	127.0	1	?	≤ 12		241		0.122
B8		3C 93	0.3571	1967.0	1	?	≤ 3		2135		
B9		3C 98	0.0305	137.0	2	?	25 ± 7		304	1.19	1.258
B10	29	3C 105	0.0890	421.0	2	?	10 ± 4		593	1.01	
B11	32	3C 120	0.0330	150.0	1.5	?	266 ± 7		200	0.88	0.619
B12		3C 135	0.1274	620.0	2	?	≤ 11		881		
B13		3C 227	0.0858	414.0	1.5	-	32 ± 3		595	1.04	
B14		3C 264	0.0217	103.0	2: *	?	≤ 4		191	0.34	0.039
B15		3C 273	0.1583	792.0	1	-	289 ± 51		1095	0.90	0.528
B16		3C 285	0.0794	378.0	2	?	≤ 6		626	0.34	0.062
B17		3C 293	0.0450	211.0	L	?	≤ 5		373	0.23	0.201
B18		3C 305	0.0416	192.0	2	?	≤ 4		329	0.19	0.200
B19		3C 317	0.0345	160.0	2/L	?	≤ 3		310		0.033
B20		3C 321	0.0961	460.0	2	o	70 ± 50		782	0.64	0.822
B21		3C 327	0.1048	505.0	1	o	71 ± 21		1114	0.89	0.832
B22		3C 353	0.0304	138.0	2/L	?	8 ± 2		292	0.84	
B23	125	3C 382	0.0579	267.0	1	-	100 ± 10		485	1.04	
B24	127	3C 390.3	0.0561	259.0	1.5	o	144 ± 58		433	0.73	
B25		3C 403	0.0590	271.0	2	?	94 ± 13		485	0.87	0.805
B26		3C 424	0.1270	613.0	2	?	≤ 2		982		
B27		3C 445	0.0559	254.0	1.5	?	180 ± 19		357	1.04	0.866
B28		3C 449	0.0171	72.4	L	?	≤ 12		242	0.60	0.334
B29	149	3C 452	0.0811	378.0	2	?	42 ± 9		1039	1.40	
B30		3C 459	0.2201	1125.0	Cp	?	≤ 16		1999		0.147
B31		4C +73.08	0.0581	271.0	2	?	22 ± 8		421		
B32	38	Ark 120	0.0327	149.0	1	-	247 ± 14		200	0.91	0.773
B33	104	Cen A	0.0018	3.8	2	circ.	1524 ± 152	2298 ± 294	5.8	0.69	0.069
B34		Circinus	0.0014	4.2	2	ellip.	8327 ± 1049	14182 ± 1467	5.34	0.70	0.443
B35		Cygnus A	0.0561	257.0	2	circ.	57 ± 14		626	0.42	0.398
B36	49	ESO 5-4	0.0062	22.4	2	?	29 ± 3	69 ± 25	34.9	0.38	0.047
B37		ESO 33-2	0.0181	82.3	2	o	174 ± 62		276	0.79	0.838
B38	126	ESO 103-35	0.0133	59.5	2	o	484 ± 259		81	0.63	0.791
B39	51	ESO 121-28	0.0405	187.0	2	-	15 ± 1		285	0.91	0.203
B40		ESO 138-1	0.0091	41.8	2	?	760 ± 36		61.8	0.96	1.573
B41		ESO 141-55	0.0371	169.0	1.2	o	149 ± 36		289	0.76	0.615
B42	18	ESO 198-24	0.0455	208.0	1	-	33 ± 10		305	0.98	
B43		ESO 209-12	0.0405	189.0	1.5	?	164 ± 23		250	0.87	0.812
B44		ESO 253-3	0.0425	196.0	2	?	193 ± 40		364	0.78	0.738
B45		ESO 263-13	0.0335	158.0	2	-	56 ± 4		223	0.93	
B46		ESO 286-19	0.0430	195.0	Cp: *	?	412 ± 41	808 ± 81	497	0.96	1.471
B47	8	ESO 297-18	0.0252	111.0	2	?	31 ± 5		171	0.48	0.181
B48		ESO 323-32	0.0160	76.4	1.9	?	57 ± 7		121		0.525
B49		ESO 323-77	0.0150	71.8	1.2	circ.	347 ± 79		89.3	0.48	0.510
B50	39	ESO 362-18	0.0124	56.5	1.5	-	157 ± 19		88.1	0.82	0.685
B51	17	ESO 416-2	0.0591	272.0	1.9	?	25 ± 3		504		
B52		ESO 420-13	0.0119	52.7	Cp	spir.	192 ± 39		95	0.33	0.202
B53		ESO 428-14	0.0057	28.2	2	ellip.	115 ± 17	308 ± 12	42.8	0.38	0.262
B54		ESO 500-34	0.0122	60.2	Cp *	comp.	≤ 47		121		0.122
B55	95	ESO 506-27	0.0250	119.0	2	-	180 ± 18		183	0.88	1.215
B56	113	ESO 511-30	0.0224	105.0	1	o	52 ± 5		149	0.75	0.325
B57	25	ESO 548-81	0.0145	63.5	1	o	87 ± 33		103	0.70	0.349
B58		ESO 602-25	0.0250	109.0	Cp: *	spir.	34 ± 13	43 ± 7	297	0.14	0.124
B59	5	Fairall 9	0.0470	215.0	1.2	-	280 ± 28		246	0.98	
B60		Fairall 49	0.0200	90.1	2	o	368 ± 213		193	0.86	0.590
B61		Fairall 51	0.0142	64.1	1.5	?	391 ± 39	712 ± 22	188	0.99	0.838

Table A1: continued.

Section	BAT ID	Object	Redshift	D (Mpc)	Opt. class	Nuc. morph.	$F_{\nu}^{\text{nuc}}(12\mu\text{m})$ (mJy)	$F_{\nu}^{\text{nuc}}(18\mu\text{m})$ (mJy)	d_{unr} (pc)	$\langle R_{\text{AS}}^{\text{SAS}} \rangle$	$R_{\text{tot}}^{\text{SAS}}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
B62		Fornax A	0.0059	19.0	L	o	17 ± 6		36.2	0.35	0.054
B63	47	H 0557-385	0.0339	156.0	1.2	?	426 ± 43		251	1.08	0.666
B64	82	H 143-182	0.0329	156.0	1.5	-	67 ± 7		229	0.81	0.573
B65		Hydra A	0.0549	260.0	L	?	≤ 5		379	0.72	0.159
B66		IC 883	0.0233	109.0	Cp *	?	≤ 222	≤ 496	318	0.94	0.888
B67		IC 1459	0.0060	30.3	L	?	≤ 17		44	0.75	0.138
B68		IC 3639	0.0109	53.6	2	-	386 ± 39		84.6	1.00	0.536
B69	108	IC 4329A	0.0161	76.5	1.2	o	1158 ± 99	2220 ± 142	114	1.01	1.043
B70		IC 4518W	0.0163	76.1	2	o	199 ± 32		196	0.71	0.554
B71	138	IC 5063	0.0113	49.1	2	ellip.	821 ± 58	1850 ± 37	82	0.74	0.739
B72		III Zw 35N	0.0277	121.0	Cp	o	53 ± 25		257	0.56	0.379
B73		IRAS 00188-0856	0.1284	620.0	Cp *	?	64 ± 6	136 ± 14	1485	0.95	0.551
B74		IRAS 01003-2238	0.1178	565.0	2	?	215 ± 21	402 ± 40	1287	1.09	0.947
B75		IRAS 04103-2838	0.1175	567.0	2	o	133 ± 22	357 ± 36	1398	0.97	1.773
B76		IRAS 05189-2524	0.0426	196.0	2	o	651 ± 259		359	1.01	0.880
B77		IRAS 08572+3915	0.0584	275.0	Cp *	o	602 ± 132	1007 ± 101	744	0.83	1.825
B78		IRAS 09149-6206	0.0573	269.0	1	-	465 ± 65		331	0.94	0.979
B79		IRAS 11095-0238	0.1066	519.0	Cp: *	?	84 ± 29		1081	0.76	0.619
B80		IRAS 13349+2438	0.1076	522.0	ln	?	476 ± 63		893	0.97	0.755
B81		IRAS 15250+3609	0.0552	258.0	Cp: *	?	217 ± 22	555 ± 55	620	0.88	1.359
B82		I Zw 1	0.0589	269.0	ln	?	426 ± 77		368	1.01	0.832
B83	27	LEDA 13946	0.0365	166.0	2	?	≤ 12		266	0.74	
B84	96	LEDA 170194	0.0367	173.0	2	-	42 ± 8		288		
B85	36	LEDA 178130	0.0350	160.0	2	o	52 ± 17		284	0.89	
B86	53	LEDA 549777	0.0610	284.1	2	?	33 ± 5		887		
B87		M51a	0.0015	8.1	2	o	26 ± 14		22.8	0.26	0.004
B88		M81	-1.0E-4	3.6	L	?	137 ± 18	193 ± 25	7.69	0.76	0.023
B89		M87	0.0044	16.7	L	-	21 ± 3	≤ 46	25.9	0.74	0.095
B90		MCG-1-5-47	0.0172	73.4	2	?	53 ± 22		92.2	0.45	0.340
B91	34	MCG-1-13-25	0.0159	71.2	1.2	o	25 ± 8		100	0.84	
B92	65	MCG-1-24-12	0.0196	93.8	2	-	111 ± 11		129	1.10	1.383
B93		MCG-2-8-14	0.0168	72.5	2	?	44 ± 8		107		0.623
B94		MCG-2-8-39	0.0299	133.0	2	-	231 ± 41	369 ± 50	356	1.20	1.154
B95	103	MCG-3-34-64	0.0165	79.3	1.8/2	ellip.	531 ± 65		116	0.66	0.564
B96	69	MCG-5-23-16	0.0085	42.8	1.9	-	714 ± 71	1457 ± 52	60.3	1.02	
B97	105	MCG-6-30-15	0.0077	38.8	1.5	o	341 ± 63		48.9	0.91	0.897
B98	151	MR 2251-178	0.0640	293.0	1.5	?	90 ± 14		388	0.97	0.595
B99	50	Mrk 3	0.0135	60.6	2	o	448 ± 120		137	0.84	
B100		Mrk 266NE	0.0280	130.0	Cp *	o	20 ± 14		428	0.21	0.062
B100		Mrk 266SW	0.0276	128.0	2	ellip.	6 ± 1		421	0.04	0.018
B101		Mrk 304	0.0658	301.0	1	o	52 ± 25		511	0.86	0.851
B102	137	Mrk 509	0.0344	153.0	1.5	-	256 ± 29	463 ± 25	269	0.84	0.855
B103	144	Mrk 520	0.0266	115.0	Cp	o	86 ± 24		196	0.57	0.452
B104		Mrk 573	0.0172	73.1	2	?	212 ± 38	271 ± 50	193	0.74	0.758
B105	12	Mrk 590	0.0264	116.0	1	-	98 ± 10		164	1.03	0.511
B106	116	Mrk 841	0.0364	170.0	1.5	o	163 ± 48		236	0.87	0.851
B107		Mrk 897	0.0263	115.0	Cp	circ.	8 ± 3		214	0.07	
B108		Mrk 915	0.0241	104.0	1.9	?	85 ± 8	201 ± 16	276	1.01	0.483
B109	153	Mrk 926	0.0469	210.0	1.5	o	107 ± 27		287	0.65	
B110		Mrk 937	0.0295	129.0	1	?	≤ 15		175		0.103
B111		Mrk 1014	0.1631	807.0	1.5	o	99 ± 42		1187	0.87	0.809
B112	10	Mrk 1018	0.0424	191.0	1	-	53 ± 5		267	1.05	
B113		Mrk 1239	0.0199	95.4	ln	o	574 ± 95	916 ± 41	142	1.02	0.884
B114		NGC 34	0.0196	83.5	2	ellip.	58 ± 6		158	0.22	0.165
B115	1	NGC 235A	0.0222	96.2	2	o	73 ± 34		158	0.59	
B116		NGC 253	8.0E-4	3.2	Cp: *	comp.	≤ 1039	≤ 2093	5.57	0.21	0.025
B117		NGC 424	0.0118	49.5	2	o	736 ± 223		80.4	0.87	0.669
B118	4	NGC 454E	0.0121	52.3	2	o	137 ± 32		91.2	0.78	
B119	6	NGC 526A	0.0191	82.8	1.9	-	236 ± 29		130	1.03	1.028
B120	7	NGC 612	0.0298	132.0	2	?	≤ 33		270	0.52	0.166
B121		NGC 613	0.0049	26.6	Cp *	?	28 ± 8		47.6	0.06	0.012
B122		NGC 676	0.0050	19.5	2	?	≤ 17		28.8		0.471

Table A1: continued.

Section	BAT ID	Object	Redshift	D (Mpc)	Opt. class	Nuc. morph.	$F_{\nu}^{\text{nuc}}(12\mu\text{m})$ (mJy)	$F_{\nu}^{\text{nuc}}(18\mu\text{m})$ (mJy)	d_{unr} (pc)	$\langle R_{\text{AS}}^{\text{SAS}} \rangle$	$R_{\text{tot}}^{\text{SAS}}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
B123	9	NGC 788	0.0136	57.2	2	-	134 ± 16		88.2	1.13	0.715
B124	16	NGC 985	0.0431	195.0	1.5	-	180 ± 28		322	1.10	0.866
B125		NGC 1052	0.0050	19.4	L	?	138 ± 22	355 ± 30	31.7	0.75	0.678
B126		NGC 1068	0.0038	14.4	1.8/2	comp.	10206 ± 3567	19950 ± 537	24.1	0.29	0.256
B127		NGC 1097	0.0042	17.0	L	circ.	17 ± 2	46 ± 11	27.1	0.12	0.006
B128	20	NGC 1144	0.0288	128.0	2	?	25 ± 15		185	0.49	0.096
B129		NGC 1194	0.0136	58.2	1.9	-	277 ± 28		87	0.96	1.040
B130		NGC 1275	0.0176	76.8	1.5/L	?	917 ± 92		129	0.87	0.865
B131	24	NGC 1365	0.0055	17.9	1.8	?	361 ± 36		29.8	0.42	0.070
B132		NGC 1386	0.0029	16.5	2	ellip.	299 ± 62	427 ± 48	31.4	0.51	0.576
B133		NGC 1433	0.0036	8.3	2: *	?	≤ 8		15.9	0.26	0.032
B134		NGC 1553	0.0036	16.4	L	?	≤ 27		52.6	0.73	0.209
B135		NGC 1566	0.0050	14.3	1.5	?	59 ± 30	146 ± 29	18.4	0.51	0.031
B136		NGC 1614	0.0159	71.0	Cp: *	spir.	≤ 346	≤ 654	130	0.23	0.250
B137		NGC 1667	0.0152	67.8	2	o	6 ± 3		127	0.61	0.009
B138		NGC 1808	0.0033	12.3	Cp: *	ellip.	329 ± 34		38.2	0.37	0.061
B139	45	NGC 2110	0.0078	35.9	2	o	318 ± 47	519 ± 28	53.7	0.88	0.910
B140		NGC 2623	0.0185	87.3	Cp	o	178 ± 106	334 ± 178	257	0.56	0.850
B141	68	NGC 2992	0.0077	39.7	1.5/2	spir.	191 ± 68	542 ± 21	63.2	0.58	0.304
B142	70	NGC 3081	0.0080	40.9	2	o	162 ± 41	353 ± 132	62.3	0.60	
B143		NGC 3094	0.0080	40.8	2: *	-	1023 ± 102		79.1		1.247
B144		NGC 3147	0.0093	30.1	2	o	19 ± 6		78.4	0.39	0.010
B145		NGC 3166	0.0045	25.3	L	?	6 ± 2		60.8		0.020
B146		NGC 3169	0.0041	18.7	L	ellip.	8 ± 5		31	0.05	0.007
B147		NGC 3185	0.0041	20.3	2: *	?	≤ 31		50.5	0.38	0.202
B148	71	NGC 3227	0.0039	22.1	1.5	circ.	201 ± 50	772 ± 47	27.4	0.53	0.213
B149	72	NGC 3281	0.0107	52.8	2	ellip.	486 ± 50	870 ± 33	78.2	0.65	0.535
B150		NGC 3312	0.0096	48.4	L	-	8 ± 1		71.2		0.042
B151		NGC 3368	0.0030	10.6	L	?	≤ 15		21.1	0.10	0.015
B152		NGC 3379	0.0030	10.6	L *	?	≤ 3		15.6	0.13	0.012
B153		NGC 3393	0.0125	61.6	2	?	67 ± 13		77	0.61	0.513
B154		NGC 3486	0.0023	13.7	2/L *	?	≤ 5		28.1		0.008
B155		NGC 3521	0.0027	11.5	L/H *	?	≤ 10		19.1	0.20	0.002
B156		NGC 3607	0.0032	21.4	2/L *	?	≤ 14		49.3	0.50	
B157		NGC 3623	0.0027	12.8	L	?	≤ 17		24.5		0.111
B158		NGC 3627	0.0024	10.1	2/L *	comp.	13 ± 4		25.1	0.06	0.003
B159		NGC 3628	0.0028	12.2	L/H *	comp.	≤ 10		22.9	0.02	0.003
B160		NGC 3660	0.0123	60.8	1.8/2/L/H *	o	26 ± 15		127	0.79	0.132
B161		NGC 3690E	0.0104	49.1	Cp	o	280 ± 157		126	0.47	0.070
B161		NGC 3690W	0.0104	48.2	Cp	o	773 ± 492		124	0.63	0.195
B162		NGC 3718	0.0033	17.0	L	?	22 ± 5		35		0.150
B163	79	NGC 3783	0.0097	48.4	1.5	?	682 ± 46	1449 ± 106	59.5	1.15	0.812
B164		NGC 3982	0.0037	21.4	2	?	27 ± 4		46	0.64	0.056
B165		NGC 3998	0.0035	14.1	L	?	71 ± 8	153 ± 15	24	0.64	0.514
B166	85	NGC 4051	0.0023	12.2	1n	?	464 ± 48		27	0.79	0.344
B167	86	NGC 4074	0.0224	107.0	2	o	68 ± 19		170	0.75	
B168		NGC 4111	0.0027	15.0	L	circ.	4 ± 1		37.9		
B169	88	NGC 4138	0.0030	13.8	1.9	?	21 ± 3		30.5	0.58	
B170	89	NGC 4151	0.0033	13.3	1.5	o	1287 ± 234		29.8	0.74	0.641
B171		NGC 4235	0.0080	41.2	1.2	-	36 ± 7	58 ± 7	65.3	0.98	0.285
B172		NGC 4258	0.0015	7.6	2	?	107 ± 14		14.5	0.77	0.048
B173		NGC 4261	0.0075	31.7	L	?	13 ± 3	22 ± 1	48.1	0.51	0.073
B174		NGC 4278	0.0022	16.1	L	?	3 ± 1		30.7	0.16	0.013
B175		NGC 4303	0.0052	15.2	2 *	?	6 ± 1		25.9		0.002
B176		NGC 4374	0.0035	17.1	2/L	?	≤ 8		29.5		0.052
B177	91	NGC 4388	0.0084	19.2	2	ellip.	188 ± 33	763 ± 26	33.1	0.49	0.186
B178	92	NGC 4395	0.0011	4.3	1.8	?	10 ± 2		8.73	0.50	0.075
B179		NGC 4418	0.0073	37.8	2 *	?	1427 ± 168	3552 ± 355	58.7	0.95	1.441
B180		NGC 4438	2.0E-4	13.7	L/H *	?	10 ± 3		30.5	0.17	0.049
B181		NGC 4457	0.0029	17.4	L *	circ.	6 ± 2		33.9	0.10	0.019
B182		NGC 4472	0.0033	17.1	2/L *	?	≤ 9		29.2	0.58	0.066
B183		NGC 4501	0.0076	17.9	2	?	4 ± 1		36.4	0.23	0.002

Table A1: continued.

Section	BAT ID	Object	Redshift	D (Mpc)	Opt. class	Nuc. morph.	$F_{\nu}^{\text{nuc}}(12\mu\text{m})$ (mJy)	$F_{\nu}^{\text{nuc}}(18\mu\text{m})$ (mJy)	d_{unr} (pc)	$\langle R_{\text{AS}}^{\text{SAS}} \rangle$	$R_{\text{tot}}^{\text{SAS}}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
B184	94	NGC 4507	0.0118	57.5	2	-	623 ± 64		90.7	1.02	1.363
B185		NGC 4579	0.0051	16.8	L	?	75 ± 5	101 ± 11	25.6	0.70	0.067
B186	97	NGC 4593	0.0090	45.6	1	ellip.	227 ± 38	352 ± 8	61.1	0.66	0.484
B187		NGC 4594	0.0034	9.1	L	o	4 ± 1		14.4	0.23	0.006
B188		NGC 4636	0.0031	15.6	L	?	≤ 7		23.9		0.033
B189		NGC 4698	0.0034	24.4	2	?	≤ 5		41.5		0.032
B190		NGC 4736	0.0010	4.9	L	circ.	13 ± 3	57 ± 19	13.1	0.11	0.003
B191		NGC 4746	0.0059	33.5	L/H *	?	≤ 11		59.5		0.029
B192		NGC 4785	0.0123	59.0	2 *	?	≤ 17		105		0.056
B193		NGC 4941	0.0037	21.2	2	-	76 ± 9	232 ± 17	28.8	0.99	0.411
B194		NGC 4945	0.0019	3.7	Cp	comp.	22 ± 7	≤ 95	5.68	0.19	0.001
B195	102	NGC 4992	0.0251	119.0	1/2/L/N	?	80 ± 18		182	0.99	
B196		NGC 5005	0.0032	16.9	L	ellip.	7 ± 2		57.5	0.05	0.004
B197		NGC 5033	0.0029	18.1	1.2	ellip.	16 ± 3		32.8	0.13	0.009
B198		NGC 5135	0.0137	66.0	2	-	132 ± 26		97.8	0.29	0.209
B199	106	NGC 5252	0.0230	109.0	1.9	?	69 ± 7		157	1.18	
B200		NGC 5258	0.0225	107.0	L/H *	?	≤ 19		181	0.34	0.034
B201		NGC 5273	0.0035	15.3	1.5	o	20 ± 5		30.3	0.67	0.170
B202		NGC 5347	0.0078	38.1	2	?	278 ± 28	567 ± 57	94.1	1.23	0.900
B203		NGC 5363	0.0038	21.0	L	ellip.	2 ± 1		35	0.04	0.011
B204		NGC 5427	0.0087	29.4	2	?	≤ 20		58.4	0.26	0.015
B205	110	NGC 5506	0.0062	31.6	2	circ.	871 ± 66	1697 ± 143	49.9	0.74	0.675
B206	112	NGC 5548	0.0172	80.7	1.5	o	124 ± 77		132	0.57	0.288
B207		NGC 5643	0.0040	20.9	2	o	254 ± 69		29.9	0.66	0.129
B208	115	NGC 5728	0.0094	45.4	1.9/2	circ.	49 ± 7	123 ± 34	76.7	0.38	0.234
B209		NGC 5813	0.0066	29.7	L: *	?	≤ 7		49.1		0.223
B210		NGC 5866	0.0022	14.1	L/H *	?	≤ 9		41.4	0.20	0.025
B211		NGC 5953	0.0066	31.4	Cp	?	≤ 29		59.6	0.14	0.036
B212		NGC 5995	0.0252	117.0	1.9	-	332 ± 47		175	0.88	0.850
B213		NGC 6221	0.0050	10.7	Cp *	comp.	104 ± 21	190 ± 44	21	0.13	0.033
B214	120	NGC 6240N	0.0251	114.0	Cp	comp.	17 ± 7	≤ 75	274	0.07	0.029
B214	120	NGC 6240S	0.0249	113.0	Cp	comp.	93 ± 10	370 ± 73	294	0.29	0.157
B215		NGC 6251	0.0247	112.0	1/2/L	?	14 ± 4		197	0.37	0.716
B216		NGC 6300	0.0037	14.3	2	o	554 ± 162		20	0.63	0.324
B217		NGC 6810	0.0068	28.6	Cp *	ellip.	44 ± 13		48.9	0.08	0.035
B218	129	NGC 6814	0.0052	20.1	1.5	-	96 ± 24	150 ± 15	33.5	0.93	0.104
B219	133	NGC 6860	0.0149	65.8	1.5	-	206 ± 24	304 ± 14	105	1.06	0.824
B220		NGC 6890	0.0081	33.8	1.9/2	o	117 ± 26		56.9	0.82	0.341
B221		NGC 7130	0.0162	68.9	Cp	circ.	105 ± 21		100	0.38	0.180
B222	145	NGC 7172	0.0087	34.8	2	ellip.	185 ± 19		52.2	0.44	0.441
B223		NGC 7212	0.0267	116.0	2	o	110 ± 37	317 ± 82	311	0.78	0.560
B224	146	NGC 7213	0.0058	23.0	1.5/L	-	203 ± 20	403 ± 58	32.9	0.82	0.313
B225	147	NGC 7314	0.0048	18.3	1.9/2	circ.	62 ± 12	176 ± 12	34.5	0.69	0.112
B226	152	NGC 7469	0.0163	67.9	1/1.5	comp.	485 ± 53	1174 ± 155	109	0.46	0.305
B227		NGC 7479	0.0079	30.0	2	-	695 ± 95		54.5	0.84	0.507
B228		NGC 7496	0.0055	21.1	Cp	circ.	170 ± 11	389 ± 21	53.3	0.55	0.292
B229		NGC 7552	0.0054	20.4	L/H *	?	≤ 63	≤ 100	39.3	0.05	0.017
B230	154	NGC 7582	0.0053	23.0	Cp	comp.	443 ± 79	568 ± 48	33.9	0.35	0.193
B231		NGC 7590	0.0053	26.5	2: *	?	≤ 11		43.5	0.52	0.015
B232		NGC 7592W	0.0246	105.0	Cp	?	135 ± 50	173 ± 22	276	0.71	0.521
B233		NGC 7626	0.0114	45.4	L:	?	≤ 18		73.2	0.95	0.376
B234		NGC 7674	0.0289	126.0	2	ellip.	382 ± 52	841 ± 17	175	0.82	0.562
B235		NGC 7679	0.0171	71.7	Cp	?	36 ± 10		105	0.20	0.072
B236		NGC 7743	0.0057	19.2	2/L	?	≤ 9		28.8	0.38	0.090
B237		PG 0026+129	0.1420	691.0	1.2	?	32 ± 3		1421	1.17	1.796
B238		PG 0052+251	0.1545	759.0	1.2	?	28 ± 9		1328	0.72	0.346
B239		PG 0844+349	0.0640	302.0	1	o	39 ± 16		643	0.80	0.313
B240		PG 2130+099	0.0630	288.0	1.5	?	188 ± 21		451	1.09	1.010
B241	40	Pictor A	0.0351	161.0	1.5/L	?	75 ± 7	128 ± 20	249	0.97	0.684
B242		PKS 1417-19	0.1200	586.0	1.5	o	20 ± 10		844		
B243		PKS 1814-63	0.0647	302.0	2	?	28 ± 5		595	0.94	
B244		PKS 1932-46	0.2307	1191.0	1.9	?	≤ 2		2034		

Table A1: continued.

Section	BAT ID	Object	Redshift	D (Mpc)	Opt. class	Nuc. morph.	$F_{\nu}^{\text{nuc}}(12\mu\text{m})$ (mJy)	$F_{\nu}^{\text{nuc}}(18\mu\text{m})$ (mJy)	d_{unr} (pc)	$\langle R_{\text{AS}}^{\text{SAS}} \rangle$	$R_{\text{tot}}^{\text{SAS}}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
B245		PKS 2158-380	0.0334	149.0	2	?	19 ± 3		284		0.213
B246		PKS 2354-35	0.0491	222.0	L	?	≤ 2		346		
B247		Superantennae S	0.0624	291.0	2	o	221 ± 63	533 ± 151	440	0.86	0.998
B248		UGC 5101	0.0394	182.0	Cp	ellip.	227 ± 41	230 ± 42	597	0.87	0.908
B249		UGC 12348	0.0255	110.0	2	o	98 ± 16	158 ± 39	282		0.901
B250	83	Z 41-20	0.0360	170.0	2	?	29 ± 3		238	0.49	0.222

– *Notes:* (1) Section in App. B (2) BAT ID number from the nine-month AGN catalogue according to Winter et al. (2009); (3) commonly used object name; (4) redshift from NED; (5) distance, mostly redshift-based luminosity distance, corrected for the Earth’s motion relative to the cosmic microwave background reference frame with $H_0 = 67.3$, $\Omega_m = 0.315$, and $\Omega_{\text{vac}} = 0.685$ (Planck Collaboration et al. 2013) or redshift-independent distance (see App. B for individual references); (6) optical AGN classification, objects marked with a * mark uncertain AGN (see App. B for individual references); (7) nuclear morphology at subarcsecond resolution: “-” point-like, “o” possibly extended, “?” unknown extension, “circ.” spherical extended, “ellip.” elliptical and bar-like extended, “spir.” spiral-like extended, “comp.” complex extended emission (see Section 5.1); (8) nuclear subarcsecond-scale monochromatic flux density at restframe $12\mu\text{m}$ in mJy (see Section 5.6); (9) nuclear subarcsecond-scale monochromatic flux density at restframe $18\mu\text{m}$ in mJy (see Section 5.6); (10) size constraint on the nuclear unresolved emission in pc, which is set equal to the minimum PSF FWHM(major axis) measured for the object. (11) average nuclear subarcsecond to arcsecond flux ratio (see Section 5.4); (12) nuclear subarcsecond to total flux ratio (see Section 5.7). This table is also available through the VO, CDS and <http://dc.g-vo.org/sasmirala>.