1. Which of the following, from outermost to innermost, are components of the box model?
a. margin, border, padding, content
b. content, padding, border, margin
c. content, margin, padding, border

Answer is A

d. margin, padding, border, content

- **2**. Which of the following causes an element to display as a block of content with white space above and below?
- a. display: none;
- b. block: display;
- c. display: block;
- d. display: inline;

Answer is C

- 3. Which of the following pseudo-classes is the default state for a hyperlink that has been clicked?
- a.:hover
- b.:link
- c.:onclick
- d.:visited

Answer is D

- 4. Which HTML5 element has the purpose of providing tangential content?
- a. article
- b. aside
- c. sidebar
- d. section

Answer is B

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Trillium Media Design</title>
<meta charset="utf-8">
<style> nav
{"float":
"left"; width:
"150px";
background-color: #ccccc;
border: "1px"; }
header {background-color: #ccccc; color:
#663333;
font-size: x-large;
border-bottom: 1px solid #333333;}
main {margin-right: "0px";} footer
{font-size: x-small; text-align:
center; clear: "both";}
"li" a {color: #000066;
text-decoration: none;}
ul {list-style-type:
"none";}
</style>
</head>
<body>
<nav>
<a href="index.html">Home</a>
<a href="products.html">Products</a>
```

