```
Interface Mail {
void method SendMail();
void log();
}
Class MailImple implements Interfa Mail {
    @Override
        public void method SendMail() {
        System.out.println("Dg gui mail ...");
    }
    @Override
        public void log() {
        System.out.println("Dg ghi log ...");
    }
}
Class Main {
    System static void main(String[] args) {
```

THIÊNLONG

```
MailImpl mail = new MailImpl();
System.out.println("Ly qui mai(");
~~Inter~~ System.out.println("Pg ghi Pg ");
}

Interface Shape {
draw getArea();
draw getPerimeter;
}

class C
```

~~Interface Shape {~~
~~draw getArea();~~
~~draw getPerimeter;~~
~~}~~

```
Interface Shape {
    double getArea();
    double getPerimeter();
    void draw();
}

Class Rectangle implements Shape {
    private double width;
    private double height;
    public Rectangle (double width, double height) {
        this.width = width;
        this.height = height;
}
```

THIÊNLONG

```
public void setSize(double width, double height)
    this.width = width
    this.height = height;
}
@Override
public double getArea(){
    return width * height;
}
@Override
public double getPerimeter(){
    return ~~width == height~~ 2 * (width + height)
}
@Override
~~public void draw()~~ {
public boolean isSquare(){
    return width == height ;
}
@Override
public void draw(){
    System.out.println("Vẽ hình CN, width=" +
width + ", height=" + height);
```

THIÊNLONG

```
}
}
Class Circle implements Shape {
    private double radius;
    public Circle (double radius){
        this.radius = radius;
    }
    @Override
    public double getArea(){
        return Math.PI * radius * radius;
    }
    @Override
    public double getPerimater(){
        return 2* Math.PI * radius;
    }
    @Override
    public void draw(){
        System.out.println("Ve lul tron: radius=
        + radius);
    }
}
```

```
Class Main {
    public ~~static~~ Static void main (Str[] arg s){
        Rectangle rect = new Rectangle (5, 5);
        System.out.println("Diện tích Rectangle:"
        + rect.getArea());
        System.out.println("Chu vi Rectangle: " + rect.ge
                                        getPerimeter());
        System.out.println("là hình vuông ?" + (rect.
                                isSquare() ? "Có" : "Không"));
        rect.draw();
        System.out.println("\n");
        Circle circle = new Circle(5);
        System.out.printf("Diện tích Circle: %.2f%n",
        circle.getArea());
        System.out.printf("Chu vi Circle: %.2f%n",
        circle.getPerimeter());
        Circle.draw();
}
}
```

b.5

```
Class HgSXuat {
    private String tenHgSanXuat;
    private String tenQuocGia;
    public HgSanXuat(String tenHgSanXuat, String tenQuocGia) {
        this.tenHgSanXuat = tenHgSanXuat;
        this.tenQuocGia = tenQuocGia;
    }
    public String getTenHgSanXuat() {
        return tenHgSanXuat;
    }
    public String getTenQuocGia() {
        return tenQuocgia;
    }
}
```