

# WIC Project in New York State

## GIS Time Estimate

(Version 0.1) - 2015.02.18



 Columbia University  
**Built Environment & Health Project**  
[www.beh.columbia.edu](http://www.beh.columbia.edu) 

**Prepared by:**

Daniel M. Sheehan - Geographer, GIS Analyst  
The Built Environment & Health Project Columbia University  
Mailman School of Public Health - Department of Epidemiology  
722 West 168<sup>th</sup> St. - R735  
New York, NY 10032  
e: dms2203 (at) columbia (dot) edu

**Prepared For:**

Dr. Sally Findley  
Mailman School of Public Health  
60 Haven Avenue, B2  
New York, New York 10032  
e: sef5 (at) columbia (dot) edu



<b>Purpose .....</b>	<b>3</b>
<b>Tasks.....</b>	<b>3</b>
<b>1. Geocoding.....</b>	<b>4</b>
<b>Note on Geocoding:.....</b>	<b>4</b>
<b>ZCTA vs ZIP CODE .....</b>	<b>4</b>
<b>Geographic ZIP/ZCTA Data.....</b>	<b>5</b>
ZIP code (postal data) .....	5
<b>ZCTA .....</b>	<b>5</b>
<b>Geocoding counts .....</b>	<b>6</b>
<b>Geocoding Time Estimate.....</b>	<b>6</b>
Address Geocoding.....	6
ZIP Code Geocoding.....	6
If new geocoding service-street network or address layer-is needed .....	6
<b>2. Neighborhood level variable creation .....</b>	<b>7</b>
<b>WIC.....</b>	<b>7</b>
<b>Density of WIC vendors.....</b>	<b>7</b>
WIC Locations.....	7
WIC catchment area – possible methods .....	8
<b>Data from Table 2: Community Health Living Resources and Constraints .....</b>	<b>8</b>
<b>Neighborhood Census/ACS Variables.....</b>	<b>8</b>
Neighborhood deprivation - percent unemployed. ....	8
Neighborhood deprivation - percent household overcrowded.....	8
Neighborhood mobility - upward economic mobility. - percent white-collar workers .....	8
Neighborhood mobility - linguistic isolation.....	9
<b>Walkability:.....</b>	<b>9</b>
Neighborhood Walkability Index.....	9
<b>Neighborhood Fitness Resources:.....</b>	<b>10</b>
Park/Playground access. ....	10
Density of recreational and fitness outlets.....	11
Neighborhood Health Eating Resources: .....	12
Farmers Market Access.....	12
Density of food stores and food service places.....	12
<b>Neighborhood Programs:.....</b>	<b>13</b>
Day care - Density of child care and HS.....	13
Programs for school-age - Average FITNESSGRAM for grades K-5 at schools in catchment (NYC only).....	13
<b>SPARKS/EWPH: .....</b>	<b>14</b>
SPARKS (Sports, Play and Active Recreation for Kids)/EWPH (Eat Well Play Hard) - licensed daycare facilities. ....	14
<b>Neighborhood level variable creation Task Time Estimate Table .....</b>	<b>15</b>
<b>3. Data Wrangling and QA/QC .....</b>	<b>15</b>
<b>4. Data Dictionary.....</b>	<b>16</b>
<b>5. Data Delivery and Mapping (optional) .....</b>	<b>16</b>
<b>Total Time Estimate of All Tasks .....</b>	<b>16</b>
<b>Geoprocessing Methods Explained .....</b>	<b>17</b>
<b>Areal Weighting Interpolation .....</b>	<b>17</b>
<b>References .....</b>	<b>19</b>

# Purpose

The purpose of this document is to list the GIS data resources and time estimate for the project; **Profiles of participation in WIC and other healthy living programs for preschoolers in New York**. The project will involve a WIC dataset (Women, Infants, and Children) provided by the investigators in the project study area of New York State (NYS). For the remainder of this GIS Data Resources Document the project will be referred to in this document as **WICNYS**.

The Co-Principal Investigators are Sally E. Findley, Jackson Sekhobo and Mary Ann Chiasson. This group of investigators will be referred to as the **WICNYS Group**. The Built Environment and Health Project (**BEH**) Geographic Information Systems group (**BEH-GIS**) constructed this document to begin a conversation about data resources for this WICNYS project. Some of these resources have not been used by BEH-GIS. There may be some additional data cleaning (data munging & carpentry) or pivots to alternative data resources. Some of these may lead to additional conversation and consultation with the WICNYS Group. All **RED TEXT** signifies an important note in the document.

# Tasks

This project will be broken down into several tasks that aid in organizing the GIS processing tasks. Each task (and for some subtasks) there will be a minimum and a maximum time estimate. The tightness of the time estimate minimum and maximum values is reliant upon previous experience with the particular task and data involved and, in the case of geocoding, a range that allows for some level of dirtiness in the initial address data of the study subjects.

1. **Geocoding**
2. **Neighborhood level variable creation**
3. **Data wrangling and QA/QC**
4. **Data Dictionary**
5. **Data Delivery and Mapping (optional)**

# 1. Geocoding

## Note on Geocoding:

BEH-GIS geocoding estimates are ~3-5 minutes per address record geocode depending on the data quality. This estimate can be greatly reduced with very high address data quality. ZIP level geocoding has much lower estimate as it is more akin to a table join (or merge i.e. Stata) that is dependent on quality and usually take < 8 hours rectifying bad ZIPs so long as that number of initially unmatched ZIPs is < ~100.

A first pass in geocoding is running the data as-is through a geocoder (BEH maintains several secure/local geocoding services). This will determine how many records will require the additional 3-5 minutes per record estimate. It is difficult to say how many will successfully geocode in the first attempt. A very clean address dataset will generally geocode at 90-95% success. A dirty address table 80-85%. Anything below that will require a serious cleaning effort that does not scale very well and is time consuming OR it is a sign that the geocoder needs to be rebuilt.

## ZCTA vs ZIP CODE

ZCTA (ZIP Code Tabulation Areas) and ZIP Codes have differing geographies. Quite simply, ZCTA's are "generalized areal representations of United States Postal Service (USPS) ZIP Code service areas." <sup>1</sup> These generalizations provide for nesting and topological relationships with existing Census geographies.

ZCTA's have Census/American Community Survey (ACS)-related variables so it will be determined whether this project will use:

- 1) **ZIP code to ZCTA crosswalk** or
- 2) **will use ZIP code polygons** (with some ZIP nesting rules for small ZIPs or point-level ZIPs) **and areal-weighting interpolation from data at the Census Tract geographic unit.**

At the moment BEH recommends choosing method 2) **ZIP code polygons** (with some ZIP nesting rules for small ZIPs or point-level ZIPs) **and areal-weighting interpolation from data at the Census Tract geographic unit.**

The following text is from [<https://www.census.gov/geo/reference/zctas.html>]:

The Census Bureau first examined all of the addresses within each census block to define the list of ZIP Codes by block. Next, the most frequently occurring ZIP Code within each block was assigned to the entire census block as a preliminary ZCTA code. After all of the census blocks with addresses were assigned a preliminary ZCTA code, blocks were aggregated by code to create larger areas.

The Census Bureau assigned blocks that contained addresses, but did not have a single most frequently occurring ZIP Code to the ZCTA with which the blocks had the longest shared boundary.

If the area of an unassigned enclave was less than two square miles, it was assigned to the surrounding ZCTA. The Census Bureau used block group boundaries to identify and group unassigned blocks. These unassigned blocks were merged into an adjacent ZCTA based on the length of shared boundary.

For the Census 2000 ZCTAs the Census Bureau created ZCTAs that ended in "XX" to represent large areas of land without ZIP Codes or "HH" to represent large areas of water without ZIP Codes. For the 2010 Census, large water bodies and large unpopulated land areas do not have ZCTAs.

---

1 ZIP Code™ Tabulation Areas (ZCTAs™) [<https://www.census.gov/geo/reference/zctas.html>]

ZCTAs were created using residential and nonresidential ZIP Codes that are available in the Census Bureau's MAF/TIGER database. ZIP Codes assigned to businesses only or single delivery point address will not necessarily appear as ZCTAs.

In most instances the ZCTA code is the same as the ZIP Code for an area.

In creating ZCTAs, the Census Bureau took the most frequently occurring ZIP Code in an area for the ZCTA code. Some addresses will end up with a ZCTA code different from their ZIP Code.

Some ZIP Codes represent very few addresses (sometimes only one) and therefore will not appear in the ZCTA universe.

For more information on ZCTA see:

- 1) ZCTA FAQ [<https://www.census.gov/geo/reference/zctafaq.html>]
- 2) ZCTA Delineation Animation [[https://www.census.gov/geo/reference/zcta/zcta\\_delin\\_anim.html](https://www.census.gov/geo/reference/zcta/zcta_delin_anim.html)]
- 3) What is the difference between ZIP code "boundaries" and ZCTA areas? - [gis.washington.edu](http://gis.washington.edu/phurvitz/zip_or_zcta/) [[http://gis.washington.edu/phurvitz/zip\\_or\\_zcta/](http://gis.washington.edu/phurvitz/zip_or_zcta/)]

## **Geographic ZIP/ZCTA Data**

### **ZIP code (postal data)**

#### **ZIP code - postal codes, NYS and/or USA**

- They NYS GIS Clearinghouse state ZIP code polygon file is from 2008. [<http://gis.ny.gov/gisdata/inventories/details.cfm?DSID=934>]
- We also have a ZIP code polygon file from circa 2010 from Esri Data and Maps.

It is assumed by BEH-GIS that regardless of which methodology is selected to represent ZIP codes, we will take ZIP code input data for WICNYS Group and tabulate the data into a crosswalk table so that nested ZIP codes, point-level and building level (or very small) ZIP codes will be incorporated into a larger relevant ZIP code or ZCTA.

### **ZCTA**

If ZCTA is used and needed we can download the TIGER files from the US Census Bureau [<https://www.census.gov/geo/maps-data/data/tiger-line.html>].

## Geocoding counts

The following are hypothetical counts for geocoding pass/fails assuming ~85% success on first pass.

Geocoding counts	Count	Percent
Study Subject Count	0	
Count addresses to be geocoded (including WIC locations, etc. that may have to be geocoded)	119	100%
Hypothetical Count Passed on 1st Address Geocoding attempt	102	85.71%
Hypothetical Count Failed on 1st Geocoding attempt	17	14.29%

## Geocoding Time Estimate

### Address Geocoding

Below is the estimate if we geocode the study subjects to point addresses.

Address Geocoding	Minimum estimate	Maximum estimate
1st attempt in <u>hours</u>	4	12
<u>Minutes</u> per record failed at 1st attempt (# of failed records x 3/5 mins)	3	5
<u>Total in Hours:</u>	4.85	13.42

### ZIP Code Geocoding

Below is the estimate if we geocode the study subjects to ZIP code.

ZIP Code Geocoding	Minimum estimate	Maximum estimate
1st attempt in <u>hours</u>	4	12
<u>Minutes</u> per record failed after 1st attempt (# of failed records x 1/2 mins)	1	2
<u>Total in Hours:</u>	4.28	12.57

### If new geocoding service-street network or address layer-is needed

It might be possible that an existing geocoding service locator within BEH-GIS is not the best one to use. In this case we would have to build a new geocoding service on a local machine. This estimate is only included in the Maximum Geocoding estimate.

New Locator	Minimum estimate (hrs)	Maximum estimate (hrs)
Building a new secure geocoding service (address locator)	4	8

## 2. Neighborhood level variable creation

### Creating Neighborhoods (buffers, ZIP, or ZCTA)

This step is taking point information or ZIP or ZCTA information and creating the analytical GIS layer to be used for the following geoprocessing analysis steps. Points and buffers are usually geoprocessed so it only includes land area (depending on the variable) and, if used in this project, network buffers are more time consuming to create.

Neighborhood GIS Layer	Minimum estimate (hrs)	Maximum estimate (hrs)
<b><u>Total in Hours:</u></b>	2	6

## WIC

### Density of WIC vendors.

This data layer does not exist in NY State Open Data but I have reached out to NY State WIC via email [[NYSWIC@health.state.ny.us](mailto:NYSWIC@health.state.ny.us)]. An estimate of will be updated and added to the table below if this data can be obtained.

Density of WIC vendors	Minimum estimate (hrs)	Maximum estimate (hrs)
Estimate (missing)	0	0

### WIC Locations.

BEH will likely have to geocode this data and it will be added to the overall geocoding list:

WIC Locations geocoding This count is sent to the Geocoding counts table (p. 6)	
Count WIC Locations	119

Source:

- [NY State WIC Local Agencies List](#)  
 Description from [[https://www.health.ny.gov/prevention/nutrition/wic/local\\_agencies.htm](https://www.health.ny.gov/prevention/nutrition/wic/local_agencies.htm)]:  
 You can find the WIC Program nearest you by locating your county (listed alphabetically), and finding an agency that serves participants in your area. Many programs have multiple sites available for your convenience, and you can get contact information for them by calling the main site number listed. You can also call the Growing Up Healthy Hotline at 1-800-522-5006 for further assistance. Click on a blue agency name to go to its WIC web page. Not all agencies currently have web pages available for the WIC Program.

WIC Locations Geoprocessing	Minimum estimate (hrs)	Maximum estimate (hrs)
Count of WIC Locations in Neighborhood Geography	2	4
<b><u>Total in Hours:</u></b>	2	4

## **WIC catchment area – possible methods**

- 1) Spider Diagram. (ZIPs to facility distance) - nearest facility to ZIP (likely centroid) for ZIP without WIC locations.
- 2) Or only ZIP's with WIC facilities in the ZIP bounding geometry.

WIC catchment area	Minimum estimate (hrs)	Maximum estimate (hrs)
Near (Spider Diagram)	4	8
ZIP	2	4
<b><u>Total in Hours:</u></b>	6	12

## **Data from Table 2: Community Health Living Resources and Constraints**

Data list is from Table 2: Community Health Living Resources and Constraints (by WIC catchment ZIP code) from document provided by Dr. Andrew Rundle to BEH-GIS.

## **Neighborhood Census/ACS Variables**

Neighborhood variables using Census Tract (for area-weighted interpolation to ZIP, if ZIP's are crosswalked to ZIP) or ZCTA (if ZIP's are crosswalked to ZCTA's). Note: for percent-based variables raw counts will also be provided.

### **Neighborhood deprivation - percent unemployed.**

- 2008-2012 American Community Survey.

### **Neighborhood deprivation - percent household overcrowded.**

- 2008-2012 American Community Survey.

### **Neighborhood mobility - upward economic mobility. - percent white-collar workers**

- 2008-2012 American Community Survey. SEX BY OCCUPATION FOR THE CIVILIAN EMPLOYED POPULATION 16 YEARS AND OVER - Universe: Civilian employed population 16 years and over.

#### **Occupations WICNYS Group classified as White Collar occupations.**

- C24010003 Management, business, science, and arts occupations:
- C24010004 Management, business, and financial occupations:
- C24010005 Management occupations
- C24010006 Business and financial operations occupations
- C24010007 Computer, engineering, and science occupations:
- C24010008 Computer and mathematical occupations
- C24010009 Architecture and engineering occupations
- C24010010 Life, physical, and social science occupations
- C24010011 Education, legal, community service, arts, and media occupations:
- C24010012 Community and social service occupations
- C24010013 Legal occupations
- C24010014 Education, training, and library occupations
- C24010015 Arts, design, entertainment, sports, and media occupations
- C24010016 Healthcare practitioners and technical occupations:
- C24010017 Health diagnosing and treating practitioners and other technical occupations



- C24010018 Health technologists and technicians
- C24010027 Sales and office occupations:
- C24010029 Office and administrative support occupations

## Neighborhood mobility - linguistic isolation.

- 2008-2012 American Community Survey.

## Linguistic Isolation Variables (comparable ACS variables to the following Census 2000 variables)

- Percent of population who are linguistically isolated  $[(P020004 + P020007 + P020010 + P020013) / P020001]$ .

Census/ACS Variables	Minimum estimate (hrs)	Maximum estimate (hrs)
ZCTA/Census Tract Data to Neighborhood Geography	2	8
Census API data mining	6	12
Percent Unemployed	2	4
Percent Household Overcrowded	2	4
Percent White Collar Workers	2	4
Percent Linguistic Isolated	2	4
<b><u>Total in Hours:</u></b>	16	36

## Walkability:

## Neighborhood Walkability Index.

- For NYS locations - WalkScore website – purchase from WalkScore for New York State WIC locations.  
**BEH-GIS cannot estimate a price for WalkScore data without knowing the number of addresses or ZIP codes and then consulting with WalkScore.**
- NYC Walkability index for New York City (BEH).  
**BEH-GIS creates and maintains this dataset.**

Walkability	Minimum estimate (hrs)	Maximum estimate (hrs)
WalkScore	8	12
BEH Walkability	4	6
<b><u>Total in Hours:</u></b>	12	18

## Neighborhood Fitness Resources:

### Park/Playground access.

- For New York State - Only State-owned/managed (not including town parks, etc) [State Park Facility Points with Playgrounds Map](#) - including town and other municipal level administrated parks will take an inordinate amount of time.

Description from [<https://data.ny.gov/Recreation/State-Park-Facility-Points-with-Playgrounds-Map/2esg-8ipp>]: The New York State Office of Parks, Recreation and Historic Preservation oversees 179 state parks and 35 historic sites, which are visited by 60 million people annually. The point locations of these facilities are contained within this file along with the website address for the park or historic site along with any associated golf course or nature center. Availability of a playground or swimmable beach is also noted but not complete. Some attribute information such as availability of a playground or swimmable beach is incomplete. Unless noted, it should be assumed that there is not a playground or beach at the facility. The agency is currently working to update and complete that information. This dataset was updated July 18, 2014. BEH-GIS has yet to contact New York State Office of Parks, Recreation and Historic Preservation to determine whether there is a 2010 dataset. Contact: [notes@parks.ny.gov](mailto:notes@parks.ny.gov) Please note from Description: Availability of a playground or swimmable beach is also noted but not complete. Some attribute information such as availability of a playground or swimmable beach is incomplete. Also Note: this dataset only includes State-managed sites. Including town and other municipal level administrated parks will take an inordinate amount of time. WICNYS says 2014 data is okay to use.

- New York City (NYC) subjects will be assigned NYC playgrounds GIS dataset from BEH-GIS NYC Playgrounds GIS file (Parks-derived).

- Another source of data that is not specifically Playground data but is Parks. The Park data is the Esri 10-1 (or possibly earlier dataset, ie. from 10-0 or 9-3-1) Data and Maps-Street Map North America Detailed parks layer:

Metadata:

TomTom North America, Inc./Esri 2012 - StreetMap™ North America

Description:

U.S. and Canada Parks represents parks and forests within the United States and Canada at national, state and local levels.

Playground/Park Access	Minimum estimate (hrs)	Maximum estimate (hrs)
Area of NYS Parks in Neighborhood Geography	3	6
Count of NYS Parks in Neighborhood Geography	2	4
Area of NYC Parks in Neighborhood Geography	3	6
Count of NYC Parks in Neighborhood Geography	2	4
Area of NYC Playgrounds in Neighborhood Geography	3	6
Count of NYC Playgrounds in Neighborhood Geography	2	4
Area of Esri Parks in Neighborhood Geography	3	6
Count of Esri Parks in Neighborhood Geography	2	4
<b>Total in Hours:</b>	20	40

## **Density of recreational and fitness outlets.**

- US Census Bureau County Business Patterns

For the Neighborhood Fitness Resources data on commercial recreational and fitness outlets by ZIP code are likely to be included in the County Business Patterns dataset which categorizes businesses by the North American Industry Classification System. BEH-GIS would need to build an algorithm to select for NAICS codes that reflect recreational and fitness outlets. We have previously done this using SIC codes which is another business classification system. WICNYS Group asked if we could do this with SIC codes.

Recreational and fitness outlets	Minimum estimate (hrs)	Maximum estimate (hrs)
Mining Census Data	4	8
SIC code to NAICS conversion (with discussions)	24	36
Count of recreation outlets in Neighborhood Geography	2	4
Count of fitness outlets in Neighborhood Geography	2	4
<b><u>Total in Hours:</u></b>	32	52

## **Neighborhood Health Eating Resources:**

### **Farmers Market Access.**

- NYS farmers markets has two possible datasets:
  - [Farmers Markets in New York State Map](#)  
Description from [<https://data.ny.gov/Economic-Development/Farmers-Markets-in-New-York-State-Map/gfni-eg8a>]:  
In the past decade the number of farmers markets in New York State has grown at a rapid rate. The dataset published on the Department website contains information detailing the time and location of community farmers markets as well as the name and phone number of the market manager.
  - [Data.gov Farmers Markets - National](#)  
Description from [<http://catalog.data.gov/dataset/farmers-markets-geographic-data>]:  
longitude and latitude, state, address, name, and zip code of Farmers Markets in the United States  
**WICNYS Group stated it is okay to use the latest version of this data.**

Retail Food Stores	Minimum estimate (hrs)	Maximum estimate (hrs)
Count of NYS Farmers Markets in Neighborhood Geography	2	4
Count of Data.gov Farmers Markets in Neighborhood Geography	2	4
<b>Total in Hours:</b>	4	8

### **Density of food stores and food service places.**

- Density of supermarkets –  
NYS Ag and Market [Retail Food Stores Map](#)  
Description from [<https://data.ny.gov/Economic-Development/Retail-Food-Stores-Map/p2dn-xhaw>]:  
The point map shows the locations of all retail food stores which are licensed by the Department of Agriculture and Markets. The initial view of the map is broken up into large geographic areas and displays the number of retail food stores in each area. To drill down to a smaller geographic area, click directly on the area of the map or click the plus sign to zoom in on the map. Data is the most recently submitted and available data. This map is currently a snapshot in time. For more information check out <http://www.agriculture.ny.gov/FS/FSHome.html>, or go to the "About" section.  
**WICNYS Group stated it is okay to use the most current version of this data**

Retail Food Stores	Minimum estimate (hrs)	Maximum estimate (hrs)
Count of Retail Food Stores Locations in Neighborhood Geography	2	4
<b>Total in Hours:</b>	2	4

## Neighborhood Programs:

### Day care - Density of child care and HS.

- Number of data care slots/ pop 3-5 years of age (2010 Census - perhaps 2008-2012 ACS for consistency).
- [Child Care Regulated Programs](#)  
Description from [<https://data.ny.gov/Human-Services/Child-Care-Regulated-Programs-Map/s8uq-s4wg>]:

The point map shows the locations of regulated child care providers. The initial view of the map is broken up into large geographic areas and displays the number of providers in each area. To drill down to a smaller geographic area, click directly on the area of the map or click the plus sign to zoom in on the map. The map can be filtered by number of school age capacity by changing this option under the Filter tab. Data is the most recently submitted and available data. This map is currently a snapshot in time. For more information check out [http://www.ocfs.state.ny.us/main/childcare/ccfs\\_template.asp](http://www.ocfs.state.ny.us/main/childcare/ccfs_template.asp), or go to the "About" section.

WICNYS Group stated that is okay to use the most current version of this data.

Child Care Regulated Programs	Minimum estimate (hrs)	Maximum estimate (hrs)
Count of Child Care Regulated Prgogram Locations in Neighborhood Geography	2	4
<u>Total in Hours:</u>	2	4

### Programs for school-age - Average FITNESSGRAM for grades K-5 at schools in catchment (NYC only).

- Average FITNESSGRAM for the WIC program catchment area.

**BEH-GIS only has data for 2007-08. These data would have to be provided be approved by NYC DOHMH. If the data require geocoding, there are two options: geocoding the data to the child's home ZIP code and estimation of FITNESSGRAM scores by ZIP code of residence; or linkage of the child to their school and then estimation of FITNESSGRAM scores for children attending schools in a ZIP code.**

Average FITNESSGRAM	Minimum estimate (hrs)	Maximum estimate (hrs)
Estimate (missing)	0	0

## **SPARKS/EWPH:**

### **SPARKS (Sports, Play and Active Recreation for Kids)/EWPH (Eat Well Play Hard) - licensed daycare facilities.**

BEH-GIS has not previously used SPARKS/EWPH data.

- **SPARKS**

WICNYS Group informed BEH-GIS that this data is available from NYC DOHMH (only NYC). Is there a state-wide dataset and/or who is the primary contact for this data from NYC DOHMH?

WICNYS Group may have to provide a SPARKS dataset in geographic form (with coordinate geometry) or in aspatial format that BEH-GIS could geocode.

- **EWPH**

- [Child And Adult Care Food Program Participation Map](#)

Description from [<https://health.data.ny.gov/Health/Child-And-Adult-Care-Food-Program-Participation-Map/izpu-8t68>] :

This map displays the names and locations of Child and Adult Care Food Program (CACFP) participating day care sites and whether or not the site is Breastfeeding Friendly Certified with CACFP, participating in the Eat Well Play Hard in Child Care Settings (EWPHCCS) project, or participating in the Eat Well Play Hard in Day Care Homes (EWPHDCH) project. This dataset excludes Child and Adult Care Food Program participation provided at homeless shelters and legally-exempt day care home providers. Not all counties in NYS are serviced by the grantees implementing the project EWPHCCS. The EWPHDCH project is currently limited to the areas served by the contracted agencies. The Child and Adult Care Food Program dataset is related to the Child Care Related Programs dataset on the Open NY website, but includes additional nutrition information. The Office of Children and Family Services is currently working to update the Child Care Related Programs dataset on a more frequent schedule than the Child and Adult Care Food Program dataset. The agencies are working to synchronize the update schedule in the near future. We appreciate your patience in the interim. Temporarily, we have omitted addresses for regulated child care providers that provide home care since this information is available on Open.ny.gov by using this link: <https://data.ny.gov/Human-Services/Child-Care-Regulated-Programs/cb42-qumz>. For more information please visit <http://www.health.ny.gov/prevention/nutrition/cacfp/> or go to the "About" tab.

<b>SPARKS/EWPH:</b>	<b>Minimum estimate (hrs)</b>	<b>Maximum estimate (hrs)</b>
<b>Count of SPARKS Locations in Neighborhood Geography</b>	2	4
<b>Count of EWPH Locations in Neighborhood Geography</b>	2	4
<b><u>Total in Hours:</u></b>	4	8

## Neighborhood level variable creation Task Time Estimate Table

Below is table including all the Minimum and Maximum estimates for all the neighborhood level variables.

Task	Minimum Estimate (hrs)	Maximum Estimate (hrs)
Neighborhood Geographies	2	6
WIC Vendors	0	0
WIC Locations	2	4
WIC catchment area	6	12
Census/ACS Variables	16	36
Walkability	12	18
Playground/Park Access	20	40
Recreational and fitness outlets	32	52
Farmers Markets (NYS/ <a href="https://data.ny.gov/">data.gov</a> )	4	8
Retail Food Stores	2	4
Child Care Regulated Programs	2	4
Average FITNESSGRAM	0	0
SPARKS/EWPH	4	8
<u>Total in Hours:</u>	102	192

## 3. Data Wrangling and QA/QC

After creating all the geoprocessed data variables. Some data munging (carpentry) will occur, joining all the variables, standardizing variable names and then QA/QC-ing the data.

Data Wrangling and QA/QC	Minimum Estimate (hrs)	Maximum Estimate (hrs)
Data Wrangling (tables joins, etc.)	4	12
QA/QC Review	4	16
<u>Total in Hours:</u>	8	28

## 4. Data Dictionary

At the completion of the data processing BEH creates a document of all of the data variables and methods used in constructing those variables as well as the source of the original data used for the project. In addition a full documentation of the geocoding results and methods is also created.

Data Dictionary	Minimum Estimate (hrs)	Maximum Estimate (hrs)
Data Dictionary	8	16
<b><u>Total in Hours:</u></b>	8	16

## 5. Data Delivery and Mapping (optional)

At the completion of the project and data dictionary the data will be delivered as an encrypted zip file (AES 256 encryption or equivalent). It can be delivered as .csv, in a Stata file, in an SPSS file, in a SAS file or any format desired. If the WICNYS Group wishes to map out some of the variables either state-wide or at a local level BEH-GIS could develop a mapping template and send out first drafts to the WICNYS Group. Maps may be created specifically for a report, group exploratory data analysis, a research publication or for web.

Data Delivery and Mapping	Minimum Estimate (hrs)	Maximum Estimate (hrs)
Data Delivery	0.25	1
Mapping	8	24
<b><u>Total in Hours (without Mapping option):</u></b>	0.25	1

## Total Time Estimate of All Tasks

Below is a table summing all of the individual tasks into a Project total Time Minimum Estimate and Maximum Estimate. The project hours will fall into this range and will be recorded so that the research group will only pay for the actual hours worked by BEH-GIS.

Task	Minimum Estimate (hrs)	Maximum Estimate (hrs)
1. Geocoding (Min at ZIP, Max at Address 5 min worst case scenario with new geocoder built) for study subjects and other data layers that require geocoding	4.28	21.42
2. Neighborhood level variable creation	102	192
3. Data munging and QA/QC	8	28
4. Data Dictionary	8	16
5. Data Delivery and Mapping (optional and not included in the total time estimate)	0.25	1
<b><u>Total:</u></b>	<b>122.53</b>	<b>258.42</b>
<b><u>Weeks:</u></b>	<b>3.27</b>	<b>6.89</b>



# Geoprocessing Methods Explained

The process of characterizing neighborhoods with social and built environment variables is an ideal job for a Geographical Information System (GIS). A GIS is unique in that it harnesses the power of both relational databases and geographic space and place. Combined you have an efficient means of statistically aggregating and describing what lies within a specific measurement geography (e.g., state, county, community district, zip code, custom buffer). By overlaying spatial features from multiple layers (e.g., streets, census block groups, land-use, and crime) which are attached to descriptive variables (e.g., length, area, speed, total population, name, category) that task is achieved.

## Areal Weighting Interpolation

Areal Weighting Interpolation is a data transfer procedure between incompatible zonal systems. There are diverse zonal systems used for aggregating and reporting spatial data, say, census tracts, administrative districts, school districts, and so forth. Since they are often geographically incompatible, integration of spatial data requires data transfer between zonal systems. This process is called areal interpolation, and the areal weighting interpolation method is one of the most popular interpolation methods in GIS (Markoff and Shapiro, 1973; Lam, 1983; Flowerdew and Green, 1991). Assuming a uniform distribution of spatial objects, the areal weighting interpolation divides the count of spatial objects according to area in each zone, and sums up the counts in another incompatible zone.

Take for example Census block groups. Say you want to calculate census related variables for custom measurement geographies such as the 0.50-mile network buffers created for this project. Some census geographies (e.g., block groups) will fall completely within your buffers, while others, only portions will fall within your buffers. You therefore need to decide how to deal with those census geographies that do not fall completely within your buffers. You really only have four options:


- 1) Include all full block groups that intersect your measurement geographies and their full variables.
- 2) Include all block groups with their centroid within the measurement geographies and their full variables.
- 3) Include all block groups completely contained within the measurement geographies and their full variables.
- 4) Include only those portions of block groups that intersect the measurement geographies and their apportioned variables.

The four figures on the following demonstrate examples of these four options using a single network buffer and block group boundaries.


This analysis will likely utilize option 4. Where block groups (or any other spatial feature) are cut by the end of the buffer measurement geographies, the census variables are apportioned according to the percentage of land area falling inside and outside the buffers before calculating the results. Take for example the total population variable. Since we do not know where the population actually lives within each block group, all we can do is assume a normal distribution of the population. Where census blocks are cut by the end of the buffer measurement geographies, the population needs to be apportioned according to the percentage of block group falling inside the buffer. So we should know or you can easily calculate the area of the original block in whatever unit of measure you wish. Next, INTERSECT or compute the geometric intersection of the input features (i.e., census block groups) where features or portions of features which overlap the intersect features (i.e., custom network buffers) will be written to the final output feature. Then, recalculate the area of the output, and find the ratio of each block group falling inside the buffer. Finally, take that ratio times your total population value of each block to get your apportioned value.

Figures. – Examples of how to deal with non-contiguous data overlapping your study area.


Option 1: full intersecting




Option 2: centroid within block groups block groups



Option 3: completely contained block groups




Option 4: apportioned intersecting block groups.



For example, where a block group falls completely within the buffer the ratio will be 1.00 which in turns means the total population will be accounted for. But say you have a block group with 1,300 people living in it that is 250-km<sup>2</sup> in total area but only 115-km<sup>2</sup> of the block falls within the buffer. You would take 115 / 250 to get 0.46, which you then multiple against the total population for the block 0.46 \* 1,300 to get 598 people. That is your apportioned population.

$$\text{apportioned population} = (\text{new\_area} / \text{original\_area}) * \text{total\_population}$$



## **References**

- Flowerdew, R. and Green, M. (1991). Data Integration: Statistical Methods for Transferring Data between Zonal Systems. In *Handling Geographical Information: Methodology and Potential Applications*, edited by I. Masser and M. Blakemore (New York: Longman), pp. 38-54.
- Gattrell, A.C. et al. (1996). Spatial point pattern analysis and its application in geographical epidemiology, *Transactions of the Institute of British Geographers* 21: pp. 256–274.
- Guagliardo, M.F. et al. (2004). Physician accessibility: an urban case study of pediatric providers, *Health & Place* 10: pp. 273– 283.
- Lam, N. N-S. (1983). Spatial Interpolation Methods: a Review. *American Cartographer*, 10: pp. 129-149.
- Longley, P.A. et al. (2001) *Geographic Information Systems and Science*. Chichester, NY: John Wiley and Sons, Inc.
- Markoff, J. and Shapiro, G. (1973). The Linkage of Data Describing Overlapping Geographical Units. *Historical Methods Newsletter*, 7: pp. 34-46.
- O'Sullivan, D. and D. Unwin. (2002). *Geographic information analysis*. Hoboken, NJ: John Wiley and Sons, Inc.
- Scott, D.W. (1998). *Multivariate Density Estimation*. John Wiley and Sons, Inc.