Nyikowe Keisha Makhamusi

1. Select
count (ID) As total employees
from employees;

Total_employees
10

2. Select
Sum (salary) As total IT_Salary
from employees
where department = 'IT';

~~Total_Salary~~

Total_IT_Salary
220000

3. Select
AVG (Salary) As average HR_salary
from employees
where department = 'HR'

Average_HR_salary
49500

4.

```
Select
        Min (salary) As lowest_salary,
        Max (salary) As Highest_salary
from employees;
```

Lowest_salary
48000

~~Max~~ Highest_salary
62000

5.

```
Select
        Department,
        Sum (salary) As total_salary
from employees
group by department;
```

Department	Total_salary
IT	22000
HR	99000
Finance	119000
Marketing	105000

6. Select
City,
count (ID) As total_employees
from employees;
Group by City;

City	Total_employees
New_york	2
Chicago	3
Los_Angeles	2
San_francisco	2
Houston	1

7. Select
Department
AVG (Salary) AS Average_Salary
from employees
group by department
Order by Average_Salary DESC;

Department	Average_Salary
Finance	59500
IT	55000
Marketing	52500
HR	49500

8. Select
Department
Sum (Salary) AS total_Salary
from employees
Group by department
Having Sum (Salary) > 100000

Department	Total_Salary
IT	22000
FINANCE	119000
Marketing	105000

~~Section A~~

(9) Select

City
Count (ID) As employee_count
From employees
Group by city
Having count (ID) > 1
Order by employee_count Desc;

City	employee_count
Chicago	3
New_york	2
Los_Angeles	2
San_francisco	2

(10). Select

Department,
Avg (Salary) As Average_Salary
from employees
Group by department
Order by Average_salary Desc;
Limit 1;

Department	Average_Salary
Finance	59500