ZPOD HiFi Music Player User Guide




If you bought ZPOD without system card:
1, Prepare a TF card (Micro SD card) to install the system. 2, Write the system to the card.
3, Insert the card to the slot and power up.

The functions of the buttons:

↑	Up/Put one song on repat
↓	Down/Shuffle
←	Left
→	Right
Home	Home
Pause	Pause/Play
△	Clock On/Off
○	OK/PlayingQueue
□	Back to Menu
×	Cancel
+	V+
-	V-

The Interfaces:

Micro USB Charging Interface
Micro SD Card Slot
Headphone Jack
Power On/Off Switch
Micro HDMI Interface
Micro USB Data Interface




AOIDE
ZPOD
Headphone Socket
Micro SD Card Slot
Power On/Off Switch
Micro USB Charging Interface


AOIDE
ZPOD
HDMI
Micro HDMI Interface
Micro USB Data Interface

How to add music from Micro USB data interface:

1, Prepare the U-Disk with music or memory card with music and a reader.

2, Prepare a USB interface to Micro USB interface adapter.




3, Insert the U-Disk to the adapter and connect to the Micro USB data interface.



4, Power on ZPOD player.


5, Press □ button to the menu, and press ○ button to select AOIDE.




6, From AOIDE menu, click the up and down arrow keys to move the menu item to “SETTINGS” and press ○ button.




6, Select “SYNC MUSIC FROM USB DRIVER”



7, Press × button and select AOIDE PLAYER to back to playing interface. Press "Home" button to player menu.



8, Select “PLAYLIST MANAGER”->“UPDATE DATABASE FROM DISK” press ○ button, and then select “UPDATE PLAYLIST FROM DATABASE”



After that, you can play the musics in the USB device.


How to connect ZPOD to copy musics from network with DHCP:

1, Connect ZPOD to your computer or Ethernet switch with a micro USB to RJ45 adapter.




2, Power on ZPOD player.

3, Press □ button to the menu, and press ○ button to select RETROPIE.



4, From RETROPIE menu, click the up and down arrow keys to move the menu item to “SHOW IP” and press ○ button.



5, After get the IP address of the ZPOD, you can copy music files the //ZPOD IP address/music.

6, Select “PLAYLIST MANAGER”->“UPDATE PLAYLIST FROM DATABASget


How to connect ZPOD to copy music from WiFi:

1, Insert the WiFi module to the Micro USB data interface.



2, Power on ZPOD player.


3, Press □ button to the menu, and press ○ button to select AOIDE.



4, From AOIDE menu, click the up and down arrow keys to move the menu item to “SETTINGS” and press ○ button.




5, Select "STOP AP" and "START AP"



6, From the PC Wireless Network Connection, select ZeroPOD, input the password "raspberry".



After connected, copy the music to \\192.168.200.1\music



7, Select “PLAYLIST MANAGER”->“UPDATE PLAYLIST FROM DATABASE”.