

VEHICLE TRANSPORTATION AIDS AND VEHICLE STORAGE

NEW VEHICLE STORAGE FORM [G1577077]

DESCRIPTION AND OPERATION

Refer to the battery care requirements before completing any battery tests.

The purpose of this form is to record the battery condition for vehicles and parts by the retailer, prior to customer handover. If the vehicle is in storage for more than 180 days, a new form must be started and the old form retained.

Follow the instructions on the Jaguar Land Rover (JLR) approved battery test equipment.

ACTIVITY	-
Initial battery voltage (Vehicle arrival):	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
Post charge test (if applicable).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
30 days from initial battery test.	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
Post charge test (if applicable).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
60 days from initial battery test.	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-

Post charge test (if applicable).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
90 days from initial battery test.	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
Post charge test (if applicable).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
120 days from initial battery test.	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
Post charge test (if applicable).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
150 days from initial battery test.	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
Post charge test (if applicable).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
Pre Delivery Inspection (PDI).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-
Post charge test (if applicable).	Battery Test Code (if applicable)
Voltage:	-

ACTIVITY

Date:	-
Signature:	-
Customer Handover (The battery voltage must be 12.55 Volts or above).	Battery Test Code (if applicable)
Voltage:	-
Date:	-
Signature:	-

Make sure that transit mode is activated if the vehicle is returned to storage.

Transit relay removal / vehicle placed in normal mode should only be completed a maximum of 72 hours prior to handover to customer

STORAGE HISTORY SHEET

-	-	-
MODEL:	COLOR:	ARRIVAL DATE:
VIN:		

OPERATIONS	IDENTIFICATION	INSPECTION	COOLING SYSTEM	ENGINE	TIRES	PARKING BRAKE - OFF	DOORS, WINDOWS AND VEHICLE INTERIOR	REMOVE CAT 1
UPON RECEIPT (VEHICLE ARRIVAL)	-	-	-	-	-	-	-	N/A
-								
30 DAYS	N/A	-	-	-	-	-	N/A	N/A
-								
60 DAYS	N/A	-	-	-	-	-	N/A	N/A
-								
90 DAYS	N/A	-	-	-	-	-	N/A	N/A
-								
120 DAYS	N/A	-	-	-	-	-	N/A	N/A
-								
150 DAYS	N/A	-	-	-	-	-	N/A	N/A
-								
180 DAYS	N/A	-	-	-	-	-	N/A	-
-								
Pre-Delivery Inspection (PDI)	N/A	-	-	-	-	-	N/A	-

OPERATIONS	IDENTIFICATION	INSPECTION	COOLING SYSTEM	ENGINE	TIRES	PARKING BRAKE - OFF	DOORS, WINDOWS AND VEHICLE INTERIOR	REMOVE CAT 1
OPERATIONS	COMMENTS ON VEHICLE CONDITION	PAINTWORK	-	INSPECTORS SIGNATURE AND DATE	-	-	-	
UPON RECEIPT	NOTE: RECORD ANY VEHICLE BODY DAMAGE ON SILHOUETTES THAT FOLLOW	-	-	-	-	-	-	

cmVIX2FzzyMDtILTE5VDA3OJA1OjyLjYr2NV67MjA3LjE4MS4zLjEzMTtTUUpERDFHWORMQ0s2NzQ5Nw==