





















```
downgrade\","httpEquiv":null,"name":"referrer","property":null,"include":true,"key":"referrer","environment":null,\
{"charset":null,"content":\
{seomatic.meta.robots}\","httpEquiv":null,"name":"robots","property":null,"include":true,"key":"robots","environm
{"live":{"content":{"seomatic.meta.robots}},"staging":{"content":"none"},"local":
{"content":"none"},"dependencies":null},"name":"General","description":"General Meta
Tags","class":"nystudio107\\seomatic\\models\\MetaTagContainer","handle":"general","include":true,"depende
[]","MetaTagContaineropengraph":{"data":{"fb:profile_id":{"charset":null,"content":\
{seomatic.site.facebookProfileId}\","httpEquiv":null,"name":null,"property":"fb:profile_id","include":true,"key":"fb:pr
{"charset":null,"content":\
{seomatic.site.facebookAppId}\","httpEquiv":null,"name":null,"property":"fb:app_id","include":true,"key":"fb:app_id
{"charset":null,"content":\{"craft.app.language
}}","httpEquiv":null,"name":null,"property":"og:locale","include":true,"key":"og:locale","environment":null,"deper
{"charset":null,"content":\
{seomatic.meta.ogType}\","httpEquiv":null,"name":null,"property":"og:type","include":true,"key":"og:type","enviro
{"charset":null,"content":\
{seomatic.meta.canonicalUrl}\","httpEquiv":null,"name":null,"property":"og:url","include":true,"key":"og:url","envir
{"siteName":{"seomatic.site.siteName},"siteNamePosition":\
{seomatic.meta.ogSiteNamePosition},"separatorChar":\
{seomatic.config.separatorChar},"charset":null,"content":\
{seomatic.meta.ogTitle}\","httpEquiv":null,"name":null,"property":"og:title","include":true,"key":"og:title","enviro
{"charset":null,"content":\
{seomatic.meta.ogDescription}\","httpEquiv":null,"name":null,"property":"og:description","include":true,"key":"og:c
{"charset":null,"content":\
{seomatic.meta.ogImage}\","httpEquiv":null,"name":null,"property":"og:image","include":true,"key":"og:image","e
{"charset":null,"content":\
{seomatic.meta.ogImageDescription}\","httpEquiv":null,"name":null,"property":"og:image:alt","include":true,"key":\
{"tag":\
["og:image","og:image","og:image","og:image","og:image","og:image","og:image","og:image","og:image","og:image"],\
{"charset":null,"content":null,"httpEquiv":null,"name":null,"property":"og:see_also","include":true,"key":"og:see_
OpenGraph Meta
Tags","class":"nystudio107\\seomatic\\models\\MetaTagContainer","handle":"opengraph","include":true,"depe
{"site":\
["facebookProfileId","facebookAppId","facebookProfileId","facebookAppId","facebookProfileId","facebookAppId"],\
{"data":{"twitter:card":{"charset":null,"content":\
{seomatic.meta.twitterCard}\","httpEquiv":null,"name":"twitter:card","property":null,"include":true,"key":"twitter:car
{"charset":null,"content":\{"seomatic.site.twitterHandle}\","httpEquiv":null,"name":"twitter:site","property":null,"in
{"site":\
["twitterHandle","twitterHandle","twitterHandle","twitterHandle","twitterHandle","twitterHandle","twitterHandle"],\
{"charset":null,"content":\{"seomatic.meta.twitterCreator}\","httpEquiv":null,"name":"twitter:creator","property":nu
{"meta":\
["twitterCreator","twitterCreator","twitterCreator","twitterCreator","twitterCreator","twitterCreator","twitterCreator"],\
{"siteName":{"seomatic.site.siteName},"siteNamePosition":\
{seomatic.meta.twitterSiteNamePosition},"separatorChar":\
{seomatic.config.separatorChar},"charset":null,"content":\
{seomatic.meta.twitterTitle}\","httpEquiv":null,"name":"twitter:title","property":null,"include":true,"key":"twitter:title"
{"charset":null,"content":\
{seomatic.meta.twitterDescription}\","httpEquiv":null,"name":"twitter:description","property":null,"include":true,"key"
{"charset":null,"content":\
{seomatic.meta.twitterImage}\","httpEquiv":null,"name":"twitter:image","property":null,"include":true,"key":"twitter:
{"charset":null,"content":\
{seomatic.meta.twitterImageDescription}\","httpEquiv":null,"name":"twitter:image:alt","property":null,"include":true,\
{"tag":\
["twitter:image","twitter:image","twitter:image","twitter:image","twitter:image","twitter:image","twitter:image"],\
Twitter Card Meta
Tags","class":"nystudio107\\seomatic\\models\\MetaTagContainer","handle":"twitter","include":true,"dependen
{"site":\
["twitterHandle","twitterHandle","twitterHandle","twitterHandle","twitterHandle","twitterHandle","twitterHandle"],\
{"data":{"google-site-verification":{"charset":null,"content":\
```



(<https://developers.google.com/analytics/devguides/collection/analyticsjs/enhanced-ecommerce/>)", "type": "bool", "value": false}, {"title": "Enhanced Link Attribution", "instructions": "Enhanced Link Attribution improves the accuracy of your In-Page Analytics report by automatically differentiating between multiple links to the same URL on a single page by using link element IDs. [Learn More]"}, {"title": "Linker", "instructions": "The linker plugin simplifies the process of implementing cross-domain tracking as described in the Cross-domain Tracking guide for analytics.js. [Learn More]"}, {"title": "Google Analytics Script URL", "instructions": "The URL to the Google Analytics tracking script. Normally this should not be changed, unless you locally cache it."}, {"title": "Google Tag Manager", "instructions": "The global site tag (gtag.js) is a JavaScript tagging framework and API that allows you to send event data to AdWords, DoubleClick, and Google Analytics. Instead of having to manage multiple tags for different products, you can use gtag.js and more easily benefit from the latest tracking features and integrations as they become available. [Learn More]"}, {"title": "Google Tag Manager Script URL", "instructions": "The URL to the Google Tag Manager tracking script. Normally this should not be changed, unless you locally cache it. The JavaScript `dataLayer` will automatically be set to the `dataLayer` Twig template variable."}, {"title": "AdWords Conversion ID", "instructions": "Only enter the ID, e.g.: `AW-XXXXXXXX` , not the entire script code. [Learn More]"}, {"title": "DoubleClick Floodlight ID", "instructions": "Only enter the ID, e.g.: `DC-XXXXXXXX` , not the entire script code. [Learn More]"}, {"title": "Automatically send PageView", "instructions": "Controls whether the `gtag.js` script automatically sends a PageView to Google Analytics, AdWords, and DoubleClick Floodlight when your pages are loaded."}, {"title": "Google Analytics Display Features", "instructions": "The display features plugin for gtag.js can be used to enable Advertising Features in Google Analytics, such as Remarketing, Demographics and Interest Reporting, and more. [Learn More]"}, {"title": "Google Analytics Enhanced Link Attribution", "instructions": "Enhanced link attribution improves click track reporting by automatically differentiating between multiple link clicks that have the same URL on a given page. [Learn More]"}, {"title": "Google gtag.js Script URL", "instructions": "The URL to the Google gtag.js tracking script. Normally this should not be changed, unless you locally cache it. The JavaScript `dataLayer` will automatically be set to the `dataLayer` Twig template variable."}, {"title": "Google Tag Manager", "instructions": "Google Tag Manager is a tag management system that allows you to quickly and easily update tags and code snippets on your website. Once the Tag Manager snippet has"}]



```
{seomatic.site.siteName}\", \"siteNamePosition\": \"{seomatic.meta.siteNamePosition}\", \"separatorChar\": \"\n\"
seomatic.config.separatorChar}\", \"include\": true, \"key\": \"title\", \"environment\": null, \"dependencies\": null}}, \"name\": \"Ge
Title
Tag\", \"class\": \"nystudio107\\\\seomatic\\\\models\\\\MetaTitleContainer\", \"handle\": \"general\", \"include\": true, \"depende
[]}]' WHERE `id`=1
```

Error Info: Array

```
(
  [0] => 22001
  [1] => 1406
  [2] => Data too long for column 'metaContainers' at row 1
)
```

### ↳ Caused by: PDOException

SQLSTATE[22001]: String data, right truncated: 1406 Data too long for column 'metaContainers' at row 1  
in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/Command.php at line 1258

1. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/Schema.php at line 664

```
655
656     $exceptionClass = '\\yii\\db\\Exception';
657     foreach ($this->exceptionMap as $error => $class) {
658         if (strpos($e->getMessage(), $error) !== false) {
659             $exceptionClass = $class;
660         }
661     }
662     $message = $e->getMessage() . "\\nThe SQL being executed was: $rawSql";
663     $errorInfo = $e instanceof \\PDOException ? $e->errorInfo : null;
664     return new $exceptionClass($message, $errorInfo, (int) $e->getCode(), $e);
665 }
666
667 /**
668  * Returns a value indicating whether a SQL statement is for read purpose.
669  * @param string $sql the SQL statement
670  * @return bool whether a SQL statement is for read purpose.
671  */
672 public function isReadQuery($sql)
673 {
```

2. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/Command.php – yii\\db\\Schema::convertException(PDOException, 'UPDATE `seomatic\_metabundles` SE...') at line 1263

3. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/Command.php – yii\\db\\Command::internalExecute('UPDATE `seomatic\_metabundles` SE...') at line 1075

4. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/ActiveRecord.php – yii\\db\\Command::execute() at line 247

5. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/BaseActiveRecord.php – yii\\db\\ActiveRecord::updateAll(['dateUpdated' => '2018-03-19 03:08:38', 'metaSitemapVars' => '{"sitemapUrls":true,"sitemapAsse...', 'metaContainers' => '{"MetaTagContainergeneral":{"dat...'}], ['id' => 1]) at line 801

6. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/ActiveRecord.php – yii\\db\\BaseActiveRecord::updateInternal(null) at line 591

7. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/db/BaseActiveRecord.php – yii\\db\\ActiveRecord::update(true, null) at line 672

8. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/services/MetaBundles.php – yii\\db\\BaseActiveRecord::save() at line 136

```
130         'sourceSiteId' => $siteId,
131     });
132     if (!$metaBundleRecord) {
133         $metaBundleRecord = new MetaBundleRecord();
134     }
135     $metaBundleRecord->setAttributes($metaBundle->getAttributes(), false);
136     if ($metaBundleRecord->save()) {
137         Craft::info(
```

```
138         'Meta bundle updated: '
139         .$metaBundle->sourceBundleType
140         .' id: '
141         .$metaBundle->sourceId
142         .' from siteId: '

```

9. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/services/MetaBundles.php – nystudio107\seomatic\services\MetaBundles::updateMetaBundle(nystudio107\seomatic\models\MetaBundle, 1)

at line 665

```
659         // Merge them together
660         $metaBundle = MetaBundle::create(ArrayHelper::strictMerge(
661             $metaBundleDefaults,
662             $baseConfig
663         ));
664         if ($metaBundle) {
665             $this->updateMetaBundle($metaBundle, $siteId);
666         }
667
668         return $metaBundle;
669     }
670
671     /**

```

10. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/services/MetaBundles.php – nystudio107\seomatic\services\MetaBundles::createGlobalMetaBundleForSite(1, ['bundleVersion' => '1.0.14', 'sourceBundleType' => '\_\_GLOBAL\_BUNDLE\_\_', 'sourceId' => 1, 'sourceName' => '\_\_GLOBAL\_BUNDLE\_\_', ...])

at line 614

```
608         $metaBundleArray = $metaBundle->toArray();
609         // Create a new meta bundle
610         switch ($sourceType) {
611             case self::GLOBAL_META_BUNDLE:
612                 $metaBundle = $this->createGlobalMetaBundleForSite(
613                     $metaBundle->sourceSiteId,
614                     $metaBundleArray
615                 );
616                 break;
617             case self::CATEGORYGROUP_META_BUNDLE:
618                 $category = Craft::$app->getCategories()->getGroupById($metaBundle->sourceId);
619                 $metaBundle = $this->createMetaBundleFromCategory(
620                     $category,

```

11. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/services/MetaBundles.php – nystudio107\seomatic\services\MetaBundles::syncBundleWithConfig('\_\_GLOBAL\_BUNDLE\_\_', nystudio107\seomatic\models\MetaBundle)

at line 107

```
101         ]);
102         ->one();
103         if (!empty($metaBundleArray)) {
104             // Get the attributes from the db
105             $metaBundleArray = array_diff_key($metaBundleArray, array_flip(self::IGNORE_DB_ATTRIBUTES));
106             $metaBundle = MetaBundle::create($metaBundleArray);
107             $this->syncBundleWithConfig(self::GLOBAL_META_BUNDLE, $metaBundle);
108         } else {
109             // If it doesn't exist, create it
110             $metaBundle = $this->createGlobalMetaBundleForSite($sourceSiteId);
111         }
112         // Cache it for future accesses
113         $this->globalMetaBundles[$sourceSiteId] = $metaBundle;

```

12. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/services/MetaContainers.php – nystudio107\seomatic\services\MetaBundles::getGlobalMetaBundle(1)

at line 448

```
442         */
443         protected function loadGlobalMetaContainers(int $siteId = null)
444         {
445             if ($siteId === null) {
446                 $siteId = Craft::$app->getSites()->currentSite->id ?? 1;
447             }

```

```

448     $metaBundle = Seomatic::$plugin->metaBundles->getGlobalMetaBundle($siteId);
449     if ($metaBundle) {
450         // Meta global vars
451         $this->metaGlobalVars = $metaBundle->metaGlobalVars;
452         // Meta site vars
453         $this->metaSiteVars = $metaBundle->metaSiteVars;
454         // Meta sitemap vars

```

13. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/services/MetaContainers.php – nystudio107\seomatic\services\MetaContainers::loadGlobalMetaContainers(1)

at line 148

```

142         $this::CACHE_KEY.$uri.$siteId,
143     function () use ($uri, $siteId) {
144         Craft::info(
145             'Meta container cache miss: '.$uri.'/'.$siteId,
146             __METHOD__
147         );
148         $this->loadGlobalMetaContainers($siteId);
149         $this->loadContentMetaContainers();
150         DynamicMetaHelper::addDynamicMetaToContainers($uri, $siteId);
151
152         return [$this->metaGlobalVars, $this->metaSiteVars, $this->metaSitemapVars, $this->metaContainers];
153     },
154     $duration,

```

14. nystudio107\seomatic\services\MetaContainers::nystudio107\seomatic\services\{closure}(yii\caching\FileCache)

15. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/caching/Cache.php – call\_user\_func(Closure, yii\caching\FileCache)

at line 575

16. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/services/MetaContainers.php – yii\caching\Cache::getOrSet('seomatic\_metacontainer\_settings/...', Closure, 30, yii\caching\TagDependency)

at line 155

```

149         $this->loadContentMetaContainers();
150         DynamicMetaHelper::addDynamicMetaToContainers($uri, $siteId);
151
152         return [$this->metaGlobalVars, $this->metaSiteVars, $this->metaSitemapVars, $this->metaContainers];
153     },
154     $duration,
155     $dependency
156 );
157 Seomatic::$seomaticVariable->init();
158 MetaValueHelper::cache();
159 $this->loadingContainers = false;
160 }
161 }

```

17. in /home/runcloud/webapps/de/vendor/nystudio107/craft-seomatic/src/twigextensions/SeomaticTwigExtension.php – nystudio107\seomatic\services\MetaContainers::loadMetaContainers('settings/plugins', '1')

at line 38

```

32         // Seomatic::$view->getIsRenderingPageTemplate() &&
33     if (!Seomatic::$seomaticVariable && !Seomatic::$previewingMetaContainers) {
34         // Create our variable and stash it in the plugin for global access
35         Seomatic::$seomaticVariable = new SeomaticVariable();
36         $request = Craft::$app->getRequest();
37         // Load the meta containers for this page
38         Seomatic::$plugin->metaContainers->loadMetaContainers($request->getPathInfo(), null);
39     }
40
41     return ['seomatic' => Seomatic::$seomaticVariable];
42 }
43
44 /**

```

18. in /home/runcloud/webapps/de/vendor/twig/twig/lib/Twig/ExtensionSet.php – nystudio107\seomatic\twigextensions\SeomaticTwigExtension::getGlobals()

at line 337



```

331         $globals = array();
332     foreach ($this->extensions as $extension) {
333         if (!$extension instanceof Twig_Extension_GlobalsInterface) {
334             continue;
335         }
336
337         $extGlobals = $extension->getGlobals();
338         if (!is_array($extGlobals)) {
339             throw new UnexpectedValueException(sprintf('"%s::getGlobals()" must return an array of globals.', get_class($extension)));
340         }
341
342         $globals = array_merge($globals, $extGlobals);
343     }

```

19. in /home/runcloud/webapps/de/vendor/twig/twig/lib/Twig/Environment.php – Twig\_ExtensionSet::getGlobals() at line 903

```

897         * @internal
898     */
899     public function getGlobals()
900     {
901         if ($this->extensionSet->isInitialized()) {
902             if (null === $this->resolvedGlobals) {
903                 $this->resolvedGlobals = array_merge($this->extensionSet->getGlobals(), $this->globals);
904             }
905
906             return $this->resolvedGlobals;
907         }
908
909         return array_merge($this->extensionSet->getGlobals(), $this->globals);

```

20. in /home/runcloud/webapps/de/vendor/twig/twig/lib/Twig/Environment.php – Twig\_Environment::getGlobals() at line 923

```

917         * @return array The context merged with the globals
918     */
919     public function mergeGlobals(array $context)
920     {
921         // we don't use array_merge as the context being generally
922         // bigger than globals, this code is faster.
923         foreach ($this->getGlobals() as $key => $value) {
924             if (!array_key_exists($key, $context)) {
925                 $context[$key] = $value;
926             }
927         }
928
929         return $context;

```

21. in /home/runcloud/webapps/de/vendor/twig/twig/lib/Twig/Template.php – Twig\_Environment::mergeGlobals([]) at line 371

```

365         {
366             return $this->blocks;
367         }
368
369     public function display(array $context, array $blocks = array())
370     {
371         $this->displayWithErrorHandling($this->env->mergeGlobals($context), array_merge($this->blocks, $blocks));
372     }
373
374     public function render(array $context)
375     {
376         $level = ob_get_level();
377         ob_start();

```

22. in /home/runcloud/webapps/de/vendor/craftcms/cms/src/web/twig/Template.php – Twig\_Template::display([], []) at line 31

```

25         * @inheritdoc
26     */

```

```

27     public function display(array $context, array $blocks = [])
28     {
29         $name = $this->getTemplateName();
30         Craft::beginProfile($name, __METHOD__);
31         parent::display($context, $blocks);
32         Craft::endProfile($name, __METHOD__);
33     }
34
35     // Protected Methods
36     // =====
37

```

23. in /home/runcloud/webapps/de/vendor/twig/twig/lib/Twig/Template.php – craft\web\twig\Template::display([]) at line 379

```

373
374     public function render(array $context)
375     {
376         $level = ob_get_level();
377         ob_start();
378         try {
379             $this->display($context);
380         } catch (Throwable $e) {
381             while (ob_get_level() > $level) {
382                 ob_end_clean();
383             }
384
385             throw $e;

```

24. in /home/runcloud/webapps/de/vendor/twig/twig/lib/Twig/Environment.php – Twig\_Template::render([]) at line 289

```

283         * @throws Twig_Error_Loader When the template cannot be found
284         * @throws Twig_Error_Syntax When an error occurred during compilation
285         * @throws Twig_Error_Runtime When an error occurred during rendering
286         */
287     public function render($name, array $context = array())
288     {
289         return $this->loadTemplate($name)->render($context);
290     }
291
292     /**
293      * Displays a template.
294      *
295      * @param string $name The template name

```

25. in /home/runcloud/webapps/de/vendor/craftcms/cms/src/web/View.php – Twig\_Environment::render('settings/plugins', []) at line 305

```

299         // Render and return
300         $renderingTemplate = $this->_renderingTemplate;
301         $this->_renderingTemplate = $template;
302         Craft::beginProfile($template, __METHOD__);
303
304         try {
305             $output = $this->getTwig()->render($template, $variables);
306         } catch (\RuntimeException $e) {
307             if (!YII_DEBUG) {
308                 // Throw a generic exception instead
309                 throw new Exception('An error occurred when rendering a template.', 0, $e);
310             }
311             throw $e;

```

26. in /home/runcloud/webapps/de/vendor/craftcms/cms/src/web/View.php – craft\web\View::renderTemplate('settings/plugins', []) at line 352

```

346         ob_implicit_flush(false);
347

```

```

348     $isRenderingPageTemplate = $this->_isRenderingPageTemplate;
349     $this->_isRenderingPageTemplate = true;
350
351
352     $this->beginPage();
353     echo $this->renderTemplate($template, $variables);
354     $this->endPage();
355
356     $this->_isRenderingPageTemplate = $isRenderingPageTemplate;
357
358     $output = ob_get_clean();

```

27. in /home/runcloud/webapps/de/vendor/craftcms/cms/src/web/Controller.php – craft\web\View::renderPageTemplate('settings/plugins', [])

at line 113

```

107         }
108
109         $headers->set('content-type', $mimeType.'; charset='.$response->charset);
110     }
111
112     // Render and return the template
113     $response->data = $this->getView()->renderPageTemplate($template, $variables);
114
115     // Prevent a response formatter from overriding the content-type header
116     $response->format = YiiResponse::FORMAT_RAW;
117
118     return $response;
119 }

```

28. in /home/runcloud/webapps/de/vendor/craftcms/cms/src/controllers/TemplatesController.php – craft\web\Controller::renderTemplate('settings/plugins', [])

at line 77

```

71
72     // Merge any additional route params
73     $routeParams = Craft::$app->getUrlManager()->getRouteParams();
74     unset($routeParams['template'], $routeParams['template']);
75     $variables = array_merge($variables, $routeParams);
76
77     return $this->renderTemplate($template, $variables);
78 }
79
80 /**
81  * Shows the 'offline' template.
82  *
83  * @return Response

```

29. craft\controllers\TemplatesController::actionRender('settings/plugins', [])

30. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/base/InlineAction.php – call\_user\_func\_array([craft\controllers\TemplatesController, 'actionRender'], ['settings/plugins', []])

at line 57

31. in /home/runcloud/webapps/de/vendor/yiisoft/yii2/base/Controller.php – yii\base\InlineAction::runWithParams(['template' => 'settings/plugins'])

at line 157

32. in /home/runcloud/webapps/de/vendor/craftcms/cms/src/web/Controller.php – yii\base\Controller::runAction('render', ['template' => 'settings/plugins'])

at line 74

```

68     /**
69     * @inheritdoc
70     */
71     public function runAction($id, $params = [])
72     {
73         try {
74             return parent::runAction($id, $params);
75         } catch (\Throwable $e) {
76             if (Craft::$app->getRequest()->getAcceptsJson()) {
77                 Craft::$app->getErrorHandler()->logException($e);
78                 $statusCode = $e instanceof HttpException && $e->statusCode ? $e->statusCode : 500;

```



```
$_SESSION = [  
    'bd62416aa8538ede709019a5e113eea5__flash' => [  
        'notice' => -1,  
    ],  
    '1031b8c41dfff97a311a7ac99863bdc5__id' => '1',  
    '1031b8c41dfff97a311a7ac99863bdc5__expire' => 1521432517,  
    'bd62416aa8538ede709019a5e113eea5__auth_access' => [  
        'saveAssetInVolume:1',  
    ],  
    'notice' => 'Plugin enabled.',  
];
```

2018-03-19, 04:08:38

nginx/1.13.9

Yii Framework/2.0.14.2

