

CSS Display Property in 5 Minutes

Block, Inline, Inline-Block, and None

Presenter: Nyt Zefhiro C. Concepcion (Grade 12-ICT)

Target Audience: Beginner Web Developers

Goal: Viewers will understand the core display property rules in CSS and how elements behave in document flow.

0:00 - 0:40 | Introduction

Host on Camera:

"Good day, everyone! I am Nyt Zefhiro C. Concepcion from Grade 12-ICT, and today we are diving into a fundamental topic in Web Development."

"Our focus today is the CSS display property—specifically mastering block, inline, inline-block, and none."

"Have you ever wondered why adding a custom width to a text link does nothing, or why certain elements force surrounding elements onto a new line while others sit right next to each other?"

"These issues occur because of element rendering rules. The display property in CSS is the foundational layout rule that dictates how an HTML element generates its principal layout box and flows within the document hierarchy."

"In this 5-minute guide, we will break down the four core values:"

- **block:** Full-width stackable elements
- **inline:** Text-level inline flows
- **inline-block:** The hybrid solution for side-by-side elements with custom dimensions
- **none:** Complete layout suppression

0:40 - 2:00 | Concept Explanation

Screen Share: Show HTML elements rendered on page with default styles.

The Basics:

"First, every HTML element has a default display value defined by the browser style sheet that controls its physical presence on the page."

Key Display Types:

Block: "The block value forces a line break before and after the element. It takes up 100% of the available parent width by default and fully respects custom width and height properties."

Inline: "The inline value flows directly alongside neighboring content without breaking lines. It occupies only the width of its internal content and ignores explicit width and height properties."

Inline-Block: "Inline-block generates a block element box that flows inline with adjacent content. It sits side-by-side on the same line while fully respecting width, height, padding, and margin."

None: "The none value turns off the display of an element, removing it entirely from the document layout flow as if it were not in the HTML structure."

2:00 - 4:15 | Single-File Code Walkthrough

Editor Setup: Embedded styling inside <style> tags within a single index.html file.

"Inside our HTML <body>, we have structured six distinct target elements:"

Step 1: HTML Structure Setup

```
<!-- HTML Structure -->
<div class="box block-box">Block 1</div>
<div class="box block-box">Block 2</div>
<span class="box inline-box">Inline 1</span>
<span class="box inline-box">Inline 2</span>
<div class="box inline-block-box">Inline-Block 1</div>
<div class="box inline-block-box">Inline-Block 2</div>
<div class="box hidden-box">Hidden Element</div>
```

Step 2: Base Styles

"First, let's set up basic background and padding for our elements."

```
.box {
  padding: 10px;
  background-color: #0284c7;
  color: white;
  margin: 5px;
}
```

Step 3: Block Property

"Applying display: block forces elements to stack and accept custom width."

```
.block-box {
  display: block;
  width: 200px; /* Width is applied; forces Block 2 onto a new line */
}
```

Step 4: Inline Property

"Next, applying display: inline keeps elements on the same line, but ignores explicit width and height."

```
.inline-box {
  display: inline;
  width: 300px; /* Ignored! Fits content width only; stays on same line */
  height: 100px; /* Ignored! */
}
```

Step 5: Inline-Block Property

"Now let's apply inline-block to get side-by-side elements that still respect width and height."

```
.inline-block-box {  
  display: inline-block;  
  width: 180px; /* Respected! Sits side-by-side with Inline-Block 2 */  
  height: 60px; /* Respected! */  
}
```

Step 6: Display None

"Lastly, display: none completely removes the element from rendering."

```
.hidden-box {  
  display: none; /* Completely collapses element space in the DOM */  
}
```

Live Inspection:

"Pressing F12 to open Developer Tools, we inspect .inline-box to confirm that the computed styles ignore our 300px width rule. Inspecting .hidden-box confirms it is not rendered in the layout box model."

4:15 - 5:00 | Summary and Conclusion

Host on Camera:

"And that is the display property in CSS! Let's do a quick recap."

On-screen checklist:

- **Block:** Breaks lines and stacks; full-width by default.
- **Inline:** Flows smoothly with text; fits content width and ignores custom dimensions.
- **Inline-Block:** Sits side-by-side on the same line while fully respecting explicit width and height.
- **None:** Removes the element completely from document layout flow.
- **CSS:** Controls element layout box generation and visual structure.

"Understanding these core display rules is crucial for building clean, predictable user interfaces for modern web applications."

"Thank you for watching this presentation on the CSS Display Property. This is Nyt Zefhiro C. Concepcion for Grade 12-ICT signing off, and happy coding!"