

Presenter: Nyt Zefhiro C. Concepcion

Topic: Display Property: Block, Inline, Inline-Block, and None

Duration: 5 Minutes Maximum

I. Introduction (0:00 – 0:40)

Self-Introduction & Overview

- **Speaker Greeting:** "Good day, everyone! I am Nyt Zefhiro C. Concepcion from Grade 12-ICT, and today we are diving into a fundamental topic in Web Development."
- **Statement of Assigned Topic:** "Our focus today is the CSS `display` property—specifically mastering `block`, `inline`, `inline-block`, and `none`."

Hook & Core Concept

- **Why Layout Issues Occur:** "Have you ever wondered why adding a custom width to a text link does nothing, or why certain elements force surrounding elements onto a new line while others sit right next to each other? These issues occur because of element rendering rules."
- **Definition of the Display Property:** "The `display` property in CSS is the foundational layout rule that dictates how an HTML element generates its principal layout box and flows within the document hierarchy."

Outline of Presentation Scope

- **Breakdown of Scope:** "In this 5-minute guide, we will break down the four core values:
 - `block`: Full-width stackable elements
 - `inline`: Text-level inline flows
 - `inline-block`: The hybrid solution for side-by-side elements with custom dimensions
 - `none`: Complete layout suppression"

II. Concept Explanation (0:40 – 2:00)

The Fundamental Rule of Layouts

- **Concept:** Every HTML element has a default `display` value defined by the browser style sheet that controls its physical presence on the page.

The 4 Core Display Values

- **block:** Forces a line break before and after the element. Takes up 100% of the available parent width by default and fully respects custom `width` and `height` properties. *(Default for `<div>`, `<p>`, `<h1>`)*
- **inline:** Flows directly alongside neighboring content without breaking lines. Occupies only the width of its internal content. **Ignores** explicit `width` and `height` properties, as well as vertical margins. *(Default for `<span>`, `<a>`, `<strong>`)*
- **inline-block:** Generates a block element box that flows inline with adjacent content. It provides the best of both worlds: sits side-by-side on the same line while fully respecting `width`, `height`, `padding`, and `margin`.
- **none:** Turns off the display of an element, removing it entirely from the document layout flow. It occupies zero pixels of space as if it were not in the HTML structure.

Behavior Comparison Formula

Display Value	Forces New Line?	Respects width / height?	Affects Page Flow?
<code>block</code>	Yes	Yes	Yes
<code>inline</code>	No	No	Yes
<code>inline-block</code>	No	Yes	Yes
<code>none</code>	N/A	N/A	No (Removed)

III. Single-File Code Walkthrough (2:00 – 4:15)

Setup & File Structure

- **Embedded Styling:** "For this demonstration, we are using embedded styling inside `<style>` tags within a single `index.html` file."
- **HTML Element Setup:** "Inside our HTML `<body>`, we have structured six distinct target elements:"

HTML

```
<!-- HTML Structure -->
<div class="box block-box">Block 1</div>
<div class="box block-box">Block 2</div>

<span class="box inline-box">Inline 1</span>
<span class="box inline-box">Inline 2</span>

<div class="box inline-block-box">Inline-Block 1</div>
<div class="box inline-block-box">Inline-Block 2</div>

<div class="box hidden-box">Hidden Element</div>
```

Step-by-Step CSS Application

- **Base Styles:**

CSS

```
.box {
  padding: 10px;
  background-color: #0284c7;
  color: white;
  margin: 5px;
}
```

- **Applying `display: block`:**

CSS

```
.block-box {
  display: block;
  width: 200px; /* Width is applied; forces Block 2 onto a new line */
}
```

- **Applying `display: inline`:**

CSS

```
.inline-box {
  display: inline;
}
```

```
width: 300px; /* Ignored! Fits content width only; stays on same line
*/
height: 100px; /* Ignored! */
}
```

- **Applying `display: inline-block:`**

CSS

```
.inline-block-box {
  display: inline-block;
  width: 180px; /* Respected! Sits side-by-side with Inline-Block 2 */
  height: 60px; /* Respected! */
}
```

- **Applying `display: none:`**

CSS

```
.hidden-box {
  display: none; /* Completely collapses element space in the DOM */
}
```

Live Inspection

- **Browser Developer Tools (F12):** "Pressing F12 to open Developer Tools, we inspect `.inline-box` to confirm that the computed styles ignore our 300px width rule. Inspecting `.hidden-box` confirms it is not rendered in the layout box model."

IV. Conclusion & Key Takeaways (4:15 – 5:00)

Summary of Main Points

- **Quick Recap:** "To summarize, `block` breaks lines and stacks; `inline` flows smoothly with text but ignores dimensions; `inline-block` allows side-by-side layouts with explicit dimensions; and `none` hides elements entirely from the rendered layout."

Practical Application

- **UI Design Relevance:** "Understanding these core display rules is crucial for building clean, predictable user interfaces for modern web application environments."

Final Sign-Off

- **Closing Remark:** "Thank you for watching this presentation on the CSS Display Property. This is Nyt Zefhiro C. Concepcion for Grade 12-ICT signing off!"