


Domika — Real Estate Solution

Technical Proposal & Implementation Plan

Prepared by: OneUpAI Solutions Inc.
For: SAILE Business Group
Date: June 2026
Delivery: 8 weeks · 4 phases
Investment: USD \$397/month (up to 100 users)

Architecture Overview

Domika is built on a **shared multi-tenant database** architecture — one Supabase project serves all organizations. Each organization's data is isolated at the row level using PostgreSQL Row-Level Security (RLS) policies, which are enforced by the database itself on every query. This approach is simpler to operate, cheaper, and performs well beyond 5,000 users.



Key technology choices: - **Framework:** Next.js 15 (App Router) + TypeScript - **Database:** Supabase (PostgreSQL + Auth + Storage + Realtime) - **AI:** Anthropic Claude (Haiku) for assistant + automations - **WhatsApp:** Meta Cloud API (official Business API) - **Email:** Gmail/Outlook OAuth + SMTP (Resend for transactional) - **PDF generation:** Headless Chromium / pdf-lib - **Deployment:** Vercel (Pro plan) - **GEO / AI Visibility:** Waiboom (separate tenant, Phase 4)

Database Schema

Core — Organizations & Users

```
-- — Organizations (one per agency / broker) —————
CREATE TABLE organizations (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  name        text NOT NULL,
  slug        text UNIQUE NOT NULL,
  plan        text NOT NULL DEFAULT 'starter',  -- starter | growth | enterprise
  max_users   int  NOT NULL DEFAULT 100,
  logo_url    text,
  brand_color text DEFAULT '#3B82F6',
  country     text DEFAULT 'B0',
  timezone    text DEFAULT 'America/La_Paz',
  created_at  timestampz DEFAULT now()
);

-- — Profiles (one per user) —————
CREATE TABLE profiles (
  id          uuid PRIMARY KEY REFERENCES auth.users(id) ON DELETE CASCADE,
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  email       text NOT NULL,
  full_name   text,
  phone       text,
  avatar_url  text,
  role        text NOT NULL DEFAULT 'agent',  -- owner | admin | agent
  is_active   boolean DEFAULT true,
  created_at  timestampz DEFAULT now()
);

-- — Invitations —————
CREATE TABLE invitations (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  email       text NOT NULL,
  role        text NOT NULL DEFAULT 'agent',
  token       text UNIQUE NOT NULL,
  invited_by  uuid REFERENCES profiles(id),
  accepted_at timestampz,
  expires_at  timestampz DEFAULT (now() + interval '7 days'),
  created_at  timestampz DEFAULT now()
);
```

CRM — Leads & Pipeline

```
-- — Leads (contacts / prospects) —————
CREATE TABLE leads (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id    uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  assigned_to        uuid REFERENCES profiles(id),
  full_name          text NOT NULL,
  phone              text,
  email              text,
  whatsapp_id        text,                -- Meta Cloud API contact ID
  source              text,                -- meta_ads | whatsapp | instagram | referral | portal | manual
  source_meta         jsonb,               -- raw ad/campaign data from Meta
  stage_id           uuid REFERENCES pipeline_stages(id),
  business_unit       text,                -- casas | deptos | alquileres | terrenos | inversionistas | premium
  budget_min          numeric,
  budget_max          numeric,
  notes              text,
  last_contact_at    timestampz,
  created_at          timestampz DEFAULT now(),
  updated_at          timestampz DEFAULT now()
);

-- — Pipeline stages (customizable per org / business unit) —————
CREATE TABLE pipeline_stages (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id    uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  name               text NOT NULL,        -- Nuevo | Contactado | Visitó | Negociación | Cierre | Perdido
  business_unit       text,                -- null = applies to all units
  color              text DEFAULT '#6B7280',
  position           int  NOT NULL DEFAULT 0,
  is_closed_won       boolean DEFAULT false,
  is_closed_lost      boolean DEFAULT false,
  auto_task_template jsonb,                -- task to auto-create when lead enters this stage
  created_at          timestampz DEFAULT now()
);

-- — Pipeline history (audit trail of stage changes) —————
CREATE TABLE pipeline_events (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id    uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  lead_id            uuid NOT NULL REFERENCES leads(id) ON DELETE CASCADE,
  from_stage_id       uuid REFERENCES pipeline_stages(id),
  to_stage_id         uuid REFERENCES pipeline_stages(id),
  changed_by          uuid REFERENCES profiles(id),
  created_at          timestampz DEFAULT now()
);

-- — Lead activity log —————
CREATE TABLE lead_activities (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id    uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  lead_id            uuid NOT NULL REFERENCES leads(id) ON DELETE CASCADE,
```

```

agent_id      uuid REFERENCES profiles(id),
type          text NOT NULL,    -- call | visit | note | email | whatsapp | stage_change | task
body          text,
metadata      jsonb,
created_at    timestampz DEFAULT now()
);

```

WhatsApp

```

-- — WhatsApp threads (one per lead / contact) —————
CREATE TABLE whatsapp_threads (
  id              uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  lead_id         uuid REFERENCES leads(id) ON DELETE SET NULL,
  wa_phone_number text NOT NULL,    -- recipient's WhatsApp number
  wa_contact_name text,
  last_message_at timestampz,
  created_at      timestampz DEFAULT now()
);

-- — WhatsApp messages —————
CREATE TABLE whatsapp_messages (
  id              uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  thread_id       uuid NOT NULL REFERENCES whatsapp_threads(id) ON DELETE CASCADE,
  wa_message_id   text UNIQUE,      -- Meta message ID
  direction       text NOT NULL,    -- inbound | outbound
  type            text NOT NULL,    -- text | image | document | audio | template
  body            text,
  media_url       text,
  status          text DEFAULT 'delivered', -- sent | delivered | read | failed
  sent_by         uuid REFERENCES profiles(id),
  created_at      timestampz DEFAULT now()
);

```

Property Inventory

```
-- — Properties —————
CREATE TABLE properties (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id   uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  listed_by        uuid REFERENCES profiles(id),
  type              text NOT NULL,    -- casa | depto | terreno | oficina | local | estacionamiento
  operation         text NOT NULL,    -- venta | alquiler | anticrético
  status            text DEFAULT 'available', -- available | reserved | sold | rented | inactive
  title             text NOT NULL,
  description        text,
  price             numeric,
  currency          text DEFAULT 'USD',
  area_m2           numeric,
  bedrooms          int,
  bathrooms         int,
  parking           int,
  floor            int,
  amenities         text[],
  legal_status      text,             -- libre | hipotecado | anticrético | en trámite
  address           text,
  city              text,
  neighborhood      text,
  latitude          numeric,
  longitude         numeric,
  is_public         boolean DEFAULT false, -- visible to other agents in network
  owner_name        text,             -- private — not exposed via RLS to other orgs
  owner_phone       text,             -- private
  owner_notes       text,             -- private
  created_at        timestampz DEFAULT now(),
  updated_at        timestampz DEFAULT now()
);

-- — Property media —————
CREATE TABLE property_media (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id   uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  property_id       uuid NOT NULL REFERENCES properties(id) ON DELETE CASCADE,
  type              text NOT NULL,    -- photo | video | virtual_tour | document | floor_plan
  url               text NOT NULL,    -- Supabase Storage URL
  thumbnail_url     text,
  filename          text,
  size_bytes        int,
  position          int DEFAULT 0,
  is_cover          boolean DEFAULT false,
  created_at        timestampz DEFAULT now()
);
```

Agent Collaboration Network

```
-- — Property shares (collaboration between agents) —————
CREATE TABLE property_shares (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id   uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  property_id       uuid NOT NULL REFERENCES properties(id) ON DELETE CASCADE,
  shared_by         uuid NOT NULL REFERENCES profiles(id),
  shared_with       uuid REFERENCES profiles(id),      -- null = entire org
  permission        text NOT NULL DEFAULT 'view',      -- view | view_with_owner | full
  expires_at        timestampz,
  view_count        int DEFAULT 0,
  last_viewed_at    timestampz,
  created_at        timestampz DEFAULT now()
);
```

Tasks & Productivity

```
-- — Tasks —————
CREATE TABLE tasks (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id   uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  created_by        uuid REFERENCES profiles(id),
  assigned_to       uuid REFERENCES profiles(id),
  lead_id           uuid REFERENCES leads(id) ON DELETE SET NULL,
  property_id       uuid REFERENCES properties(id) ON DELETE SET NULL,
  type              text NOT NULL,      -- call | visit | document | follow_up | meeting | other
  title             text NOT NULL,
  notes             text,
  priority          text DEFAULT 'medium',  -- low | medium | high | urgent
  status            text DEFAULT 'pending', -- pending | in_progress | done | cancelled
  due_at            timestampz,
  completed_at      timestampz,
  reminder_at       timestampz,
  reminder_channels text[],              -- push | email | whatsapp
  auto_generated     boolean DEFAULT false,
  created_at        timestampz DEFAULT now()
);
```

Brochures & Documents

```
-- — Brochure templates —————
CREATE TABLE brochure_templates (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  name        text NOT NULL,
  type        text NOT NULL,    -- pdf_brochure | whatsapp_flyer | presentation
  layout      jsonb NOT NULL,   -- drag-and-drop layout definition
  is_default  boolean DEFAULT false,
  created_at  timestampz DEFAULT now()
);

-- — Generated brochures —————
CREATE TABLE brochures (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  property_id  uuid NOT NULL REFERENCES properties(id) ON DELETE CASCADE,
  template_id  uuid REFERENCES brochure_templates(id),
  generated_by uuid REFERENCES profiles(id),
  pdf_url      text,
  created_at  timestampz DEFAULT now()
);

-- — Contract templates —————
CREATE TABLE contract_templates (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  name        text NOT NULL,
  type        text NOT NULL,    -- captacion | reserva | alquiler | promesa | comision
  body        text NOT NULL,    -- HTML with {{variable}} placeholders
  variables   text[],           -- list of expected variables
  created_at  timestampz DEFAULT now()
);

-- — Contracts (generated instances) —————
CREATE TABLE contracts (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  template_id  uuid REFERENCES contract_templates(id),
  lead_id      uuid REFERENCES leads(id) ON DELETE SET NULL,
  property_id  uuid REFERENCES properties(id) ON DELETE SET NULL,
  generated_by uuid REFERENCES profiles(id),
  variables    jsonb,           -- filled-in values
  pdf_url      text,
  signed_at    timestampz,
  signature_data jsonb,
  created_at  timestampz DEFAULT now()
);
```

Demand Matching

```
-- — Buyer requirements —————
CREATE TABLE buyer_requirements (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id    uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  lead_id           uuid REFERENCES leads(id) ON DELETE SET NULL,
  posted_by         uuid REFERENCES profiles(id),
  property_type      text[],
  operation          text,           -- compra | alquiler
  budget_min        numeric,
  budget_max        numeric,
  currency          text DEFAULT 'USD',
  area_m2_min       numeric,
  bedrooms_min      int,
  city              text,
  neighborhood       text[],
  notes             text,
  is_active         boolean DEFAULT true,
  created_at        timestampz DEFAULT now()
);

-- — Demand matches (auto-generated) —————
CREATE TABLE demand_matches (
  id                uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id    uuid NOT NULL REFERENCES organizations(id) ON DELETE CASCADE,
  requirement_id     uuid NOT NULL REFERENCES buyer_requirements(id) ON DELETE CASCADE,
  property_id        uuid NOT NULL REFERENCES properties(id) ON DELETE CASCADE,
  score             numeric,        -- match quality 0-1
  notified_at       timestampz,
  created_at        timestampz DEFAULT now(),
  UNIQUE (requirement_id, property_id)
);
```


RLS Policies (applied to every table)

```
-- Pattern applied to every table (example: leads)
ALTER TABLE leads ENABLE ROW LEVEL SECURITY;

CREATE POLICY "agents_see_own_org" ON leads
  FOR ALL USING (
    organization_id = (
      SELECT organization_id FROM profiles WHERE id = auth.uid()
    )
  );

-- Public property network – agents can see public properties from any org
CREATE POLICY "public_properties_visible" ON properties
  FOR SELECT USING (
    is_public = true
    OR organization_id = (
      SELECT organization_id FROM profiles WHERE id = auth.uid()
    )
  );

-- Owner data (name, phone, notes) never exposed cross-org even for public properties
-- Handled at API layer – owner fields are excluded from public queries
```

Phase 1 — Foundation + CRM Core (Weeks 1–2)

Goal: A working app with authentication, organization onboarding, and a functional CRM that captures leads from WhatsApp and Meta Ads.

Infrastructure & Auth

- Next.js 15 + TypeScript project setup, Supabase integration
- Full database schema migration + RLS policies
- Email/password authentication with Supabase Auth
- Organization creation on first sign-up (owner role)
- User invitation flow — email invite → accept → join org
- Role-based access: owner, admin, agent
- Super admin panel (internal — manage organizations, users, billing)

CRM — Leads

- Lead create, edit, view, list (with search + filters)
- Lead detail page — contact info, timeline, notes, linked tasks/properties
- CSV / Excel bulk import with column mapping

- Lead source tagging (manual, WhatsApp, Meta Ads, portal, referral)

WhatsApp Integration

- Meta Cloud API webhook setup — incoming messages routed to lead's thread
- WhatsApp conversation stored and displayed in lead detail
- New unknown number → auto-create lead, prompt agent to qualify
- Outbound messages from within the lead view
- Instagram DM + Messenger capture via same Meta webhook

Meta Ads Lead Capture

- Meta Lead Ads webhook — form submissions auto-create leads
- Campaign + ad set + ad name stored in `source_meta`
- Duplicate detection by phone / email before creating new lead

Pipeline

- Default pipeline stages seeded per business unit on org creation
- Drag-and-drop kanban board (leads as cards across stages)
- Stage change logged in `pipeline_events`
- Pipeline customization (add, rename, reorder, delete stages)
- Business unit filter (Casas, Deptos, Alquileres, Terrenos, etc.)

Phase 2 — Inventory + Productivity + Collaboration (Weeks 3–4)

Goal: Property inventory, task management, agent collaboration, and brochure generation.

Task Management

- Task create/edit linked to lead or property
- Task types: call, visit, document, follow-up, meeting
- Priority + status management
- Agent assignment
- Calendar view (daily / weekly) with task list
- Push + email + WhatsApp reminders
- Auto-task generation rules: on stage change, on inactivity (X days no contact), on new WhatsApp message from unknown lead
- Team productivity dashboard (tasks by agent, overdue, completion rate)

Property Inventory

- Property create/edit with full spec form (type, operation, price, area, rooms, amenities, legal status)
- Owner data section (private — never visible cross-org)
- Multi-photo upload with auto-resize and format normalization on ingest (uses Supabase Storage)
- Photo reorder (drag), cover photo selection
- Video URL + virtual tour link + PDF document attach
- Map view — pin placement via lat/long or address geocoding
- Property status management (available, reserved, sold, rented)
- Search + filter (type, operation, price range, city, status)

Agent Collaboration Network

- Share property with one agent or entire org
- Permission levels: view only | view without owner data | full access
- Optional expiry date on share
- View tracking (who viewed, when, how many times)
- Public/private toggle per property — public properties visible to agents in other orgs (owner data always hidden)
- Real-time updates via Supabase Realtime when a shared property is modified

Brochure Designer

- Drag-and-drop template editor (sections: cover photo, specs table, description, agent contact, logo)
- Dynamic text — fields pulled automatically from property record
- Agent branding (logo, brand color from org settings)
- WhatsApp flyer format (vertical, single image with caption) + PDF brochure format
- One-click PDF export per property
- Template library — save and reuse custom layouts

Phase 3 — Documents + Communication + Matching (Weeks 5–6)

Goal: Contract generation, email integration, and demand matching.

Contract & Document Module

- Contract template editor with `{{variable}}` placeholders
- Template types: captación, reserva, alquiler, promesa de compraventa, comisión
- Variables auto-filled from lead + property data

- PDF output (rendered via headless Chromium or pdf-lib)
- Digital signature (DocuSeal or equivalent open-source)
- Send signed contract via email or WhatsApp from within the app
- Document library per lead / per property

Email Integration

- Gmail + Outlook OAuth connection (one account per agent)
- SMTP fallback for other providers
- Email thread stored and displayed in lead timeline
- Compose and send email from lead detail
- Commercial email templates (follow-up, property overview, offer)
- Open + click tracking (via Resend or custom pixel)
- Automated sequences — e.g. auto follow-up 3 days after visit if no reply

Demand Matching

- Buyer requirement form (property type, operation, budget, area, location, bedrooms)
- Requirements linked to a lead or posted independently
- Auto-match job: runs on new property creation and on new requirement — scores matches using field comparison
- Match score displayed (budget fit, type match, location match)
- Agent receives in-app notification + optional WhatsApp notification when a match is found
- Overview sent to requesting agent (property summary card without owner data)

Internal Notifications

- In-app notification feed (task reminders, new leads, pipeline movements, matches, shares)
- Optional Google Chat webhook — send notification to a team channel

Phase 4 — Waiboom + QA + Launch (Weeks 7–8)

Goal: AI visibility activation, full QA, team training, and go-live.

Waiboom GEO Integration

- Provision a Waiboom tenant for SAILE Business Group
- Configure publication identity (niche: real estate Bolivia / LATAM, audience: buyers and investors, owner: SAILE brand)
- Connect RSS or API feed of public property listings and market updates

- AI-generated content pipeline begins indexing SAILE's inventory for ChatGPT, Perplexity, and Gemini
- Monthly AI visibility report delivered to Michael's team

QA

- Functional QA across all 7 V1 modules
- Load testing (simulate 100 concurrent agents)
- Security review: RLS policy audit, auth token handling, WhatsApp webhook validation, file upload validation
- Mobile responsiveness check (agents primarily on phones)
- Cross-browser testing

Training & Launch

- Live training session with SAILE team — CRM walkthrough, WhatsApp setup, property upload, brochure generation
- Written quick-start guide in Spanish
- Video walkthroughs for the 3 most-used flows (add lead, add property, generate brochure)
- Go-live — production deployment
- 30-day post-launch support (bug fixes, questions, minor adjustments)

Deliverable Summary

Phase	Weeks	Core Deliverables
1 — Foundation + CRM	1–2	Auth, org onboarding, leads CRM, WhatsApp integration, Meta Ads capture, pipeline kanban
2 — Inventory + Productivity	3–4	Property inventory + map, task management + auto-tasks, collaboration network, brochure designer
3 — Documents + Communication	5–6	Contract generation + e-sign, email integration + sequences, demand matching
4 — Waiboom + QA + Launch	7–8	GEO visibility activation, full QA, training, go-live, 30-day support

Success Metrics

- **North metric:** 100 active agents within 3 months of launch
- **Agent day-one:** can add a lead, load a property, generate a brochure, and schedule a task
- **V1 definition of done:** all 7 priority modules working end-to-end
- **Medium-term:** ~200 active agents; Phase 2 marketplace feeds off CRM data

Investment

Concept	Detail
Monthly subscription	USD \$397 / month
Users included	Up to 100 active users per organization
Scaling	+\$100/month per additional 100 users
Setup fee	None
Model	SaaS, shared multi-tenant database, scales to 5,000+ users

Subscription includes: full V1 development (8 weeks), hosting and operations, Waiboom GEO activation and monthly reports, team training, complete QA, and 30 days post-launch support.