

Query

Query History

Scratch Pad X

1

2

3

4

5

6

7

8

9

10

SET statement_timeout = 0;

SET lock_timeout = 0;

SET idle_in_transaction_session_timeout = 0;

SET client_encoding = 'UTF8';

SET standard_conforming_strings = on;

SELECT pg_catalog.set_config('search_path', '', false);

SET check_function_bodies = false;

SET xmloption = content;

SET client_min_messages = warning;

SET row_security = off;

Data Output

Messages

Notifications

SET

Query returned successfully in 201 msec.

IDA FINAL/postgres@PostgreSQL 16

Folder

Save

Undo

Filter

No limit

Run

Stop

Refresh

Fullscreen

Help

Query

Query History

Scratch Pad X

1

2

3

4

CREATE SCHEMA healthnet;

ALTER SCHEMA healthnet OWNER TO postgres;

Data Output

Messages

Notifications

ALTER SCHEMA

Query returned successfully in 166 msec.

Total rows:

Query complete 00:00:00.166

CRLF

Ln 4, Col 42

Query	Query History	Scratch Pad X
1	<pre>CREATE FUNCTION healthnet.update_bill_totals() 2 RETURNS trigger 3 LANGUAGE plpgsql 4 AS \$\$ 5 BEGIN 6 -- On INSERT 7 IF TG_OP = 'INSERT' THEN 8 UPDATE bill 9 SET total = COALESCE((10 SELECT SUM(amount) 11 FROM bill_item 12 WHERE bill_id = NEW.bill_id 13), 0)</pre>	
16	<pre>-- On DELETE 17 ELSIF TG_OP = 'DELETE' THEN 18 UPDATE bill 19 SET total = COALESCE((20 SELECT SUM(amount) 21 FROM bill_item 22 WHERE bill_id = OLD.bill_id 23), 0) 24 WHERE id = OLD.bill_id; 25 26 -- On UPDATE 27 ELSIF TG_OP = 'UPDATE' THEN</pre>	
26	<pre>-- On UPDATE 27 ELSIF TG_OP = 'UPDATE' THEN 28 29 IF NEW.bill_id IS DISTINCT FROM OLD.bill_id THEN 30 UPDATE bill 31 SET total = COALESCE((32 SELECT SUM(amount) 33 FROM bill_item 34 WHERE bill_id = OLD.bill_id 35), 0) 36 WHERE id = OLD.bill_id; 37 38 UPDATE bill 39 SET total = COALESCE((</pre>	
39	<pre>SET total = COALESCE((40 SELECT SUM(amount) 41 FROM bill_item 42 WHERE bill_id = NEW.bill_id 43), 0) 44 WHERE id = NEW.bill_id; 45 46 ELSE 47 UPDATE bill 48 SET total = COALESCE((</pre>	

```
47         UPDATE bill
48         SET total = COALESCE((
49             SELECT SUM(amount)
50             FROM bill_item
51             WHERE bill_id = NEW.bill_id
52         ), 0)
53         WHERE id = NEW.bill_id;
54     END IF;
55
56 END IF;
57
58 RETURN NEW;
59 END;
```

Data Output Messages Notifications

CREATE FUNCTION

Query returned successfully in 512 msec.

Query Query History

```
1 ALTER FUNCTION healthnet.update_bill_totals() OWNER TO postgres;
2
3
4
```

Scratch Pad X

Data Output Messages Notifications

ALTER FUNCTION

Query returned successfully in 357 msec.

Query

Query History

↗

S

1

2

3

4

5

6

7

8

9

10

11

12

13

```
CREATE FUNCTION healthnet.update_bill_totals_row() RETURNS trigger
LANGUAGE plpgsql
AS $$
BEGIN
    UPDATE bill b
    SET total = COALESCE((
        SELECT SUM(amount)
        FROM bill_item bi
        WHERE bi.bill_id = b.id
    ), 0)
    WHERE b.id = COALESCE(NEW.bill_id, OLD.bill_id);

    RETURN NULL;
END;
$;
```

13

14

15

16

17

```
RETURN NULL;
END;
$;
```

Data Output

Messages

Notifications

↗

```
CREATE FUNCTION
```

Query returned successfully in 254 msec.

Query

Query History

↗

Scratch Pad X

↗

1

2

3

4

5

6

```
ALTER FUNCTION healthnet.update_bill_totals_row() OWNER TO postgres;

SET default_tablespace = '';

SET default_table_access_method = heap;
```

Data Output

Messages

Notifications

↗

```
SET
```

Query returned successfully in 166 msec.

Query	Query History	Scratch Pad X
1	CREATE TABLE healthnet.bill (	
2	id integer NOT NULL,	
3	total numeric(12,2) DEFAULT 0	
4	);	
Data Output		Messages
CREATE TABLE		
Query returned successfully in 652 msec.		

Query	Query History	Scratch Pad X
1	ALTER TABLE healthnet.bill OWNER TO postgres	
Data Output		Messages
ALTER TABLE		
Query returned successfully in 173 msec.		

Query	Query History	Scratch Pad X
1 2 3 4 5 6 7	<pre>CREATE TABLE healthnet.bill_audit (bill_id integer, old_total numeric(12,2), new_total numeric(12,2), changed_at timestamp without time zone DEFAULT now());</pre>	
Data Output Messages Notifications		
CREATE TABLE		
Query returned successfully in 183 msec.		

Query	Query History	Scratch Pad X
1	<pre>ALTER TABLE healthnet.bill_audit OWNER TO postgres;</pre>	
Data Output Messages Notifications		
ALTER TABLE		
Query returned successfully in 290 msec.		

Query	Query History	Scratch Pad X
1 2 3 4 5 6 7	<pre>CREATE SEQUENCE healthnet.bill_id_seq AS integer START WITH 1 INCREMENT BY 1 NO MINVALUE NO MAXVALUE CACHE 1;</pre>	
Data Output Messages Notifications		
CREATE SEQUENCE		
Query returned successfully in 167 msec.		

Query	Query History	Scratch Pad X
1	<code>ALTER SEQUENCE healthnet.bill_id_seq OWNER TO postgres;</code>	
Data Output		Messages
ALTER SEQUENCE		
Query returned successfully in 161 msec.		

Query	Query History	Scratch Pad X
1	<code>ALTER SEQUENCE healthnet.bill_id_seq OWNED BY healthnet.bill.id;</code>	
Data Output		Messages
ALTER SEQUENCE		
Query returned successfully in 193 msec.		

Query	Query History	Scratch Pad X
1	CREATE TABLE healthnet.bill_item (2 bill_id integer, 3 amount numeric(12,2), 4 updated_at timestamp without time zone DEFAULT now() 5); 6	

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 181 msec.

Query	Query History	Scratch Pad X
1	ALTER TABLE healthnet.bill_item OWNER TO postgres;	

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 146 msec.

Query	Query History	Scratch Pad X
1	CREATE TABLE healthnet.clinic (2 id integer NOT NULL, 3 name character varying(100), 4 lon double precision, 5 lat double precision 6);	

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 509 msec.

Query	Query History	Scratch Pad X
1	<code>ALTER TABLE healthnet.clinic OWNER TO postgres;</code>	

Data Output	Messages	Notifications
ALTER TABLE		
Query returned successfully in 287 msec.		

Query	Query History	Scratch Pad X
1	<code>CREATE SEQUENCE healthnet.clinic_id_seq</code>	
2	<code>AS integer</code>	
3	<code>START WITH 1</code>	
4	<code>INCREMENT BY 1</code>	
5	<code>NO MINVALUE</code>	
6	<code>NO MAXVALUE</code>	
7	<code>CACHE 1;</code>	

Data Output	Messages	Notifications
CREATE SEQUENCE		
Query returned successfully in 194 msec.		

Query

Query History

Scratch Pad X

1 ALTER SEQUENCE healthnet.clinic_id_seq OWNER TO postgres;

Data Output

Messages

Notifications

ALTER SEQUENCE

Query returned successfully in 169 msec.

Query

Query History

Scratch Pad X

1 ALTER SEQUENCE healthnet.clinic_id_seq OWNED BY healthnet.clinic.id;

Data Output

Messages

Notifications

ALTER SEQUENCE

Query returned successfully in 169 msec.

Query	Query History	Scratch Pad X
1 2 3 4 5	<pre>CREATE TABLE healthnet.patient (id integer NOT NULL, name character varying(100) NOT NULL);</pre>	
Data Output Messages Notifications		
CREATE TABLE		
Query returned successfully in 171 msec.		

Query	Query History	Scratch Pad X
1	<pre>ALTER TABLE healthnet.patient OWNER TO postgres;</pre>	
Data Output Messages Notifications		
ALTER TABLE		
Query returned successfully in 377 msec.		

Query	Query History	Scratch Pad X
1 2 3 4 5 6 7	<pre>CREATE SEQUENCE healthnet.patient_id_seq AS integer START WITH 1 INCREMENT BY 1 NO MINVALUE NO MAXVALUE CACHE 1;</pre>	
Data Output Messages Notifications		
CREATE SEQUENCE		
Query returned successfully in 171 msec.		

Query	Query History	Scratch Pad X
1	<code>ALTER SEQUENCE healthnet.patient_id_seq OWNER TO postgres;</code>	

Data Output Messages Notifications

ALTER SEQUENCE

Query returned successfully in 600 msec.

Query	Query History	Scratch Pad X
1	<code>ALTER SEQUENCE healthnet.patient_id_seq OWNED BY healthnet.patient.id;</code>	

Data Output Messages Notifications

ALTER SEQUENCE

Query returned successfully in 216 msec.

Query	Query History	Scratch Pad X
1	<code>CREATE TABLE healthnet.patient_med (</code>	
2	<code>patient_med_id integer NOT NULL,</code>	
3	<code>patient_id integer NOT NULL,</code>	
4	<code>med_name character varying(80) NOT NULL,</code>	
5	<code>dose_mg numeric(6,2),</code>	
6	<code>start_dt date NOT NULL,</code>	
7	<code>end_dt date NOT NULL,</code>	
8	<code>CONSTRAINT ck_rx_dates CHECK ((start_dt <= end_dt)),</code>	
9	<code>CONSTRAINT patient_med_dose_mg_check CHECK ((dose_mg >= (0)::numeri</code>	
10	<code>);</code>	

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 213 msec.

Query	Query History	Scratch Pad X
1	<pre>ALTER TABLE healthnet.patient_med OWNER TO postgres;</pre>	

Data Output	Messages	Notifications
<pre>ALTER TABLE</pre>		
<pre>Query returned successfully in 178 msec.</pre>		

Query	Query History	Scratch Pad X
1	<pre>CREATE SEQUENCE healthnet.patient_med_patient_med_id_seq</pre>	
2	<pre>AS integer</pre>	
3	<pre>START WITH 1</pre>	
4	<pre>INCREMENT BY 1</pre>	
5	<pre>NO MINVALUE</pre>	
6	<pre>NO MAXVALUE</pre>	
7	<pre>CACHE 1;</pre>	

Data Output	Messages	Notifications
<pre>CREATE SEQUENCE</pre>		
<pre>Query returned successfully in 237 msec.</pre>		

Query

Query History

Scratch Pad X

1

ALTER SEQUENCE healthnet.patient_med_patient_med_id_seq OWNER TO postgres;

Data Output

Messages

Notifications

ALTER SEQUENCE

Query returned successfully in 168 msec.

Query

Query History

Scratch Pad X

1

ALTER SEQUENCE healthnet.patient_med_patient_med_id_seq OWNED BY healthr

Data Output

Messages

Notifications

ALTER SEQUENCE

Query returned successfully in 182 msec.

Query	Query History	Scratch Pad X
1	<code>CREATE TABLE healthnet.staff_supervisor (</code>	
2	<code>employee character varying(50),</code>	
3	<code>supervisor character varying(50)</code>	
4	<code>);</code>	

Data Output	Messages	Notifications
CREATE TABLE		
Query returned successfully in 576 msec.		

Query	Query History	Scratch Pad X
1	<code>ALTER TABLE healthnet.staff_supervisor OWNER TO postgres;</code>	

Data Output	Messages	Notifications
ALTER TABLE		
Query returned successfully in 851 msec.		

Query	Query History	Scratch Pad X
1	CREATE TABLE healthnet.triple (	
2	s character varying(100),	
3	p character varying(50),	
4	o character varying(100)	
5	);	

Data Output	Messages	Notifications
CREATE TABLE		
Query returned successfully in 180 msec.		

Query	Query History	Scratch Pad X
1	ALTER TABLE healthnet.triple OWNER TO postgres;	

Data Output	Messages	Notifications
ALTER TABLE		
Query returned successfully in 215 msec.		

Query

Query History

Scratch Pad X

1

ALTER COLUMN id SET DEFAULT nextval('healthnet.bill_id_seq'::regclass);

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 610 msec.

Query

Query History

Scratch Pad X

1

ALTER TABLE ONLY healthnet.clinic ALTER COLUMN id SET DEFAULT nextval('h

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 128 msec.

Query

Query History

Scratch Pad X

1

ALTER TABLE ONLY healthnet.patient ALTER COLUMN id SET DEFAULT nextval('

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 139 msec.

Query

Query History

Scratch Pad X

1

ALTER TABLE ONLY healthnet.patient_med ALTER COLUMN patient_med_id SET D

2

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 267 msec.

Query

Query History

Scratch Pad X

1

2

3

4

INSERT INTO healthnet.bill (id, total) VALUES

(1, 300.00),

(2, 0.00);

Data Output

Messages

Notifications

INSERT 0 2

Query returned successfully in 529 msec.

Query

Query History

Scratch Pad X

1

2

3

INSERT INTO healthnet.bill_audit (bill_id, old_total, new_total, changed

VALUES (1, NULL, 300.00, NOW());

Data Output

Messages

Notifications

INSERT 0 1

Query returned successfully in 151 msec.

Query

Query History

Scratch Pad X

1

2

3

4

```
INSERT INTO healthnet.bill_item (bill_id, amount, updated_at) VALUES
(1, 150.00, '2025-11-01 13:51:02.727589'),
(1, 150.00, '2025-11-01 13:51:02.727589');
```

Data Output

Messages

Notifications

INSERT 0 2

Query returned successfully in 753 msec.

Query

Query History

Scratch Pad X

1

2

3

4

5

6

7

```
INSERT INTO healthnet.clinic (id, name, lon, lat) VALUES
(1, 'Kigali Central', 30.061, -1.9565),
(2, 'Remera Clinic', 30.065, -1.96),
(3, 'Nyamirambo Health', 30.05, -1.965),
(4, 'Gikondo Medical', 30.08, -1.94),
(5, 'CHUK Hospital', 30.059, -1.9585);
```

Data Output

Messages

Notifications

INSERT 0 5

Query returned successfully in 195 msec.

Query

Query History

Scratch Pad X

1

2

3

4

```
INSERT INTO healthnet.patient (id, name) VALUES
(1, 'Alice'),
(2, 'Bob');
```

Data Output

Messages

Notifications

INSERT 0 2

Query returned successfully in 178 msec.

Query	Query History	Scratch Pad X
1 2 3 4	<pre>INSERT INTO healthnet.patient_med (patient_med_id, patient_id, med_name, (1, 1, 'Paracetamol', 500.00, '2025-01-01', '2025-01-07'), (2, 2, 'Amoxicillin', 250.00, '2025-02-01', '2025-02-10');</pre>	
Data Output Messages Notifications		
INSERT 0 2		
Query returned successfully in 816 msec.		

Query	Query History	Scratch Pad X
1 2 3 4 5 6 7	<pre>INSERT INTO healthnet.staff_supervisor (employee, supervisor) VALUES ('Alice', 'Bob'), ('Bob', 'Carol'), ('Carol', 'Dana'), ('Eve', 'Carol'), ('Frank', 'Eve');</pre>	
Data Output Messages Notifications		
INSERT 0 5		
Query returned successfully in 640 msec.		

Query

Query History

↗

Scratch Pad

×

↗

```
1  INSERT INTO healthnet.triple (s, p, o) VALUES
2  ('Patient1', 'hasDiagnosis', 'Influenza'),
3  ('Patient2', 'hasDiagnosis', 'Diabetes'),
4  ('Influenza', 'isA', 'ViralDisease'),
5  ('ViralDisease', 'isA', 'InfectiousDisease'),
6  ('COVID19', 'isA', 'ViralDisease'),
7  ('Patient3', 'hasDiagnosis', 'COVID19'),
8  ('Patient4', 'hasDiagnosis', 'Cold'),
9  ('Cold', 'isA', 'InfectiousDisease');
10
```

Data Output

Messages

Notifications

↗

INSERT 0 8

Query returned successfully in 202 msec.

Query

Query History

↗

Scratch Pad

×

↗

```
1  SELECT pg_catalog.setval('healthnet.bill_id_seq', 1, false);
```

Data Output

Messages

Notifications

↗

Showing rows: 1 to 1

✎

Page No: 1

of 1

⏪ ⏩ ⏴ ⏵

	setval bigint	
1	1	

Query

Query History

Scratch Pad X

1

```
SELECT pg_catalog.setval('healthnet.clinic_id_seq', 5, true);
```

Data Output

Messages

Notifications

+

📄

▼

📋

▼

🗑️

📦

⬇️

📈

SQL

Showing rows: 1 to 1  Page No: 1 of 1

⏪ ⏴ ⏵ ⏩

	setval bigint	
1	5	

Query

Query History

Scratch Pad X

1

```
SELECT pg_catalog.setval('healthnet.patient_id_seq', 2, true);
```

Data Output

Messages

Notifications

+

📄

▼

📋

▼

🗑️

📦

⬇️

📈

SQL

Showing rows: 1 to 1  Page No: 1 of 1

⏪ ⏴ ⏵ ⏩

	setval bigint	
1	2	

Query

Query History

Scratch Pad X

1

`pg_catalog.setval('healthnet.patient_med_patient_med_id_seq', 4, true);`

Data Output

Messages

Notifications

Showing rows: 1 to 1

Page No: 1 of 1

	setval	bigint
1		4

Query

Query History

Scratch Pad X

1

`ALTER TABLE ONLY healthnet.bill`

2

`ADD CONSTRAINT bill_pkey PRIMARY KEY (id);`

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 220 msec.

Query

Query History

Scratch Pad X

1

ALTER TABLE ONLY healthnet.patient

2

ADD CONSTRAINT patient_pkey PRIMARY KEY (id);

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 409 msec.

Query

Query History

Scratch Pad X

1

CREATE TRIGGER trg_update_bill_totals_delete AFTER DELETE ON healthnet.b

Data Output

Messages

Notifications

CREATE TRIGGER

Query returned successfully in 189 msec.

Query

Query History

Scratch Pad X

1

CREATE TRIGGER trg_update_bill_totals_insert AFTER INSERT ON healthnet.b

Data Output

Messages

Notifications

CREATE TRIGGER

Query returned successfully in 329 msec.

Query

Query History

Scratch Pad X

1

CREATE TRIGGER trg_update_bill_totals_row AFTER INSERT OR DELETE OR UPDA

Data Output

Messages

Notifications

CREATE TRIGGER

Query returned successfully in 481 msec.

Query

Query History

Scratch Pad X

1

CREATE TRIGGER trg_update_bill_totals_update AFTER UPDATE ON healthnet.b

Data Output

Messages

Notifications

CREATE TRIGGER

Query returned successfully in 130 msec.

Query

Query History

Scratch Pad X

1

ALTER TABLE ONLY healthnet.bill_item

2

ADD CONSTRAINT bill_item_bill_id_fkey FOREIGN KEY (bill_id) REFERENC

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 141 msec.

Query

Query History

Scratch Pad X

1

ALTER TABLE ONLY healthnet.patient_med

2

ADD CONSTRAINT patient_med_patient_id_fkey FOREIGN KEY (patient_id)

Data Output

Messages

Notifications

ALTER TABLE

Query returned successfully in 103 msec.