# Installing LaBB-CAT on Mac OS X systems

> **!** Important
>
> LaBB-CAT can only be installed on newer M-series Macs.
> These instructions will not work for older Intel-based Macs. Sorry!

On OS X, there are two prerequisites that must be installed before you can install LaBB-CAT:


1. Homebrew
2. Java

You may already have one or other of these installed; if so, you can skip the corresponding section below.


## 1. Install Homebrew

Homebrew is a 'package manager' for Mac computers, which allows you to install other programes, including Java.

1. Open the following page in your web browser:
   https://github.com/Homebrew/brew/releases/latest
2. Scroll down to the *Assets* section.




3. Click the file called *Homebrew-n.n.n.pkg* (where *n.n.n* is the version number) to download the file.
4. Once the file has been downloaded, double-click on it to run the installer.




5. Click *Continue*, *Continue*, *Agree* and *Install* to complete the installation.

## 2. Install Java

1. Open *Launchpad* and type `Terminal`.
2. Double click *Terminal* to open a command shell.
3. Type in the following command:
   `brew install openjdk`
4. Press the `return` key on your keyboard to enter the command.
   Some text will appear in the *Terminal* window while Homebrew downloads everything it needs to install Java
   Once it's finished, you'll see the % shell prompt again.





Figure 1: brew install openjdk

### 3. Install LaBB-CAT

Once Homebew and Java are installed, you can install LaBB-CAT:

(1) Open the following page in your web browser:
https://sourceforge.net/projects/labbcat/files/install/
This page has all versions of the LaBB-CAT installer, both for personal computer installations
and also for web-server installations. The the files are listed most recent first.
(2) Download the first file named *install-labbcat_yyyymmdd.jar* (where *yyyymmdd* are numbers).
(3) Double-click on the file you just downloaded to open it.
Most likely you will see a message that the files was "Not Opened" as show in Figure 2.





Figure 2: install-labbcat…jar Not Opened

(4) Go to the Apple menu and select *System Settings*.
(5) Select the section labelled *Privacy and Security*.
(6) Scroll to the bottom and under the **Security** heading you will see a message saying that *install-labbcat_yyyymmdd.jar* "was blocked to protect your Mac." as shown in Figure 3

(7) Press *Open Anyway*.
You will see another warning message as shown in Figure 4

(8) Press *Open Anyway*.
You may see a request for Java to access your Downloads folder like in Figure 5.





Figure 3: Privacy and Security: Open Anyway





Figure 4: Open Anyway (again)





Figure 5: Allow Java access to Downloads

(9) If so, press *Allow*.

You should see the LaBB-CAT installer program (Figure 6).





Figure 6: LaBB-CAT Installer

(10) Press *Start*.

You should see a progress bar while components are installed and files are copied.

Once the installation is finished, the progress bar will be all blue, and there will be a button labelled *Finished* (Figure 7).

(11) Press *Finished*.





Figure 7: Installer finished

Your default web browser will open on your LaBB-CAT home page, as show in Figure 8.

(12) If you a shown the LaBB-CAT Licence page, scroll to the bottom and press *I Agree*.

As seen in Figure 9, in your *Applications* folder, you will see that there is a LaBB-CAT entry that can be used to access LaBB-CAT from now on.





Figure 8: LaBB-CAT is successfully installed and running





Figure 9: Use Applications/LaBB-CAT to open LaBB-CAT

### Uninstalling LaBB-CAT

In future you may want to uninstall LaBB-CAT, in which case you can use the same installer you used to install it.

If you run *install-labbcat_yyyymmdd.jar* and LaBB-CAT is already installed, after pressing *Start* it will offer further options.





Figure 10: Running *install-labbcat_yyyymmdd.jar* when LaBB-CAT is already installed

The options are:

- **Upgrade** – Install this version of LaBB-CAT, keeping all your corpus data intact.
- **Replace** – Install LaBB-CAT afresh, deleting all your existing corpus data and leaving you with an empty LaBB-CAT installation.
- **Uninstall** – Remove LaBB-CAT from your personal computer.
- **Cancel** – Close the installer without taking any action.