

The Core Architecture: Critically Damped Dynamics and Jordan Canonical Forms

Heptagonal Unitary Field Theory (HUFT) Technical Memorandum

June 22, 2026

1 Introduction and State-Space Formulation

To establish the foundational mechanics of the Fourier-Laplace value-management protocol, we investigate a linear dynamical system exhibiting critical damping ($\zeta = 1$). The localized evolution of the state-dependent metric $V(t)$ is governed by the second-order homogeneous differential equation:

$$\frac{d^2V(t)}{dt^2} + 2\omega_0 \frac{dV(t)}{dt} + \omega_0^2 V(t) = 0 \quad (1)$$

where $\omega_0 \in \mathbb{R}^+$ represents the natural resonant frequency of the structural cognitive matrix.

We map this system into a first-order vector differential state-space form by defining the state vector $\mathbf{x}(t) = [x_1(t), x_2(t)]^T \in \mathbb{R}^2$, where $x_1(t) = V(t)$ and $x_2(t) = \dot{V}(t)$. The system dynamics translate to:

$$\dot{\mathbf{x}}(t) = \mathbf{A}\mathbf{x}(t), \quad \mathbf{A} = \begin{pmatrix} 0 & 1 \\ -\omega_0^2 & -2\omega_0 \end{pmatrix} \quad (2)$$

2 Derivation of the Size-2 Jordan Canonical Block

The algebraic properties of the system matrix $\mathbf{A}$ dictate its underlying topology. The characteristic equation is evaluated via the determinant restriction:

$$\det(\mathbf{A} - \lambda\mathbf{I}) = \det \begin{pmatrix} -\lambda & 1 \\ -\omega_0^2 & -2\omega_0 - \lambda \end{pmatrix} = \lambda^2 + 2\omega_0\lambda + \omega_0^2 = 0 \quad (3)$$

Solving this yields a single degenerate eigenvalue $\lambda = -\omega_0$ with an algebraic multiplicity of $m = 2$. To determine the geometric multiplicity, we calculate the dimension of the nullspace for the shifted matrix $(\mathbf{A} - \lambda\mathbf{I})$:

$$\mathbf{A} - (-\omega_0)\mathbf{I} = \begin{pmatrix} \omega_0 & 1 \\ -\omega_0^2 & -\omega_0 \end{pmatrix} \quad (4)$$

Because $\text{rank}(\mathbf{A} + \omega_0\mathbf{I}) = 1$, the nullity (geometric multiplicity) is given by $2 - 1 = 1$. The system possesses only a single linearly independent ordinary eigenvector, rendering matrix $\mathbf{A}$ non-diagonalizable. It demands the generation of a Jordan canonical form.

The primary ordinary eigenvector $\mathbf{v}_1$ satisfies:

$$(\mathbf{A} + \omega_0\mathbf{I})\mathbf{v}_1 = \mathbf{0} \implies \begin{pmatrix} \omega_0 & 1 \\ -\omega_0^2 & -\omega_0 \end{pmatrix} \begin{pmatrix} v_{1,1} \\ v_{1,2} \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \end{pmatrix} \implies \mathbf{v}_1 = \begin{pmatrix} 1 \\ -\omega_0 \end{pmatrix} \quad (5)$$

To complete the basis, we solve for the generalized eigenvector $\mathbf{v}_2$ of rank 2 via the inhomogeneous constraint $(\mathbf{A} + \omega_0\mathbf{I})\mathbf{v}_2 = \mathbf{v}_1$:

$$\begin{pmatrix} \omega_0 & 1 \\ -\omega_0^2 & -\omega_0 \end{pmatrix} \begin{pmatrix} v_{2,1} \\ v_{2,2} \end{pmatrix} = \begin{pmatrix} 1 \\ -\omega_0 \end{pmatrix} \implies \omega_0 v_{2,1} + v_{2,2} = 1 \quad (6)$$

Choosing the elegant, canonical assignment $v_{2,1} = 0$ yields $v_{2,2} = 1$. This constructs our generalized transformation matrix $\mathbf{P}$:

$$\mathbf{P} = (\mathbf{v}_1 \quad \mathbf{v}_2) = \begin{pmatrix} 1 & 0 \\ -\omega_0 & 1 \end{pmatrix}, \quad \mathbf{P}^{-1} = \begin{pmatrix} 1 & 0 \\ \omega_0 & 1 \end{pmatrix} \quad (7)$$

Applying the similarity transformation isolates the definitive size-2 **Jordan block J**:

$$\mathbf{J} = \mathbf{P}^{-1}\mathbf{A}\mathbf{P} = \begin{pmatrix} 1 & 0 \\ \omega_0 & 1 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ -\omega_0^2 & -2\omega_0 \end{pmatrix} \begin{pmatrix} 1 & 0 \\ -\omega_0 & 1 \end{pmatrix} = \begin{pmatrix} -\omega_0 & 1 \\ 0 & -\omega_0 \end{pmatrix} \quad (8)$$

The structural non-zero upper-diagonal element (1) represents the intrinsic shear capability and state-transfer anchor line mapping within the system.

3 Time-Domain Integration & Spectral Mapping

The analytical solution to the state trajectory is dictated by the matrix exponential $e^{\mathbf{A}t} = \mathbf{P}e^{\mathbf{J}t}\mathbf{P}^{-1}$. Evaluating the exponential of the isolated Jordan block yields:

$$e^{\mathbf{J}t} = e^{\begin{pmatrix} -\omega_0 & 1 \\ 0 & -\omega_0 \end{pmatrix}t} = e^{-\omega_0 t} \begin{pmatrix} 1 & t \\ 0 & 1 \end{pmatrix} \quad (9)$$

The secular term $te^{-\omega_0 t}$ directly mirrors the algebraic multiplicity and the generalized eigenvector contribution found in the Jordan block dynamics.

In the frequency domain, applying the complex Laplace transform $\mathcal{L}\{\cdot\}$ to the original equation under state transitions confirms this algebraic structure mapping directly onto the complex s -plane:

$$\Phi(s) = (s\mathbf{I} - \mathbf{A})^{-1} = \frac{1}{(s + \omega_0)^2} \begin{pmatrix} s + 2\omega_0 & 1 \\ -\omega_0^2 & s \end{pmatrix} \quad (10)$$

The presence of the second-order pole at $s = -\omega_0$ mathematically guarantees that the transition of states remains bounded, smooth, and perfectly insulated against oscillatory overshoot.

A Multidisciplinary Applications of the Jordan Block Architecture

A.1 Fourier-Laplace Value-Management Protocol

In the behavioral engineering framework of HUFT, this Jordan block structure acts as an intellectual phase-lock mechanism designed to buffer an observer during deep dimensional phase shifts.

- **Steady-State Regulation (Fourier Domain):** The real frequency spectrum ($i\omega$) governs the cyclical, periodic rotations of baseline values within the system's toroidal condenser mechanisms.
- **Transient Stabilization (Laplace Domain):** During significant value transformations or cognitive stresses, the complex attenuation coordinates ($s = \sigma + i\omega$) safely absorb and dissipate systemic tension without creating destructive temporal paradoxes.
- **Geometric Invariance:** By maintaining a strictly critically damped ratio ($\zeta = 1$), the system ensures that throughout structural reconfigurations, the metric tensor preserves a non-zero determinant constraint ($\det(g_{\mu\nu}) \neq 0$). This protects human agency and guarantees continuous consciousness.

A.2 Macro-Engineering and Global Infrastructure Phase-Locking

The mathematical invariants generated by the degenerate roots of the size-2 Jordan block extend structurally to macroscopic energy and fluid systems:

- **Manifold Tension Balance:** Applied directly to the synchronization vectors between planetary storage layouts, such as tracking zero-time transport mechanics and optimization constraints within the Earth-Moon magnetospheric aqueduct proposals.
- **Dissipative Flux Control:** Provides the boundary criteria for balancing mechanical shear and passive radiative dissipation, creating a unified math baseline for co-dependent projects like biomimetic metasurface ocean cooling arrays and variable-flow energy capture plants.