Expense Policy Validator API

API reference • Version 0.1.0 • Generated November 9, 2026

Generated from the application’s OpenAPI schema. Includes every operation, parameter, request body, response and component schema. Deployment settings may restrict runtime availability.

65 operations • 130 schemas

Contents

record management: 10 operations

documents: 22 operations

evaluations: 13 operations

rulesets: 12 operations

health: 1 operations

validation: 2 operations

runs: 3 operations

discovery: 2 operations

Component schemas follow the endpoint reference. Schema names in type columns refer to that section.

record management

DELETE /v1/rulesets/{ruleset_id}/rules/{rule_id}

Remove Rule

Create a new draft with the rule inactive; published artifacts remain immutable.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path
rule_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	RuleRemoval

Response	Description / schema
201	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

PATCH /v1/documents/extractions/{extraction_id}/reviews/{review_id}

Revise Review

Record revised decisions under a new review identity, retaining the original signed review.

Parameter	Type	Required	Description
extraction_id	string	Yes	path
review_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ReviewCreate

Response	Description / schema
201	Successful Response application/json: any
404	Not Found application/json: ErrorResponse

Response	Description / schema
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

DELETE /v1/documents/extractions/{extraction_id}/reviews/{review_id}

Delete Review

Parameter	Type	Required	Description
extraction_id	string	Yes	path
review_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

PATCH /v1/evaluations/datasets/{dataset_id}

Edit Dataset

Parameter	Type	Required	Description
dataset_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	DatasetEdit

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse

Response	Description / schema
503	Service Unavailable application/json: ErrorResponse

DELETE /v1/evaluations/datasets/{dataset_id}

Delete Dataset

Parameter	Type	Required	Description
dataset_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

PATCH /v1/evaluations/{evaluation_id}

Edit Evaluation

Parameter	Type	Required	Description
evaluation_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	EvaluationEdit

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

DELETE /v1/evaluations/{evaluation_id}

Delete Evaluation

Parameter	Type	Required	Description
evaluation_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

DELETE /v1/rulesets/{ruleset_id}

Delete Draft

Hide a draft or in-review version, retaining its immutable artifact and reserving its number.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

GET /v1/rulesets/{ruleset_id}/duplicate-publication

Duplicate Publication

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse

Response	Description / schema
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

POST /v1/rulesets/{ruleset_id}/duplicate-publication

Publish Duplicate

Publish an identical successor with verified source provenance and a fresh approval; retain the original.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	DuplicatePublication

Response	Description / schema
201	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

documents

GET /v1/documents/extractions/{extraction_id}/reviews/{review_id}

Get Review

One stored review with its decisions, as sent: to continue a review where it was left.

Parameter	Type	Required	Description
extraction_id	string	Yes	path
review_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: ReviewDetail
404	Not Found application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

POST /v1/documents/extraction-plan

Plan Extraction

Resolve IDs, revisions, baseline and rule scope without extraction, provider calls or database writes.

Request body (required)

Content type	Schema
application/json	ExtractionCreate

Response	Description / schema
200	Successful Response application/json: ExtractionPlanSummary
403	Forbidden application/json: ErrorResponse
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/documents/extractions/{extraction_id}/ruleset

Extraction Version

Create a new version from any extraction mode; optionally accept, approve and publish when review is ready.

Name defaults to the resolved baseline's name (or policies). Review defaults to the latest saved review.
Compiler validation and publication-mode safeguards apply; unresolved decisions are never guessed.

Parameter	Type	Required	Description
extraction_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ExtractionVersionCreate

Response	Description / schema
201	Successful Response application/json: RulesetDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/documents/extractions

Create Extraction

Extract interpretations of exact document revisions with the core's PolicyCompiler, and store the snapshot.

Request body (required)

Content type	Schema
application/json	ExtractionCreate

Response	Description / schema
201	Successful Response application/json: ExtractionSummary
403	Forbidden application/json: ErrorResponse
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/documents/extractions

List Extractions

Extractions, newest first, with their reviews. The core's stored results are not read: GET one for its review_required fields.

Parameter	Type	Required	Description
document_id	string | null	No	query Only extractions that read a revision of this document Only extractions that read a revision of this document
limit	integer	No	query default: 20 minimum: 1 maximum: 100
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: ExtractionPage
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/documents/extraction-jobs

Start Extraction Job

Start an extraction in the background, after checking it can run; follow it with GET /extraction-jobs/{job_id}.

A live extraction reads the documents one at a time, so its progress names each document. Use this rather than POST /extractions for a live extraction: it is never cut off by a proxy's request timeout.

Request body (required)

Content type	Schema
application/json	ExtractionCreate

Response	Description / schema
202	Successful Response application/json: ExtractionJob
403	Forbidden application/json: ErrorResponse
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/documents/extraction-jobs/{job_id}

Get Extraction Job

Where a background extraction is: its progress, then its extraction_id, or the error that stopped it.

Parameter	Type	Required	Description
job_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: ExtractionJob
404	Not Found application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

GET /v1/documents/extractions/{extraction_id}

Get Extraction

Parameter	Type	Required	Description
extraction_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: ExtractionSummary
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/documents/extractions/{extraction_id}/comparisons

Get Comparisons

Every field comparison, as the core gave it, a page at a time. Nothing is truncated in storage.

Parameter	Type	Required	Description
extraction_id	string	Yes	path
review_required	boolean	No	query Only the fields an exceptions_only review must decide Only the fields an exceptions_only review must decide default: false

Parameter	Type	Required	Description
limit	integer	No	query default: 100 minimum: 1 maximum: 500
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: expense_api__schemas__documents__ComparisonPage
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/documents/extractions/{extraction_id}/review

Review Extraction

Review the snapshot with the core's review contract. Stored whether ready or not; only a ready one can become a candidate.

Parameter	Type	Required	Description
extraction_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ReviewCreate

Response	Description / schema
201	Successful Response application/json: ReviewDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/documents/extractions/{extraction_id}/baseline

Extraction Baseline

This compilation beside the latest published version: what its rules change, which clauses changed, and which earlier decisions answer the same question (unchanged) or must be made again (changed).

Parameter	Type	Required	Description
extraction_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: Baseline
404	Not Found application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

GET /v1/documents/extractions/{extraction_id}/comparisons/{comparison_id}/source

Get Source

The compared field's clause in the exact revision read, with its lines and disputed values when verified.

Parameter	Type	Required	Description
extraction_id	string	Yes	path
comparison_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: SourceLocation
404	Not Found application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

GET /v1/documents/extractions/{extraction_id}/change-requests

List Change Requests

Every change request raised on this extraction's fields, oldest first, open or resolved.

Parameter	Type	Required	Description
extraction_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: array<ChangeRequest>
404	Not Found application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

POST /v1/documents/extractions/{extraction_id}/change-requests

Create Change Request

Ask for one compared field to be corrected. Nothing is rewritten: while it is open, no version is made from the extraction and no version made from it is approved.

Parameter	Type	Required	Description
extraction_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ChangeRequestCreate

Response	Description / schema
201	Successful Response application/json: ChangeRequest
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/documents/extractions/{extraction_id}/change-requests/{change_request_id}/resolve

Resolve Change Request

Close a change request, with a note saying how it was addressed, such as a new revision and extraction.

Parameter	Type	Required	Description
extraction_id	string	Yes	path
change_request_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ChangeRequestResolve

Response	Description / schema
200	Successful Response application/json: ChangeRequest
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/documents

Create Document

Store a Markdown policy document as revision 1, exactly as sent.

Request body (required)

Content type	Schema
application/json	DocumentCreate

Response	Description / schema
201	Successful Response application/json: DocumentDetail
413	Request Entity Too Large application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/documents

List Documents

Each document's latest revision, newest document first, without content.

Parameter	Type	Required	Description
filename	string | null	No	query
limit	integer	No	query default: 20 minimum: 1 maximum: 100
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: DocumentPage
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/documents/{document_id}

Get Document

Parameter	Type	Required	Description
document_id	string	Yes	path
revision	integer | null	No	query The latest when left out The latest when left out

Response	Description / schema
200	Successful Response application/json: DocumentDetail
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

PATCH /v1/documents/{document_id}/profile

Update Profile

Change a document's category, description or scope. Its revisions and their text never change.

Parameter	Type	Required	Description
document_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ProfileUpdate

Response	Description / schema
200	Successful Response application/json: DocumentSummary
404	Not Found application/json: ErrorResponse

Response	Description / schema
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/documents/{document_id}/revisions/{revision}/approval

Get Approval

One exact revision's approval and its whole history. A revision never acted on is a draft.

Parameter	Type	Required	Description
document_id	string	Yes	path
revision	integer	Yes	path

Response	Description / schema
200	Successful Response application/json: RevisionApproval
404	Not Found application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

POST /v1/documents/{document_id}/revisions/{revision}/approval

Act On Approval

Submit, approve, or return to draft one exact revision, named by its content hash. Recorded with who and when.

Parameter	Type	Required	Description
document_id	string	Yes	path
revision	integer	Yes	path

Request body (required)

Content type	Schema
application/json	ApprovalAction

Response	Description / schema
200	Successful Response application/json: RevisionApproval
404	Not Found application/json: ErrorResponse

Response	Description / schema
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/documents/{document_id}/revisions

Create Revision

Store changed content as the next revision. Earlier revisions never change.

Parameter	Type	Required	Description
document_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	RevisionCreate

Response	Description / schema
201	Successful Response application/json: DocumentDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
413	Request Entity Too Large application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

evaluations

GET /v1/evaluations/datasets/{dataset_id}

Get Dataset

Parameter	Type	Required	Description
dataset_id	string	Yes	path
include_cases	boolean	No	query Include the canonical cases Include the canonical cases default: false

Response	Description / schema
200	Successful Response application/json: DatasetDetail
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/evaluations/{evaluation_id}

Get Evaluation

Status, progress, configuration and spending by model, backend and call purpose.

Parameter	Type	Required	Description
evaluation_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: EvaluationDetail
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/evaluations/datasets

Upload Dataset

Store a dataset as a new immutable version of its name. The same bytes again return the stored version.

Request body (required)

Content type	Schema
multipart/form-data	Body_upload_dataset_v1_evaluations_datasets_post

Response	Description / schema
201	Successful Response application/json: DatasetSummary
200	These exact bytes were uploaded before: that version application/json: DatasetSummary
413	Request Entity Too Large application/json: ErrorResponse
415	Unsupported Media Type application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/evaluations/datasets

List Datasets

Dataset versions, newest first, without their content.

Parameter	Type	Required	Description
name	string | null	No	query
limit	integer	No	query default: 20 minimum: 1 maximum: 100
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: DatasetPage
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/evaluations

Create Evaluation

Queue an evaluation of one dataset version against one ruleset version. The worker runs it.

Request body (required)

Content type	Schema
application/json	EvaluationCreate

Content type	Schema

Response	Description / schema
201	Successful Response application/json: EvaluationDetail
200	The evaluation this idempotency_key already made application/json: EvaluationDetail
403	Forbidden application/json: ErrorResponse
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/evaluations

List Evaluations

Evaluations, newest first, with key metrics and spending but no results.

Parameter	Type	Required	Description
dataset_id	string | null	No	query
ruleset_id	string | null	No	query
backend	string | null	No	query
model	string | null	No	query Any model the run may call: a backend's, the reviewer's or the translator's Any model the run may call: a backend's, the reviewer's or the translator's
status	string | null	No	query
execution_mode	string | null	No	query
created_from	string (date-time) | null	No	query Inclusive, with a time zone Inclusive, with a time zone
created_to	string (date-time) | null	No	query Exclusive, with a time zone Exclusive, with a time zone
limit	integer	No	query default: 20 minimum: 1 maximum: 100

Parameter	Type	Required	Description
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: EvaluationPage
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/evaluations/compare/export

Export Comparison

PDF of 2–10 completed evaluations, in requested baseline order, from the same saved comparison.

Parameter	Type	Required	Description
evaluation_ids	array<string>	Yes	query minItems: 2 maxItems: 10

Response	Description / schema
200	Successful Response application/json: any application/pdf: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/evaluations/compare

Compare

Completed evaluations side by side, saying whether they can be compared directly.

Request body (required)

Content type	Schema
application/json	CompareRequest

Response	Description / schema
200	Successful Response application/json: any

Response	Description / schema
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/evaluations/{evaluation_id}/metrics

Get Metrics

The stored metrics of a finished run, with which scoring version made them; provisional ones, never stored, while it runs.

Parameter	Type	Required	Description
evaluation_id	string	Yes	path
scoring	string	No	query latest: the latest rescoring, if any; original: as scored when it finished latest: the latest rescoring, if any; original: as scored when it finished enum: ["latest", "original"] default: "latest"

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/evaluations/{evaluation_id}/rescore

Rescore

Score a finished run again with the current scoring version, from its stored results. Its original metrics stay.

Parameter	Type	Required	Description
evaluation_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: any
404	Not Found application/json: ErrorResponse

Response	Description / schema
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/evaluations/{evaluation_id}/results

Get Results

Each receipt's core result, whole, with its answers, how it scored and what it cost, in dataset order.

Parameter	Type	Required	Description
evaluation_id	string	Yes	path
receipt_id	array<string> | null	No	query
classification_correct	boolean | null	No	query true: every labelled line correct; false: any not. Receipts without labelled lines match neither true: every labelled line correct; false: any not. Receipts without labelled lines match neither
category	array<string> | null	No	query A category predicted on any line A category predicted on any line
disposition	array<string> | null	No	query flag, review or pass, as predicted flag, review or pass, as predicted
error	boolean | null	No	query true: the receipt or one of its lines failed true: the receipt or one of its lines failed
uncertain	boolean | null	No	query true: the receipt has an EXC-03 uncertainty signal true: the receipt has an EXC-03 uncertainty signal
limit	integer	No	query default: 20 minimum: 1 maximum: 100
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: ResultPage
404	Not Found application/json: ErrorResponse

Response	Description / schema
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/evaluations/{evaluation_id}/export

Export

A finished evaluation as a file: json holds the run, metrics, results and every call; csv one row per line; pdf includes the selected scoring view and saved receipt results.

Parameter	Type	Required	Description
evaluation_id	string	Yes	path
format	string	No	query json, csv or pdf json, csv or pdf default: "json"
scoring	string	No	query enum: ["latest", "original"] default: "latest"

Response	Description / schema
200	The evaluation as a file application/json: any text/csv: any application/pdf: any
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/evaluations/{evaluation_id}/cancel

Cancel

Cancel a queued evaluation, or ask a running one to stop before its next receipt or provider call.

Parameter	Type	Required	Description
evaluation_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: EvaluationDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

rulesets

GET /v1/rulesets/{ruleset_id}

Get Ruleset

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: RulesetDetail
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/rulesets

Create Ruleset

Store the next draft version of a name: compiled from policy documents, or an uploaded compiled artifact.

Request body (required)

Content type	Schema
application/json	RulesetCreate

Response	Description / schema
201	Successful Response application/json: RulesetDetail
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/rulesets

List Rulesets

List ruleset versions, newest first, with their lifecycle state and without their artifacts.

Parameter	Type	Required	Description
name	string | null	No	query One name's versions One name's versions

Parameter	Type	Required	Description
limit	integer	No	query default: 20 minimum: 1 maximum: 100
offset	integer	No	query default: 0 minimum: 0
include_superseded	boolean	No	query default: false

Response	Description / schema
200	Successful Response application/json: RulesetPage
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/rulesets/{ruleset_id}/changes

Get Changes

What this version does differently from the version published before it: each rule field, before and after.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: VersionChanges
404	Not Found application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

GET /v1/rulesets/{ruleset_id}/comparisons

Get Comparisons

The compiler's field comparisons for a compiled version: what review decisions name, by comparison_id.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Parameter	Type	Required	Description
review_required	boolean	No	query Only the fields an exceptions_only review must decide Only the fields an exceptions_only review must decide default: false

Response	Description / schema
200	Successful Response application/json: expense_api__schemas__rulesets__ComparisonPage
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/rulesets/{ruleset_id}/comparisons/{comparison_id}/source

Get Source

A compared field's clause in the exact text this version was compiled from, verified, never approximate.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path
comparison_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: SourceLocation
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

POST /v1/rulesets/{ruleset_id}/edits

Edit Rules

A new draft version with reviewed changes to some rules. This version, published or not, never changes: the compiler builds the draft again from the same documents with the changes applied, and validates it.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	RuleEditRequest

Response	Description / schema
201	Successful Response application/json: RulesetDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/rulesets/{ruleset_id}/readiness

Get Readiness

What stands between this version and publication now, each blocker linked to its rule or field.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: Readiness
404	Not Found application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse
422	Validation Error application/json: HTTPValidationError

POST /v1/rulesets/{ruleset_id}/submit

Submit

draft → in_review.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	TransitionRequest

Response	Description / schema
200	Successful Response application/json: RulesetDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/rulesets/{ruleset_id}/review

Review

Record a review decision: accepted keeps the version in_review for approval, rejected returns it to draft.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ReviewRequest

Response	Description / schema
200	Successful Response application/json: RulesetDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/rulesets/{ruleset_id}/approve

Approve

in_review → approved, once the core's approval of this exact version passes its publication safeguards.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	ApproveRequest

Response	Description / schema
200	Successful Response application/json: RulesetDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

POST /v1/rulesets/{ruleset_id}/publish

Publish

approved → published, after the approval is checked again. Publishing a published version again is a no-op.

Parameter	Type	Required	Description
ruleset_id	string	Yes	path

Request body (required)

Content type	Schema
application/json	PublishRequest

Response	Description / schema
200	Successful Response application/json: RulesetDetail
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

health

GET /health

Health

Response	Description / schema
200	Successful Response application/json: Health
503	Running, but MongoDB is unavailable application/json: Health

validation

POST /v1/validate

Validate

Validate receipts against one exact ruleset version, synchronously, and persist the completed run.

Request body (required)

Content type	Schema
application/json	ValidationRequest

Response	Description / schema
201	Successful Response application/json: RunResponse
403	Forbidden application/json: ErrorResponse
404	Not Found application/json: ErrorResponse
409	Conflict application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
502	Bad Gateway application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/runs/{run_id}

Get Run

Parameter	Type	Required	Description
run_id	string	Yes	path

Response	Description / schema
200	Successful Response application/json: RunResponse
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

runs

GET /v1/runs

List Runs

Runs, newest first, without their results.

Parameter	Type	Required	Description
ruleset_id	string | null	No	query
ruleset_name	string | null	No	query
ruleset_version	integer | null	No	query A version of a ruleset name: give ruleset_name with it A version of a ruleset name: give ruleset_name with it
classification_backend	string | null	No	query As the receipts' provenance reports it As the receipts' provenance reports it
execution_mode	string | null	No	query
preview	boolean | null	No	query
created_from	string (date-time) | null	No	query Inclusive, with a time zone Inclusive, with a time zone
created_to	string (date-time) | null	No	query Exclusive, with a time zone Exclusive, with a time zone
limit	integer	No	query default: 20 minimum: 1 maximum: 100
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: RunPage
422	Unprocessable Entity application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/runs/{run_id}/findings

List Findings

The run's findings in a fixed order, each with the core's record whole. Filters combine; values within one repeat.

Parameter	Type	Required	Description
run_id	string	Yes	path
kind	array<string> | null	No	query exception, review_signal, open_question or uncertainty; repeat for several exception, review_signal, open_question or uncertainty; repeat for several
severity	array<string> | null	No	query Only exceptions have a severity Only exceptions have a severity
rule_id	array<string> | null	No	query
receipt_id	array<string> | null	No	query
disposition	array<string> | null	No	query The disposition of the finding's receipt: flag, review or pass The disposition of the finding's receipt: flag, review or pass
limit	integer	No	query default: 50 minimum: 1 maximum: 100
offset	integer	No	query default: 0 minimum: 0

Response	Description / schema
200	Successful Response application/json: FindingPage
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

GET /v1/runs/{run_id}/export

Export

The stored run as a file: json is the run with each receipt in the brief's shape; csv is one row per finding; pdf is the full batch report.

Parameter	Type	Required	Description
run_id	string	Yes	path
format	string	No	query json, csv or pdf json, csv or pdf default: "json"

Response	Description / schema
200	The run as a file application/json: any text/csv: any application/pdf: any
404	Not Found application/json: ErrorResponse
422	Unprocessable Entity application/json: ErrorResponse
500	Internal Server Error application/json: ErrorResponse
503	Service Unavailable application/json: ErrorResponse

discovery

GET /v1/backends

Backends

Each classification backend: installed in the core, enabled here, and available for replay or live use; and the policy compiler's recording sets and live extraction.

Response	Description / schema
200	Successful Response application/json: Backends
503	Service Unavailable application/json: ErrorResponse

GET /v1/taxonomy

Taxonomy

The core's field catalog and category taxonomy, exactly as the validator reads them, with their hashes.

Response	Description / schema
200	Successful Response application/json: Taxonomy
503	Service Unavailable application/json: ErrorResponse

Component schemas

ApprovalAction

Move one revision's approval. content_sha256 names the exact text: another revision's, or a stale view's, is a 409.

Field	Type	Required	Description
action	string	Yes	enum: ["submit", "approve", "return_to_draft"]
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
content_sha256	string	Yes	pattern: "^[0-9a-f]{64}$"
note	string | null	No	

ApprovalEvent

Field	Type	Required	Description
action	string	Yes	enum: ["submit", "approve", "return_to_draft"]
from_status	string	Yes	enum: ["draft", "needs_review", "approved"]
to_status	string	Yes	enum: ["draft", "needs_review", "approved"]
actor	object	Yes	
note	string | null	Yes	
content_sha256	string	Yes	
at	string (date-time)	Yes	

ApproveRequest

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S" examples: ["j.doe"]
mode	string	No	The publication the approval must authorize. Simulation readings never authorize production. enum: ["production", "simulation"] default: "production"
note	string	No	default: "" maxLength: 1000
approval	object | null	No	An approval record from the core's PolicyCompiler.approve. Without one, the compiler makes it here.

Backend

A registered backend, which is an execution adapter (the protocol a model needs), or the LangGraph orchestrator.

Field	Type	Required	Description
id	string	Yes	
name	string	Yes	

Field	Type	Required	Description
kind	string	Yes	enum: ["adapter", "orchestrator"]
legacy_ids	array<string>	No	default: []
provider	string | null	Yes	
protocol	string | null	Yes	
installed	boolean	Yes	
enabled	boolean	Yes	
available	boolean	Yes	
default	boolean	Yes	
default_model	string | null	Yes	
allowed_models	array<string>	Yes	
capabilities	object	Yes	
replay	Replay	Yes	
live	Live	Yes	

Backends

Field	Type	Required	Description
default_backend	string	Yes	
execution_modes	object	Yes	
credential_configured	boolean	Yes	
allowed_models	array<string>	Yes	
allowed_classification_models	array<string>	Yes	
allowed_translation_models	array<string>	Yes	
backends	array<Backend>	Yes	
orchestrators	array<Orchestrator>	Yes	
providers	array<Provider>	Yes	
classification_models	array<ClassificationModel>	Yes	
policy_compiler	PolicyCompiler	Yes	
rulesets	RulesetPermissions	Yes	
evaluations	EvaluationPermissions	Yes	
translation	Translation	Yes	

Baseline

This compilation beside the latest published version: what its rules change, and the earlier decisions.

Field	Type	Required	Description
published	object | null	Yes	

Field	Type	Required	Description
rule_changes	array<object>	No	default: []
changed_clauses	array<object>	No	default: []
decisions	array<PreviousDecision>	No	default: []

BatchResult

A batch's results, in receipt ID order.

Field	Type	Required	Description
mode	string	Yes	enum: ["replay", "live", "deterministic"]
context_complete	boolean	Yes	
results	array<ReceiptResult>	Yes	

Body_upload_dataset_v1_evaluations_datasets_post

Field	Type	Required	Description
file	string	Yes	A .yaml, .yml, .json or .jsonl dataset
name	string | null	No	Required unless the file names the dataset
description	string | null	No	
context_complete	boolean | null	No	Whether the receipts are all that could matter to a rule spanning receipts; true by default

Budget

Independent limits of a live run: each one given applies, and one left out is no limit of that kind.
Best effort: a call's cost is known only once it returns (see EVALUATIONS.md).

Field	Type	Required	Description
max_spend_usd	number | string | null	No	US dollars, as text or an exact number, such as "0.50"
max_provider_calls	integer | null	No	
max_receipts	integer | null	No	Refuses the run unless the dataset holds at most this many receipts

Category

Field	Type	Required	Description
id	string	Yes	
restricted	boolean | null	Yes	
examples	string | null	Yes	

ChangeRequest

Field	Type	Required	Description
change_request_id	string	Yes	
extraction_id	string	Yes	
comparison_id	string	Yes	
rule_id	string	Yes	
field	string	Yes	
policy_doc	string	Yes	
document_id	string	Yes	
requested_correction	string	Yes	
comment	string | null	Yes	
status	string	Yes	enum: ["open", "resolved"]
requested_by	object	Yes	
created_at	string (date-time)	Yes	
resolved_by	object | null	No	
resolution_note	string | null	No	
resolved_at	string (date-time) | null	No	

ChangeRequestCreate

A reviewer's request that one compared field be corrected before the extraction is used. It changes nothing itself: no document, reading or version is rewritten. While open, no version is made from the extraction, and no version made from it is approved.

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
comparison_id	string	Yes	minLength: 1 maxLength: 100 pattern: "\\S"
requested_correction	string	Yes	minLength: 1 maxLength: 2000 pattern: "\\S"
comment	string | null	No	

ChangeRequestResolve

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
note	string	Yes	minLength: 1 maxLength: 2000 pattern: "\\S"

ClaimedActor

Field	Type	Required	Description
claimed	string	Yes	
verified	boolean	No	const: false default: false

ClassificationModel

A model the deployment names for classification, with the one execution adapter its ID needs.

Field	Type	Required	Description
model	string	Yes	
provider	string	Yes	
backend	string	Yes	
protocol	string	Yes	
default	boolean	Yes	
allowed	boolean	Yes	
sources	array<string>	Yes	
capabilities	object	Yes	

ClassificationSelection

The classification this request chooses. Anything left out comes from the core's config.yaml.

Field	Type	Required	Description
backend	string | null	No	openrouter, jev or langgraph, as the deployment allows
model	string | null	No	
translation_model	string | null	No	
langgraph	object | null	No	Changes to config.yaml's classification.langgraph, as the core's langgraph_config takes them
replay_set	string | null	No	A named set of recorded answers, replay mode only

CompareRequest

Field	Type	Required	Description
evaluation_ids	array<string>	Yes	minItems: 2 maxItems: 10

Compilation

Field	Type	Required	Description
recording_set	string	Yes	
recorded_with	object | null	No	
extraction_id	string | null	No	

Field	Type	Required	Description
prepared_review	PreparedReview | null	No	
reading_kind	string	Yes	enum: ["model", "simulation"]
extraction_sha256	string	Yes	
output_sha256	string	Yes	
ready_for_approval	boolean	Yes	
blockers	array<string>	Yes	
comparisons_needing_review	integer	Yes	
documents	array<CompiledDocument>	No	default: []
rule_overrides	array<object>	No	default: []

CompilationAnalytics

Field	Type	Required	Description
duration_ms	integer	Yes	
provider_latency_ms	integer	Yes	
live_calls	integer	Yes	
failed_calls	integer	Yes	
reused_documents	integer	Yes	
documents	integer	Yes	
new_spend_usd	string	Yes	
cost_completeness	string	Yes	enum: ["complete", "incomplete"]
unpriced_calls	integer	Yes	
input_tokens	integer | null	Yes	
output_tokens	integer | null	Yes	
calls	array<CompilationCall>	Yes	

CompilationCall

Field	Type	Required	Description
model	string | null	Yes	
document_sha256	string	Yes	
latency_ms	integer	Yes	
failed	boolean	Yes	
cost_usd	string | null	Yes	
input_tokens	integer | null	Yes	
output_tokens	integer | null	Yes	

CompileSource

Policy documents for the core's PolicyCompiler, read from one named set of recorded readings.

Field	Type	Required	Description
documents	array<PolicyDocumentInput>	Yes	minItems: 1 maxItems: 50
recording_set	string	Yes	A server-side set of recorded readings; the compiler never calls a model here pattern: "^[A-Za-z0-9_.-]{1,64}$"

CompiledDocument

Field	Type	Required	Description
document_id	string	Yes	
filename	string	Yes	
sha256	string	Yes	
revision	integer | null	No	

CompilerLive

Field	Type	Required	Description
permitted	boolean	Yes	
configured	boolean	Yes	
credential_configured	boolean	Yes	
available	boolean	Yes	

CompilerRecordingSet

Field	Type	Required	Description
name	string	Yes	
present	boolean	Yes	
live_target	boolean	Yes	

CompilerReplay

Field	Type	Required	Description
supported	boolean	Yes	
sets	array<CompilerRecordingSet>	Yes	

Country

Field	Type	Required	Description
id	string	Yes	

Field	Type	Required	Description
home_currency	string	Yes	

DatasetDetail

Field	Type	Required	Description
dataset_id	string	Yes	
name	string	Yes	
version	integer	Yes	
description	string | null	Yes	
format	string	Yes	
filename	string	Yes	
schema_version	string	Yes	
context_complete	boolean	Yes	
original_sha256	string	Yes	
canonical_sha256	string	Yes	
stats	object	Yes	
created_at	string (date-time)	Yes	
cases	array<object> | null	No	

DatasetEdit

Field	Type	Required	Description
description	string | null	Yes	

DatasetPage

Field	Type	Required	Description
items	array<DatasetSummary>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

DatasetSummary

Field	Type	Required	Description
dataset_id	string	Yes	
name	string	Yes	
version	integer	Yes	

Field	Type	Required	Description
description	string | null	Yes	
format	string	Yes	
filename	string	Yes	
schema_version	string	Yes	
context_complete	boolean	Yes	
original_sha256	string	Yes	
canonical_sha256	string	Yes	
stats	object	Yes	
created_at	string (date-time)	Yes	

DispositionReasonResult

Field	Type	Required	Description
code	string	Yes	
basis	string	Yes	
rule_ids	array<string>	Yes	

DocumentCreate

Field	Type	Required	Description
filename	string	Yes	maxLength: 120 pattern: "^[A-Za-z0-9][A-Za-z0-9._-]*\\.md$" examples: ["meals-and-entertainment-policy.md"]
content	string	Yes	UTF-8 Markdown in the policy-document format, stored exactly as sent
title	string | null	No	
source	DocumentSource	No	default: {"kind": "upload"}
category	string | null	No	
description	string | null	No	
scope	DocumentScope | null	No	

DocumentDetail

Field	Type	Required	Description
document_id	string	Yes	
revision	integer	Yes	
filename	string	Yes	
title	string | null	Yes	
content_sha256	string	Yes	
size_bytes	integer	Yes	

Field	Type	Required	Description
source	DocumentSource	Yes	
based_on_revision	integer | null	Yes	
created_at	string (date-time)	Yes	
category	string | null	No	
description	string | null	No	
scope	DocumentScope | null	No	
duplicate_of	string | null	No	
profile_updated_at	string (date-time) | null	No	
approval	RevisionApprovalState	No	default: {"status": "draft"}
content	string	Yes	

DocumentPage

Field	Type	Required	Description
items	array<DocumentSummary>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

DocumentScope

Where a document applies, as given: regions, entities and expense types. Empty is not stated.

Field	Type	Required	Description
regions	array<string>	No	maxItems: 20
entities	array<string>	No	maxItems: 20
expense_types	array<string>	No	maxItems: 40

DocumentSource

Where the text came from. Recorded as given: provenance, not proof.

Field	Type	Required	Description
kind	string	No	default: "upload" pattern: "^[a-z][a-z_]{0,39}$"
description	string | null	No	
reference	string | null	No	

DocumentSummary

Field	Type	Required	Description
document_id	string	Yes	
revision	integer	Yes	
filename	string	Yes	
title	string | null	Yes	
content_sha256	string	Yes	
size_bytes	integer	Yes	
source	DocumentSource	Yes	
based_on_revision	integer | null	Yes	
created_at	string (date-time)	Yes	
category	string | null	No	
description	string | null	No	
scope	DocumentScope | null	No	
duplicate_of	string | null	No	
profile_updated_at	string (date-time) | null	No	
approval	RevisionApprovalState	No	default: {"status": "draft"}

DuplicatePublication

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
rationale	string	Yes	minLength: 1 maxLength: 1000 pattern: "\\S"

Entity

Field	Type	Required	Description
id	string	Yes	
countries	array<string>	Yes	

ErrorInfo

Field	Type	Required	Description
code	string	Yes	
message	string	Yes	
details	array<any> | object | null	No	

ErrorResponse

Field	Type	Required	Description
error	ErrorInfo	Yes	

EvaluationCreate

Field	Type	Required	Description
dataset_id	string	Yes	One exact, immutable dataset version minLength: 1 maxLength: 64
ruleset_id	string	Yes	One exact, immutable ruleset version minLength: 1 maxLength: 64
preview	boolean	No	Evaluate against a version not published for production, where the deployment allows previews default: false
execution_mode	string	No	replay (the default) reads only recorded answers; live calls paid providers enum: ["replay", "live"] default: "replay"
classification	ClassificationSelection	No	default: {}
confirm_live	boolean	No	Live only: true to confirm that this run calls paid providers default: false
budget	Budget | null	No	Live only: at least one limit, unless confirm_uncapped
confirm_uncapped	boolean	No	Live only: true, with no budget, to confirm a run with no spending, call or receipt limit default: false
idempotency_key	string | null	No	The same key and request return the same evaluation
label	string | null	No	

EvaluationDetail

Field	Type	Required	Description
evaluation_id	string	Yes	
label	string | null	Yes	
status	string	Yes	enum: ["queued", "running", "cancel_requested", "completed", "failed", "cancelled", "budget_exhausted"]
dataset	object	Yes	
ruleset	object	Yes	
preview	boolean	Yes	
execution_mode	string	Yes	
configuration	object	Yes	
progress	object	Yes	
created_at	string (date-time)	Yes	
started_at	string (date-time) | null	Yes	
completed_at	string (date-time) | null	Yes	
summary	object | null	Yes	

Field	Type	Required	Description
spend_summary	object	Yes	
stop_reason	string | null	Yes	
error	object | null	Yes	
classification	object	Yes	
replay	object | null	Yes	
live	object | null	Yes	
budget	object | null	Yes	
attempts	integer	Yes	
updated_at	string (date-time)	Yes	
cancel_requested_at	string (date-time) | null	Yes	
lease	object | null	Yes	
result_context	string | null	Yes	
context_complete	boolean | null	Yes	
note	string | null	Yes	
error_summary	map<string, integer> | null	Yes	
metrics_schema_version	string | null	Yes	
spend	object	Yes	

EvaluationEdit

Field	Type	Required	Description
label	string | null	Yes	

EvaluationPage

Field	Type	Required	Description
items	array<EvaluationSummary>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

EvaluationPermissions

Field	Type	Required	Description
uncapped_allowed	boolean	Yes	

EvaluationSummary

Field	Type	Required	Description
evaluation_id	string	Yes	
label	string | null	Yes	
status	string	Yes	enum: ["queued", "running", "cancel_requested", "completed", "failed", "cancelled", " budget_exhausted"]
dataset	object	Yes	
ruleset	object	Yes	
preview	boolean	Yes	
execution_mode	string	Yes	
configuration	object	Yes	
progress	object	Yes	
created_at	string (date-time)	Yes	
started_at	string (date-time) | null	Yes	
completed_at	string (date-time) | null	Yes	
summary	object | null	Yes	
spend_summary	object	Yes	
stop_reason	string | null	Yes	
error	object | null	Yes	

ExceptionResult

Field	Type	Required	Description
rule_id	string	Yes	
policy_doc	string	Yes	
severity	string | null	Yes	
line_ids	array<string>	Yes	
evidence	string	Yes	
source_quote	string	Yes	
explanation	string	Yes	

ExtractedDocument

Field	Type	Required	Description
document_id	string	Yes	
revision	integer	Yes	
filename	string	Yes	
content_sha256	string	Yes	
reading_error	string | null	Yes	

ExtractionCreate

Field	Type	Required	Description
documents	array<RevisionRef>	No	Explicit immutable revisions. With run_mode, IDs or filenames may instead resolve latest revisions default: [] maxItems: 50
run_mode	string | null	No	full: selected or all latest documents; incremental: merge changed documents into a published base; remove: exclude documents and derived rules from a published base. None preserves the original exact-revision API
document_ids	array<string>	No	default: [] maxItems: 50
filenames	array<string>	No	default: [] maxItems: 50
base_ruleset_id	string | null	No	
ruleset_name	string | null	No	Resolve the latest published version of this name; without it incremental/removal uses the latest published version company-wide
execution_mode	string	No	replay reads recorded readings; live calls a paid model and must be allowed by the deployment enum: ["replay", "live"] default: "replay"
recording_set	string | null	No	Replay only: the recorded readings to read
recorded_with	RecordedWith | null	No	Replay only: read only readings recorded live with these settings
extraction_model	string | null	No	Live only: the model, from the deployment's allowed models
temperature	number | null	No	Live only. The core checks it
timeout_seconds	integer | null	No	Live only. The core checks it
actor	string | null	No	Who asks for the rule overrides: needed with them
rule_overrides	array<RuleChange>	No	Reviewed corrections of the draft rules, such as a param a revised policy changes. The compiler builds and validates them like the rule logic itself; each needs a rationale default: [] maxItems: 50
carry_overrides_from	string | null	No	A published ruleset version whose rule corrections this compilation keeps, each with its own reviewer and rationale. A rule given in rule_overrides replaces that rule's carried correction

ExtractionJob

An extraction running in the background: where it is, and, once finished, its extraction or why it failed.

Field	Type	Required	Description
job_id	string	Yes	
status	string	Yes	enum: ["queued", "running", "succeeded", "failed"]
execution_mode	string	Yes	enum: ["replay", "live"]
extraction_model	string | null	Yes	
documents	array<string>	Yes	
progress	ExtractionProgress	Yes	
extraction_id	string | null	Yes	

Field	Type	Required	Description
error	object | null	Yes	
created_at	string (date-time)	Yes	
started_at	string (date-time) | null	Yes	
finished_at	string (date-time) | null	Yes	
updated_at	string (date-time)	Yes	

ExtractionListItem

Field	Type	Required	Description
run	object | null	No	
extraction_id	string	Yes	
analytics	CompilationAnalytics | null	No	
status	string	Yes	enum: ["no_candidate", "review_required", "ready_for_approval"]
documents	array<ExtractedDocument>	Yes	
provenance	ExtractionProvenance	Yes	
extraction_sha256	string	Yes	
output_sha256	string	Yes	
candidate_ruleset_sha256	string | null	Yes	
result_sha256	string	Yes	
ready_for_approval	boolean	Yes	
blockers	array<string>	Yes	
agreement_summary	object	Yes	
comparison_count	integer	Yes	
reviews	array<ReviewSummary>	Yes	
created_at	string (date-time)	Yes	
versions	array<VersionRef>	No	default: []
open_change_requests	integer	No	default: 0
rule_overrides	array<object>	No	default: []

ExtractionPage

Field	Type	Required	Description
items	array<ExtractionListItem>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

ExtractionPlanSummary

Field	Type	Required	Description
mode	string	Yes	
base_ruleset_id	string | null	No	
ruleset_name	string | null	No	
recording_set	string | null	No	
documents	array<RevisionRef>	Yes	
affected_rule_ids	array<string>	No	default: []
dependency_rule_ids	array<string>	No	default: []
retained_rule_ids	array<string>	No	default: []
removed_rule_ids	array<string>	No	default: []
changed_document_ids	array<string>	No	default: []
removed_document_ids	array<string>	No	default: []
excluded_document_ids	array<string>	No	default: []

ExtractionProgress

Field	Type	Required	Description
stage	string	Yes	reading: the documents, one at a time (live); building: the candidate ruleset enum: ["queued", "reading", "building", "done"]
done	integer	Yes	Documents read so far
total	integer	Yes	
current	string | null	No	The document being read

ExtractionProvenance

Field	Type	Required	Description
execution_mode	string	Yes	enum: ["replay", "live"]
recording_set	string	Yes	
recorded_with	RecordedWith | null	Yes	
reading_kind	string	Yes	enum: ["model", "simulation"]
extraction_model	string | null	Yes	
temperature	number | null	Yes	
timeout_seconds	integer | null	Yes	
overrides	array<string>	Yes	
rule_overrides_from	string | null	No	
prompt_sha256	string	Yes	

ExtractionSource

A stored extraction of document revisions, with the review that readies it unless it needed none.

Field	Type	Required	Description
extraction_id	string	Yes	pattern: "^ext_[0-9a-f]{24}$"
review_id	string | null	No	

ExtractionSummary

Field	Type	Required	Description
run	object | null	No	
extraction_id	string	Yes	
analytics	CompilationAnalytics | null	No	
status	string	Yes	enum: ["no_candidate", "review_required", "ready_for_approval"]
documents	array<ExtractedDocument>	Yes	
provenance	ExtractionProvenance	Yes	
extraction_sha256	string	Yes	
output_sha256	string	Yes	
candidate_ruleset_sha256	string | null	Yes	
result_sha256	string	Yes	
ready_for_approval	boolean	Yes	
blockers	array<string>	Yes	
agreement_summary	object	Yes	
comparison_count	integer	Yes	
reviews	array<ReviewSummary>	Yes	
created_at	string (date-time)	Yes	
versions	array<VersionRef>	No	default: []
open_change_requests	integer	No	default: 0
rule_overrides	array<object>	No	default: []
review_required	array<FieldComparison>	Yes	
rule_titles	map<string, string>	No	default: {}
rule_logic	map<string, object>	No	default: {}
discrepancies	array<object>	No	default: []

ExtractionVersionCreate

Field	Type	Required	Description
name	string | null	No	

Field	Type	Required	Description
review_id	string | null	No	
publish	boolean	No	default: false
actor	string | null	No	
note	string	No	default: "" maxLength: 1000
mode	string	No	enum: ["production", "simulation"] default: "production"

FieldChange

Field	Type	Required	Description
rule_id	string	Yes	
field	string	Yes	
before	any	No	
after	any	No	

FieldComparison

Compare one typed rule field across extractors.

Attributes:
comparison_id: Identity bound to document text, rule, and field.
regex_value: Regex reading; rule presence is present or absent.
agreed_value: Shared value when readings agree.
evidence: Supporting clause text, if available.
location: Section and heading line, if available.
review_required: Whether exceptions_only review requires a decision.

Field	Type	Required	Description
comparison_id	string	Yes	
document_id	string	Yes	
policy_doc	string	Yes	
rule_id	string	Yes	
field	string	Yes	
status	string	Yes	enum: ["agreed", "disagree", "unconfirmed", "only_regex", "only_llm"]
regex_value	any	No	
llm_value	any	No	
agreed_value	any	No	
evidence	string | null	No	
location	object | null	No	
clause_hash	string | null	No	
extraction_sha256	string	Yes	
review_required	boolean	Yes	

Finding

Field	Type	Required	Description
finding_id	string	Yes	
kind	string	Yes	enum: ["exception", "review_signal", "open_question", "uncertainty"]
receipt_id	string	Yes	
receipt_disposition	string	Yes	enum: ["flag", "review", "pass"]
receipt_decided	boolean	Yes	
rule_id	string | null	Yes	
severity	string | null	Yes	
line_ids	array<string> | null	Yes	
disposition_reasons	array<object>	Yes	
record	object	Yes	

FindingCounts

Field	Type	Required	Description
exception	integer	Yes	
review_signal	integer	Yes	
open_question	integer	Yes	
uncertainty	integer	Yes	

FindingPage

Field	Type	Required	Description
run_id	string	Yes	
items	array<Finding>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

HTTPValidationError

Field	Type	Required	Description
detail	array<ValidationError>	No	

Health

Field	Type	Required	Description
status	string	Yes	enum: ["ok", "degraded"]

Field	Type	Required	Description
application	string	Yes	const: "running"
database	string	Yes	enum: ["ok", "unavailable"]
version	string	Yes	

LineResult

Field	Type	Required	Description
line_id	string	Yes	
description_raw	string	Yes	
category	string | null	Yes	
restricted	boolean | null	Yes	
confidence	number | null	Yes	
english_translation	string | null	No	
attributes	map<string, string | boolean> | null	No	
classification_error	string | null	No	
classification_details	object | null	No	

Live

Field	Type	Required	Description
permitted	boolean	Yes	
credential_configured	boolean	Yes	
available	boolean	Yes	

Metadata

Field	Type	Required	Description
model	string | null	Yes	
translation_model	string | null	Yes	
retriever	string	Yes	
prompt_sha256	string | null	Yes	
ruleset_version	string	Yes	
replayed	boolean	Yes	
latency_ms	integer | null	Yes	

OpenQuestionResult

Field	Type	Required	Description
rule_id	string	Yes	

Field	Type	Required	Description
line_ids	array<string>	Yes	
reasons	array<string>	Yes	

Orchestrator

How lines reach a model: direct (the chosen model's adapter classifies every line) or LangGraph (its configured nodes).

Field	Type	Required	Description
id	string	Yes	
name	string	Yes	
installed	boolean	Yes	
enabled	boolean	Yes	
available	boolean	Yes	
default	boolean	Yes	
nodes	array<OrchestratorNode> | null	Yes	

OrchestratorNode

Field	Type	Required	Description
name	string	Yes	
backend	string	Yes	
model	string | null	Yes	
provider	string | null	Yes	
protocol	string | null	Yes	
adapter	string | null	No	

PolicyCompiler

What POST /v1/documents/extractions can use here.

Field	Type	Required	Description
replay	CompilerReplay	Yes	
live	CompilerLive	Yes	
extraction_models	array<string>	No	default: []

PolicyDocumentInput

One policy document in the existing Markdown format.

Attributes:
document_id: The caller's identifier, carried into results.
filename: A bare .md name, with no folder. Rules and approvals refer to documents by it.
content: The document text.

Field	Type	Required	Description
document_id	string	Yes	maxLength: 200 pattern: "\\S"
filename	string	Yes	maxLength: 200 pattern: "^[A-Za-z0-9][A-Za-z0-9._-]*\\.md$"
content	string	Yes	pattern: "\\S"

PreparedReview

The extraction review a version was made from: the lifecycle review reuses its decisions unless given others.

Field	Type	Required	Description
review_id	string	Yes	
policy	string	Yes	
review_sha256	string	Yes	

PreviousDecision

A field of this compilation beside the same field in the published version, with the decision it was published with.

unchanged: same clause text and the same readings, so the earlier decision answers the same question.
changed: the clause or a reading changed since, so the earlier decision must be made again.

Field	Type	Required	Description
comparison_id	string	Yes	
state	string	Yes	enum: ["unchanged", "changed"]
previous	object	Yes	
decision	object	Yes	

ProfileUpdate

A document's business description, kept apart from its revisions: changing it never touches a revision's text.

Only the fields given are changed; a category of null makes the document unclassified.

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
category	string | null	No	
description	string | null	No	
scope	DocumentScope | null	No	
duplicate_of	string | null	No	Marks this document a duplicate of another with identical content, hidden in the library; null restores it. Nothing is deleted.

Provenance

Field	Type	Required	Description
mode	string	Yes	enum: ["replay", "live", "deterministic"]
context_complete	boolean	Yes	
receipts_in_context	integer	Yes	
ruleset_sha256	string	Yes	
model_overrides	array<string>	No	default: []
classification_backend	string | null	No	

Provider

Field	Type	Required	Description
id	string	Yes	
name	string	Yes	
adapters	array<string>	Yes	
credential_configured	boolean	Yes	

PublishRequest

Field	Type	Required	Description
actor	string | null	No	
approval_reference	string | null	No	The approval to publish. Another one is a 409.

Readiness

Where a version stands on Edit, Resolve, Approve, Publish, as the API judges it now. Publishing still rebuilds the version and checks its approval: can_publish says only that nothing stands in the way.

Field	Type	Required	Description
status	string	Yes	
next_step	string	Yes	enum: ["submit", "review", "approve", "publish", "none"]
rules_changed	integer	Yes	
review_remaining	integer	Yes	
validation_errors	integer	Yes	
approval	string	Yes	enum: ["not_approved", "approved", "published"]
approval_mode	string | null	Yes	
can_publish	boolean	Yes	
blockers	array<ReadinessBlocker>	Yes	

ReadinessBlocker

Field	Type	Required	Description
message	string	Yes	
rule_id	string | null	No	
comparison_id	string | null	No	

ReceiptResult

Field	Type	Required	Description
receipt_id	string	Yes	
disposition	string	Yes	enum: ["flag", "review", "pass"]
line_items	array<LineResult>	Yes	
exceptions	array<ExceptionResult>	Yes	
review_signals	array<ReviewSignalResult>	Yes	
decided	boolean	Yes	
disposition_reasons	array<DispositionReasonResult>	Yes	
open_questions	array<OpenQuestionResult>	Yes	
uncertainty	array<UncertaintyResult>	Yes	
metadata	Metadata	Yes	
provenance	Provenance	Yes	

RecordedWith

The generation settings readings were recorded live with, to replay exactly those readings.

Field	Type	Required	Description
extraction_model	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
temperature	number	Yes	minimum: 0.0 maximum: 2.0

Replay

Field	Type	Required	Description
supported	boolean	Yes	
sets	array<ReplaySet>	Yes	

ReplaySet

Field	Type	Required	Description
name	string	Yes	

Field	Type	Required	Description
present	boolean	Yes	
answer_files	integer | null	No	
folder	string | null	No	

ResultPage

Field	Type	Required	Description
evaluation_id	string	Yes	
items	array<object>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

Review

Field	Type	Required	Description
decision	string	Yes	enum: ["accepted", "rejected"]
reviewer	ClaimedActor	Yes	
reason	string | null	Yes	
decided_at	string (date-time)	Yes	
policy	string | null	Yes	
decisions	array<object> | null	Yes	
review_sha256	string | null	Yes	

ReviewCreate

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
extraction_sha256	string	Yes	The snapshot this review is of: another is a 409 pattern: "^[0-9a-f]{64}$"
review_policy	string	No	enum: ["exceptions_only", "all_fields"] default: "exceptions_only"
decisions	array<object>	Yes	The core's ReviewDecision records: confirm, accept_regex, accept_llm, override or reject

ReviewDetail

Field	Type	Required	Description
review_id	string	Yes	

Field	Type	Required	Description
extraction_id	string	Yes	
actor	object	Yes	
extraction_sha256	string	Yes	
review_sha256	string	Yes	
candidate_ruleset_sha256	string | null	Yes	
policy	string	Yes	
decisions	array<object>	Yes	
ready_for_approval	boolean	Yes	
complete	boolean	Yes	
remaining	array<string>	Yes	
issues	array<ReviewIssue>	Yes	
created_at	string (date-time)	Yes	

ReviewIssue

Field	Type	Required	Description
level	string	Yes	
code	string	Yes	
message	string	Yes	
comparison_id	string | null	Yes	

ReviewRequest

A review decision. Accepting a compiled version needs the compiler's review decisions unless nothing awaits one.

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S" examples: ["j.doe"]
decision	string	Yes	enum: ["accepted", "rejected"]
reason	string | null	No	
review_policy	string	No	enum: ["exceptions_only", "all_fields"] default: "exceptions_only"
decisions	array<object> | null	No	The core's ReviewDecision records, one per comparison, for this version's extraction

ReviewSignalResult

Field	Type	Required	Description
rule_id	string	Yes	
reason	string	Yes	

ReviewSummary

Field	Type	Required	Description
review_id	string	Yes	
review_sha256	string	Yes	
policy	string	Yes	
ready_for_approval	boolean	Yes	
remaining	integer	Yes	
error_issues	integer	Yes	
created_at	string (date-time)	Yes	

RevisionApproval

Field	Type	Required	Description
status	string	No	enum: ["draft", "needs_review", "approved"] default: "draft"
content_sha256	string | null	No	
updated_at	string (date-time) | null	No	
updated_by	object | null	No	
document_id	string	Yes	
revision	integer	Yes	
history	array<ApprovalEvent>	No	default: []

RevisionApprovalState

The approval of one exact revision. Every revision starts as a draft: none inherits another's approval.

Field	Type	Required	Description
status	string	No	enum: ["draft", "needs_review", "approved"] default: "draft"
content_sha256	string | null	No	
updated_at	string (date-time) | null	No	
updated_by	object | null	No	

RevisionCreate

New content for an existing document, which keeps its filename: rules cite documents by filename.

Field	Type	Required	Description
content	string	Yes	
based_on_revision	integer | null	No	The revision this one replaces. Any other revision created since is a 409.
title	string | null	No	
source	DocumentSource	No	default: {"kind": "upload"}

RevisionRef

Field	Type	Required	Description
document_id	string	Yes	pattern: "^doc_[0-9a-f]{24}$"
revision	integer	Yes	minimum: 1.0

RuleChange

New values for some of one rule's logic: status, title, outcome, severity, applies_when, select, waived_by_ref or params.
The compiler validates them; anything else is refused.

Field	Type	Required	Description
rule_id	string	Yes	pattern: "^[A-Z][A-Z0-9]*(?:[-.][A-Z0-9]+)+$"
set	object	Yes	
rationale	string | null	No	
add	boolean	No	A new rule for a clause the documents state and no rule implements: set also gives its scope, source_quote and params default: false

RuleEditRequest

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
rationale	string	Yes	Why these rules change: kept in the new version's audit minLength: 1 maxLength: 2000 pattern: "\\S"
changes	array<RuleChange>	Yes	minItems: 1 maxItems: 50

RuleEdits

How a version made by editing another differs from it: field by field, with who and why.

Field	Type	Required	Description
based_on	string	Yes	
based_on_version	integer	Yes	
based_on_artifact_sha256	string	Yes	
actor	string	Yes	
rationale	string	Yes	
at	string (date-time)	Yes	
changes	array<FieldChange>	Yes	

RuleRemoval

Field	Type	Required	Description
actor	string	Yes	minLength: 1 maxLength: 200 pattern: "\\S"
rationale	string	Yes	minLength: 1 maxLength: 2000 pattern: "\\S"

RulesetCreate

A new draft version from exactly one source: an extraction, policy documents to compile, or an uploaded artifact.

Field	Type	Required	Description
name	string	Yes	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$" examples: ["default"]
artifact	object | null	No	A compiled ruleset in the core's RuleSet schema. Structurally checked only: it can never be approved.
compile	CompileSource | null	No	Policy documents to compile here, from one recording set.
extraction	ExtractionSource | null	No	A reviewed extraction of stored document revisions (POST /v1/documents/extractions).
based_on_version	integer | null	No	The version this one replaces. When given, any other version created since is a 409.
source	RulesetSource	No	default: {"kind": "upload"}

RulesetDetail

Field	Type	Required	Description
superseded_by	SupersedingVersion | null	No	
ruleset_id	string	Yes	
name	string	Yes	
version	integer	Yes	
status	string	Yes	enum: ["draft", "in_review", "approved", "published"]
ruleset_version	string	Yes	
schema_version	string	Yes	
artifact_sha256	string	Yes	
rule_count	integer	Yes	
active_rule_count	integer	Yes	
source	RulesetSource	Yes	
based_on_version	integer | null	No	
compilation	Compilation | null	No	
edits	RuleEdits | null	No	
review	Review | null	No	
approval_reference	string | null	No	

Field	Type	Required	Description
approval_mode	string | null	No	
publication_mode	string | null	No	
created_at	string (date-time)	Yes	
submitted_at	string (date-time) | null	No	
approved_at	string (date-time) | null	No	
published_at	string (date-time) | null	Yes	
artifact	object	Yes	
transitions	array<Transition>	No	default: []

RulesetPage

Field	Type	Required	Description
items	array<RulesetSummary>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

RulesetPermissions

Which ruleset versions requests may use here.

Field	Type	Required	Description
preview_allowed	boolean	Yes	
publication_modes	array<string>	Yes	

RulesetSource

Where the content came from. Recorded as given: it is provenance, not proof.

Field	Type	Required	Description
kind	string	No	default: "upload" pattern: "^[a-z][a-z_]{0,39}$" examples: ["upload", "policy_compiler"]
description	string | null	No	
reference	string | null	No	examples: ["rules/ruleset.json"]

RulesetSummary

Field	Type	Required	Description
superseded_by	SupersedingVersion | null	No	
ruleset_id	string	Yes	
name	string	Yes	

Field	Type	Required	Description
version	integer	Yes	
status	string	Yes	enum: ["draft", "in_review", "approved", "published"]
ruleset_version	string	Yes	
schema_version	string	Yes	
artifact_sha256	string	Yes	
rule_count	integer	Yes	
active_rule_count	integer	Yes	
source	RulesetSource	Yes	
based_on_version	integer | null	No	
compilation	Compilation | null	No	
edits	RuleEdits | null	No	
review	Review | null	No	
approval_reference	string | null	No	
approval_mode	string | null	No	
publication_mode	string | null	No	
created_at	string (date-time)	Yes	
submitted_at	string (date-time) | null	No	
approved_at	string (date-time) | null	No	
published_at	string (date-time) | null	Yes	

RunExecution

Field	Type	Required	Description
started_at	string (date-time)	Yes	
completed_at	string (date-time)	Yes	
duration_ms	integer	Yes	
receipt_count	integer	Yes	
core_version	string	Yes	
api_version	string	Yes	

RunPage

Field	Type	Required	Description
items	array<RunSummary>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

RunResponse

Field	Type	Required	Description
run_id	string	Yes	
status	string	Yes	const: "completed"
ruleset	RunRuleset	Yes	
execution_mode	string	Yes	enum: ["replay", "live", "deterministic"]
preview	boolean	No	default: false
context_complete	boolean	Yes	
classification	ClassificationSelection	Yes	
results	BatchResult	Yes	
setup	object | null	No	
execution	RunExecution	Yes	
created_at	string (date-time)	Yes	

RunRuleset

Field	Type	Required	Description
ruleset_id	string	Yes	
name	string	Yes	
version	integer	Yes	
status	string	Yes	
publication_mode	string | null	No	
artifact_sha256	string	Yes	
ruleset_version	string	Yes	

RunSummary

Field	Type	Required	Description
run_id	string	Yes	
status	string	Yes	const: "completed"
created_at	string (date-time)	Yes	
ruleset	RunRuleset	Yes	
execution_mode	string	Yes	enum: ["replay", "live", "deterministic"]
preview	boolean	Yes	
context_complete	boolean	Yes	
classification	ClassificationSelection	Yes	
classification_backend	string | null	Yes	
setup	object | null	No	

Field	Type	Required	Description
receipt_count	integer	Yes	
dispositions	map<string, integer>	Yes	
counts	FindingCounts | null	Yes	

Source

Field	Type	Required	Description
path	string	Yes	
sha256	string	Yes	
input_contract_version	integer | null	No	

SourceDocument

Field	Type	Required	Description
document_id	string	Yes	
revision	integer | null	Yes	
filename	string	Yes	
content_sha256	string	Yes	
content	string	Yes	

SourceHighlight

Field	Type	Required	Description
line	integer	Yes	
start	integer	Yes	
end	integer	Yes	
text	string	Yes	
side	string	Yes	enum: ["regex", "llm", "clause"]

SourceLocation

Where a compared field's source is, verified against the exact revision the compiler read; never approximate.

Field	Type	Required	Description
comparison_id	string	Yes	
document	SourceDocument	Yes	
revision_verified	boolean	Yes	
clause_verified	boolean	Yes	
location	map<string, integer> | null	Yes	
section	string | null	Yes	

Field	Type	Required	Description
heading_line	integer | null	Yes	
highlights	array<SourceHighlight>	Yes	
reason	string | null	Yes	

SupersedingVersion

Field	Type	Required	Description
ruleset_id	string	Yes	
name	string	Yes	
version	integer	Yes	

Taxonomy

Read from the core's rules/fields.yaml and data/category-taxonomy.md. A section the catalog lacks is None.

Field	Type	Required	Description
catalog	Source	Yes	
taxonomy	Source	Yes	
categories	array<Category> | null	Yes	
entities	array<Entity> | null	Yes	
countries	array<Country> | null	Yes	
expense_types	array<string> | null	Yes	
currencies	map<string, integer> | null	Yes	
vocabularies	map<string, array<string >>	Yes	
fields	map<string, map<string, string>>	Yes	

Transition

Field	Type	Required	Description
from_status	string | null	Yes	
to_status	string	Yes	enum: ["draft", "in_review", "approved", "published"]
at	string (date-time)	Yes	
actor	ClaimedActor | null	Yes	
content_hash	string	Yes	
approval_reference	string | null	Yes	
reason	string | null	Yes	

TransitionRequest

Field	Type	Required	Description
actor	string | null	No	
reason	string | null	No	

Translation

The translator: called only for non-English lines, but counted among a live run's models whenever enabled.

Field	Type	Required	Description
enabled	boolean	Yes	
default_model	string | null	Yes	
models	array<TranslationModel>	Yes	

TranslationModel

Field	Type	Required	Description
model	string	Yes	
provider	string	Yes	
default	boolean	Yes	
allowed	boolean	Yes	

UncertaintyResult

Field	Type	Required	Description
line_id	string	Yes	
field	string	Yes	
state	string	Yes	
reason	string	Yes	
confidence	number | null	Yes	

ValidationError

Field	Type	Required	Description
loc	array<string | integer>	Yes	
msg	string	Yes	
type	string	Yes	
input	any	No	
ctx	object	No	

ValidationRequest

Field	Type	Required	Description
ruleset_id	string	Yes	One exact, immutable ruleset version minLength: 1 maxLength: 64
receipts	array<object>	Yes	Raw receipt records in the core's format (data/README.md), without labels or notes minItems: 1
context_complete	boolean	No	Whether every receipt that could matter to a cross-receipt rule is included, true by default: submit all relevant receipts in one batch. False leaves totals a missing receipt could change undecided. default: true
execution_mode	string	No	replay (the default) answers only from recordings; live calls paid providers and must be allowed by the deployment enum: ["replay", "live", "deterministic"] default: "replay"
classification	ClassificationSelection	No	default: {}
preview	boolean	No	Validate against a version that is not published for production, such as a draft. Only where the deployment allows previews; the run records it. default: false

VersionChanges

A version beside the version published before it: each rule field that differs (a rule only one has is field "rule"). against is None when no other version was published before it.

Field	Type	Required	Description
against	object | null	Yes	
rule_changes	array<FieldChange>	Yes	

VersionRef

Field	Type	Required	Description
ruleset_id	string	Yes	
name	string	Yes	
version	integer	Yes	
status	string	Yes	

expense_api__schemas__documents__ComparisonPage

Field	Type	Required	Description
extraction_sha256	string	Yes	
items	array<FieldComparison>	Yes	
total	integer	Yes	
limit	integer	Yes	
offset	integer	Yes	

expense_api__schemas__rulesets__ComparisonPage

Field	Type	Required	Description
extraction_sha256	string	Yes	
comparisons	array<FieldComparison>	Yes	