

Web Technologies Lab - 01

Aim:

Design and develop a portfolio website using HTML/CSS, incorporating semantic HTML elements like text formatting, hyperlink, images, lists, tables and modern page layout techniques such as CSS Flexbox or CSS Grid.

Source Code:

File: index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Navya — AI & Data Science</title>

  <!-- Typography: Fraunces (expressive editorial serif for headings)
    + Inter (clean sans for body). Falls back to system fonts offline. -->
  <link rel="preconnect" href="https://fonts.googleapis.com" />
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
  <link
href="https://fonts.googleapis.com/css2?family=Fraunces:opsz,wght@9..144,400;9..144,500;9..144,600&family=Inter:wght@400;500;600&display=swap" rel="stylesheet" />

  <link rel="stylesheet" href="css/style.css" />
</head>
<body>

  <!-- CSS-only intro mechanism: this hidden checkbox is toggled by the
    "View Portfolio" label inside the intro screen. When :checked,
    CSS slides the intro away. No JavaScript involved. -->
  <input type="checkbox" id="enter" class="enter-toggle" />

  <!-- ===== OPENING SCREEN ===== -->
  <div class="intro" aria-hidden="false">
    <h1 class="intro-title" aria-label="Navya's Portfolio">
      <!-- Decoder effect: each slot's visible character comes from a
        ::before whose content cycles through random characters in
        keyframes, ending on the real letter via attr(data-ltr).
        The h1's aria-label keeps it readable to screen readers. -->
      <span class="ltr" style="--d:2" data-ltr="N"></span><span class="ltr" style="--d:5" data-
ltr="A"></span><span class="ltr" style="--d:0" data-ltr="V"></span><span class="ltr" style="--d:7"
data-ltr="Y"></span><span class="ltr" style="--d:3" data-ltr="A"></span><span class="ltr" style="--
d:9" data-ltr=" " "></span><span class="ltr" style="--d:1" data-ltr="S"></span><span
class="sp">&nbsp;</span><span class="ltr" style="--d:6" data-ltr="P"></span><span class="ltr"
style="--d:8" data-ltr="O"></span><span class="ltr" style="--d:4" data-ltr="R"></span><span
class="ltr" style="--d:10" data-ltr="T"></span><span class="ltr" style="--d:2" data-
```



```

</li>
<li>
  <a href="https://www.linkedin.com/in/navyaxw" target="_blank" rel="noopener" aria-label="LinkedIn">
    <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.5"><path
d="M16 8a6 6 0 0 1 6 6v7h-4v-7a2 2 0 0 0 0-4 0v7h-4v-13h4v2a5 5 0 0 1 2-2z"/><rect x="2" y="9"
width="4" height="12" rx="0.5"/><circle cx="4" cy="4" r="2"/></svg>
    <span>LinkedIn</span>
  </a>
</li>
<li>
  <a href="assets/resume.pdf" target="_blank" rel="noopener" aria-label="Resume">
    <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.5"><path
d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><path d="M14 2v6h6M9
13h6M9 17h6"/></svg>
    <span>Resume</span>
  </a>
</li>
</ul>
</div>
</section>

<hr class="rule" />

<!-- ===== EXPERIENCE ===== -->
<section id="experience" class="section">
  <h2>Experience</h2>

  <div class="entries">
    <div class="entry">
      <p class="entry-years">May 2026 &mdash; Jul 2026</p>
      <div class="entry-detail">
        <h3>Flex &mdash; Intern</h3>
        <p>Built a GraphRAG pipeline over a Neo4j knowledge graph to automate Harmonized Tariff
Schedule classification of engineering parts from shorthand descriptions, with semantic reranking, a
Streamlit dashboard for analyst review, and an evaluation harness across 868 real samples.</p>
        <p class="entry-stack">GraphRAG &middot; Neo4j &middot; GPT-5 &middot; Groq (Llama-
3.3-70B)</p>
      </div>
    </div>

    <div class="entry">
      <p class="entry-years">Dec 2025 &mdash; Jan 2026</p>
      <div class="entry-detail">
        <h3>CSIR&ndash;CEERI &mdash; Research Intern</h3>
        <p>Built and trained a LeNet-5&ndash;based CNN image classifier with an end-to-end
pipeline covering preprocessing, training, evaluation, and hyperparameter tuning; ran controlled
experiments on architecture and training strategy.</p>
        <p class="entry-stack">Python &middot; TensorFlow &middot; Keras &middot; CNNs</p>
      </div>
    </div>
  </div>

```

```

    </div>
  </div>
</div>
</section>

<hr class="rule" />

<!-- ===== PROJECTS ===== -->
<section id="projects" class="section">
  <h2>Projects</h2>

  <div class="project-grid">

    <article class="card card--coral">
      <figure class="card-media">
        <!-- REPLACE: assets/project-graphrag.jpg -->
        
      </figure>
      <div class="card-body">
        <h3>HTS GraphRAG Classifier</h3>
        <p>A graph-based retrieval pipeline that classifies products into harmonised tariff codes,
combining a Neo4j knowledge graph with LLM reranking.</p>
        <p class="stack">Neo4j & middot; Python & middot; Streamlit & middot; LangChain</p>
        <a class="card-link" href="https://github.com/nzoopxw" target="_blank"
rel="noopener">View Project & rarr;</a>
      </div>
    </article>

    <article class="card card--forest">
      <figure class="card-media">
        <!-- REPLACE: assets/project-aviation.jpg -->
        
      </figure>
      <div class="card-body">
        <h3>Aviation Incident Pattern Finder</h3>
        <p>Hybrid semantic search and clustering over 15,000+ NASA ASRS incident reports,
surfacing recurring safety patterns through an interactive dashboard.</p>
        <p class="stack">Qdrant & middot; HDBSCAN & middot; Plotly & middot; RAG</p>
        <a class="card-link" href="https://github.com/nzoopxw/aviation-incident-rag"
target="_blank" rel="noopener">View Project & rarr;</a>
      </div>
    </article>

    <article class="card card--blue">
      <figure class="card-media">
        <!-- REPLACE: assets/project-shieldpay.jpg -->
        
      </figure>

```

```

<div class="card-body">
  <h3>ShieldPay</h3>
  <p>Parametric insurance for q-commerce gig workers that auto-compensates income loss
from weather, AQI, and outage disruptions &mdash; with ML-driven premium pricing, three-layer
fraud detection, and real-time UPI payouts.</p>
  <p class="stack">FastAPI &middot; React &middot; PostgreSQL &middot; XGBoost &middot;
Razorpay</p>
  <a class="card-link" href="https://github.com/nzoopxw" target="_blank"
rel="noopener">View Project &rarr;</a>
</div>
</article>

```

```

<article class="card card--sage card--noimg">
  <div class="card-body">
    <h3>Paperwise</h3>
    <p>An LLM-powered reading coach that guides students through research papers via
highlight-to-explain, auto-generated prerequisite maps, and personalized reading plans &mdash;
one engine powering three interaction modes.</p>
    <p class="stack">React 19 &middot; TypeScript &middot; Gemini 3 Flash &middot; Vercel AI
SDK</p>
    <!--a class="card-link" href="https://github.com/nzoopxw" target="_blank"
rel="noopener">View Project &rarr;</a>-->
  </div>
</article>

```

```

</div>
</section>

```

```

<hr class="rule" />

```

```

<!-- ===== SKILLS ===== -->
<section id="skills" class="section">
  <h2>Skills & Certifications</h2>

  <div class="skill-groups">
    <div class="skill-group">
      <h3>Languages</h3>
      <ul class="pills">
        <li>Python</li><li>Java</li><li>JavaScript</li><li>TypeScript</li><li>SQL</li><li>C</li>
      </ul>
    </div>
    <div class="skill-group">
      <h3>AI / ML</h3>
      <ul class="pills">
        <li>RAG</li><li>GraphRAG</li><li>Knowledge Graphs</li><li>Vector
Databases</li><li>Hybrid Retrieval</li><li>Reranking</li><li>Fine-Tuning
(LoRA/QLoRA)</li><li>CNNs</li><li>Deep Learning</li>
      </ul>
    </div>
  </div>

```

```

<div class="skill-group">
  <h3>Frameworks & Libraries</h3>
  <ul class="pills">
    <li>PyTorch</li><li>TensorFlow</li><li>LangChain</li><li>Hugging
Face</li><li>FastAPI</li><li>React</li><li>Next.js</li><li>scikit-learn</li>
  </ul>
</div>
<div class="skill-group">
  <h3>Databases, Tools & Platforms</h3>
  <ul class="pills">
<li>Neo4j</li><li>PostgreSQL</li><li>Qdrant</li><li>Docker</li><li>Git</li><li>Streamlit</li><li>Olla
ma</li><li>Groq</li><li>Linux</li>
  </ul>
</div>
</div>

<div class="certs-block">
  <h3>Certifications</h3>
  <ul class="certs">
    <li><span>Deep Learning Specialization</span><span class="cert-org">Coursera &mdash;
Andrew Ng</span></li>
    <li><span>Programming in Java</span><span class="cert-org">NPTEL</span></li>
    <li><span>Intro to RAG</span><span class="cert-org">LinkedIn Learning</span></li>
    <li><span>Intro to SQL</span><span class="cert-org">LinkedIn Learning</span></li>
    <li><span>Agentic AI</span><span class="cert-org">Ed Donner &mdash; in
progress</span></li>
  </ul>
</div>
</section>

<hr class="rule" />

<!-- ===== EDUCATION ===== -->
<section id="education" class="section">
  <h2>Education</h2>

  <div class="edu">
    <p class="edu-years">2024 &mdash; Present</p>
    <div class="edu-detail">
      <h3>Shiv Nadar University Chennai</h3>
      <p>B.Tech &mdash; Artificial Intelligence & Data Science</p>
      <p class="edu-cgpa">CGPA&nbsp;&nbsp;&nbsp;8.2</p>
    </div>
  </div>
</section>

<hr class="rule" />

```

```
<!-- ===== CONTACT ===== -->
<section id="contact" class="section contact">
  <h2 class="contact-heading">tinkering with tech!</h2>
  <ul class="contact-links">
    <li><a href="mailto:navyaxw@gmail.com">Email</a></li>
    <li><a href="https://www.linkedin.com/in/navyaxw" target="_blank"
rel="noopener">LinkedIn</a></li>
    <li><a href="https://github.com/nzoopxw" target="_blank" rel="noopener">GitHub</a></li>
    <li><a href="assets/resume.pdf" target="_blank" rel="noopener">Resume</a></li>
  </ul>
</section>

</main>

<footer class="footer">
  <p>Designed & developed by Navya.</p>
</footer>

</div>

</body>
</html>
```

File: style.css

```
/* ----- Tokens ----- */

:root {
  --bg: #F8F5EE;
  --ink: #2E2A26;
  --rule: #D8D4CC;

  --coral: #E77E7A;
  --forest: #476048;
  --pink: #E6A69D;
  --sage: #A8B49E;
  --blue: #8398C9;
  --butter: #E9E1B5;

  --font-body: "Inter", -apple-system, "Segoe UI", sans-serif;
  --font-display: "Fraunces", Georgia, serif;
```

```
--max: 1140px;      /* content width per brief: 1100–1200px */
--pad: clamp(1.25rem, 5vw, 3rem);
}

* { margin: 0; padding: 0; box-sizing: border-box; }

html { scroll-behavior: smooth; }

body {
  font-family: var(--font-body);
  color: var(--ink);
  background-color: var(--bg);
  /* Subtle dot grid: tiny low-opacity dots, evenly spaced */
  background-image: radial-gradient(rgba(46, 42, 38, 0.07) 1px, transparent 1px);
  background-size: 22px 22px;
  line-height: 1.6;
  -webkit-font-smoothing: antialiased;
}

/* Lock scrolling while the intro screen is showing */
body:has(.enter-toggle:not(:checked)) { overflow: hidden; }

img { display: block; max-width: 100%; }

a { color: inherit; }

/* opening screen */
.enter-toggle {
  position: absolute;
  opacity: 0;
  pointer-events: none;
}
```



```
}

.intro {
  position: fixed;
  inset: 0;
  z-index: 100;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  gap: 1.5rem;
  background-color: var(--bg);
  background-image: radial-gradient(rgba(46, 42, 38, 0.07) 1px, transparent 1px);
  background-size: 22px 22px;
  /* The cinematic exit: slower ease-out slide */
  transition: transform 0.9s cubic-bezier(0.65, 0, 0.35, 1),
    visibility 0s linear 0.9s;
}

/* When the hidden checkbox is checked, slide the intro off to the left */
.enter-toggle:checked ~ .intro {
  transform: translateX(-100%);
  visibility: hidden;
}

.intro-title {
  font-family: var(--font-display);
  font-weight: 500;
  font-size: clamp(2rem, 7vw, 4.5rem);
  letter-spacing: 0.04em;
  color: var(--ink);
  display: flex;
```

```

}

/* In-place letter decode: every slot stays put while its character
cycles through random glyphs (animating ::before's `content` in
discrete steps) and finally resolves to the real letter with
content: attr(data-ltr). Three keyframe variants + shuffled delays
(--d) make neighbouring slots flicker differently and lock in out
of order. Fallback: the base content is attr(data-ltr), so any
browser that can't animate `content` simply shows the title. */
.intro-title .ltr {
  display: inline-block;
  min-width: 0.62em;    /* stops the line jittering as glyph widths change */
  text-align: center;
}

.intro-title .ltr::before {
  content: attr(data-ltr); /* the REAL letter lives here, in the base
                           style — the keyframes only show random
                           chars and then end, letting this base
                           value take over. (attr() inside
                           keyframes breaks in Safari.) */
  display: inline-block;
  animation:
    decode-a 0.8s steps(1, end) backwards,
    sharpen 0.8s ease both;
  animation-delay: calc(var(--d, 0) * 45ms + 0.15s);
}

/* Variant sequences so adjacent letters don't flicker in sync */
.intro-title .ltr:nth-child(3n)::before {
  animation-name: decode-b, sharpen;
}

```

```
.intro-title .ltr:nth-child(3n + 1)::before {  
  animation-name: decode-c, sharpen;  
}
```

```
@keyframes decode-a {  
  0% { content: "X"; }  
  15% { content: "7"; }  
  30% { content: "K"; }  
  45% { content: "Z"; }  
  60% { content: "4"; }  
  75% { content: "R"; }  
  88% { content: "B"; }  
}
```

```
@keyframes decode-b {  
  0% { content: "Q"; }  
  15% { content: "3"; }  
  30% { content: "H"; }  
  45% { content: "9"; }  
  60% { content: "E"; }  
  75% { content: "X"; }  
  88% { content: "U"; }  
}
```

```
@keyframes decode-c {  
  0% { content: "J"; }  
  15% { content: "S"; }  
  30% { content: "2"; }  
  45% { content: "G"; }  
  60% { content: "N"; }  
  75% { content: "6"; }
```

```
88% { content: "D"; }  
}
```

```
/* Blur/opacity resolve that runs alongside the character cycling */  
@keyframes sharpen {  
  0% { filter: blur(3px); opacity: 0.45; }  
  70% { filter: blur(1px); opacity: 0.8; }  
  100% { filter: blur(0); opacity: 1; }  
}
```

```
.intro-sub {  
  font-size: 0.85rem;  
  letter-spacing: 0.35em;  
  text-transform: uppercase;  
  color: var(--ink);  
  opacity: 0;  
  animation: fadeUp 0.8s ease forwards;  
  animation-delay: 1.5s;  
}
```

```
.intro-btn {  
  font-size: 0.95rem;  
  font-weight: 500;  
  padding: 0.7rem 1.6rem;  
  border: 1px solid var(--ink);  
  border-radius: 999px;  
  cursor: pointer;  
  user-select: none;  
  opacity: 0;  
  animation: fadeUp 0.8s ease forwards;  
  animation-delay: 1.8s;  
  transition: background-color 0.25s ease, color 0.25s ease;
```

```
}
```

```
.intro-btn:hover,  
.intro-btn:focus-visible {  
  background-color: var(--ink);  
  color: var(--bg);  
}
```

```
@keyframes fadeUp {  
  from { opacity: 0; transform: translateY(12px); }  
  to   { opacity: 1; transform: translateY(0); }  
}
```

```
/* navigation */  
.nav {  
  position: sticky;  
  top: 0;  
  z-index: 50;  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  max-width: var(--max);  
  margin: 0 auto;  
  padding: 0.9rem var(--pad);  
  background-color: rgba(248, 245, 238, 0.9);  
  backdrop-filter: blur(6px);  
  border-bottom: 1px solid var(--rule);  
}
```

```
.nav-name {  
  font-family: var(--font-display);  
  font-size: 1.1rem;
```

```
font-weight: 600;  
text-decoration: none;  
}
```

```
.nav-links {  
  display: flex;  
  gap: 1.8rem;  
  list-style: none;  
}
```

```
.nav-links a {  
  font-size: 0.85rem;  
  font-weight: 500;  
  text-decoration: none;  
  opacity: 0.75;  
  position: relative;  
  transition: opacity 0.2s ease, color 0.2s ease;  
}
```

/* Growing underline on hover */

```
.nav-links a::after {  
  content: "";  
  position: absolute;  
  left: 0;  
  bottom: -4px;  
  width: 0;  
  height: 1px;  
  background-color: var(--ink);  
  transition: width 0.25s ease;  
}
```

```
.nav-links a:hover {
```

```
opacity: 1;
color: var(--forest);
}

.nav-links a:hover::after { width: 100%; }

/* layout shell */
main {
  max-width: var(--max);
  margin: 0 auto;
  padding: 0 var(--pad);
}

.section {
  padding: 5rem 0;
  scroll-margin-top: 4rem; /* offset for the sticky nav on #jumps */
}

.rule {
  border: none;
  border-top: 1px solid var(--rule);
  max-width: var(--max);
  margin: 0 auto;
}

h2 {
  font-family: var(--font-display);
  font-weight: 500;
  font-size: 2rem;
  margin-bottom: 2.5rem;
}
```

```
/* hero */  
.hero {  
  display: grid;  
  grid-template-columns: minmax(260px, 420px) 1fr;  
  gap: clamp(2rem, 6vw, 5rem);  
  align-items: center;  
  padding: 6rem 0;  
  /* Restrained entrance for the hero content */  
  animation: fadeUp 0.9s ease 0.2s backwards;  
}  
  
.hero-media img {  
  width: 100%;  
  aspect-ratio: 4 / 5;  
  object-fit: cover;  
  border-radius: 6px;  
}  
  
.hero-copy h1 {  
  font-family: var(--font-display);  
  font-weight: 500;  
  font-size: clamp(2.8rem, 6vw, 4.2rem);  
  line-height: 1.05;  
  margin-bottom: 0.6rem;  
}  
  
.hero-role {  
  font-size: 0.85rem;  
  letter-spacing: 0.25em;  
  text-transform: uppercase;  
  opacity: 0.7;  
  margin-bottom: 1.6rem;
```



```
}
```

```
.hero-line {  
  font-size: 1.25rem;  
  line-height: 1.5;  
  max-width: 30ch;  
  margin-bottom: 2.2rem;  
}
```

```
.hero-social {  
  display: flex;  
  gap: 1.6rem;  
  list-style: none;  
}
```

```
.hero-social a {  
  display: flex;  
  align-items: center;  
  gap: 0.45rem;  
  font-size: 0.85rem;  
  font-weight: 500;  
  text-decoration: none;  
  opacity: 0.75;  
  transition: opacity 0.2s ease, color 0.2s ease;  
}
```

```
.hero-social a:hover {  
  opacity: 1;  
  color: var(--forest);  
}
```

```
.hero-social svg {
```

```
width: 18px;
height: 18px;
}

/* projects */
.project-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
  gap: 2rem;
}

.card {
  --accent: var(--coral);    /* overridden per card below */
  background-color: #FDFBF6;
  border: 1px solid var(--rule);
  border-radius: 14px;
  overflow: hidden;
  display: flex;
  flex-direction: column;
  transition: transform 0.3s ease, box-shadow 0.3s ease;
}

.card:hover {
  transform: translateY(-5px);
  box-shadow: 0 14px 30px rgba(46, 42, 38, 0.08); /* subtle, single */
}

/* Card without an image: the accent line still tops the card,
   and extra padding keeps it visually balanced beside image cards */
.card--noimg .card-body { padding-top: 2rem; }

.card--coral { --accent: var(--coral); }
```

```
.card--forest { --accent: var(--forest); }  
.card--blue { --accent: var(--blue); }  
.card--sage { --accent: var(--sage); }  
  
.card-media {  
  aspect-ratio: 16 / 9;  
  overflow: hidden;  
  background-color: var(--accent);  
}  
  
.card-media img {  
  width: 100%;  
  height: 100%;  
  object-fit: cover;  
  transition: transform 0.4s ease;  
}  
  
.card:hover .card-media img {  
  transform: scale(1.03);  
}  
  
.card-body {  
  padding: 1.6rem 1.6rem 1.8rem;  
  display: flex;  
  flex-direction: column;  
  gap: 0.7rem;  
  flex-grow: 1;  
  border-top: 3px solid var(--accent);  
}  
  
.card-body h3 {  
  font-family: var(--font-display);
```

```
font-weight: 500;
font-size: 1.3rem;
}

.card-body > p { font-size: 0.95rem; }

.stack {
  font-size: 0.8rem;
  letter-spacing: 0.02em;
  opacity: 0.65;
}

.card-link {
  margin-top: auto;
  align-self: flex-start;
  font-size: 0.9rem;
  font-weight: 600;
  text-decoration: none;
  color: var(--accent);
  filter: brightness(0.85);
  position: relative;
}

.card-link::after {
  content: "";
  position: absolute;
  left: 0; bottom: -3px;
  width: 0; height: 1px;
  background-color: currentColor;
  transition: width 0.25s ease;
}
```

```
.card-link:hover::after { width: 100%; }
```

```
/* experience */
```

```
.entries {  
  display: flex;  
  flex-direction: column;  
  gap: 3rem;  
}
```

```
.entry {  
  display: grid;  
  grid-template-columns: 200px 1fr;  
  gap: 2rem;  
  align-items: start;  
}
```

```
.entry-years {  
  font-size: 0.85rem;  
  letter-spacing: 0.15em;  
  text-transform: uppercase;  
  opacity: 0.65;  
  padding-top: 0.35rem;  
  white-space: nowrap;  
}
```

```
.entry-detail h3 {  
  font-family: var(--font-display);  
  font-weight: 500;  
  font-size: 1.4rem;  
  margin-bottom: 0.4rem;  
}
```

```
.entry-detail > p {  
  max-width: 62ch;  
  font-size: 0.95rem;  
}
```

```
.entry-stack {  
  margin-top: 0.6rem;  
  font-size: 0.8rem;  
  letter-spacing: 0.02em;  
  opacity: 0.65;  
}
```

```
/* skills */  
.skill-groups {  
  display: grid;  
  grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));  
  gap: 2.5rem;  
}
```

```
.skill-group h3 {  
  font-family: var(--font-display);  
  font-weight: 500;  
  font-size: 1.1rem;  
  margin-bottom: 1rem;  
}
```

```
.pills {  
  list-style: none;  
  display: flex;  
  flex-wrap: wrap;  
  gap: 0.55rem;  
}
```

```
.pills li {  
  font-size: 0.85rem;  
  font-weight: 500;  
  padding: 0.4rem 1rem;  
  border: 1px solid var(--rule);  
  border-radius: 999px;  
  background-color: #FDFBF6;  
  transition: border-color 0.2s ease, background-color 0.2s ease;  
}
```

```
.pills li:hover {  
  border-color: var(--sage);  
  background-color: var(--butter);  
}
```

```
/* certifications */
```

```
.certs-block { margin-top: 3.5rem; }
```

```
.certs-block h3 {  
  font-family: var(--font-display);  
  font-weight: 500;  
  font-size: 1.1rem;  
  margin-bottom: 0.6rem;  
}
```

```
.certs {  
  list-style: none;  
  max-width: 560px;  
}
```

```
.certs li {
```

```
display: flex;
justify-content: space-between;
align-items: baseline;
gap: 1.5rem;
padding: 0.75rem 0;
border-bottom: 1px solid var(--rule);
font-size: 0.95rem;
}
```

```
.cert-org {
font-size: 0.8rem;
opacity: 0.6;
text-align: right;
white-space: nowrap;
}
```

```
/* education */
.edu {
display: grid;
grid-template-columns: 200px 1fr;
gap: 2rem;
align-items: start;
}
```

```
.edu-years {
font-size: 0.85rem;
letter-spacing: 0.15em;
text-transform: uppercase;
opacity: 0.65;
padding-top: 0.35rem;
}
```



```
.edu-detail h3 {  
  font-family: var(--font-display);  
  font-weight: 500;  
  font-size: 1.4rem;  
  margin-bottom: 0.3rem;  
}
```

```
.edu-cgpa {  
  margin-top: 0.5rem;  
  font-size: 0.9rem;  
  opacity: 0.7;  
}
```

```
/* contact + footer */
```

```
.contact { text-align: center; }
```

```
.contact-heading {  
  font-size: clamp(1.8rem, 4vw, 2.6rem);  
  margin-bottom: 2rem;  
}
```

```
.contact-links {  
  list-style: none;  
  display: flex;  
  justify-content: center;  
  flex-wrap: wrap;  
  gap: 2rem;  
}
```

```
.contact-links a {  
  font-size: 0.95rem;  
  font-weight: 500;
```

```
text-decoration: none;
opacity: 0.75;
position: relative;
transition: opacity 0.2s ease, color 0.2s ease;
}

.contact-links a::after {
  content: "";
  position: absolute;
  left: 0; bottom: -4px;
  width: 0; height: 1px;
  background-color: var(--ink);
  transition: width 0.25s ease;
}

.contact-links a:hover { opacity: 1; color: var(--forest); }
.contact-links a:hover::after { width: 100%; }

.footer {
  border-top: 1px solid var(--rule);
  text-align: center;
  padding: 2rem var(--pad);
  font-size: 0.8rem;
  opacity: 0.6;
}

/* responsive + accessibility */
@media (max-width: 760px) {
  .hero {
    grid-template-columns: 1fr;
    padding: 3rem 0;
  }
}
```


```
.hero-media { max-width: 320px; }



.edu,
.entry { grid-template-columns: 1fr; gap: 0.5rem; }


.nav-links { gap: 1.1rem; }
}

/* Respect users who prefer reduced motion */
@media (prefers-reduced-motion: reduce) {
  *, *::before, *::after {
    animation-duration: 0.01ms !important;
    animation-delay: 0s !important;
    transition-duration: 0.01ms !important;
  }
}
```


Output:







Resume (pdf), when clicked in the navigation bar, opens in a new tab:



Conclusion:

This assignment involved designing and developing a responsive personal portfolio website using semantic HTML5 elements and modern CSS layout techniques like Flexbox and Grid. It demonstrated how proper structuring, styling, and layout practices can be combined to build a clean, accessible, and visually organized web page.