

Web Technologies Lab – 07

Table of Contents

WEB TECHNOLOGIES LAB – 07	1
AIM:	1
SOURCE CODE	1
File 1: ./components/Counter.jsx	1
File 2: ./components/CounterButtons.jsx	2
File 3: App.css	2
File 4: App.jsx	3
File 5: Main.jsx	4
OUTPUT:	4
CONCLUSION:	5

Aim:

To implement a react counter app.

Source Code

File 1: ./components/Counter.jsx

```
import { useState } from "react";
import CounterButtons from "../CounterButtons";

function Counter() {
  const [counter, setCounter] = useState(0);

  const handleIncrement = () => {
    setCounter(counter + 1);
  };

  const handleDecrement = () => {
    setCounter(counter - 1);
  };

  return (
    <div className="counter">
      <div className="counter-value">
        {counter}
      </div>

      <CounterButtons
```

```
    onIncrement={handleIncrement}
    onDecrement={handleDecrement}
  />
</div>
);
}
```

```
export default Counter;
```

File 2: ./components/CounterButtons.jsx

```
function CounterButtons({ onIncrement, onDecrement }) {
  return (
    <div className="buttons">
      <button
        className="increment-button"
        onClick={onIncrement}
      >
        Increment
      </button>

      <button
        className="decrement-button"
        onClick={onDecrement}
      >
        Decrement
      </button>
    </div>
  );
}
```

```
export default CounterButtons;
```

File 3: App.css

```
.app {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  min-height: 100vh;
  font-size: 300%;
}
```

```
.counter{
  display: flex;
  flex-direction: column;
  align-items: center;
}

.counter-value {
  font-size: 120%;
  margin-top: 30px;
}

.buttons {
  margin-top: 50px;
}

button {
  font-size: 60%;
  padding: 10px 20px;
  border: none;
  border-radius: 8px;
  color: white;
  cursor: pointer;
}

.increment-button {
  background-color: green;
  margin-right: 5px;
}

.decrement-button {
  background-color: red;
  margin-left: 5px;
}

button:hover {
  opacity: 0.8;
}
```

File 4: App.jsx

```
import Counter from "../components/Counter";
import "../App.css";

function App() {
  return (
```

```
<div className="app">
  <h1>Counter App</h1>
  <Counter />
</div>
);
}
```


```
export default App;
```

File 5: Main.jsx

```
import { StrictMode } from "react";
import { createRoot } from "react-dom/client";
import App from "./App.jsx";

createRoot(document.getElementById("root")).render(
  <StrictMode>
    <App />
  </StrictMode>
);
```

Output:



Counter App

5

Increment

Decrement

Counter App

-5

Increment

Decrement

Conclusion:

We have successfully implemented a react counter app.