

1 **Dockless Electric Scooters and Transit Use in an Urban/University Environment**

2

3

4

5 **Natalia Zuniga-Garcia, M.Sc.**

6 Research Assistant

7 Department of Civil, Architectural and Environmental Engineering

8 The University of Texas at Austin, TX 78712

9 301 E. Dean Keeton St., Stop C1761, Austin, TX 78712

10 Email: nzuniga@utexas.edu

11

12 **Randy B. Machemehl, Ph.D., P.E.**

13 Nasser Al-Rashid Centennial Professor in Transportation Engineering

14 Department of Civil, Architectural and Environmental Engineering

15 The University of Texas at Austin, TX 78712

16 301 E. Dean Keeton St., Stop C1761, Austin, TX 78712

17 Email: rbm@mail.utexas.edu

18

19

20 **Presented at the 99th Annual Meeting of the Transportation Research Board, Washington,**

21 **DC, January 2020.**

22

23

24 Zuniga-Garcia, N., & Machemehl, R. (2020). Dockless electric scooters and transit use in an

25 urban/university environment. In 99th Annual Meeting of the Transportation Research Board,

26 Washington, DC.

27 **ABSTRACT**

1 Micromobility services presented an exponential growth in recent years due to the introduction of
2 shared electric dockless scooter (e-scooters) services in cities across the United States. E-scooters
3 offer an alternative for short trips and are particularly suitable for solving the first-mile- last-mile
4 transit access and egress problem. However, this emerging transportation technology has brought
5 multiple challenges to urban areas, including the lack of infrastructure, deficient operating rules
6 and regulations, and safety concerns. There is a lack of research on their impact on the urban
7 environment. The main challenge remains in the availability of data. The principal objective of
8 this research is to analyze e-scooter trips and interactions with transit in an urban/university envi-
9 ronment. We make use of publicly available datasets to describe trip patterns in a six-month term
10 in the City of Austin. We aggregate the information by traffic analysis zones and evaluate the key
11 variables influencing e-scooters trip origins and destinations using a spatial error model (SEM) to
12 account for spatial autocorrelation. Additionally, we use a campus-wide survey to evaluate uni-
13 versity e-scooter usage and to explore population characteristics, mode shift, mode interaction,
14 and opinions toward new e-scooter policies and regulations implemented in the university. Princi-
15 pal findings suggest that there is no enough evidence of interaction between e-scooter and transit
16 trips. In the university environment, the mode interaction is not significant, and instead, there is a
17 presence of mode shift between e-scooters and transit.

18

19 *Keywords:* Shared electric dockless scooters, micromobility, transit, campus transportation, spatial
20 regression.

21 INTRODUCTION

1 Micromobility, known as small, transportation solutions such as bikes, scooters, and mopeds, has
2 existed for decades (1), more recently, in the form of Segways, docked and dockless bicycles, and
3 electric bicycles, unicycles, and skateboards. With the introduction of shared electric dockless
4 scooters (referred to as e-scooters), micromobility has experienced exponential growth, with a
5 faster rate of adoption than other forms of shared mobility, such as bike share and car share (2).
6 E-scooters started as a new shared mobility service in Santa Monica, California during September
7 2017, and in less than a year after their introduction, these devices were operating in 65 United
8 States (U.S.) cities (3).

9 Micromobility services offer alternatives for short trips and are particularly well-suited to
10 deliver first-mile-last-mile (FMLM)¹ solutions for public transportation. However, its impact on
11 transit usage is not well understood. Micromobility can lead to an increase in bus ridership if it is
12 functioning as a supplement to the transit system serving FMLM trips. But, it can also be used as a
13 substitute for short transit trips, or can even generate trips due to recreational activities. The main
14 research in the area is focused on the analysis of docked and dockless bikeshare programs and
15 its modal integration (4–6) and modal substitution (7–9). There is a lack of studies that provide
16 evaluations of the implications of e-scooters on public transportation, and current providers are
17 working toward the integration of these devices to the transit system (10).

18 The adoption of emerging transportation technologies, such as e-scooters and ride-sourcing,
19 continues to grow due to factors like the proliferation of smartphone-based mobility services, in-
20 crements in traffic congestion in urban areas, and the amount of private financing available for
21 transportation services (2). New transportation paradigms have brought multiple challenges to ur-
22 ban areas, including the lack of infrastructure (11, 12), deficient operating rules and regulations
23 (13–15), and arbitrary pricing schemes (16). However, research studies on the impact of these
24 services on urban environments are limited, and the main challenge remains in the availability of
25 publicly available data to provide empirical evaluations.

26 The principal objective of this research is to analyze e-scooter trips and interactions with
27 transit in an urban/university environment. We make use of publicly available datasets to describe
28 trip patterns for six months in the City of Austin. We use information from more than 1.7 million
29 e-scooter trips and more than 9 million bus trips to model e-scooter trips. We implement a spatial
30 error model (SEM) to evaluate the principal variables influencing trip origins and destinations, and
31 to account for spatial autocorrelation. Also, we make use of a survey with approximately 600
32 respondents to evaluate university e-scooter usage. We explore population characteristics, mode
33 shift, mode interaction, and opinions towards new e-scooter policies and regulations implemented
34 in the university. The contributions of this work include (i) description of e-scooter and transit trip
35 patters in the City of Austin, (ii) analysis of the key variables influencing e-scooter trip origins and
36 destinations, and (iii) evaluation of e-scooter usage in a university environment.

37 Our main findings suggest that there is evidence of interaction between e-scooters and
38 transit trips. However, in the university environment, the mode interaction is not significant, and
39 instead, there is a presence of mode shift between e-scooters and transit.

40 Subsequent sections of the paper are organized as follows: the data description section de-
41 scribes the datasets used, data cleaning and processing, and description of scooter and transit trips;

¹The first-mile-last-mile problem refers to the problem which public transportation users face when the distance to access or egress transit stations are higher than their comfortable walking distance, which is typically 400 meters.

42 the methodology presents a description of the survey administration and the spatial model specific-
1 cations; the results' section presents and discusses the main findings; the last section summarizes
2 the principal conclusion of this research effort.

3 DATA DESCRIPTION

4 This research effort encompasses the use of several different publicly-available data sources. In
5 this section, we describe the datasets, data processing, and cleaning, and we provide a general
6 description of the information obtained.

7 Scooter and Transit Data

8 The City of Austin's operating rules for dockless mobility services requires that licensed companies
9 provide access to their fleet information and anonymized data for each trip (17). The City of Austin
10 Transportation Department offers open access to this information for public use and analysis. The
11 dataset contains dockless scooter and bicycle trips and includes variables that describe the trips,
12 such as duration, distance, and location. The location of the origin and destination of the trips
13 is given through the longitude and latitude coordinates², truncated to the third decimal degree, a
14 corresponding precision of 111.32 meters.

15 For this study, we selected trips made between July 1st and December 31st, 2018, corre-
16 sponding to a period with approximate constant scooter demand. During this period, there were
17 a total of 2,118,133 dockless vehicles trips, with 2,044,007 (96.5 percent) scooter trips. This data
18 was processed and cleaned, removing trips with zero and extreme distance or duration values. Cur-
19 rent scooter operators are required to provide the service only in designated areas of the city. Thus,
20 we selected a study area that accounts for 97.7 percent of the scooter trips. The total study area
21 corresponds to the zone delimited by Texas State Highway Loop 1 (West), U.S. Route 183 (East
22 and North), and U.S. Highway 290/TX Highway 71 (South). Figure 1 describes the location of the
23 study area (shaded) and the University of Texas at Austin (UT Austin) campus (drop pin), located
24 in the central area of the City of Austin. The map shows spatial units of Traffic Analysis Zones
25 (TAZs)³ as defined by The Capital Area Metropolitan Planning Organization (CAMPO), which is
26 the selected unit of analysis for the spatial modeling method. After the cleaning process and using
27 only trips within the study area, the final scooter dataset contains 1,714,389 trips, and the total TAZ
28 units located within the study area are 399.

29 The transit information is obtained using open-data provided by Austin's transit agency,
30 Capital Metropolitan Transportation Authority (CapMetro). Transit ridership is obtained using
31 the Automatic Passenger Counts (APC)⁴ dataset, that provides transit vehicle information such as
32 boarding and alighting counts, arrival and departure times, vehicle location (latitude and longitude
33 coordinates), among others. This data is combined with stop locations, obtained from the General
34 Transit Feed Specification (GTFS) data. We matched the vehicle location from APC with the stop
35 location identification number from GTFS. The processing and cleaning stage included removal of
36 double counts per stops, counts located more than 50 meters away from the corresponding stop,
37 and extreme values of boarding and alighting counts.

²On April 12th, 2019, the City of Austin restricted the location information as a measure to protect users' privacy. Therefore, the currently available location information is aggregated at Census Tract level.

³TAZs are geographic areas dividing a planning region into relatively similar areas of land use and land activity.

⁴The APC is an electronic device, installed on transit vehicles, that captures information of passengers' boarding and alighting.

38 In addition to ridership, we also estimated transit supply information, such as peak-hour
 1 bus frequency and stop density summarized at TAZ-level. We selected the same study period,
 2 between July 1st and December 31st, 2019, and filtered for trips within the defined study area. The
 3 total transit dataset contains 6,900,898 stop-level transit vehicle trips, corresponding to a total of
 4 9,033,289 passenger boarding counts and 9,037,738 passenger alighting counts.




FIGURE 1: Location of study area (shaded) and UT Austin (drop pin)

5 Other Data Sources

6 In addition to e-scooter and transit trip information, we obtained socio-demographic, race and eth-
 7 nicity, age distribution, and household information to characterize the study area. This information
 8 is obtained using TAZ-level data obtained from the CAMPO website⁵ and from the American
 9 Community Survey (ACS) 2016. The ACS information is aggregated at Block Groups (BG) level;
 10 therefore, an additional spatial process was required to summarize at TAZ-level. The process con-
 11 sisted of intersecting TAZ and BG areas to estimate the proportion of BG per TAZ. The TAZ
 12 summary included the average BG values weighted by BG area and population density within the
 13 BG.

14 Summary of Data

15 This section describes the data used in the analyses as well as the spatial aggregation of the infor-
 16 mation.

17 Description of Scooters and Transit Trips


18 Figure 2 shows a summary of scooter and transit data, obtained after the cleaning and process-
 19 ing procedure described in the previous sections. The description is divided into “Total” values,
 20 corresponding to the total study area, and “UT Austin,” corresponding to UT Austin campus and
 21 surrounded areas (refer to Figure 1).

22 An average of 35 percent of scooter trips and 22 percent of transit boarding counts are
 23 made within UT Austin and surrounded areas. Figures 2a and b present the daily ridership for

⁵The CAMPO website can be accessed at <https://www.campotexas.org/>

24 the six months analyzed for scooters and transit, respectively. The scooter time series shows the
1 influence of the Summer semester (July and part of August), corresponding to a high absence of
2 students in the area. The university zone presented lower ridership values compared to other dates
3 in October and November, where the majority of total scooter ridership corresponded to this area.
4 The absence of students also influences the transit values during the Summer semester, and this
5 data presents a very marked weekly seasonality. Figure 2c summarizes ridership by month. July
6 is the month with lower trip demand, while October presents the highest number of scooter and
7 transit trips.

8 The average weekday ridership is shown in Figure 2d. As mentioned previously, transit
9 ridership presents a marked weekly seasonality. It can be related to the differences in weekday and
10 weekend trips, where weekend trips are reduced by approximately 50 percent. In contrast, scooter
11 trips seem to increase during the weekend and maintain a constant number of trips per weekday.
12 Figures 2e and f present the average hourly ridership for scooters and transit, respectively. During
13 weekdays, there are three peaks in the hourly distribution, corresponding to the system-wide AM-
14 peak and PM-peak (generally related to commuting trips), and a mid-day peak. During weekends
15 the trips start increasing beyond 9 AM, and there is only one peak across the day, where the average
16 hourly trip rate is higher than Monday to Friday trips. Transit demand presents a marked AM and
17 PM peak during weekdays, and one peak during weekends, where ridership is considerably lower.

**FIGURE 2:** Scooters and transit data summary

18 Spatial Aggregation

- In this paper, average daily scooter and transit trips are used for the spatial modeling method. The unit of analysis is TAZ; therefore, these variables are summarized at TAZ-level. Since weekday trips differ considerably from weekend trips, as discussed in the previous section, we separate the analysis between average weekday and average weekend ridership.


5 Table 1 provides descriptive statistics for e-scooter and transit trips, as well as variables that
1 describe the study area, corresponding to a total of 399 TAZs. The summary includes minimum
2 and maximum values, the sample mean, and the standard deviation. This information is obtained
3 from different data sources; for this reason, the corresponding source year is shown within square
4 brackets.

5 Descriptive statistics of the number of scooter and transit trips show a significant spatial
6 heterogeneity. Results of the spatial distribution of scooter and transit trip origins (or boarding)
7 are shown in Figure 3 for average weekday and weekend trips. Similar patterns are found for
8 destination or alighting trips, so these maps are omitted. Areas with a high number of trips differ
9 among weekend and weekdays. Scooter weekday trips show a high concentration near the UT
10 Austin area. While for weekends, the Downtown area shows higher average daily trips, specifically
11 in locations near recreational areas. Similarly, transit trips are highly concentrated between UT
12 Austin and the South-East area corresponding to the Riverside zone, a very dense area.

TABLE 1: Descriptive statistics at TAZ-level

Variables	Min.	Max.	Mean	Std. Dev.
E-scooter information [2018]				
Number of trips origin in a weekday	1.00	894.54	22.75	58.11
Number of trips origin in a weekend	0.00	639.00	27.32	52.48
Number of trips destinations in a weekday	1.00	922.89	22.62	58.54
Number of trips destinations in a weekend	0.00	621.11	27.22	52.05
Transit demand [2018]				
Number of boardings in a weekday	0.00	3,332.49	139.21	282.26
Number of boardings in a weekend	0.00	1,239.62	81.85	146.38
Number of alightings in a weekday	0.00	3,106.24	139.54	273.87
Number of alightings in a weekend	0.00	1,500.00	81.37	146.39
Transit supply [2018]				
Stop density (stops/km ²)	0.00	248.71	15.36	25.13
Bus frequency in weekday peak hour (buses/hour)	0.00	22.60	3.11	2.84
Bus frequency in weekend peak hour (buses/hour)	0.00	14.83	2.47	2.05
Socio-demographic information				
Population density (residents/km ²) [2016]	0.00	19,390.70	2,352.20	2,202.66
Employment density (employees/km ²) [2015]	0.00	161,932.20	8,447.20	19,150.91
Retail employment density (employees/km ²) [2015]	0.00	46,442.92	1,429.38	4,000.53
Race or ethnicity [2016]				
Proportion of White population	0.00	1.00	0.80	0.11
Proportion of Black/African American population	0.00	0.66	0.06	0.09
Proportion of Asian population	0.00	0.32	0.08	0.05
Proportion of other races	0.00	0.41	0.06	0.08
Age distribution [2016]				
Proportion of population aged 17 year and below	0.00	0.50	0.13	0.09
Proportion of population aged 18-34 years	0.00	1.00	0.41	0.16
Proportion of population aged 35-64 years	0.00	0.61	0.37	0.11
Proportion of population aged 65 years and above	0.00	0.32	0.08	0.05
Household information [2015]				
Average household size	0.00	4.06	1.86	0.93
Median household income (USD)	0.00	165,770.00	41,290.00	28,068.03

13 The transit supply varies across the study area, with stop density from zero to 15.36 stops
 1 per squared-kilometer, approximately. The average transit frequency for weekdays is 3.11 and for
 2 weekends is 2.47 buses per hour. The socio-economic variables indicate that the area contains a
 3 high fraction of White population and a majority within the 18 and 64 years age range. The average
 4 household income is USD 41,290, and average household size is 1.86 persons.

**FIGURE 3:** Average daily trips by TAZ

5 METHODOLOGY

- 1 This section presents the spatial regression model and describes the methodology used for the
- 2 university survey.

3 Spatial Autocorrelation

- 4 In this study, scooter trips are modeled to evaluate the key variables influencing trip origins and
- 5 destinations. Due to the spatial characteristic of the data, an ordinary least squares (OLS) model is
- 6 not appropriate. First models estimated using OLS were tested for spatial autocorrelation, and the
- 7 results showed spatial dependence. We used Moran's I (Equation 1)⁶ test, the most commonly used
- 8 spatial variability test, to evaluate the models' residuals. Moran's I statistics values are between -1
- 9 and 1. Positive values indicate spatial aggregation. Negative values indicate spatial dispersion, and
- 10 a value near zero refers to a spatially random distribution. The null hypothesis of the test is that the

⁶The neighbors are defined using queen contiguity weights.

11 model residuals are spatially independent. It uses a Z-score, shown in Equation 2, as an indicator
 1 of the significance of the Moran's I statistic to verify the null hypothesis.

$$I = \frac{n}{\sum_{i=1}^n \sum_{j=1}^n w_{ij}} \frac{\sum_{i=1}^n \sum_{j=1}^n w_{ij}(\varepsilon_i - \bar{\varepsilon})(\varepsilon_j - \bar{\varepsilon})}{\sum_{i=1}^n (\varepsilon_i - \bar{\varepsilon})^2} \quad (1)$$

3 Where, n is the number of spatial units; w_{ij} is the weight between location i and j ; ε_i and
 4 ε_j are the OLS residuals at locations i and j , respectively; and $\bar{\varepsilon}$ is the average of all residuals.

$$Z(I) = \frac{I - E(I)}{\sqrt{Var(I)}} \quad (2)$$

6 Where, $E(I)$ and $Var(I)$ are the expectation and the standard deviation of the Moran's I
 7 statistic, respectively.

8 Spatial Error Model

9 The spatial effects are incorporated using a spatial error model (SEM). SEM is useful when there
 10 is spatial autocorrelation among residuals (18). The SEM model can be expressed as follows:

$$y = \mathbf{X}\beta + \varepsilon \quad (3)$$

11 Where, y is the dependent variable; \mathbf{X} is the matrix of explanatory variables; and ε is the
 12 error, specified as follows:

$$\varepsilon = \lambda W\varepsilon + \mu \quad (4)$$

13 Where, λ is the autoregressive parameter and μ is a random error term, assumed normal
 14 (see Equation 5). If λ is statistically significant, it indicates the existence of variables with spatial
 15 autocorrelation.

$$\mu \sim N(\mathbf{0}, \sigma^2 I_n) \quad (5)$$

16 University Survey

17 In addition to the e-scooter model, we surveyed a university environment using UT Austin as a
 18 case study. This location contains nearly 35 percent of scooter trips and 22 percent of transit trips
 19 in the selected study area. During the Fall semester, 2018, UT Austin had an approximate total
 20 of 55,000 students and faculty, with 40,804 undergraduate students, 11,028 graduate students, and
 21 3,133 faculty (19). The office of Parking and Transportation Services (PTS) and other adminis-
 22 trative offices at UT Austin helped in sending the survey to students using email addresses during
 23 May 2019. The survey sample is not completely random, and the rate of response was not con-
 24 trolled. However, more than 500 students responded, representing nearly one percent of the student
 25 population, which is highly representative.

26 The survey was designed and administrated using Qualtrics, and it contains questions re-
 27 garding trip information, where respondents were asked if they used an e-scooter to commute to,
 28 from, or within the university campus. The survey questions include the description of the most
 29 recent e-scooter trip (such as duration and trip purpose), demographic information, and opinions
 30 regarding the implementation of new e-scooter regulations within the campus. The campus rules
 31 and guidelines for scooter operation require e-scooter users to operate them only in areas where bi-

cycle traffic is allowed. Scooters can be parked only at bike racks or in designated scooter parking spaces/areas, as shown in Figure 4. Also, the maximum e-scooter speed limit is eight mph, which is controlled electronically once the device enters the campus area. Failure to follow university regulations result in impound fees to the provider who transfers this cost to the corresponding user (20).



FIGURE 4: Designated e-scooter parking locations

5 RESULTS AND DISCUSSION

This section presents the main results and a discussion of the main findings. First, we present the results from the model estimation. Second, we analyze the survey outcomes.

8 Model Estimation

A total of four models are estimated independently and correspond to the average daily scooter trip origins during weekdays and weekends, and average daily scooter trip destinations during weekdays and weekends, summarized by TAZ areas. The SEM models were estimated using R software. Variables shown in Table 1 were considered, and different functional forms were tested during the analysis based on previous research findings. The final model specification and its estimated values are presented in Table 2. It includes the corresponding p-value, model characteristics, such as the log-likelihood, Akaike information criterion (AIC), and the results of the Moran's I test for the model residuals.

Results for the model estimation indicate that the number of transit boardings and alightings has an impact on scooter destinations and origins, respectively. The estimated coefficients for these variables have a low magnitude (ranging from 0.03 to 0.11), and they are statistically significant for all the models. Although significant, this result also can be related to other trends in transit ridership not captured in the model and study design. This limitation is also highlighted by different authors with similar modal-integration results such as Ma et al. (21), and Campbell and Brakewood (7).

The transit supply coefficients, stop density and bus frequency, are negative and statistically significant for the weekday models only. These results suggest that areas with a low number of stops and bus frequency tend to have many scooter trips, and as the transit service improves, e-

27 scooter demand decreases. In terms of FMLM, increments in stop density values are related to
 1 lower transit access/egress distances. Thus, it is expected that e-scooters do not interact with
 2 buses, since walking trips are within users' tolerance. Similar results from a bikeshare program in
 3 Washington D.C. found that shifts towards transit (bus and rail) usage were more significant for
 4 those living in the urban periphery than for those in the urban core (8).

5 Among the demographic variables included in the model, population density has a significant
 6 influence on scooter trips, as expected. While employment density only has effects on week-
 7 day models, suggesting that weekday trips are likely linked with work-related activities. However,
 8 retail employment is not significant for any of the models.

9 Results suggest that variables for racial/ethnic background and age did not capture any
 10 effect. Similarly, household income was not significant. The variable controlling for the location
 11 of the university was found positive and significant, suggesting that a high number of trips are
 12 generated in this area, which is expected based on the high number of trips starting and ending
 13 there.

TABLE 2: Estimation results of the spatial error model (SEM)

Variables	Scooter origin				Scooter destination			
	Weekday		Weekend		Weekday		Weekend	
	Est.	(p-val.)	Est.	(p-val.)	Est.	(p-val.)	Est.	(p-val.)
No. of boardings in a weekday					0.09	(0.00)*		
No. of boardings in a weekend							0.05	(0.00)*
No. of alightings in a weekday	0.11	(0.00)*						
No. of alightings in a weekend			0.04	(0.03)*				
Stop density	-0.25	(0.00)*	-0.07	(0.45)	-0.15	(0.07)*	-0.06	(0.54)
Bus frequency in weekday	-2.69	(0.00)*			-2.69	(0.00)*		
Bus frequency in weekend			-1.77	(0.20)			-2.14	(0.12)
Population density (log)	14.05	(0.00)*	11.84	(0.03)*	15.40	(0.00)*	10.93	(0.04)*
Employment density (log)	3.52	(0.02)*	2.38	(0.16)	4.07	(0.01)*	2.47	(0.14)
Retail employment density (log)	-0.37	(0.70)	1.42	(0.19)	-0.27	(0.79)	1.48	(0.17)
Prop. of White population	24.11	(0.32)	13.97	(0.61)	2.29	(0.34)	16.59	(0.54)
Prop. of pop. aged 18-34 years	12.03	(0.49)	28.19	(0.15)	12.54	(0.47)	25.11	(0.20)
Household income (US\$10,000)	0.107	(0.89)	1.06	(0.20)	0.19	(0.80)	1.04	(0.21)
University of Texas at Austin	13.40	(0.00)*	62.70	(0.00)*	15.00	(0.00)*	72.31	(0.00)*
Autoregressive coefficient (λ)	0.56	(0.00)*	0.57	(0.00)*	0.53	(0.00)*	0.57	(0.00)*
Log-likelihood	-2011.84		-2064.09		-2018.24		-2059.50	
Akaike inf. criterion (AIC)	4049.70		4154.20		4062.5		4145.00	
Moran's I residuals	-0.01		-0.01		0.00		-0.01	
Moran's I std. deviate	-0.14	(0.55)	-0.22	(0.59)	-0.03	(0.513)	-0.15	(0.56)

*Note: conditions to reject the null hypothesis with a 90 percent confidence level

14 The autoregressive coefficient has high magnitude, and it is significant for all the modes,
 15 reassuring the spatial effects of the variables and the importance of the implementation of a spatial
 16 model. The Moran's I indicate that the model residuals are spatially random. Thus, the SEM model
 17 was able to separate the spatial effect.

18 **Survey Responses**


1 The survey results were retrieved from the Qualtrics platform and analyzed using Microsoft Excel
 2 tools. A total of 598 responses were collected, where 43 percent (255) are scooter users and 57 per-
 3 cent (343) are non-users. The description of the survey population, presented in Table 3, provides
 4 details about respondents' gender, occupational or student status, racial or ethnic background, and
 5 age groups.

6 The surveyed population showed an equal proportion of male and female respondents. The
 7 majority of them are students, with a higher percentage of graduate (56 percent) compare to un-
 8 dergraduate students (27 percent). While faculty, staff, or post-doctoral researchers are only seven
 9 percent. In terms of racial and ethnic background, the majority are Caucasian or White, followed
 10 by Asian/Pacific Islander and Hispanic/Latino. These proportions are similar to the profiles of stu-
 11 dents from Fall semester, 2018 (19). In terms of age groups, the majority of the respondents (80
 12 percent) are 34 years or younger, as expected for a college area.

TABLE 3: Description of survey population

Description	Total	Percentage	Description	Total	Percentage
Gender			Occupational or student status		
Male	267	45%	Undergraduate student	160	27%
Female	262	44%	Graduate student	336	56%
Other	5	<1%	Faculty, staff, or post-doc	44	7%
No answer	64	11%	No answer	58	10%
Racial or ethnic background			Age groups		
Caucasian/White	326	55%	18-24 year old	222	37%
Asian/Pacific Islander	66	11%	25-34 years old	257	43%
Hispanic/Latino	57	10%	35-44 years old	40	7%
Indian/Pakistani/South Asian	18	3%	45-54 years old	13	2%
Middle-Eastern or Arab	12	2%	55 years or older	6	1%
Black/African America	8	1%	No answer	60	10%
Other	32	5%	Responses		
No answer	79	13%	Total	598	100%

13 The main survey findings are summarized in Figure 5. The e-scooter usage by age (Figure
 14 5a) shows that users are primarily young, and the usage decreases with age. About 51 percent of
 15 users between 18 and 24 years old used e-scooters within the UT campus, while only 17 percent of
 16 respondents 55 years or older used the service. Interestingly, the model developed in the previous
 17 section did not capture this age effect. Results from usage by race and ethnic background show that
 18 only 27 percent of Asian/Pacific Islanders used e-scooters, however, 56 percent of Hispanic/Latino
 19 and Indian/Pakistani/South Asians had used them. From the Caucasian/White population, only
 20 34 percent have used e-scooters at UT Austin. The model did not show significant results for the
 21 racial variable included. However, previous research on ride-sourcing systems show that areas with
 22 a high proportion of White population do not tend to generate high demand for ride-sourcing trips
 23 (22) and are more prone to travel by car only (23, 24).

**FIGURE 5:** Summary of survey results

In term of e-scooter users, Figure 5c shows gender by occupational status. For students, the proportion of male users is 63 percent (undergraduate) and 62 percent (graduate), while for faculty, staff, or post-doctoral researchers it is 56 percent. The total sample has a proportion of 62 percent male and 38 percent female users. Typically, bicycle programs are known to present a significant gender gap (25–27). For the U.S., proportions of males users are found to be as high as three times more than females users (2, 27). Recent authors suggest that e-scooters are likely to attract a more


6 diverse group of users, and can potentially achieve a greater gender parity (2, 28, 29). However,
 1 results from the survey show that the gender gap is still present in this university environment.
 2 Similarly, Akar et al. (25) studied a university area in Ohio in terms of bicycle choice and gender.
 3 The authors found that female are more worried about safety and the lack of infrastructure than
 4 male students, which can help explain the behavior observed for students at UT Austin as well.

5 Respondents were asked to describe the trip purpose of their most recent e-scooter trip at
 6 the university area. Responses are shown in Figure 5d. The majority of trips are work-related, with
 7 “go to class” and “go to a meeting” purposes covering 61 percent and only 23 percent of trips as
 8 recreational (“social/entertainment and “go to a restaurant/meal”). Similar results were found in
 9 Portland, where only 28.6 percent of users said they most frequently used e-scooters for recreation
 10 or exercise (28).


11 The description of the last e-scooter trip in the university area indicates that 28 percent of
 12 users make one or more trips per week. Also, 90 percent of the trips last between two and ten
 13 minutes. The analysis of the e-scooter dataset reveals that, in general, trips made at the university
 14 are shorter than other trips in the city, as shown in Figure 6. The average trip distance in the total
 15 study area is 1.4 kilometers, while for the university area is 1.1 kilometers. Similarly, The average
 16 trips duration is 10.7 minutes, while in the university area is 8.0 minutes.




(a) Trip distance (average per TAZ)



(c) Trip duration (average per TAZ)



(b) Trip distance distribution



(d) Trip duration distribution

FIGURE 6: E-scooter trips characteristics

17 The respondents were asked about mode interaction and mode replacement in terms of (i)

1 modes used to complete the trips in conjunction with e-scooter, and (ii) modes used to complete
2 the trip before e-scooters were available, respectively. Results, shown in Figure 5e, suggest that
3 the majority of the e-scooter trips (70 percent) are complementary to the walking mode, followed
4 by bus (12 percent), and auto (eight percent). While, 47 percent of the e-scooter trips are replacing
5 previous walking trips, and 21 percent are replacing previous transit (bus) trips. These results imply
6 that e-scooters are not increasing transit trips; instead, fewer trips are made by bus because of the
7 introduction of these devices. This finding contradicts the models' outcome, where the interaction
8 between e-scooters and transit was found significant. Based on the trip characteristics, it is likely
9 that university users do not find it attractive to use e-scooters as a FMLM mode. The majority of
10 the trips are relatively short and located within the campus area.

11 The survey included questions regarding new university regulations implemented as a result

12 of the popularity of the e-scooters on campus. First, respondents were asked if they were aware
13 of all campus rules and guidelines for scooter operation, safety, and parking, and 67 percent of
14 the total respondents answered positively. Second, two questions assessed the opinion toward
15 safety improvements after (i) enforcing the designated parking spaces, and (ii) implementation
16 of a campus speed limit. In general, respondents agreed that these measures improved safety.
17 However, there is a different perception between e-scooter users and non-users, as shown in Figure
18 5f. Less e-scooter users agreed on safety improvements, compared to non-user opinion. Finally, e-
19 scooter users were asked if the implementation of a speed limit reduced the number of trips within
20 the university campus. A total of 38 percent of the users agreed that it affected their number of
21 trips.

22 SUMMARY AND CONCLUSION

23 This study analyzed e-scooter and bus transit usage in urban and university environments using
24 different publicly-available datasets and a university campus-wide survey. We used a spatial model
25 to assess the key variables affecting e-scooter origins and destinations. Results suggest that there
26 is not enough evidence of transit trips impacts on e-scooter demand. Results from the university
27 survey indicate that this area presents shorter e-scooter trips than the rest of the city. Instead of
28 transit interaction, users within campus seem to be shifting from transit to e-scooter trips.

29 Results and methods presented in this study can serve multiple purposes. First, from the
30 transit agency and planers' perspective, recognizing the significance of e-scooter and transit inter-
31 action can help develop appropriate policies and measures to incentivize transit usage and can help
32 one understand the role of e-scooters as a complement or supplement for public transportation ser-
33 vices. Second, from the university officials' perspective, understanding the trip characteristics and
34 user opinions can help improve campus transportation options and assess the effectiveness of cam-
35 pus safety measures. Finally, from a transportation research point of view, this study contributes to
36 the scarce literature of e-scooter usage. We implemented advanced spatial models to characterize
37 the principal factors affecting e-scooter demand.

38 Although robust, the four spatial models implemented in this study were considered inde-
39 pendent from each other. However, due to the possible correlation across models, a more appropri-
40 ate approach would be to consider a spatial, seemingly unrelated regression (SUR). This method
41 assumes that the four error terms are correlated (18), and can potentially improve the model estima-
42 tion presented in this paper. Future research is needed to expand on the most appropriate methods
43 to model this kind of information. Also, other limitations of this study include the lack of control

44 for the survey response rate and lack of randomness for the application of the survey. However, due
1 to the large sample, we considered the survey responses representative of the university population.

2 REFERENCES

- 3 [1] H. Bruch, B. Heim, D. Keibach, M. Rist, E. Voychava, Micromobility Systems-Realizing the
4 Scooter Dream (2003).
- 5 [2] R. R. Clellow, The Micro-Mobility Revolution: The Introduction and Adoption of Electric
6 Scooters in the United States, Transportation Research Board 98th Annual Meeting, 19-
7 03991 (2019).
- 8 [3] U. Irfan, Electric Scooters' Sudden Invasion of American Cities, Explained, 2018. URL:
9 [https://www.vox.com/2018/8/27/17676670/
10 electric-scooter-rental-bird-lime-skip-spin-cities](https://www.vox.com/2018/8/27/17676670/electric-scooter-rental-bird-lime-skip-spin-cities).
- 11 [4] H. Sato, T. Miwa, T. Morikawa, A Study on Use and Location of Community Cycle Stations,
12 Research in Transportation Economics 53 (2015) 13–19.
- 13 [5] R. B. Noland, M. J. Smart, Z. Guo, Bikeshare Trip Generation in New York City, Trans-
14 portation Research Part A: Policy and Practice 94 (2016) 164–181.
- 15 [6] E. Fishman, S. Washington, N. Haworth, A. Mazzei, Barriers to Bikesharing: An Analysis
16 from Melbourne and Brisbane, Journal of Transport Geography 41 (2014) 325–337.
- 17 [7] K. B. Campbell, C. Brakewood, Sharing Riders: How Bikesharing Impacts Bus Ridership in
18 New York City, Transportation Research Part A: Policy and Practice 100 (2017) 264–282.
- 19 [8] E. W. Martin, S. A. Shaheen, Evaluating Public Transit Modal Shift Dynamics in Response
20 to Bikesharing: A Tale of Two US Cities, Journal of Transport Geography 41 (2014) 315–
21 324.
- 22 [9] S. Shaheen, E. Martin, A. Cohen, Public Bikesharing and Modal Shift Behavior: A Compar-
23 ative Study of Early Bikesharing Systems in North America (2013).
- 24 [10] HR&A Advisors, Inc. and Nelson-Nygaard, The Benefit of E-Scooters During The L Train
25 Shutdown, Technical Report, 2018. URL: [https://www.bird.co/wp-content/uploads/
26 2018/12/NYC-L-Train-E-Scooter-Benefits-Study.pdf](https://www.bird.co/wp-content/uploads/2018/12/NYC-L-Train-E-Scooter-Benefits-Study.pdf).
- 27 [11] A. Davol, A New Model for Airport Ground Transportation: Transportation Network Com-
28 panies at San Francisco International Airport, Journal of Airport Management 11 (2017)
29 147–153.
- 30 [12] K. Fang, A. W. Agrawal, J. Steele, J. J. Hunter, A. M. Hooper, Where Do Riders Park Dock-
31 less, Shared Electric Scooters? Findings from San Jose, California, Technical Report, 2018.
32 URL: https://scholarworks.sjsu.edu/mti_publications/244/.
- 33 [13] S. Aono, A. Bigazzi, Industry Stakeholder Perspectives on the Adoption of Electric Bicycles
34 in British Columbia, Transportation Research Record 2673 (2019) 1–11.
- 35 [14] K. Fang, A. W. Agrawal, A. Hooper, Electric Kick Scooters on Sidewalks in Virginia but Not
36 in California? A Review of How States Regulate Personal Transportation Devices, Technical
37 Report, 2018. URL: https://scholarworks.sjsu.edu/mti_publications/244/.
- 38 [15] Governing Micro-mobility: A Nationwide Assessment of Electric Scooter Regulations, No.
39 19-05267, 98th Annual Meeting of the Transportation Research Board, Washington, DC,
40 2019.
- 41 [16] N. Zuniga-Garcia, M. Tec, J. G. Scott, N. Ruiz-Juri, R. B. Machemehl, Evaluation of ride-
42 sourcing search frictions and driver productivity: A spatial denoising approach, Transpor-
43 tation Research Part C: Emerging Technologies 110 (2020) 346–367.

- 44 [17] City of Austin Transportation Department, Director Rules for Deployment and Operation of
1 Shared Small Vehicle Systems, 2018. URL: https://austintexas.gov/sites/default/files/files/Transportation/Dockless_Adopted_Tracked_Changes.pdf.
- 2 [18] L. Anselin, Spatial Econometrics: Methods and Models, Kluwer Academic Publisher, 1988.
- 3 [19] The University of Texas at Austin, Facts and Figures, 2019. URL: <https://www.utexas.edu/about/facts-and-figures>.
- 4 [20] The University of Texas at Austin Parking and Transportation Services, Campus Rules
5 and Guidelines for Scooter Operation, 2019. URL: <https://parking.utexas.edu/electric-scooters-0#rules>.
- 6 [21] T. Ma, C. Liu, S. Erdogan, Bicycle Sharing and Public Transit: Does Capital Bikeshare
7 Affect Metrorail Ridership in Washington, DC?, *Transportation research record* 2534 (2015)
8 1–9.
- 9 [22] P. S. Lavieri, F. F. Dias, N. R. Juri, J. Kuhr, C. R. Bhat, A Model of Ridesourcing Demand
10 Generation and Distribution, *Transportation Research Record* 2672 (2018) 31–40.
- 11 [23] G. Giuliano, Travel, Location and Race/Ethnicity, *Transportation Research Part A: Policy*
12 and Practice
- 13 37 (2003) 351–372.
- 14 [24] M. J. Smart, A Nationwide Look at The Immigrant Neighborhood Effect on Travel Mode
15 Choice, *Transportation* 42 (2015) 189–209.
- 16 [25] G. Akar, N. Fischer, M. Namgung, Bicycling Choice and Gender Case Study: The Ohio State
17 University, *International Journal of Sustainable Transportation* 7 (2013) 347–365.
- 18 [26] E. Heinen, K. Maat, B. Van Wee, Day-to-Day Choice to Commute or Not By Bicycle,
19 *Transportation Research Record* 2230 (2011) 9–18.
- 20 [27] H. Six, A shared belonging: Designing for equitable micromobility in portland, oregon
21 (2019).
- 22 [28] Portland Bureau of Transportation (PBOT), 2018 E-scooter Findings Report, Technical
23 Report, 2018. URL: <https://www.portlandoregon.gov/transportation/article/709719>.
- 24 [29] A. Morgan, Three Ways E-Scooters Could Make Cities Safer +
25 More Equitable, 2019. URL: <https://www.kittelson.com/ideas/three-ways-e-scooters-could-make-cities-safer-more-equitable/>.