ÉCOLE CENTRALE DE NANTES

MASTER CORO-IMARO
"CONTROL AND ROBOTICS"

2016 / 2017

Master Thesis Report

Presented by

Student Name

On Date

The title of the master thesis

Jury

Evaluators:	Name	Position (Institution)
	Name	Position (Institution)
	Name	Position (Institution)
Supervisor(s):	Name	Position (Institution)
	Name	Position (Institution)

Laboratory: Laboratoire des Sciences du Numérique de Nantes LS2N

Abstract

Do not forget to check each reference while importing in your Bibtex file. Especially, IEEExplore export may lead to ill-formatted conference name like *Robotics and Automation, IEEE International Conference on*.

Acknowledgements

Notations

Abbreviations

List of Figures

List of Tables

Contents

Introduction

Chapter 1

State of the art

1.1 First topic

1.2 Second topic

Chapter 2

Actual work

When dealing with rectangled triangles (see Figure 2.1) I sometimes used this theorem from [1]:

$$a^2 + b^2 = c^2 \tag{2.1}$$

The demonstration is in Appendix A.



Figure 2.1: A triangle with letters

Chapter 3

Experiments

When trying to draw a rectangled triangle, my program comes up with Figure 3.1 that is neither rectangled nor a triangle.



Figure 3.1: Triangle drawn by my program. Note the 4th side.

Unless there is a bug in my program, which is unlikely, this research indicates that the whole theory on triangles having 3 sides has been wrong for years, maybe decades.

Conclusion

Appendix A

Proof of theorem 2.1

Proof. (2.1) was already demonstrated in [2]. □

Bibliography

[1] O. S. Pythagoras, "Theorem," *Some old journal*, vol. 1, no. 1, Feb. -580.

[2] O. A. Euclides, "Elements," *Self-published*, vol. 1, no. 1, Feb. -300.