Swagger
Supported by SMARTBEAR

/v3/api-docs Explore

OpenAPI definition v0 OAS 3.1

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

user-controller

POST /api/v1/users/{userId}/charge 잔액 충전

사용자의 잔액을 충전합니다.

Parameters Try it out

Name	Description
userId * required integer($int64) (path)	userId

Request body required application/json

Example Value | Schema

```
{
  "chargeAmount": 1073741824
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value | Schema	No links

```
{
  "success": true,
  "message": "string",
  "data": {
    "userId": 9007199254740991,
    "balance": 1073741824
  }
}
```

GET /api/v1/users/{userId}/coupons 보유 쿠폰 목록 조회

사용자가 보유한 쿠폰 목록을 조회합니다.

Parameters Try it out

Name	Description
userId * required integer($int64) (path)	userId
request * required object (query)	

```
{
  "userId": 9007199254740991,
  "couponName": "string",
  "discountType": "FIXED_RATE",
  "startDate": "2025-01-12",
  "endDate": "2025-01-12",
  "status": "ACTIVE",
  "page": 1073741824,
  "size": 1073741824
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value | Schema	No links


```
{
  "success": true,
  "message": "string",
  "data": {
    "totalPages": 1073741824,
    "totalElements": 9007199254740991,
    "numberOfElements": 1073741824,
    "pageable": {
      "paged": true,
      "pageNumber": 1073741824,
      "pageSize": 1073741824,
      "unpaged": true,
      "sort": {
        "unsorted": true,
        "sorted": true,
        "empty": true
      },
      "offset": 9007199254740991
    },
    "sort": {
      "unsorted": true,
      "sorted": true,
      "empty": true
    },
    "number": 1073741824
```


GET /api/v1/users/{userId}/balance 잔액 조회

사용자의 잔액을 조회합니다.

Parameters

Try it out

Name	Description
userId * required integer($int64) (path)	userId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value | Schema	No links


```
{
  "success": true,
  "message": "string",
  "data": {
    "userId": 9007199254740991,
    "balance": 1073741824
  }
}
```


payment-controller

POST /api/v1/payments 결제 요청

주문에 대한 결제를 요청합니다.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "userId": 9007199254740991,
  "orderId": 9007199254740991,
  "payAmount": 1073741824
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header.	No links

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "id": 9007199254740991,
    "refOrderId": 9007199254740991,
    "payDate": "2025-01-12",
    "payAmount": 1073741824,
    "status": "SUCCESS",
    "failureReason": "string",
    "transactionId": "string",
    "createdAt": "2025-01-12T07:52:21.744Z",
    "updatedAt": "2025-01-12T07:52:21.744Z"
  }
}
```

order-controller

POST /api/v1/orders 주문 요청

선택 상품에 대한 주문을 요청합니다.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "userId": 9007199254740991,
  "couponPublishId": 9007199254740991,
  "orderItemList": [
    {
      "productId": 9007199254740991,
      "quantity": 1073741824,
      "price": 1073741824
    }
  ]
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header.	No links

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "orderId": 9007199254740991,
```

```
    "totalAmount": 1073741824,
    "orderDateTime": "2025-01-12T07:52:21.747Z"
  }
}
```

coupon-controller

POST `/api/v1/coupons/publish` 쿠폰 발급 요청

쿠폰 발급을 요청합니다.

Parameters Try it out

No parameters

Request body required — application/json

Example Value | Schema

```
{
  "couponId": 9007199254740991,
  "userId": 9007199254740991,
  "validStartDate": "2025-01-12",
  "validEndDate": "2025-01-12"
}
```

Responses

Code	Description	Links
200	OK Media type: */* Controls `Accept` header. Example Value | Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "data": {
    "couponPublishId": 9007199254740991
  }
}
```

product-controller

GET `/api/v1/products` 상품 목록 조회

상품 목록을 조회합니다.

Parameters Try it out

Name	Description
request * required object *(query)*	

```
{
  "productName": "string",
  "startPrice": 1073741824,
  "endPrice": 1073741824,
  "category": "OUTER",
  "page": 1073741824,
  "size": 1073741824
}
```

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "message": "string",
  "data": {
    "totalPages": 1073741824,
    "totalElements": 9007199254740991,
    "numberOfElements": 1073741824,
    "pageable": {
      "paged": true,
      "pageNumber": 1073741824,
      "pageSize": 1073741824,
      "unpaged": true,
      "sort": {
        "unsorted": true,
        "sorted": true,
        "empty": true
      },
      "offset": 9007199254740991
    },
    "sort": {
      "unsorted": true,
      "sorted": true,
      "empty": true
    },
    "number": 1073741824
```


GET /api/v1/products/top-sales 상위 상품 목록 조회

3일 기준 판매량 상위 5개의 상품을 조회합니다.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "message": "string",
  "data": [
    {
      "productId": 9007199254740991,
      "category": "OUTER",
      "productName": "string",
      "price": 1073741824,
      "soldQuantity": 1073741824,
      "totalAmount": 1073741824
    }
  ]
}
```


Schemas

ChargeRequest Expand all object

ApiResponseBalanceResponse Expand all object

BalanceResponse Expand all object

PaymentRequest Expand all object

ApiResponsePayment Expand all object

Payment Expand all object

OrderItemRequest Expand all object

OrderRequest Expand all object

OrderRequest > Expand all object

ApiResponseOrderResponse > Expand all object

OrderResponse > Expand all object

CouponPublishRequest > Expand all object

ApiResponseCouponPublishResponse > Expand all object

CouponPublishResponse > Expand all object

CouponRequest > Expand all object

ApiResponsePageUserCouponResponse > Expand all object

PageUserCouponResponse > Expand all object

Pageablenull > Expand all object

Sortnull > Expand all object

UserCouponResponse > Expand all object

ProductSelectRequest > Expand all object

ApiResponsePageProductResponse > Expand all object

PageProductResponse > Expand all object

ProductResponse > Expand all object

ApiResponseListTopSalesProductResponse > Expand all object

TopSalesProductResponse > Expand all object