

Expopt version 2.2.a

Per-Olof Widmark

December 17, 2021— very tentative version

1. Introduction

This program is intended for optimizing primitive gaussian functions for basis sets.

A primitive gaussian basis set is defined by a set of gaussian functions with exponents $\{\alpha_k\}_{k=0,n-1}$ such that an atomic orbital will be expressed by

$$\varphi_p = \sum_{k=0}^{n-1} c_{k,p} r^\ell e^{-\alpha_k r^2} \quad (1)$$

where ℓ is the orbital angular momentum.

The primitive exponents are updated according to

$$\ln \alpha_k = \ln \alpha_k^0 + \sum_{i=0}^{m-1} a_i g_i(k) \quad (2)$$

where $\{\alpha_k^0\}_{k=0,n-1}$ is the start values for the exponents, $\{g_i(k)\}_{i=0,m-1}$ is a set of generator functions and a_i is a set of coefficients to be determined. The optimization criterion is the lowest possible energy.

There are a few different generators implemented described below in the keywords section.

* How to use the program

Expopt is basically an interpreter, when it reads a keyword then something gets executed. For example if you have the keyword **Energy** in the input the energy is computed with the basis set that is defined at that point, after the completion of the energy calculation the next keyword is read.

Apart from an input file you need to supply an executable file with name **energy.ksh**. Note that this file must be in the current directory. The purpose of this executable is to produce an energy for a given primitive basis set. **energy.ksh** reads the basis set from file **BASIS.DAT** and writes a file **ENERGY.DAT** which contains a single number namely the energy.

See page 4 for an example of the file **energy.ksh**. See page 5 for an example of the format of file **BASIS.DAT**. See figure 1 on page 2 for a graphical description of how the program works.




Figure 1: How expopt works

2. Keywords

All keywords are case sensitive and are needed to be written as stated. Use # at the start of a line for comments. First line is a magic word:

#ExpOpt-2.0

ChangeZ Advanced keyword: Change Z value

Charge Define the nuclear charge that is to be used in the calculation. Note that it is not automatically set the Z value when you define a shell and must be defined.

Define Define the set of primitive exponents in a shell. On the following line(s) the atomic number, ℓ -quantum number of the shell and the number of primitives are read, followed by reading all the exponents. Example:

Define

7 0 6 100.0 30.0 9.0 2.7 0.81 0.243

defines an s-shell with 6 exponents for nitrogen ($Z=7$).

Energy Calculate the energy for the shells currently defined.

Extend Advanced keyword: two integers are required: a number of a shell, and for how much it should be extended.

Generator Select the generator for optimizing the basis sets. the generator can be one of

HotTempered Generator functions are: $g_0(k) = 1$, $g_1(k) = k$, $g_2(k) = k^{-1}$, $g_3(k) = k^{-2}$, $g_4(k) = k^{-3}$ etc.

HotPoly Generator functions are: $g_0(k) = 1$, $g_1(k) = k$, $g_2(k) = k^{-1}$, $g_3(k) = k^2$, $g_4(k) = k^3$ etc.

Polynomial Generator functions are: $g_i(k) = k^i$.

Cosine Generator functions are: $g_i(k) = \cos\left(\pi \frac{(k-1)*i}{n-1}\right)$, $i \in [0, n-1]$ and $k \in [1, n]$.

Unit Generator functions are: $g_i(k) = \delta_{i,k}$.

SplitValence Generator functions are: $g_0(k) = 1$, $g_1(k) = k$, $g_2(k) = k^{-1}$, $g_3(k) = \delta_{k,n-1}$, $g_4(k) = \delta_{k,n-2}$, $g_5(k) = \delta_{k,n-3}$ etc assuming that there are n primitive functions.

Exponential Read the exponent value from the input

gThreshold Set the value for the norm of the gradient at convergence. Used with the QN method.

Method Select method for optimizing exponents. The method can be one of

QN Implemented, default.

Amoeba Implemented.

Powell Powell (under development).

Optimize Optimize specified shell. Following the keyword is the number of the shell, 0 for s-shell, 1 for p-shell etc. Thereafter is a list of the directions along which the optimization is performed. For example

`Optimize 1 0 1 2`

will optimize the p-shell in the space of the first three (0, 1, and 2) directions defined by the generator.

OptimizeWithDirections

Penalty

Print

SelectShell

PrintRaw

Step

Threshold Set the value for the difference in energy between two iterations at convergence. Used with the QN method.

A. How the program works

This is a short summary of how the program works.

The program itself have no capability to compute the energy for a given primitive basis set but relies on an external code to do that. The procedure is the following

1. Use the start exponents.
2. Create a file named BASIS.DAT.
3. Call an external program/script named `energy.ksh` in the current directory.
4. Program/script `energy.ksh` computes the energy using BASIS.DAT.
5. Program/script `energy.ksh` computes and writes a file ENERGY.DAT that contains the energy.

6. The energy is read from file ENERGY.DAT.
7. If the optimization is converged, stop.
8. Decide on the next set of exponents to calculate an energy for and go to step 2.

B. Sample files

In this appendix some sample files are listed.

* File energy.ksh

This script is invoked by expopt and in turn starts a molcas job, waits until completion and then extracts the energies from the log file, and creates the file ENERGY.DAT. In this particular case all RASSCF energies are extracted and averaged. The first awk statement simply processes all lines containing the string **Average CI energy** and prints the 4'th item (the energy) and puts the results in a temporary file. The second awk statement then simply averages these energies.

You could easily replace these awk commands with grep and sed combinations that accomplish the same thing.

```
#!/bin/ksh
./Sn.energy.ksh > Sn.energy.log 2> Sn.energy.err
awk '/Average CI energy/{print $4}' Sn.energy.log > energy.tmp
awk -f average.awk energy.tmp > ENERGY.DAT
exit
```

* File average.awk

This is just an awk script that averages the energies in a file with multiple energies. Could just as well have been inlined.

```
BEGIN{ s=0; n=0; }
{ s=s+$1; n=n+1; }
END{ s=s/n; printf(" %.10f\n",s); }
```

* File Sn.expopt.input

This is an input file for optimizing the s-shell for Sn atom.

```
#ExpOpt-2.0
#
# Optimizing Sn basis set
#
Threshold 0.10e-6
Charge 50.0
Generator HotTempered
#---
Define
50 0 22 30478431.6 4625993.26 976417.834 248618.795 72736.2434
```

```

23688.1235 8402.61916 3188.63522 1274.98676 532.192307
229.810408 98.2017082 44.8412729 20.8208529 9.74349605
4.53424229 2.02629829 0.84940458 0.32027879 0.10083040
0.04033216 0.01613286

```

Define

```

50 1 19 1224643.53 177456.003 37958.6836 10372.4236 3414.51095
1289.09077 537.195567 240.599182 113.302609 55.3080046
27.3028315 13.4581595 6.74330142 3.13136544 1.46412063
0.65369320 0.18811129 0.06053112 0.02421245

```

Define

```

50 2 13 1274.98676 532.192307 229.810408 98.2017082 44.8412729
20.8208529 9.74349605 4.53424229 2.02629829 0.84940458
0.32027879 0.12811152 0.05124461

```

#---

#Energy

Optimize 0 0 1

#Optimize 1 0 1

#Optimize 2 0 1

*** File ENERGY.DAT**

This file should contain only one single floating point number representing the energy.

```

-6172.3175324500

```

*** File BASIS.DAT**

The file BASIS.DAT is in a format suitable for SEWARD. The first line contains the nuclear charge and the highest angular momentum. Then for each ℓ -shell you have: one line with two integers, one for the number of primitives and one for the number of contractions files. This is followed by all the exponents and finally the contraction matrix which is simply the unit matrix.

```

50.00 2
22 22
30478431.60000000
4625993.26000000
976417.83400000
248618.79500000
72736.24340000
23688.12350000
8402.61916000
3188.63522000
1274.98676000
532.19230700
229.81040800
98.20170820
44.84127290
20.82085290
9.74349605

```

4.53424229
 2.02629829
 0.84940458
 0.32027879
 0.10083040
 0.04033216
 0.01613286
 1. 0.
 0. 1. 0.
 0. 0. 1. 0.
 0. 0. 0. 1. 0.
 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0.
 0. 1. 0. 0. 0.
 19 19
 1224643.53000000
 177456.00300000
 37958.68360000
 10372.42360000
 3414.51095000
 1289.09077000
 537.19556700
 240.59918200
 113.30260900
 55.30800460
 27.30283150
 13.45815950
 6.74330142
 3.13136544
 1.46412063
 0.65369320
 0.18811129
 0.06053112
 0.02421245
 1. 0.

0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1.

13 13

1274.98676000

532.19230700

229.81040800

98.20170820

44.84127290

20.82085290

9.74349605

4.53424229

2.02629829

0.84940458

0.32027879

0.12811152

0.05124461

1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0. 0. 0.
 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1.