






Particiones de disco

Wuke Zhang

1-ASIR





```

===== SystemRescue 11.08 (x86_64) ===== tty1/6 =====
https://www.system-rescue.org/


* Console environment :
  Run setkmap to choose the keyboard layout (also accessible with the arrow up key)
  Run manual to read the documentation of SystemRescue



* Graphical environment :
  Type startx to run the graphical environment
  X.Org comes with the XFCE environment and several graphical tools:
  - Partition manager: .. gparted
  - Web browser: ..... firefox
  - Text editor: ..... featherpad

sysrescue login: root (automatic login)

[root@sysrescue ~]# loadkeys es
[root@sysrescue ~]# ñ

```







New Partition #3	ext4	4.88 GiB	---	---
▼ New Partition #4	extended	30.35 GiB	---	---
New Partition #5	linux-swap	1000.00 MiB	---	---
New Partition #6	ntfs	4.88 GiB	---	---
New Partition #7	ext4	4.88 GiB	---	---
New Partition #8	fat32	4.88 GiB	---	---
unallocated	unallocated	14.72 GiB	---	---

Create Logical Partition #5 (linux-swap, 1000.00 MiB) on /dev/sdc
 Create Logical Partition #6 (ntfs, 4.88 GiB) on /dev/sdc
 Create Logical Partition #7 (ext4, 4.88 GiB) on /dev/sdc
 Create Logical Partition #8 (fat32, 4.88 GiB) on /dev/sdc

8 operations pending





EL mio es /dev/sdc porque la /dev/sdb es de la copia de seguridad de la actividad anterior.