

Calibres GroupLab knows

Every name the calibre input recognises and the bullet diameter it gives. Generated by grouplab calibres from src/GroupLab.Core/Marking/Calibre.cs; do not edit it by hand, because a test fails when this file differs from what the command writes.

1. Bullet diameters

From Alan's rifle and pistol lists. A name here that appears with more than one diameter asks which one, as part 3 lists.

Name	Inches	Millimetres	From
17 Cal.	0.1720	4.37	rifle
20 Cal.	0.2040	5.18	rifle
5.45 Cal.	0.2215	5.63	rifle
22 Cal.	0.2240	5.69	rifle
6mm	0.2430	6.17	rifle
25 Cal.	0.2570	6.53	rifle
6.5mm	0.2640	6.71	rifle
270 Cal.	0.2770	7.04	rifle
7mm	0.2840	7.21	rifle
30 Cal.	0.3080	7.82	rifle
30 Cal.	0.3090	7.85	pistol
7.62mm	0.3100	7.87	rifle
303 Cal.	0.3105	7.89	rifle
303 Cal.	0.3120	7.92	rifle
32 Cal.	0.3120	7.92	pistol
32 Cal.	0.3210	8.15	rifle
8mm	0.3230	8.20	rifle
338 Cal.	0.3380	8.59	rifle
35 Cal.	0.3550	9.02	rifle
35 Cal.	0.3570	9.07	rifle
35 Cal.	0.3580	9.09	rifle
9mm	0.3550	9.02	pistol
9mm	0.3560	9.04	pistol
38 Cal.	0.3570	9.07	pistol
38 Cal.	0.3580	9.09	pistol
9.3mm	0.3660	9.30	rifle
375 Cal.	0.3750	9.53	rifle
10mm	0.4000	10.16	pistol

400 Cal.	0.4100	10.41	rifle
41 Cal.	0.4100	10.41	pistol
405 Cal.	0.4110	10.44	rifle
416 Cal.	0.4160	10.57	rifle
423 Cal.	0.4230	10.74	rifle
44 Cal.	0.4300	10.92	both
45 Cal.	0.4510	11.46	pistol
45 Cal.	0.4520	11.48	both
45 Cal.	0.4540	11.53	pistol
45 Cal.	0.4580	11.63	rifle
470 Cal.	0.4740	12.04	rifle
50 Cal.	0.5000	12.70	pistol
505 Cal.	0.5050	12.83	rifle
50 Cal.	0.5100	12.95	rifle

2. Cartridge names

A cartridge's name is usually not its bullet's diameter, so these are known by name. The short names are matched ignoring case, spaces, a leading point and a trailing "Cal", and a name that begins with one of them, such as "300 Weatherby Magnum" or "6.5 Creedmoor", reaches it by its leading number.

Cartridge	Also reached by	Inches
.17 HMR	17hmr	0.1720
.22 LR	22lr	0.2230
.223 Rem, 5.56 NATO	223, 223rem, 5.56, 5.56nato, 5.56mm	0.2240
6 mm	6mm	0.2430
6.5 mm, .264	6.5mm, 264	0.2640
.270 Win	270, 270win	0.2770
7 mm, .284	7mm, 284	0.2840
.308, 7.62 mm	308, 308win, 7.62mm	0.3080
.338	338	0.3380
9 mm	9mm	0.3550
.375	375	0.3750
.45	45	0.4520
300 Blackout, 300 Win Mag and the other .300s	300, 300blackout, 300blk, 300aac, 300winmag, 300wm, 300wsm, 300prc, 300norma, 300wby, 300weatherby, 300h&h, 300rum, 300savage	0.3080
280 Rem, 280 Ackley	280, 280rem, 280ackley, 280ai	0.2840
28 Nosler	28nosler	0.2840
7mm Rem Mag	7mmremmag, 7mmrm	0.2840
26 Nosler	26nosler	0.2640

30-06 Springfield	30-06, 3006, 30-06springfield	0.3080
30-30 Win	30-30, 3030, 30-30win	0.3080
30-40 Krag	30-40, 30-40krag	0.3080
50 BMG	50bmg	0.5100
45-70 Government	45-70, 4570, 45-70govt	0.4580
7.62x51 NATO	7.62x51, 7.62x51mm, 7.62x51nato	0.3080
7.62x39	7.62x39, 7.62x39mm	0.3100

3. Names that ask

Each of these is fired as more than one bullet diameter, so GroupLab shows the candidates and never chooses one. Typing the diameter, or choosing a line from the list, settles it.

Name	Candidates, inches
30	0.3080, 0.3090
303	0.3105, 0.3120
32	0.3120, 0.3210
35	0.3550, 0.3570, 0.3580
38	0.3570, 0.3580
45	0.4510, 0.4520, 0.4540, 0.4580
50	0.5000, 0.5100
7.62	0.3080, 0.3100
7.62mm	0.3080, 0.3100
9	0.3550, 0.3560
9mm	0.3550, 0.3560

4. How typed text is read

A diameter typed as a decimal below one, such as .308 or 0.308, or any number marked in inches, is always read exactly as typed. Otherwise a name from part 1 or part 2 gives its diameter, and a name that means more than one diameter, part 3, shows its candidates and asks. Anything else falls to the leading-number guess: a number from 1 to 14 is read as millimetres, from 14 to 100 as hundredths of an inch and from 100 to 1000 as thousandths, and GroupLab says what it read so a wrong guess can be corrected by typing the diameter.