


INSTRUMENT PANEL/METER COMPONENTS

710P3-01

TMC Made:



N·m (kgf·cm, ft·lbf) : Specified torque

B88046

A diagram of a single leaf, likely from a dicot plant, showing the midrib and secondary veins. The leaf is elongated and tapers to a point. A dashed line indicates the midrib, and solid lines represent the secondary veins branching off it.


A perspective drawing of a tapered metal rod. The rod is wider at the left end and tapers to a hexagonal base at the right end. A vertical line extends upwards from the center of the hexagonal base.

Diagram illustrating the insertion of the lower leg into the boot. The leg is shown being inserted into the boot, with the foot positioned inside. The diagram is labeled with 'A' and 'B' to indicate specific points of interest.

A line drawing of a car chassis from a top-down perspective. It shows the front and rear suspension systems, including the steering knuckles, control arms, and the central differential housing. The front suspension components are highlighted with a red circle and a leader line pointing to the text 'Front suspension components'.



ment Cluster



Cowl Side Trim
Sub-assy LH

8.8 (90, 78 in.-lbf)

50 (510, 37)

Steering Wheel Assy

Steering Wheel Cover Lower No.2

Horn Button Assy

Steering Column
Cover Steering Column

Steering Wheel Assy
Steering Wheel
Cover Lower No.3

8.8 (90, 78 in.-lbf)


50 (510, 37)

Horn Button
Assy


Steering Wheel Cover Lower No.2

Steering Wheel
Cover Lower No

N·m (kgf·cm, ft·lbf) : Specified torque





TMC Made:

TMMK Made: