



<b>Length:</b>	3-1/2"
<b>Head style:</b>	Hex
<b>Drive type:</b>	External hex
<b>Head height:</b>	15/64"
<b>Width across the flats:</b>	9/16"
<b>Fully threaded:</b>	No
<b>Thread length Min:</b>	1"
<b>Body length Min:</b>	2.19"

**WARNING:** This product contains chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm.

## Additional information



[US Hex bolt sizes](#)



[US bolt thread length table](#)






[Head/Wrench size table](#)



[US hex bolt recommended torque](#)

## Matching Products

Prod. #	Description		Buy
<a href="#"><u>15031</u></a>		<b>SAE flat washers, Zinc plated grade 5 steel, 3/8"</b> SAE pattern is a tighter fit on the bolt and a smaller outside diameter.	\$0.12 each \$4.30 / 100 \$38.20 / 1000
<a href="#"><u>2577</u></a>		<b>Hex nuts, Zinc plated grade 5 steel, 3/8"-24</b> A standard six sided nut.	\$0.08 each \$5.36 / 100 \$42.90 / 1000
<a href="#"><u>15023</u></a>		<b>USS flat washers, Zinc plated grade 5 steel, 3/8"</b> USS pattern is the most common type of flat washer.	\$0.11 each \$7.90 / 100 \$66.90 / 1000

## See also

### [Metric hex bolts](#)

A bolt with a six sided head.



---

Copyright © 2000-2017 Bolt Depot, Inc.

**[www.boltdepot.com](http://www.boltdepot.com)** • **[info@boltdepot.com](mailto:info@boltdepot.com)** • Toll free: 1-866-337-9888