Additions and Corrections

1999, Volume 38

Shuang Liu,* D. Scott Edwards, Anthony R. Harris, Stuart J. Heminway, and John A. Barrett: Technetium Complexes of a Hydrazinonicotinamide-Conjugated Cyclic Peptide and 2-Hydrazinopyridine: Synthesis and Characterization.

Pages 1326−1335. The authors sincerely apologize to D. J. Rose and co-workers for the oversight of their *Inorganic Chemistry* paper (*Inorg. Chem.* **1998**, *37*, 2701−2716), which was inadvertently omitted as a reference in this paper.

IC9909328

10.1021/ic9909328
Published on Web 08/31/1999

1999, Volume 38

Hiromasa Kurosaki, Kentarou Hayashi, Yoshinobu Ishikawa, Masafumi Goto,* Kazufumi Inada, Isao Taniguchi, Mitsuhiko Shionoya, and Eiichi Kimura*: New Robust Bleomycin Analogues: Synthesis, Spectroscopy, and Crystal Structures of the Copper(II) Complexes.

Pages 2829 and 2830. Titration curves e for $Zn^{II}-L_3$ and $-L_4$ in Figures 1 and 2, respectively, are lacking. The correct Figures 1 and 2 and their captions are provided herein.



Figure 1. pH titration curves of triprotonated ligands H_3L_3 in the absence and the presence of equimolar Cu^{II}, Cu^{I}, Fe^{II}, or Zn^{II} at 25 °C and $I = 0.1$ M $NaNO_3$. Key: (a) 1.0 mM L_3·3HCl; (b) (a) + 1.0 mM $CuSO_4·6H_2O$; (c) (a) + 1.0 mM $Cu(CH_3CN)_4·ClO_4$; (d) (a) + 1.0 mM $FeSO_4·7H_2O$; (e) (a) + 1.0 mM $Zn(NO_3)_2·6H_2O$.



Figure 2. pH titration curves of triprotonated ligands H_4L_4 in the absence and the presence of equimolar Cu^{II}, Cu^{I}, Fe^{II}, or Zn^{II} at 25 °C and $I = 0.1$ M $NaNO_3$. Key: (a) 1.0 mM L_4·3HCl; (b) (a) + 1.0 mM $CuSO_4·6H_2O$; (c) (a) + 1.0 mM $Cu(CH_3CN)_4·ClO_4$; (d) (a) + 1.0 mM $FeSO_4·7H_2O$; (e) (a) + 1.0 mM $Zn(NO_3)_2·6H_2O$.

IC990898X

10.1021/ic990898x
Published on Web 09/03/1999