THE JOURNAL OF PHYSICAL CHEMISTRY C

ADDITION/CORRECTION

pubs.acs.org/JPCC

Preparation of Vast $CoFe_2O_4$ Magnetic Monolayer by Langmuir–Blodgett Technique [*The Journal of Physical Chemistry C* **2005**, *109*, 14939–14944. DOI: 10.1021/jp052363x]. Don Keun Lee, Young Hwan Kim, Young Soo Kang,* and Pieter Stroeve

The X-ray diffraction pattern (Figure 3), ED pattern (Figure 6), and energy-dispersive X-ray spectrum (Figure 7) of $CoFe_2O_3$ nanoparticles did not cite our previous papers.[1,2] All of the analysis used the same $CoFe_2O_3$ nanoparticles, so data showing chemical properties of $CoFe_2O_3$ nanoparticles came to the same results. TEM images were cited from our previous paper.[2]

In Figure 13, BAM images show Langmuir monolayer images of $CoFe_2O_4$ nanoparticles at the air/water interface, but not BAM images for making TEM samples. Here we correct the BAM images for TEM samples fabricated on the surface of a copper grid.



Figure 13. BAM images of the $CoFe_2O_4$ nanocrystallite coated by oleate at the air/water interface. It was measured at different surface pressures: 0 mN/m (A); 2 mN/m (B); 12 mN/m (C); 17 mN/m (D); 27 mN/m (E).

REFERENCES

(1) Lee, D. K.; Kang, Y. S. *J. Ind. Eng. Chem.* **2004**, *10*, 945–948.
(2) Lee, D. K.; Kang, Y. S. *Colloids Surf. A* **2005**, *257−258*, 237–241.

DOI: 10.1021/jp203867k
Published on Web 05/24/2011