

## A

- N*-Acetylated diaminoalkane agarose gels . . . . . 167*f*
- N*-Acetylated heparin, proton NMR spectrum . . . . . 172*f*
- Acidified calcium nodule, chromatogram . . . . . 409*f*
- Acrylamide-grafted Silastic . . . . . 4, 63*f*, 69*t*
- Acrylic hydrogels, lipid sorption . . . . . 397
- Adhesion of platelets onto artificial surfaces . . . . . 82
- Adhesion of sheared and unsheared leukocytes . . . . . 213
- Adsorbed lipids in elastomer, Soxhlet extraction . . . . . 401
- Adsorbed protein(s)
- circular dichroism . . . . . 240, 248
  - denaturation . . . . . 239
  - fibrin deposition . . . . . 325*f*
  - general properties . . . . . 235
  - interfaces . . . . . 233
  - layer, organization . . . . . 236
  - microcalorimetric studies . . . . . 240
  - platelet deposition . . . . . 325*f*
  - SDS-polyacrylamide gel electrophoretic, analysis . . . . . 72*f*
  - structure . . . . . 239
  - substrates, fibrin deposition . . . . . 323*f*, 327*f*, 328*f*
  - substrates, platelet deposition . . . . . 323*f*, 328*f*, 329*f*
- Adsorbed species, biologically derived, experimental design . . . . . 397
- Adsorption
- albumin . . . . . 259*f*, 309*f*, 317
  - dynamics for albumin and  $\gamma$ -globulin . . . . . 366*f*
  - fibrinogen . . . . . 237, 282*f*, 285*f*, 286*f*, 288*f*, 317
  - fibronectin . . . . . 317
  - $\gamma$ -globulin . . . . . 317
  - hemoglobin . . . . . 283
  - interfacial . . . . . 351
  - intensity, circular dichroism spectra . . . . . 253
  - proteins . . . . . 245, 277
  - from artificial tear solutions . . . . . 453
  - on biomaterials . . . . . 233
  - chromatographic examination . . . . . 254
  - from complex mixtures . . . . . 234
  - at interfaces . . . . . 235
  - on polymers . . . . . 293
  - plasma protein(s) . . . . . 192
  - whole plasma . . . . . 237
- Adsorption-desorption dynamics for albumin and  $\gamma$ -globulin . . . . . 365*f*
- Adsorption isotherm . . . . . 357
- albumin . . . . . 257*f*, 364, 365*f*
  - bovine  $\gamma$ -globulin . . . . . 362, 363*f*
  - proteins . . . . . 256, 450
- AES (Auger electron spectroscopy) . . . . . 17
- Affinity chromatography, heparinase purification . . . . . 499
- Affluent profiles, proteins . . . . . 256
- Agarose gels, heparin immobilization . . . . . 174*t*
- Albumin . . . . . 270, 294
- Adsorption . . . . . 76, 238, 293, 313, 317, 364, 453
- contact lens polymers . . . . . 457*f*, 458*f*, 459*f*
  - copper . . . . . 413, 417
  - critical-point dry technique . . . . . 305*f*
  - defatted . . . . . 309*f*
  - enhancement . . . . . 365*f*, 366*f*
  - isotherm . . . . . 364, 365*f*
  - methyl-coated surface . . . . . 259*f*
  - polymers . . . . . 308*f*
  - PVC . . . . . 338
  - quartz . . . . . 253
  - Silastic . . . . . 338
  - sintered Teflon . . . . . 304*f*, 307*f*
- affinity . . . . . 293
- attenuated total reflection spectrum . . . . . 384*f*
- band intensity ratios . . . . . 376*f*
- binding, enhancement . . . . . 308*f*
- circular dichroism . . . . . 253*f*
- coated on PVC . . . . . 341*f*
- conformation of fibrinogen adsorbate . . . . . 312
- deposit . . . . . 271
- desorption . . . . . 257*f*, 260, 262*f*
- desorption dynamics . . . . . 366, 367*f*
- effect on adsorption of Cohn I fraction . . . . . 294
- effects on cellular interactions with foreign materials . . . . . 235*t*
- emergent front on treated glass beads . . . . . 255*f*
- emission spectrum . . . . . 367
- exchange, by fibronectin on amine-coated surface . . . . . 261*f*
- fluorescence emission spectra . . . . . 368*f*
- FTIR spectroscopy . . . . . 373
- and intact plasma . . . . . 272*f*
- interaction with metal surface . . . . . 415
- lens deposits . . . . . 454
- morphology . . . . . 304
- photochemical effects . . . . . 362
- polarization in . . . . . 425
- red cell eff . . . . . 290
- represent . . . . . 250*f*
- transmission spectra . . . . . 374*f*, 375*t*, 377*f*, 378*f*
- tyrosine fluorescence . . . . . 368
- Albumin-fibrinogen adsorption . . . . . 312, 313, 317
- Albumin-fibrinogen mixture
- attenuated total reflection spectrum . . . . . 385*f*
  - band frequency changes and Raman assignments . . . . . 390*t*
  - kinetics plot intensities . . . . . 386*f*

Albumin-fibrinogen mixture ( <i>continued</i> )	
spectrum . . . . .	391f, 292f
Albumin-globulins mixture, transmission spectra . . . . .	379f, 380f, 381f
Aliphatic urethane model compounds . . . . .	119
Alkyl halides and polyurethanes, reaction scheme . . . . .	297f
Alkyl isocyanates and polyurethanes, reaction scheme . . . . .	298f
Aminoethyl-coupled membranes . . . . .	485
Anchoring site on polymers . . . . .	397
Animal model for thromboresistance of polymers . . . . .	25
Anodized tantalum-sputtered glass . . . . .	266
Anticoagulant activity(ies) assay . . . . .	168
derivatized end group . . . . .	171
heparins	
derivatized and immobilized . . . . .	161
effect of derivatization . . . . .	164
carboxylic derivatives . . . . .	170t
hydroxyl derivatives . . . . .	171t
Anticoagulation techniques . . . . .	493
Antifibrinogen . . . . .	238, 273
binding . . . . .	237
Antigenic protein . . . . .	237
Antiplatelet agents . . . . .	210, 218
Antithrombin III . . . . .	150, 151t, 154f
Artificial pancreas . . . . .	512
Artificial skin	
clinical advantages . . . . .	480
collagen-glycosaminoglycan network . . . . .	475
design and performance . . . . .	475-476
evaluation . . . . .	478
silicone elastomer . . . . .	475
Artificial tear solutions . . . . .	453
Aspirin, effect on thrombogenesis . . . . .	57t
Atomic organization and surface crystallinity . . . . .	13t
Attenuated total reflectance IR spectroscopy . . . . .	19
Attenuated total reflection	
polymer surface and protein	
adsorption . . . . .	384
protein layer . . . . .	385
protein solutions . . . . .	382
protein studies . . . . .	372
Auger electron spectroscopy (AES) . . . . .	17
Augmented delivery, controlled-release micropump . . . . .	520
Autologous vein segments . . . . .	54

## B

Band intensity ratios for albumin . . . . .	376f
Binding mechanism, tearfilm proteins . . . . .	453
Binding stability of collagenase . . . . .	487f
Block copolymer . . . . .	133
hydrophobic polyurethane . . . . .	82
lipid adsorption . . . . .	397
plasma interaction . . . . .	81
Block copolyurethanes . . . . .	109, 110, 128
Blood coagulation . . . . .	91, 234t
Blood compatibility	
heparinization . . . . .	493
polyacrylamide surfaces . . . . .	60
with polymers . . . . .	293

Blood compatibility ( <i>continued</i> )	
properties . . . . .	109
relationship to negative surface charge . . . . .	414
Stellite alloy heart valves . . . . .	20
Blood filter, heparinase . . . . .	493, 494
Blood flow rates . . . . .	225
Blood glucose control in diabetics . . . . .	483
Blood heparin levels . . . . .	494
Blood interaction(s)	
with filters . . . . .	228
at foreign interfaces . . . . .	4t, 5t
with grafts . . . . .	59
mathematical model . . . . .	33
with polymers 76, 181, 294, 317, 347, 396, 469	
with surface . . . . .	36, 371, 265
Blood microemboli . . . . .	221, 225
Blood microparticle flow resistance . . . . .	222
Blood-compatible	
biomaterials . . . . .	465
materials . . . . .	147
polymers . . . . .	471t
Blood-handling devices . . . . .	221
Biocompatibility	
environment . . . . .	233
process, cellular events . . . . .	233
synthetic polymers, effects on adsorbed proteins . . . . .	234t
Biological criteria of biomaterials . . . . .	467
Biological environment, role in blood interactions at foreign interfaces . . . . .	4t
Biological interactions, criteria for biomaterials . . . . .	466t
Biological processes influenced by proteins at interfaces . . . . .	234t
Biomaterials	
biological and physiological criteria . . . . .	467
and blood microemboli production . . . . .	221
blood-compatible . . . . .	465
constant-pressure filtration . . . . .	227t
development criteria . . . . .	466t
-induction of microemboli . . . . .	224
interactions with blood . . . . .	3, 4t, 291
mechanical degradation and environmental aging problems . . . . .	467
molecular orientation . . . . .	10
parallel-disc apparatus . . . . .	224f
physical behavior . . . . .	468t
platelet and fibrin deposition . . . . .	317
properties . . . . .	465, 467
protein adsorption . . . . .	233
surface characterization . . . . .	20
sterilization . . . . .	470
structure . . . . .	465
thrombus formation on coated rod . . . . .	46f
thrombus formation evaluation . . . . .	44f
toxicity . . . . .	469
Biomedical elastomers . . . . .	395
Biomer . . . . .	396
affinity of lipids . . . . .	397
bladder(s)	
chromatogram . . . . .	403f, 408f
lipids . . . . .	404, 409
calcification . . . . .	395
flexing components . . . . .	397
free long-chain fatty acid adsorption . . . . .	406

Biomer (*continued*)

- lipid(s)
  - adsorbed . . . . . 405*f*
  - extracted . . . . . 404*f*
  - sorption . . . . . 398, 399
  - weight gain . . . . . 400*t*
- lipophilicity . . . . . 395
- polymerization of vinylpyrrolidone . . . . . 404
- sorption of lipids . . . . . 398, 399
- weight gains due to lipid sorption . . . . . 401*f*
- Bound heparin, *in vitro* activity . . . . . 152
- Bound thrombin-antithrombin
  - III . . . . . 150, 151*t*, 154
- Bound water associated with
  - polyphosphazene, DSC . . . . . 188
- Bovine  $\gamma$ -globulin(s) . . . . . 357
- adsorption isotherm . . . . . 362, 363*f*
- adsorption on sintered Teflon . . . . . 302*f*
- fluorescence emission spectra . . . . . 368*f*
- Bovine serum albumin . . . . . 357

## C

- Calcium deposition . . . . . 397
- Calcification . . . . . 294
- Biomer
  - elastomeric bladders . . . . . 397
  - in blood-foreign material interactions . . . . . 7*t*
- Cannula composition . . . . . 73*t*
- Cannula platelet consumption . . . . . 78
- Carboxyl group determinations of
  - heparin . . . . . 167
- Carboxylic derivatization of
  - heparin . . . . . 164, 170
- Catheter studies, paired . . . . . 31*t*
- Carotid artery catheter region-of-interest
  - scintillation counting . . . . . 28*f*
- Cell adhesion . . . . . 293, 294, 312
- effects on adsorbed proteins . . . . . 234*t*
- and protein adsorption . . . . . 454
- Cell contents, effect on fibrinogen
  - adsorption . . . . . 286
- Cellular events, biocompatibility process . . . . . 233
- Cellular interactions with foreign
  - materials . . . . . 235*t*
- Cellular interactions sensitivity . . . . . 233
- Cellular reactions to proteins . . . . . 241
- Cellulose acetate membranes
  - collagenase immobilization . . . . . 483
  - enzyme activity long-term tests . . . . . 489*f*
  - enzyme attachment . . . . . 484, 486
  - enzyme kinetics . . . . . 488
  - enzyme stability . . . . . 488
- Cellulose ester membranes . . . . . 484
- Chemical structure of block
  - copolyurethanes . . . . . 110
- Chemical structure, criteria for
  - biomaterials . . . . . 466*t*
- Chemiluminescence levels . . . . . 214
- Cholesterol and cholesterol esters . . . . . 406
- Chromatogram
  - acidified calcium nodule . . . . . 409*f*
  - Biomer bladder . . . . . 403*f*, 408*f*
  - examination of protein adsorption . . . . . 254
  - lipids
    - adsorbed on Biomer . . . . . 405*f*

Chromatogram (*continued*)

- lipids (*continued*)
  - Biomer bladder . . . . . 407*f*
- Circular dichroism
  - adsorbed proteins . . . . . 240, 246, 248
  - adsorption intensity . . . . . 253
  - albumin . . . . . 253*f*
  - protein structure determination . . . . . 246
- Closure of full-thickness skin wounds . . . . . 479
- Clotting factors, surface-activated . . . . . 273
- Clotting tests, *in vitro* . . . . . 149
- Clot
  - dissolution . . . . . 348
  - formation . . . . . 348
  - weight distribution . . . . . 52*f*
- Clot-promoting surfaces . . . . . 267
- Cohn I fibrinogen . . . . . 293, 299, 304
- adsorption . . . . . 303*f*, 307
- Collagen-glycosaminoglycan network,
  - artificial skin . . . . . 475
- Collagenase, binding stability . . . . . 487*f*
- Collagenase immobilized on cellulose
  - acetate membranes . . . . . 483
- Complement C3 effects on cellular
  - interactions with foreign materials . . . . . 235*t*
- Complexation of LiBr with
  - copolyether-urethane-ureas . . . . . 133
- Composition
  - adsorbed protein . . . . . 236, 237
  - thrombus formed on coated rods . . . . . 49*f*
- Concentration-difference driving force,
  - insulin micropump . . . . . 515, 518
- Concentration of proteins at interfaces . . . . . 236
- Conductimetric titration curve for heparin
  - derivative . . . . . 168*f*
- Conjunctivitis, giant papillary . . . . . 453, 460
- Constant-pressure filtration
  - blood-filter interaction . . . . . 228
  - flow rate curves . . . . . 227
  - test
    - blood microemboli . . . . . 221
    - filter pore size and filtration
      - pressure . . . . . 228
    - for microemboli . . . . . 223
    - results . . . . . 226*f*
    - results for three biomaterials . . . . . 227*t*
- Controlled-release micropump
  - augmented delivery . . . . . 520
  - insulin delivery . . . . . 511, 513
  - insulin deposition . . . . . 520
  - mechanism of action . . . . . 520
  - schematic . . . . . 514*f*
- Contact-activated coagulation . . . . . 293
- Contact angle, analysis of copolymers . . . . . 86*t*
- Contact angle measurements . . . . . 19, 184
- Contact lenses, soft . . . . . 453, 458-459
- accumulation of proteins . . . . . 461
- copolymers, elution of adsorbed
  - albumin . . . . . 459*f*
- polymers, adsorption of lysozyme,
  - albumin, and IgG . . . . . 457*f*, 458*f*
- polymers, water content . . . . . 456
- rejection . . . . . 461
- Contamination
  - fluoropolymer . . . . . 9, 10
  - polymer . . . . . 10

Contamination ( <i>continued</i> )	
silicone	10
surface	9, 10
Teflon	10
Copolyether-urethane-ureas	
bulk morphology	115
complexation of LiBr	133
DSC	134
FTIR	129
internal reflectance	130f
LiBr effect on water absorption	
properties	135
and model polymer films	113
phase separation	115
polyether segment molecular weight	109
ratios of carbon 1s bands	128t
salt complex	133
synthesis	110
transmission spectra	116f, 117f
block- <i>See</i> Block copolymers	
contact angle analysis	86t
critical surface tensions	90
hydrophilic, protein adsorption	460
hydrophobic polyurethane	82
platelet adhesion	90t
surface energy analysis	86t
synthetic structure	115
Copolyurethane(s)	133
FTIR analysis	137
hydrogels	
loss modulus and storage modulus vs.	
temperature	143f
spectra	134
tensile strengths	136
interaction with LiBr	136
IR analysis	137
morphology	135, 141
water absorption at saturation point	136t
Copper	
adsorption of serum proteins	417
surfaces, resistant to serum proteins	413
Copper-zinc alloy	
and albumin-globulin-fibrinogen	
solution	433
cyclic voltammetry	419f
electrodes	447
steady-state cathodic polarization	425
Copper cation concentration	63f
Corrosion potential, protein solutions	448, 450
Couette test system	43
Covalently heparinized materials	148
Critical-point dry technique	305f
Critical surface tensions for copolymers	90
Critical surface tension of	
polyphosphazenes	188t
Cyclic voltammetry, proteins	416-420, 422f, 423f
<b>D</b>	
Deconvolution spectrum, proteins	382
Defatted albumin adsorption	309f
Denaturation	
adsorbed proteins	239
fibrinogen	247
Deposition	
fibrinogen	48, 273
platelets	48, 54
red blood cells	48
Derivatization, effect on heparin	
anticoagulant activity	164
Derivatization, heparin	170
Derivatized and immobilized heparins	161
Design principles, artificial skin	476
Desorption	
albumin	260, 262f, 366
denatured protein	262
$\gamma$ -globulin	366, 367f
protein, kinetics	387f
Dielectric mechanical measurements of	
triblock copolymer	199
Dielectric spectra polyphosphazene	186f
Dielectric spectra unirradiated	
polyphosphazene	185f
Difference dielectric measurements	179
Difference dielectric spectra of	
polyphosphazenes	187f
Differential scanning calorimetry (DSC)	103
bound water associated with	
polyphosphazene	188
copolyether-urethane-ureas	134
LiBr-copolyurethane complexes	138t
Diol polyethers	101
Dipolar interaction, LiBr and urethane	
groups	141
Dipyridamole	209, 210
Divinylsulfone-mediated <i>N</i> -acetylated	
heparin hydroxyl group	
derivatization	166f
Divinylsulfone-mediated 2-aminoethyl	
hydrogen sulfate heparin	
derivative	173f
Domain-like aggregates	127
Domain-matrix morphology	109
Drugs, effects on thrombus formation	54
Drugs in blood-foreign material	
interactions	7t
DSC- <i>See</i> Differential scanning calorimetry	
Dynamic mechanical measurements of	
triblock copolymer	199
Dynamic mechanical spectra of triblock	
copolymer	201f
<b>E</b>	
Effluent profile, proteins	256
Elastomers	
adsorption of long-chain fatty acids	402
biomedical, determination	395
bladders, calcification	397
lipid sorption	395, 399, 409
Elastomer weight gains due to lipid	
sorption	400f
Electrical signals, effect on plasma protein	
adsorption	413
Electrochemical reactions, protein at metal	
interface	447
Electrochemistry of adsorption-desorption	
processes of proteins	416
Electrolytic hydrogenation of fibrinogen	416

Electron microscopy, gold decoration  
transmission . . . . . 294

Electron spectroscopy for chemical analysis  
(ESCA)  
experiment, information derived  
from . . . . . 16*t*  
instrument using a hemispherical electron  
analyzer . . . . . 17*f*  
polyacrylamide–Silastic. . . 66*f*, 67*f*, 68*f*, 70*f*  
pure polyacrylamide film cast on glass. 71*f*  
reasons for use. . . . . 14  
Silastic tubing . . . . . 66*f*

Electronic particle counting, leukocytes . 211

Electrophoresis, proteins. . . . . 287, 289*f*

Elemental ratios for Silastic and  
acrylamide-grafted Silastic. . . . . 69*t*

Emboli . . . . . 327

Embolization and thrombosis,  
components . . . . . 3

Embolization and thrombogenesis on  
polyacrylamide hydrogel surfaces . . . 78

Energetics of protein binding . . . . . 262

Energetics, surface . . . . . 9

Energy dispersive analysis of x-rays,  
extracted hydrogel . . . . . 134

Enzymes  
activity . . . . . 486, 489*f*  
attachment, cellulose acetate  
membrane . . . . . 484, 486  
immobilization, heparinase–  
Sephacrose . . . . . 503  
production, heparinase. . . . . 497  
stability and kinetics . . . . . 486, 488

Epichlorohydrin in heparin hydroxyl group  
derivatization . . . . . 166*f*

Epidermal migration, skin graft . . . . . 478

Erythrocytes, in blood–foreign material  
interactions. . . . . 7*t*

Erythrocyte-poor blood . . . . . 275

ESCA—*See* Electron spectroscopy for  
chemical analysis

Extracorporeal  
blood studies . . . . . 178  
medical machines, heparinization . . . 493  
shafts. . . . . 179

Extrinsic fluorescence, protein  
adsorption. . . . . 354

## F

Factor XII. . . . . 265

Fatty acid . . . . . 406

Fermentation, heparinase . . . . . 498*f*, 499*f*

Filter–blood interaction, constant-pressure  
filtration . . . . . 228

Filter pore size and filtration pressure . . 228

Filtration curve for microemboli-laden  
blood. . . . . 225

Flow rates  
blood. . . . . 225  
curves, constant-pressure filtration. . . 227

Flow resistance  
blood microparticle. . . . . 22  
microemboli. . . . . 221–222

Flow time behavior of protein adsorption 393

Flowing attenuated total reflection  
spectrum, albumin . . . . . 384*f*

Flowing attenuated total reflection  
spectrum, albumin–fibrinogen  
mixture. . . . . 385*f*

Flowing protein solution, kinetics of  
desorption . . . . . 387

Flowing systems, protein adsorption . . . 382

Fluid shear  
dependence of protein adsorption . . . 306*f*  
effects on adsorbed protein . . . . . 306  
stress, protein adsorption. . . . . 294

Fluorescence data for  $\gamma$ -globulin on  
quartz . . . . . 359*f*

Fluorescence emission polarization  
studies. . . . . 364

Fluorescence emission spectra . . . . . 368*f*

Fluorescence, protein adsorption . . . . . 351

Fourier transform infrared spectroscopy  
(FTIR). . . . . 114  
albumin. . . . . 373  
albumin– $\gamma$ -globulins mixture. . . . . 383*f*  
copolyether–urethane–ureas. . . . . 115, 129  
copolyurethanes. . . . . 137  
fibrinogen . . . . . 373  
 $\gamma$ -globulin . . . . . 373  
instruments . . . . . 19  
protein adsorption analysis . . . . . 450  
proteins mixture . . . . . 375  
protein–surface studies. . . . . 371  
protein structure at surfaces . . . . . 239, 240  
segmented polyurethanes . . . . . 103

Fibrin  
deposition. . . . . 342  
on adsorbed protein . . . . . 325*f*  
on adsorbed protein substrates . . . 323*f*,  
327*f*, 328*f*

and platelet deposition  
biomaterials, role of plasma  
proteins. . . . . 317  
curves . . . . . 322  
experimental design . . . . . 318  
on  $\alpha_2$ -macroglobulin-coated PVC . . . 335*f*  
 $\alpha_2$ -macroglobulin-coated Silastic . . . 336*f*  
polymers. . . . . 191  
profiles . . . . . 317  
formation . . . . . 157, 348  
polymerization . . . . . 341

Fibrinogen . . . . . 265, 267, 275, 277, 294,  
414, 447  
adsorption. . . . . 91, 92, 237, 238, 266, 283,  
293, 308*f*, 313, 317, 331  
to Cu. . . . . 413, 417  
effect of red cells. . . . . 280  
on glass. . . . . 282*f*, 285*f*, 286*f*, 288*f*  
kinetics . . . . . 239  
on PVC . . . . . 327, 340  
on Silastic. . . . . 327, 340  
SBS block copolymer . . . . . 92  
conversion reaction, kininogen . . . . . 240  
deposited in narrow spaces . . . . . 267  
deposition. . . . . 48, 271, 273  
effects on cellular interactions with  
foreign materials . . . . . 235*t*  
electrolytic hydrogenation . . . . . 416  
FTIR spectroscopy . . . . . 373

- Fibrinogen (*continued*)**  
 interaction with metal surface . . . . . 415  
 interaction, model . . . . . 92  
 kinetics of adsorption . . . . . 283  
 left by normal plasma between lens and glass slide . . . . . 274f  
 left between convex lens and glass slide . . . . . 268f  
 left by intact plasma between convex lens and anodized tantalum-sputtered glass slide . . . . . 269f  
 radii . . . . . 271t  
 representation . . . . . 250f  
 ring left by plasma . . . . . 270f  
 surface denaturation . . . . . 247  
**Fibrinogen-coated PVC** . . . . . 343f, 344f  
**Fibronigen–albumin mixture**  
 adsorption . . . . . 371  
 spectral changes . . . . . 388  
**Fibrinogen–platinum interface** . . . . . 416  
**Fibrinolytic enzyme-immobilized polymers** . . . . . 471t  
**Fibronectin** . . . . . 260, 310, 317, 318  
 adsorption on PVC and Silastic . . . . . 334  
 on amine-coated surface . . . . . 261f  
 plasma . . . . . 256  
**Fibronectin-coated PVC** . . . . . 337f, 339f  
**Fibronectin-coated Silastic** . . . . . 340f  
**Foreign body reaction around soft tissue implants** . . . . . 233  
**Foreign material–blood interactions** . . . . . 5t  
**Free long-chain fatty acid adsorption, Biomer** . . . . . 406  
**FTIR—See Fourier transform infrared spectroscopy**  
**Functional group derivatization of heparin** . . . . . 164
- G**
- Gel permeation chromatography** . . . . . 101  
**Genetic manipulation studies, heparinase production** . . . . . 498  
**Glass**  
 fibrinogen adsorption . . . . . 92  
 surface for studying biological interactions . . . . . 10  
 transition of polyphosphazene . . . . . 181  
**Glass–fibrinogen system** . . . . . 277, 278  
**Glycoproteins** . . . . . 312  
**Glycoprotein–polymer interaction** . . . . . 293  
**Ghost cells**  
 preparation . . . . . 281f  
 SEM . . . . . 279f  
 **$\gamma$ -Globulin** . . . . . 294  
 adsorption . . . . . 317  
 to Cu . . . . . 413, 417  
 –desorption dynamics . . . . . 365f, 366f  
 on PVC . . . . . 331  
 on Silastic . . . . . 331  
 on sintered Teflon . . . . . 301f, 302f  
 conformational changes . . . . . 363  
 desorption . . . . . 366, 367f  
 FTIR spectroscopy . . . . . 373  
 interaction with metal surface . . . . . 415  
 photochemical effects . . . . . 362
- $\gamma$ -Globulin (*continued*)**  
 photochemical susceptibility . . . . . 362  
 platelet release reaction . . . . . 318  
 protein emission spectrum . . . . . 367  
 on quartz, fluorescence data . . . . . 359f  
 representation . . . . . 251f  
 transmission spectra . . . . . 378f  
 **$\gamma$ -Globulin-coated PVC** . . . . . 332f  
 **$\gamma$ -G-Globulin, lens deposits** . . . . . 454  
**Gold decoration transmission electron microscopy** . . . . . 293, 294  
 protein adsorption on polymers . . . . . 310  
**Gold nucleus (i)**  
 density,  $\gamma$ -globulin adsorbate . . . . . 299  
 distributions, Teflon . . . . . 299  
 on Teflon . . . . . 300f  
**Graft level as a function of length for polyacrylamide-Silastic shunts** . . . . . 64f  
**Graft-wound bed interface, artificial skin** . . . . . 476  
**Growth medium, heparinase production** . . . . . 497
- H**
- Hematological profile during typical ex vivo test procedure** . . . . . 45f  
**Hemispherical electron analyzer, ESCA instrument use** . . . . . 17f  
**Hemocompatibility effect of molecular motions of the polymer interface** . . . . . 177  
**Hemodialysis, shear stress levels** . . . . . 217  
**Hemodynamic parameters** . . . . . 48  
**Hemodynamics, role in blood–foreign material interactions** . . . . . 5t  
**Hemoglobin**  
 adsorption . . . . . 283, 290  
 blood-surface phenomena . . . . . 290  
 in supernatant as a function of time . . . . . 284f  
**Heparin**  
 activity, assay curve . . . . . 169f  
 activity, activated partial thromboplastin time assays . . . . . 169  
 anticoagulant activity(ies) . . . . . 161  
 N-acetylated and derivatized . . . . . 168  
 effect of derivatization . . . . . 164  
 bound, in vitro activity . . . . . 152  
 carboxyl and sulfate group determinations . . . . . 167  
 carboxylic derivatives, anticoagulant activities . . . . . 170t  
 carboxylic derivatization . . . . . 164  
 circuit for removal . . . . . 495f  
 complex . . . . . 148  
 conversion . . . . . 504f  
 on cyanogen bromide-activated surfaces . . . . . 163  
 degradation . . . . . 506  
 derivatives, activated partial thromboplastin time . . . . . 170  
 derivatization . . . . . 170  
 derivatized and immobilized, anticoagulant activity . . . . . 161  
 effects of concentration on thrombus formation . . . . . 56f  
 fate of surface bound . . . . . 147, 149t

- Heparin (*continued*)**  
 functional group derivatization . . . . . 164  
 hydroxyl derivatives, anticoagulant activities . . . . . 171*t*  
 hydroxyl group derivatization . . . . . 165  
 immobilization . . . . . 166, 171  
 N-acetylated diaminoalkane agarose gels . . . . . 167*f*  
 to agarose gels . . . . . 174*t*  
 to polymer surface . . . . . 163  
 spacer groups . . . . . 164  
 stability . . . . . 150  
 thromboresistant surfaces . . . . . 164  
 long-term use . . . . . 148  
 and platelets, interaction . . . . . 157  
 removal  
 from citrated rabbit blood . . . . . 507*f*  
 experimental design . . . . . 494  
 extracorporeal therapy . . . . . 506  
 protein-salt solutions . . . . . 505*f*  
 side effects . . . . . 162  
 system . . . . . 493, 506  
 surfaces, prolonged clotting times . . . . . 171  
**Heparin-PNA beads, prolongation of**  
 thrombin time . . . . . 152  
**Heparin-poly(vinyl alcohol)** . . . . . 148  
 beads  
 recalcification time of plasma . . . . . 153*f*  
 thrombin affinity . . . . . 150  
 thrombin binding . . . . . 152  
 thrombin time of plasma . . . . . 152*f*  
 displacement of bound radiolabeled protein . . . . . 155*f*  
 linkage . . . . . 156  
 preparation . . . . . 149  
 thrombin binding . . . . . 156  
**Heparinase**  
 activity . . . . . 506  
 enzyme production . . . . . 497  
 fermentation . . . . . 498*f*, 499*f*  
 immobilization on polymer supports . . . . . 503*t*  
 immobilized, in vitro studies . . . . . 504  
 improved production, purification, characterization of properties . . . . . 493  
 inhibitors, isolation . . . . . 493  
 kinetics of enzyme production . . . . . 497  
 production . . . . . 497  
 environmental factors and growth medium . . . . . 497  
 genetic manipulation studies . . . . . 498  
 purification . . . . . 499  
 affinity chromatography . . . . . 499  
 reactor . . . . . 508  
 stability . . . . . 502*f*  
 thermal stability . . . . . 503  
**Heparinase-Sepharose, enzyme**  
 immobilization . . . . . 503  
**Heparinization** . . . . . 157  
 blood compatibility . . . . . 493  
 extracorporeal medical machines . . . . . 493  
**Heparinized**  
 beads . . . . . 154*f*  
 gels . . . . . 171, 174  
 glutaraldehyde-stabilized surfaces . . . . . 163  
 materials, long-term use . . . . . 157  
 polymers, blood-compatible . . . . . 471*t*
- Heparinized (*continued*)**  
 surfaces, coagulation factors . . . . . 174  
 surfaces in blood-foreign material interactions . . . . . 7*t*  
**High pressure liquid chromatography (HPLC), proteins** . . . . . 255  
**Histopathology of recovered thrombus** . . . . . 32*f*  
**Host-graft rejection** . . . . . 480  
 artificial skin . . . . . 475  
**Hydrated (frozen) samples and ESCA**  
 technique . . . . . 16  
**Hydrodynamics and thrombus formation** . . . . . 46, 48  
**Hydrogel(s)**  
 blood-compatible . . . . . 471*t*  
 bulk morphology . . . . . 135  
 copolyurethane, tensile strengths . . . . . 136  
 formation . . . . . 133  
 internal reflectance spectra . . . . . 144*f*  
 materials . . . . . 59  
 morphology . . . . . 142  
 preparation . . . . . 134  
 tensile strength vs. concentration of LiBr . . . . . 137*f*  
 water absorption vs. concentration of LiBr . . . . . 135*f*  
 water absorption curves . . . . . 133, 135  
**Hydrophilic copolymers, protein**  
 adsorption . . . . . 460  
**Hydrophobic**  
 bonding, protein surface interaction . . . . . 460  
 interaction . . . . . 290  
 polyurethane block copolymer . . . . . 82  
**Hydrophobic-hydrophilic**  
 copolymers . . . . . 453  
 interactions, protein binding . . . . . 460  
**Hydroxyl-derivatized heparin** . . . . . 170  
**Hydroxyl group derivatization of**  
 heparin . . . . . 165  
**Hysteresis effects, protein adsorption** . . . . . 363
- I**
- IgG-See Immunoglobulin G**  
**Ion scattering spectroscopy** . . . . . 18  
**Ionic model to correlate and interrelate**  
 properties of copolymer to thrombogenesis . . . . . 195  
**Inactivation of thrombin by antithrombin**  
 III . . . . . 154*f*  
**Inhibition of thrombus formation** . . . . . 48  
**Immobilized heparins**  
 anticoagulant activity . . . . . 161  
 directly to polymer surface . . . . . 163  
 stability . . . . . 150  
**Immunoglobulin, protein adsorption** . . . . . 453  
**Immunoglobulin G (IgG)**  
 adsorption to contact lens polymers . . . . . 457*f*, 458*f*  
 effects on cellular interactions with foreign materials . . . . . 235*t*  
 red cell effect . . . . . 290  
**Implant polymers** . . . . . 294  
**Implantable micropump for insulin**  
 delivery . . . . . 511  
**Implants, major reactions** . . . . . 233

- Infection exudation, artificial skin..... 475
- Influence of interfacial protein layer .... 235
- Insulin  
 delivery  
   controlled-release micropump..... 513  
   implantable micropump, effect of  
     rate-controlling membrane ..... 511  
     mechanism ..... 512  
   open-loop ..... 520, 521  
   rate micropump ..... 511, 515  
   rates with various membranes..... 519f  
   systems, open-loop ..... 511
- deposition in controlled-release  
 micropump..... 520
- micropump  
   concentration-difference driving... 515,  
     518  
   design factors..... 520  
   effect of membranes..... 517t  
   effect of polycarbonate filter ..... 516  
   pressure-difference driving force ... 515,  
     516  
   rate controlling membrane ..... 516  
   precipitates, SEM micrograph ..... 518f  
   precipitation..... 511  
   pumps..... 513
- Interaction(s)  
   blood-biomaterial ..... 3, 291  
   blood, at foreign interfaces ..... 4t  
   blood-foreign material ..... 5t  
   blood-polymer..... 294, 347, 396  
   blood-surface..... 371  
     experimental design of specific test ... 36  
   cellular, sensitivity ..... 233  
   dipolar, LiBr and urethane groups... 141  
   grafted polyacrylamide-Silastic surfaces  
     with blood ..... 59  
   heparin-platelets..... 157  
   hydrophobic..... 290  
   hydrophobic-hydrophilic, protein  
     binding ..... 460
- LiBr  
   and urethane group ..... 137  
   and segmented  
     copolyether-urethane-ureas..... 134  
     and copolyurethanes..... 136  
   metal-protein..... 414  
   model of fibrinogen..... 92  
   plasma, on block copolymers..... 81  
   platelet-protein..... 318  
   polymer-blood..... 469  
   polymer-tissue..... 469  
   protein adsorption..... 416  
   protein-surface ..... 245, 318, 346  
   protein-thrombus ..... 318  
   protein-water..... 416  
   receptor-protein ..... 233  
   red cell-surface ..... 291  
   tissue-material..... 233  
   urethane interface and polyether  
     matrix ..... 123  
     urethane NH groups and polyether... 125  
     urethane NH groups and polyether or  
       urethane alkoxy oxygens ..... 123
- Interfaces  
   absorbed proteins ..... 233, 235  
   behavior of proteins ..... 234
- Interfaces (*continued*)  
   biological processes influenced by  
     proteins..... 234t  
     blood-polymer..... 317  
     concentration and localization of  
       proteins..... 236  
     structure of proteins..... 240
- Interfacial  
   adsorption..... 351  
   behavior of proteins ..... 260  
   fluorescence signals, adsorbed  
     protein ..... 359  
   photochemistry ..... 361  
   protein fluorescence ..... 364  
   protein adsorption..... 352  
   protein layer ..... 235
- Intermolecular interactions in polyether  
 matrix ..... 124
- Intermolecular interactions,  
 polyether-urethane-ureas ..... 126
- Internal reflection evanescent wave  
 excitation, protein adsorption ..... 352
- Internal reflectance fluorescence  
 exponential decay curves..... 355f  
 protein adsorption, experimental  
   design ..... 354  
   quantitation assumptions, protein  
     adsorption..... 360  
   principles ..... 352  
   rectangular coordinate system..... 353f  
   schematic ..... 356f  
   spectra, copolyether-urethane-ureas ... 130f  
   spectra of hydrogels ..... 144f
- Intrinsic fluorescence, protein  
   adsorption..... 352, 359
- IR, Fourier transform—*See* Fourier  
 transform infrared spectroscopy
- IR spectra  
   albumin and  $\gamma$ -globulin mixture ..... 382  
   aliphatic urethane III and urethane IV  
     model compounds..... 121  
   copolyurethanes..... 137  
   copolyurethanes with LiBr ..... 134  
   polyether-urethane-ureas ..... 118, 119  
   polyphosphazenes..... 184  
   transmission studies of proteins ..... 372
- Islet suspension, transplanted..... 484
- Islet-transplantation chambers ..... 483  
 cellulose ester membranes..... 484
- K**
- Kinetics  
   adsorption of proteins..... 238  
   desorption, flowing protein solution... 387  
   enzyme production, heparinase ..... 497  
   fibrinogen adsorption ..... 239  
   of interaction with surfaces of proteins 245  
   plot of intensity for albumin-fibrinogen  
     mixture ..... 386f  
   of protein desorption ..... 387f  
   of thrombus accumulation ..... 54
- Kininogen..... 265, 273, 290  
 fibrinogen conversion reaction ..... 240  
 left by normal plasma between lens and  
 glass slide..... 274f



## L

- Laser scattering technique. . . . . 77
- Lens deposits. . . . . 460
- lysozyme, albumin, and  $\gamma$ -globulin . . . 454
- Lens hazing . . . . . 453
- Leukocyte
- adhesion
- antiplatelet drugs, effect . . . . . 213
- measurement . . . . . 212
- sheared and unsheared. . . . . 213*f*
- in blood-foreign material interactions . . 7*t*
- in electronic particle counting. . . . . 211
- in protein adsorption . . . . . 346
- suspensions, changes in electronic particle count. . . . . 212*f*
- in thrombogenesis on artificial surfaces. 77
- Leukocyte  $\beta$ -glucuronidase activity . . . 215*f*
- Leukocyte integrity of dipyridamole RA-233 and prostaglandin  $E_1$  . . . . . 210
- Leukocyte response, analysis of shear stress . . . . . 209-212
- Leukocyte peak chemiluminescence . . . 214*f*
- Leukocyte phagocytosis . . . . . 218
- Lipid adsorption
- on Biomer . . . . . 404, 405*f*, 407*f*
- block copolymers. . . . . 397
- Lipids
- chromatogram . . . . . 402*f*
- extracted from Biomer . . . . . 404*f*
- sorption
- Biomer bladders . . . . . 409
- Biomer weight gains. . . . . 400*t*, 401*f*
- elastomer weight gains. . . . . 400*f*
- polymers, various . . . . . 398
- Lipophilicity of Biomer . . . . . 395
- Liquid-scintillation counting, tritium-labeled free heparin levels . . . . . 169
- Lithium bromide
- effect on water absorption properties of copolyether-urethane-ureas. . . . . 135
- interaction with copolyurethanes . . . . 136
- interaction with segmented, copolyether-urethane-ureas. . . . . 134
- and urethane groups, dipolar interaction . . . . . 141
- Lithium bromide complexation with copolyether-urethane-ureas. . . . . 133
- DSC dissociation temperatures. . . . . 138*t*
- loss tangent vs. temperature . . . . . 138*f*
- transmission spectra . . . . . 139*f*, 140*f*
- Localization of proteins at interfaces . . . 236
- Long-chain fatty acids
- adsorption on elastomers . . . . . 402
- deposition onto polyurethane . . . . . 409
- Long-term function, skin graft . . . . . 480
- Long-term tests of enzyme activity, cellulose acetate membrane. . . . . 489*f*
- Loss of cytochemically assayed LAP . . . 217*f*
- Loss modulus and storage modulus vs. temperature for copolyurethane hydrogels . . . . . 143*f*
- Lysozyme
- adsorption to contact lens polymers. . 457*f*, 458*f*
- lens deposits . . . . . 454
- protein adsorption. . . . . 453

## M

- $\alpha_2$ -Macroglobulin. . . . . 346
- adsorption on PVC and Silastic. . . . . 334
- $\alpha_2$ -Macroglobulin-coated PVC, platelets and fibrin . . . . . 335*f*
- $\alpha_2$ -Macroglobulin-coated Silastic, platelets and fibrin . . . . . 336*f*
- Macromolecular adsorption on thin polymer films . . . . . 354
- Macroscopic structure, tests of physical behavior of biomaterials. . . . . 468*t*
- Mass spectroscopy of polyphosphazenes . 184
- Mathematical modeling, blood-materials interactions. . . . . 33
- Mechanical behavior
- and materials processing, criteria for biomaterials . . . . . 466*t*
- tests of physical behavior of biomaterials . . . . . 468*t*
- Mechanical spectra, dynamic, of triblock copolymer. . . . . 201*f*
- Mechanism of adsorption inhibition. . . . 278
- Mechanism for inhibition of thrombus formation . . . . . 48
- Membranes
- cellulose acetate, binding of
- collagenase. . . . . 483, 487*f*
- for use with insulin micropump . . . . 514
- Membrane-enzyme testing . . . . . 486
- Metal-protein interaction . . . . . 414
- Methemoglobin . . . . . 286, 290
- Microcalorimetric studies of adsorbed proteins. . . . . 240
- Microemboli
- biomaterial-induced . . . . . 224
- concentrations . . . . . 227
- constant-pressure filtration . . . . . 221, 223
- flow-resistant
- criteria . . . . . 222
- method to count . . . . . 221
- screen filtration pressure test . . . . . 222
- production, three types of materials . . 228
- Microemboli-laden blood, filtration curve . . . . . 225
- Microparticle, blood, flow resistance . . . 222
- Micropump
- controlled-release, for insulin delivery. . . . . 511, 513, 514
- fabrication. . . . . 514
- for insulin delivery, implantable, rate controlling membrane . . . . . 511
- Migration velocity of epithelial cell sheets, skin graft. . . . . 477
- Mineralization process . . . . . 395
- Mobility of groups attached to polymer segments. . . . . 39
- Model
- fibrinogen interaction. . . . . 92
- ionic, to correlate and interrelate properties of copolymer to thrombogenesis . . . . . 195
- for in vivo platelet and thrombus kinetics . . . . . 25
- to predict thrombogenic responses of polymeric substrates. . . . . 195
- structure determination . . . . . 33

- Model (*continued*)  
 thrombogenesis . . . . . 203  
 Modified collagen, blood-compatible . . . 471*t*  
 Molecular motions  
 effect on thrombogenesis . . . . . 203  
 polyphosphazene . . . . . 181, 192  
 polymer interface . . . . . 177, 178  
 Molecular template to orient polymer  
 chains . . . . . 11  
 Molecular weight of polyether  
 segment . . . . . 109, 115  
 Morphological changes,  
 copolyurethanes . . . . . 134, 135  
 Morphological structures of bulk and surface  
 of block copolyurethanes . . . . . 110  
 Morphology  
 copolyether-urethane-ureas . . . . . 115  
 copolyurethane . . . . . 141  
 effects of LiBr . . . . . 133  
 hydrogels . . . . . 135, 142  
 phase-separated . . . . . 115  
 polyether-urethane-urea . . . . . 118  
 polyphosphazene . . . . . 180  
 surface, of copolyether-urethane-  
 ureas . . . . . 115  
 triblock copolymer . . . . . 197
- N**
- NMR analysis of derivatized heparins . . . 165  
 Nomarski microscopy . . . . . 83
- O**
- Open-loop glucose control systems . . . . 512  
 Open-loop insulin delivery . . . 511, 520, 521  
 Optical scattering cuvette . . . . . 62*f*  
 Organization of adsorbed protein layer . . 236  
 Orientation, polymer chain surface . . . . 11  
 Outer radii of rings of platelets left by  
 heparinized blood . . . . . 272*t*  
 Oxidation, common surface reaction . . . 12  
 Oxyhemoglobin . . . . . 286, 290
- P**
- Pancreas, artificial—*See also* Artificial  
 pancreas . . . . . 512, 513  
 Pannus formation . . . . . 294  
 Parallel-disc apparatus for exposing blood to  
 biomaterials . . . . . 224*f*  
 Partial coverage gold nuclei . . . . . 299  
 Partial gold decoration . . . . . 308, 311  
 Pellethane 2363–80A . . . . . 309*f*  
 Periodate oxidation . . . . . 491  
 Perpendicular polarization-mode electric  
 field amplitude equation . . . . . 352  
 Phagocytosis . . . . . 214  
 Phase separation  
 copolyether-urethane-ureas . . . . . 115  
 polyether-urethanes . . . . . 118  
 Phosphodiesterase inhibitors . . . . . 218  
 Phosphorus x-ray dispersion map of  
 polyphosphazene . . . . . 181*f*, 182*f*, 183*f*  
 Photochemical effects,  $\gamma$ -globulin and  
 albumin . . . . . 362  
 Photochemistry, interfacial . . . . . 361  
 Photoeffects, conventional  
 spectrofluorometric conditions . . . . 361  
 Physical behavior of biomaterials . . . . 468*t*  
 Physical chemistry of wound closure . . . 476  
 Physical properties, polymeric systems  
 tests . . . . . 468  
 Physicochemical behavior of a surface . . . 91  
 Plasma  
 fibronectin . . . . . 256  
 interaction on block copolymers . . . . 81  
 recalcification time . . . . . 149, 152  
 in narrow spaces of clot-promoting  
 surfaces . . . . . 265  
 Plasma protein(s)  
 adsorption . . . . . 238  
 to Cu . . . . . 413, 417  
 to polyphosphazene surface . . . . . 192  
 affecting cellular interactions with foreign  
 materials . . . . . 235  
 role in initiating platelet and fibrin  
 deposition on biomaterials . . . . . 317  
 structural changes . . . . . 245  
 Platelet  
 accumulation . . . . . 33  
 activation, polyurethane . . . . . 96  
 adhesion . . . . . 91, 265, 275, 291, 293, 318,  
 331, 335, 341–343, 348, 414  
 for copolymers . . . . . 90*t*  
 heparinized glutaraldehyde-stabilized  
 surfaces . . . . . 163  
 plasma interaction on block  
 copolymer . . . . . 81  
 in blood-foreign material interactions . . 6*t*  
 in clot on polyphosphazene-coated  
 shafts . . . . . 191*t*  
 consumption . . . . . 73–74  
 content in thrombus . . . . . 32  
 deposition . . . . . 157  
 on adsorbed protein . . . . . 325*f*  
 on adsorbed protein substrates . . . 323*f*,  
 328*f*, 329*f*  
 phosphazene polymers . . . . . 191  
 on PVC . . . . . 324  
 on rod . . . . . 54  
 on Silastic . . . . . 326  
 interaction with heparin . . . . . 157  
 microaggregate . . . . . 216, 217  
 kinetics . . . . . 33  
 retention . . . . . 27, 105, 275  
 index . . . . . 38, 40, 95, 96, 105*f*  
 in vitro test . . . . . 37*f*  
 polyethylene catheters . . . . . 30*f*  
 on polymer surfaces, in vitro  
 experiments . . . . . 35, 38  
 and thrombus dissolution . . . . . 28*f*  
 and thrombus kinetics . . . . . 25  
 triblock polymer . . . . . 199  
 Platelet and fibrin deposition  
 curves . . . . . 322  
 on biomaterials . . . . . 317  
 experimental design . . . . . 318  
 on  $\alpha_2$ -macroglobulin-coated PVC . . . 335*f*  
 on  $\alpha_2$ -macroglobulin-coated Silastic . . 336*f*  
 measurements . . . . . 320  
 profiles . . . . . 317

- Platelet and fibrin deposition (*continued*)  
  phosphazene polymers . . . . . 191  
  rates . . . . . 48  
Platelet–protein interactions . . . . . 318  
Plexiglass, effects on blood flow rates . . . 225  
Polarization  
  curve for protein solutions . . . . . 446  
  electronic transitions, proteins . . . . . 252*f*  
  protein accumulation . . . . . 433  
Polyacrylamide  
  hydrogel(s)  
    surfaces, thrombogenesis and  
    embolization . . . . . 78  
  surfaces  
    blood compatibility . . . . . 60  
    thrombogenicity . . . . . 74  
Polyacrylamide-grafted substrates, platelet  
  consumption . . . . . 74*t*  
Polyacrylamide-silastic  
  cannulae, thromboemboli generated  
    grafts . . . . . 74  
    eluates . . . . . 76  
  ESCA C1s spectra . . . . . 70*f*  
  hydrogel surfaces . . . . . 78  
  shunts  
    graft level as a function of length . . . 64*f*  
    thromboembolic propensity . . . . . 72  
  surfaces  
    with blood, interaction of grafted . . . 59  
    grafted, thrombotic events . . . . . 59  
  thromboemboli volume and platelet  
  consumption . . . . . 75*f*  
  tubing  
    dehydrated, ESCA C1s  
    spectra . . . . . 67*f*, 68*f*  
    SEM . . . . . 65*f*  
Polycarbonate discs . . . . . 225  
Polycarbonate membrane . . . . . 517  
Polydimethylsiloxane . . . . . 294  
  platelet retention index . . . . . 38  
Polyelectrolyte hydrogels . . . . . 414  
Polyelectrolyte adsorption . . . . . 203  
Polyethers  
  platelet retention index values . . . . . 96  
  segment, molecular weight . . . . . 109, 110,  
  115  
  soft segments segmented  
  polyurethanes . . . . . 95  
Polyether-urethane, phase separation . . . 118  
Polyether-urethane–urea  
  films  
    spectra . . . . . 114  
    surfaces . . . . . 128  
  IR spectrum . . . . . 118, 119  
  morphologies . . . . . 118  
Polyethylene . . . . . 290  
  catheters, platelet retention  
  behavior . . . . . 30, 30*f*  
  complex surface structure due to  
  oxidation . . . . . 12  
Poly(ethylene oxide)  
  chemical shifts . . . . . 97*t*  
  platelet retention index . . . . . 38  
PolyHexene-H, lipid sorption . . . . . 398  
Poly(hexyl acrylate) . . . . . 38  
Poly(2-hydroxyethyl methacrylate) . . . . 453  
Polymers  
  albumin preadsorption . . . . . 308*f*  
  animal model assessing  
    thromboresistance . . . . . 25  
  biomedical application, criteria . . . . . 466  
  chain surface orientation . . . . . 11  
  composition, effect on equilibrium water  
  content . . . . . 456  
  interface . . . . . 177, 178  
  platelet retention index  $\bar{p}$  . . . . . 38*f*  
  protein adsorption . . . . . 293  
  and cell adhesion . . . . . 454  
  supports, heparinase immobilization . . 503*t*  
  segments, mobility of groups attached . . 39  
  surface, immobilization of heparin . . . 163  
  surface, protein adsorption . . . . . 384  
  surfaces, platelet retention . . . . . 35  
  toxicity . . . . . 469, 470*t*  
Polymer-based implants . . . . . 293  
Polymer–blood interactions . . . 347, 396, 469  
Polymer–blood interface . . . . . 317  
Polymer-coated rods . . . . . 54*t*  
Polymer–tissue interactions . . . . . 469  
Polymer–salt complexes, morphological  
  changes resulting from . . . . . 134  
Polymeric gels, protein adsorption values 460  
Polymeric material  
  at blood–polymer interface, molecular  
  elements . . . . . 35  
  to thrombogenesis, surface  
  properties . . . . . 177  
Polymeric membranes for patients with  
  skin loss . . . . . 475  
Polymeric substrates, model to predict  
  thrombogenic responses . . . . . 195  
Polymeric systems, testing of physical  
  properties . . . . . 468  
Poly(methyl acrylate), platelet retention  
  index . . . . . 38  
Poly(methyl methacrylate) . . . . . 453  
  casting solvent . . . . . 11  
  platelet retention index . . . . . 30  
Poly(methyl methacrylate–2-hydroxyethyl  
  methacrylate) copolymers . . . . . 453  
Polypropylene glycol . . . . . 125  
Poly(propylene oxide) . . . . . 38, 97*t*  
Polypropylene surface after exposure to  
  flowing blood . . . . . 51*f*  
Polystyrene–beads . . . . . 41  
  effects on blood flow rates . . . . . 225  
  platelet retention index . . . . . 38  
Polystyrene–poly(ethylene oxide) . . . . . 84  
  Nomarski micrograph of surface  
  texture . . . . . 88*f*, 89*f*  
  TEM . . . . . 85*f*, 87*f*  
Poly(tetramethylene oxide), platelet  
  retention index . . . . . 38, 97*t*  
Poly[(trifluoroethoxy)  
  (fluoroalkoxy)phosphazene] . . . 177, 178  
  adsorption of plasma protein onto  
  surface . . . . . 192  
  blood interfacing surface . . . . . 181  
  contact angle measurements . . . . . 184  
  dielectric spectra . . . . . 185*f*, 186*f*, 187*f*  
  exposed to canine blood,  
  SEM . . . . . 190*f*, 191*f*

- Poly[(trifluoroethoxy)(fluoroalkoxy)phosphazene] (*continued*)  
 effect of primary and secondary molecular motions on thrombogenesis . . . . . 181  
 fibrin deposition . . . . . 191  
 function of irradiation dose . . . . . 189*f*  
 function of UV irradiation . . . . . 188*t*  
 glass transition . . . . . 181  
 IR spectra . . . . . 184  
 lipid sorption . . . . . 398  
 mass spectra . . . . . 184  
 molecular motions . . . . . 181, 192  
 morphology . . . . . 180  
 phosphorus x-ray dispersion map . . . . . 181*f*, 182*f*-183*f*  
 platelet deposition . . . . . 191  
 polymers, thrombogenic response . . . . . 188  
 TEM . . . . . 180*f*, 182*f*-183*f*  
 tensile stress-strain measurements . . . . . 188  
 thrombogenic response . . . . . 192  
 x-ray dispersion spectra . . . . . 184*f*  
 Polyurea, platelet retention index . . . . . 38  
 Polyurethane . . . . . 82, 294  
 analyzed by ESCA . . . . . 21  
 and alkyl halides, reaction scheme . . . . . 297*f*  
 and alkyl isocyanates, reaction scheme . . . . . 298*f*  
 block copolymer, hydrophobic . . . . . 82  
 blood-compatible . . . . . 471*t*  
 hard-segment phase, platelet activation . . . . . 96  
 lipid sorption . . . . . 398  
 partial coverage gold nuclei . . . . . 299  
 platelet attachment . . . . . 91  
 protein adsorbates . . . . . 293  
 segmented . . . . . 95, 103  
 bulk and surface composition . . . . . 104*t*  
 characteristics . . . . . 102*t*  
 critical study . . . . . 95  
 FTIR . . . . . 103  
 vs. platelet retention index . . . . . 105*f*  
 polyether . . . . . 96  
 surface and bulk composition . . . . . 104*t*  
 synthesis . . . . . 97  
 type I . . . . . 98, 99*f*, 107  
 type II or III . . . . . 98, 100*f*  
 x-ray photoelectron spectroscopy . . . . . 103  
 surface energy data . . . . . 89  
 thrombin adsorption . . . . . 96  
 Polyurethane-silicone rubber copolymer . . . . . 294  
 Poly(vinyl alcohol) (PVA)  
 beads  
 recalcification time of plasma incubated with . . . . . 153*f*  
 thrombin affinity . . . . . 150  
 thrombin time of plasma . . . . . 152*f*  
 platelet retention index . . . . . 38  
 Polyvinyl chloride (PVC)  
 absorption fibrinogen and von Willebrand factor . . . . . 340  
 albumin adsorption . . . . . 338  
 albumin-coated . . . . . 341*f*  
 arteriovenous shunts . . . . . 317  
 fibrinogen-coated . . . . . 343*f*, 344*f*  
 fibronectin adsorption . . . . . 327, 334  
 fibronectin-coated . . . . . 337*f*, 339*f*  
 Polyvinyl chloride (PVC) (*continued*)  
 $\gamma$ -globulin adsorption . . . . . 331  
 $\gamma$ -globulin-coated . . . . . 332*f*  
 $\alpha_2$ -macroglobulin absorption . . . . . 334  
 protein adsorption . . . . . 324*f*, 327  
 test data . . . . . 330*t*  
 protein and thrombus response . . . . . 322  
 von Willebrand factor-coated . . . . . 345*f*  
 Potentiostatic voltammetry of protein solutions . . . . . 416  
 PNF—See Poly[(trifluoroethoxy)(fluoroalkoxy)phosphazene]  
 Pressure-difference driving force, insulin micropump . . . . . 514, 515, 516  
 Proliferation of fibrin fibrils . . . . . 52  
 Prolonged partial thromboplastin times . . . . . 152, 156  
 Propst diagram . . . . . 14*f*  
 Prostaglandin therapy . . . . . 218  
 Prostaglandin E<sub>1</sub> . . . . . 209, 210  
 Protein(s)  
 accumulation . . . . . 425, 433  
 adsorption . . . . . 266, 291  
 albumin . . . . . 453  
 from artificial tear solutions . . . . . 453, 454  
 attenuated total reflection, polymer surface . . . . . 384  
 on biomaterials . . . . . 233  
 blood-foreign material interactions . . . . . 6*t*  
 from blood plasma . . . . . 76  
 and cell adhesion, polymers . . . . . 454  
 and charge transfer . . . . . 416, 447  
 chemical and physical factors . . . . . 459  
 chromatographic examination . . . . . 254  
 from complex mixtures . . . . . 234  
 Cu . . . . . 445  
 and desorption . . . . . 245, 294  
 dog model . . . . . 347  
 dynamics . . . . . 357  
 effects on biocompatibility of synthetic polymers . . . . . 234*t*  
 effects on cell adhesion . . . . . 234*t*  
 effects on immunology . . . . . 234*t*  
 electrochemical reactions . . . . . 447  
 electrochemical reduction . . . . . 415  
 extrinsic fluorescence . . . . . 354  
 flow time behavior . . . . . 393  
 flowing systems . . . . . 382  
 fluid shear stress . . . . . 294  
 on Fluorofilm, fluid shear dependence . . . . . 306*f*  
 FTIR analysis . . . . . 450  
 gold decoration, TEM . . . . . 310  
 hydrophilic copolymers . . . . . 460  
 hydrophobic-hydrophilic copolymers . . . . . 453  
 hysteresis effects . . . . . 363  
 immunoglobulins . . . . . 453  
 at interfaces . . . . . 233, 234  
 interfacial protein fluorescence . . . . . 352  
 internal reflectance fluorescence . . . . . 354  
 internal reflection evanescent wave excitation . . . . . 352  
 intrinsic fluorescence . . . . . 354  
 isotherm(s) . . . . . 236, 450  
 leukocytes . . . . . 346  
 lysozyme . . . . . 453

Protein(s) (*continued*)adsorption (*continued*)

- partial gold decoration
- methodology . . . . . 311, 313
- polymeric gels . . . . . 460
- on polymers . . . . . 293–294
- on polyurethane . . . . . 293
- properties . . . . . 235
- pulsed cathodic polarization . . . . . 433
- on PVC . . . . . 317, 324*f*, 327, 330*t*
- red cells, influence . . . . . 277, 278
- signal intensity . . . . . 360
- on Silastic . . . . . 326*f*
- on silicone rubber . . . . . 293
- structure . . . . . 239
- surface texture or roughness . . . . . 460
- onto surfaces . . . . . 245
- solid–aqueous buffer solution
- interfaces . . . . . 351
- on Teflon . . . . . 293
- in thrombotic response of blood to polymers . . . . . 69
- total internal reflection intrinsic fluorescence . . . . . 351
- adsorption–desorption
  - dynamics . . . . . 364
  - information, interpretation . . . . . 260
  - kinetics . . . . . 246
  - rates . . . . . 388
- affinity for surfaces . . . . . 236
- antigenic . . . . . 237
- attenuated total reflection studies . . . . . 372
- bacterial nuclease, representation . . . . . 248*f*, 249*f*
- behavior at interfaces . . . . . 234
- binding
  - energetics . . . . . 262
  - hydrophobic–hydrophilic interactions . . . . . 460
- cellular reaction . . . . . 241
- circular dichroism . . . . . 246
- composition, site density, and reactivity . . . . . 236
- conformational changes . . . . . 388
- on contact lenses, accumulation . . . . . 461
- deposition . . . . . 320, 453
- desorbing, pulsed currents . . . . . 449
- effluent profile . . . . . 256
- electrophoresis . . . . . 289*f*
- emission spectrum, albumin, tryptophan, and  $\gamma$ -globulin . . . . . 367
- high pressure liquid chromatography . . . . . 255
- hydrogen bond structure . . . . . 373
- induced desorption . . . . . 262
- interfacial . . . . . 233, 260
  - adsorption . . . . . 235
  - biological processes influenced . . . . . 234*t*
  - concentration and localization . . . . . 236
  - structure . . . . . 240
- IR transmission studies . . . . . 372
- mixture, FTIR spectroscopy . . . . . 375
- in narrow spaces of clot-promoting surfaces . . . . . 265
- plasma
  - adsorption to high Cu alloy . . . . . 413
  - and cellular interactions with foreign materials . . . . . 235*t*

Protein(s) (*continued*)plasma (*continued*)

- role in initiating platelet and fibrin deposition on biomaterials . . . . . 317
- proportion of activating and passivating . . . . . 242
- polarization of electronic transitions . . . . . 252*f*
- and polyelectrolyte adsorption of thrombogenesis model . . . . . 203
- reduction reaction . . . . . 448
- solutions
  - attenuated total reflection . . . . . 382
  - corrosion potential . . . . . 448, 450
  - cyclic voltammetry . . . . . 418, 419
  - polarization curve . . . . . 446
  - potentiostatic and cyclic voltammetry . . . . . 416
- spectral identification in mixtures . . . . . 381
- structural changes . . . . . 246, 373
- instrumental technique . . . . . 239, 240
- interpretation . . . . . 246
- and kinetics of interaction with surfaces . . . . . 245
- at surfaces
  - FTIR . . . . . 239, 240
  - total internal reflectance fluorescence . . . . . 239, 240
  - on tetradecane–trimethylsilane-coated glass . . . . . 251*t*
  - and thrombus response to PVC and Silastic . . . . . 322
- Protein-coated surfaces, thrombotic response . . . . . 327
- Protein–metal interaction . . . . . 414, 415
- Protein–platelet interactions . . . . . 318
- Protein–polymer binding . . . . . 310
- Protein–polymer sorption studies . . . . . 294
- Protein–protein binding . . . . . 304, 310
- Protein–protein exchange processes . . . . . 258
- Protein–receptor interaction . . . . . 233
- Protein–surface interactions . . . . . 318, 346, 371, 460
- Protein–thrombus interaction . . . . . 318
- Protein–water interactions . . . . . 416
- Prothrombin zymogen form . . . . . 174
- Proton NMR spectrum of *N*-acetylated heparin . . . . . 172*f*
- Proton NMR spectrum of divinylsulfone-mediated 2-aminoethyl hydrogen sulfate heparin derivative . . . . . 173*f*
- Pulsed cathodic polarization, protein adsorption . . . . . 433
- Pulsed currents, desorbing proteins . . . . . 449
- Purification of heparinase . . . . . 499
- Pure polyacrylamide film cast on glass, ESCA spectra . . . . . 71*f*
- PVA—*See* Poly(vinyl alcohol)
- PVC—*See* Polyvinyl chloride
- Pyrolytic carbons, blood-compatible polymers . . . . . 471*t*

## R

- Rate-controlling membrane, insulin micropump . . . . . 516
- Reaction scheme, polyurethanes and alkyl halides . . . . . 297*f*

- Reaction scheme, polyurethanes and alkyl isocyanates . . . . . 298f
- Reactivity of proteins . . . . . 236
- Recalcification time of plasma incubated with PVA and heparin-PVA beads . . . . . 153f
- Receptor-protein interaction . . . . . 233
- Recovered thrombus, histopathology . . . . . 32f
- Rectangular coordinate system, internal reflection fluorescence . . . . . 353f
- Reduction reaction, proteins . . . . . 448
- Red blood cells and components, influence on protein adsorption . . . . . 277
- deposition rates . . . . . 48
- effect on adsorption of albumin and fibrinogen to polyethylene surfaces . . . . . 277
- interactions . . . . . 291
- Red cell effect . . . . . 277, 283, 290
- quantity of fibrinogen adsorbed to glass surface . . . . . 280
- membrane-related . . . . . 277
- preparation, distribution of cell volume . . . . . 281f
- albumin and IgG . . . . . 290
- Red cell-surface interactions . . . . . 291
- Red thrombus formation . . . . . 147
- Resistance, flow, blood microparticle . . . . . 222
- Routes to the formation of blood thrombi . . . . . 3
- S**
- SBS—*See* Styrene-butadiene-styrene
- Scanning Auger microprobe (SAM) . . . . . 18
- Scanning electron microscopy (SEM) of copper-zinc alloy . . . . . 426f, 427f
- after cathodic polarization . . . . . 428f
- with albumin . . . . . 429f, 436f-439f, 443f, 445f
- with albumin-globulin-fibrinogen . . . . . 445f
- with fibrinogen . . . . . 433f-438f, 440f, 444f, 445f
- with  $\gamma$ -globulin . . . . . 430f-432f, 436f-438f, 440f-443f, 445f
- in saline and proteins . . . . . 420f
- ghost cell . . . . . 279f
- insulin precipitates . . . . . 518f
- phosphazene . . . . . 190f, 191f
- polyacrylamide-Silastic . . . . . 65f
- polypropylene surface after exposure to flowing blood . . . . . 51f
- Schematic controlled-release micropump . . . . . 514f
- internal reflectance fluorescence . . . . . 356f
- optical scattering cuvette . . . . . 62f
- total internal reflectance fluorescence data . . . . . 358f, 361f
- Screen filtration pressure test, flow-resistant microemboli . . . . . 222
- Secondary bonding occurring within a pure urea domain . . . . . 123
- Secondary ion mass spectrometry . . . . . 18
- Segmental surface experiments to test sensitization of blood . . . . . 53f
- Segmented copolyether-urethane-ureas, interaction with LiBr . . . . . 134
- Segmented polyether polyurethanes . . . . . 95
- Segmented polyurethanes . . . . . 95, 103
- characteristics . . . . . 102t
- critical study . . . . . 95
- FTIR . . . . . 103
- vs. platelet retention index . . . . . 105f
- surface and bulk composition . . . . . 104t
- type I . . . . . 98, 99f, 107
- type II or III . . . . . 98, 100f
- synthesis . . . . . 97
- x-ray photoelectron spectroscopy . . . . . 103
- SEM—*See* Scanning electron microscopy
- Sensitization of clotting factors . . . . . 52
- Sephacrose-heparinase enzyme immobilization . . . . . 503
- Sequence and mechanistic aspects of thrombotic events . . . . . 60
- Shear, effects on thrombus formation . . . . . 48, 50f
- Shear stress leukocyte response . . . . . 209, 212
- levels during hemodialysis . . . . . 217
- release of LAP . . . . . 215f
- Side chain motion and chemistry, thrombogenesis model . . . . . 203
- Silastic . . . . . 4, 61
- albumin adsorption . . . . . 338
- arteriovenous shunts, proteins adsorbed . . . . . 317
- clot weight distribution . . . . . 52f
- elemental ratios . . . . . 69t
- eluates . . . . . 76
- fibrinogen adsorption . . . . . 340
- fibronectin adsorption . . . . . 327, 334
- fibronectin-coated . . . . . 340f
- $\gamma$ -globulin adsorption . . . . . 331
- grafted, thrombotic events . . . . . 59
- $\alpha_2$ -macroglobulin adsorption . . . . . 334
- platelet consumption . . . . . 75f, 78
- platelet deposition . . . . . 326
- protein adsorption . . . . . 326f, 330t
- shunts, thromboembolic propensity . . . . . 72
- surfaces interaction with blood . . . . . 59
- thromboemboli volume . . . . . 75f
- tubing ESCA spectra . . . . . 66f, 67f
- SEM . . . . . 65f
- von Willebrand factor adsorption . . . . . 340
- Silicone contamination . . . . . 10
- elastomer artificial skin . . . . . 475
- blood-compatible . . . . . 471t
- rubber partial coverage gold nuclei . . . . . 299
- protein adsorbates . . . . . 293
- SIMS (Secondary ion mass spectrometry) . . . . . 18
- Site density of proteins . . . . . 236
- Skin, artificial, design and performance . . . . . 475
- See also* Artificial skin
- Skin graft epidermal migration . . . . . 478
- full-thickness wounds in guinea pigs . . . . . 478
- human subjects . . . . . 479
- limiting dimensions . . . . . 477
- long-term function . . . . . 480

- Skin graft (*continued*)  
 migration velocity of epithelial cell  
 sheets ..... 477  
 wound contraction..... 478  
 Skin wounds, closure of full-thickness... 479  
 Softens ..... 458-459  
 Soft tissue implants, foreign body  
 reaction..... 233  
 Solid-aqueous buffer solution interfaces,  
 protein adsorption..... 351  
 Sorption of lipids  
 acrylic hydrogels ..... 397  
 elastomer ..... 395  
 Soxhlet extraction, adsorbed lipids in  
 elastomer ..... 401  
 Spacer group distance, heparinized  
 gels ..... 174  
 Spacer length, effect on enzyme  
 activity ..... 486  
 Spacer between substrate and biologically  
 active molecule ..... 485  
 Spatial relations in thrombus formation... 50  
 Spatially resolved surface chemistry  
 analysis ..... 13*t*  
 Spectral analysis, copolyether-  
 urethane-ureas ..... 115  
 Spectral changes  
 fibrinogen-albumin mixture ..... 388  
 protein structural changes ..... 373  
 Spectroscopies used to study surfaces... 14*f*  
 Stability  
 enzyme attachment, cellulose acetate  
 membrane ..... 486  
 heparinase ..... 502*f*  
 immobilized heparin..... 150  
 Steady-state cathodic polarization Cu-zinc  
 alloy..... 425  
 Stellite alloy heart valves, blood  
 compatibility ..... 20  
 Sterility, biomaterials..... 470  
 Structural changes, plasma proteins..... 245  
 Structure of protein(s)  
 adsorbed..... 239  
 determination by circular dichroism  
 spectroscopy..... 246  
 at interfaces ..... 240  
 serum ..... 247  
 surfaces, interaction kinetics ..... 245  
 Styrene-butadiene-styrene ..... 83  
 block copolymer ..... 82  
 fibrinogen adsorption ..... 92  
 platelets attached ..... 91  
 Nomarski micrograph of surface  
 texture ..... 85*f*  
 TEM  
 irregular styrene domains ..... 83*f*  
 spherical styrene domains ..... 84*f*  
 Succinyl aminoethyl-coupled  
 membranes..... 486  
 Sulfate determinations of heparin..... 167  
 Surface  
 analysis methods ..... 13*t*  
 analytical methods, comparison ..... 15*f*  
 bound heparin, fate ..... 147, 149*t*  
 and bulk composition of segmented  
 polyurethanes ..... 104*t*  
 Surface (*continued*)  
 calcification on Biomer flexing  
 components ..... 397  
 characterization  
 biomaterials science ..... 20  
 materials for blood contact  
 applications ..... 9  
 techniques ..... 12  
 tests of physical behavior,  
 biomaterials ..... 468*t*  
 chemical reactions..... 11  
 contaminations..... 9-10  
 crystallinity and atomic organization... 13*t*  
 denaturation  
 adsorbed albumin ..... 254  
 fibrinogen ..... 247  
 electrical properties ..... 13*t*  
 energetics..... 9  
 energy, analysis of copolymers ..... 86*t*  
 energy data, polyurethane..... 89  
 free energy distribution ..... 294  
 hydrophobicity/hydrophilicity ..... 177  
 interactions with blood..... 36, 371  
 interaction with proteins ..... 245, 318  
 interactions with red cells ..... 291  
 microcrystallinity..... 177  
 morphologies of block  
 copolyurethanes..... 128  
 morphology of  
 copolyether-urethane-ureas..... 115  
 orientation, polymer chain surface..... 11  
 properties..... 9, 177  
 texture  
 acrylamide-grafted silastic and  
 ungrafted silastic..... 63  
 protein adsorption behavior..... 460  
 protein adsorption and desorption... 294  
 thrombosis ..... 241  
 topography ..... 13*t*  
 Surface-induced thrombogenesis ..... 161  
 Surface chemistry  
 analysis ..... 13*t*  
 and molecular motions on  
 thrombogenesis ..... 203  
 related to complex blood interactions  
 responses ..... 21  
 Surface-protein studies, FTIR ..... 371  
 Synoptic flow chart of thrombogenesis... 207*f*  
 Synthesis  
 copolyether-urethane-ureas..... 110  
 segmented polyurethanes ..... 97, 98, 99*f*
- T**
- Tearfilm proteins, binding mechanism... 453  
 Teflon  
 Cohn I fibrinogen adsorbed..... 303*f*  
 gold nuclei ..... 300*f*  
 distributions..... 299  
 protein adsorbates..... 293  
 Teflon, sintered,  
 albumin adsorbed ..... 304*f*  
 albumin preadsorbed ..... 307*f*  
 bovine  $\gamma$ -globulin ..... 302*f*  
 $\gamma$ -globulin adsorbed ..... 301*f*, 302*f*  
 TEM—See Transmission electron  
 microscopy

Tensile stress-strain measurements of polyphosphazenes . . . . .	188
as a function of irradiation dose . . . . .	189f
Tensile strength vs. concentration of LiBr for hydrogel . . . . .	137f
Tensile strengths of copolyurethane hydrogels . . . . .	136
Tetradecane-trimethylsilane-coated glass, protein structure . . . . .	251t
Thermal stability, heparinase . . . . .	503
Thermodynamic analysis . . . . .	13t
Thrombin adsorption . . . . .	174
on polyurethanes . . . . .	96
and heparin-PVA beads . . . . .	150, 152, 156
inactivation by antithrombin III on heparinized beads . . . . .	154f
time of plasma in presence of PVA and heparin-PVA beads . . . . .	152f
Thromboemboli generated grafts of polyacrylamide-silastic and silastic cannulae . . . . .	7
Thromboembolic potential, polyacrylamide-silastic surfaces . . . . .	77
Thromboembolic propensity, polyacrylamide-Silastic and Silastic shunts . . . . .	72
Thrombogenesis . . . . .	148, 195, 293, 294
<i>See also</i> Thrombosis, Thrombus formation	
effect of aspirin . . . . .	57t
effect of drugs . . . . .	54
model . . . . .	203, 207f
protein and polyelectrolyte adsorption . . . . .	203
schematic . . . . .	204f, 205f, 206f
synoptic flow chart . . . . .	207f
molecular motions . . . . .	177
on phosphazene polymers . . . . .	188, 192
on polyacrylamide hydrogel surfaces . . . . .	78
on polymeric substrates . . . . .	195
surface chemistry and molecular motions . . . . .	203
surface-induced . . . . .	161
surface properties of polymeric materials . . . . .	177
Thrombogenicity . . . . .	76, 322, 346
adsorbed fibrinogen . . . . .	318
vein segments placed on polymer-coated rods . . . . .	54t
Thromboplastin time activated partial . . . . .	168-170, 175f
prolonged partial . . . . .	156
Thromboresistance . . . . .	148, 307, 311
ionically heparinized catheters . . . . .	152
polymers . . . . .	25
Thromboresistant surfaces, immobilized heparin . . . . .	162, 164
Thrombosis . . . . .	317
and embolization, components . . . . .	3
on grafted polyacrylamide-Silastic surfaces . . . . .	59
protein-coated surfaces . . . . .	327
surface . . . . .	233, 241
Thrombus deposition . . . . .	317, 329
patterns . . . . .	322
Thrombus ( <i>continued</i> )	
dissolution . . . . .	317
and platelet retention . . . . .	28f
distributed over length of shaft in biomaterial test chamber . . . . .	47f
formation . . . . .	161, 317, 318, 414
characterization . . . . .	45
effects of drugs . . . . .	54
effects of heparin concentration . . . . .	56f
effects of shear . . . . .	43, 48, 50f
and hydrodynamics . . . . .	48
mechanism for inhibition . . . . .	48
on rods coated with different materials . . . . .	49f
spatial relations . . . . .	50
statistics . . . . .	49
on surface biomaterial coated rod . . . . .	46f
in contact with blood . . . . .	43
ex vivo test system . . . . .	43
growth and dissolution . . . . .	29f
histopathology . . . . .	32f
platelet concentration and thrombus weight, correlation . . . . .	31f
platelet content . . . . .	32
prevention . . . . .	161
propagation in vascular prostheses . . . . .	54
and protein response to PVC and Silastic . . . . .	322
red . . . . .	3
white . . . . .	3
Tissue-material interactions . . . . .	233
Tissue-polymer interactions . . . . .	469
Transmission circular dichroism, conformational changes . . . . .	364
Transmission electron microscopy polyphosphazene . . . . .	182f-183f
triblock copolymer . . . . .	197f, 198f, 199f, 202f
Transmission spectra albumin . . . . .	374f, 377f, 378f
aqueous solutions . . . . .	375t
albumin, $\gamma$ -globulin, and albumin- $\gamma$ -globulin mixture . . . . .	378f
albumin-globulins mixture . . . . .	379f, 380f, 381f
copolyether-urethane-ureas . . . . .	116f
LiBr-copolyurethane complexes . . . . .	139f, 140f
mixtures of model proteins . . . . .	375
polypropylene glycol-urethane I mixture . . . . .	122f
polypropylene glycol-urethane I-urea I mixture . . . . .	126f
urea I and urea II . . . . .	124f
urethane I and urethane III . . . . .	120f
Transient thrombus deposition measurements, experimental arrangement . . . . .	321f
Transplanted islet suspension . . . . .	484
Triblock copolymer dielectric and dynamic mechanical measurements . . . . .	199
dynamic mechanical spectra . . . . .	201f
morphology . . . . .	197
properties and synthesis . . . . .	196
schematic . . . . .	204, 205f, 206f



Triblock copolymer (*continued*)

- TEM ..... 197*f*, 198*f*, 199*f*, 202*f*  
 x-ray dispersion analysis ..... 197  
 x-ray spectra ..... 200*f*  
 Triblock polymer, platelets ..... 199  
 Tryptophan, protein emission  
 spectrum ..... 367  
 L-Tryptophan, fluorescence emission  
 spectra ..... 368*f*  
 Total fluorescence signal, adsorbed  
 protein ..... 359  
 Total internal reflectance fluorescence data,  
 schematic ..... 358*f*, 361*f*  
 Total internal reflectance fluorescence,  
 protein structure at surfaces ... 239, 240  
 Total internal reflection intrinsic  
 fluorescence ..... 351  
 Toxicity of polymers ..... 469, 470  
 Two-step adsorption experiment,  
 proteins ..... 258*f*

## U

- Urea model compounds, spectra ..... 124  
 Urethane interface, mixing with polyether  
 matrix ..... 129  
 Urethane I and III, transmission  
 spectra ..... 120*f*  
 Urethane III and IV model compounds  
 IR spectra ..... 121

## V

- Visible spectra of hemolysate preparation  
 and hemoglobin ..... 287*f*  
 von Willebrand factor ..... 318, 345  
 absorption ..... 340  
 von Willebrand factor-coated PVC ..... 345*f*

## W

- Water adsorption of hydrogens ..... 135  
 vs. concentration of LiBr for  
 hydrogels ..... 135*f*  
 of copolyurethanes at saturation  
 point ..... 136*t*  
 properties of copolyether-urethane-ureas,  
 effect of LiBr ..... 135  
 Water content  
 polyphosphazene as a function of UV  
 irradiation ..... 188*t*  
 soft contact lens polymers ..... 456  
 Water-protein interactions ..... 416  
 White thrombi ..... 3  
 Wound closure, physical chemistry ..... 476  
 Wound contraction, skin graft ..... 478

## X

- X-ray dispersion spectra of  
 polyphosphazene ..... 184*f*  
 X-ray dispersion spectra of triblock  
 copolymer ..... 197, 200*f*  
 X-ray photoelectron spectroscopy segmented  
 polyurethanes ..... 103  
 X-ray, phosphorus, dispersion map of  
 polyphosphazene ..... 181*f*

## Z

- Zinc electronegativity ..... 446