

Correction to Supramolecular Interaction Controlled Diffusion Mechanism and Improved Mechanical Behavior of Hybrid Hydrogel Systems of Zwitterions and CNT

Saud Hashmi, Amin GhavamiNejad, Francis O. Obiweleozor, Mohammad Vatankhah-Varnoosfaderani, and Florian J. Stadler*

Macromolecules **2012**, *45* (24), 9804–9815. 10.1021/ma301366h

Page 9805. The first and fifth sentences in the Materials subsection in the Experimental Section should read as follows.

First sentence: Methyl methacrylate (MMA, Merck), dibutyltin oxide (Merck), 3-(dimethylamino)-1-propanol, *N,N'*-methylene bis(acrylamide) (MBA, Sigma-Aldrich, 99%), *N,N,N',N'*-tetramethylethylenediamine (TMEDA, Fluka, >99%), ammonium peroxodisulfate (APS, Aldrich, >98%), and 1,3-propane sultone (Aldrich, 98%) were used as received.

Fifth sentence: *N*-(3-(Dimethylamino)propyl) methacrylate was synthesized by the transesterification of MMA and 3-(dimethylamino)-1-propanol in the presence of dibutyltin oxide as a catalyst, as previously reported.³⁵

Page 9805. The first sentence in the Synthesis subsection in the Experimental Section should read as follows:

A solution of 6.155 g (50.4 mmol, 4.422 mL) of 1,3-propane sultone in 5 mL of acetone was added dropwise to a chilled stirred solution of 8.208 g (48 mmol) of *N*-(3-(dimethylamino)propyl) methacrylate in 20 mL of dry acetone.

The authors thank Prof. Dr. Andre Laschewsky for making them aware of the necessity of corrections.