PROGRESS IN PHOTOVOLTAICS: RESEARCH AND APPLICATIONS

Prog. Photovolt: Res. Appl. 2005; 13:725-727

Published online in Wiley InterScience (www.interscience.wiley.com). DOI: 10.1002/pip.679

PHOTOVOLTAICS LITERATURE SURVEY (No. 42)

Compiled by Bryce S. Richards Centre for Sustainable Energy Systems, Australian National University Canberra, ACT 0200, Australia

In order to help keep readers up-to-date in the field each issue of *Progress in Photovoltaics* will contain a list of recently published journal articles most relevant to its aims and scope. This list is drawn from an extremely wide range of journals, including *IEEE Transactions on Electron Devices*, *Journal of Applied Physics*, *Applied Physics Letters*, *Progress in Photovoltaics* and *Solar Energy Materials and Solar Cells*. To assist the reader, the list is separated into broad categories, but please note that these classifications are by no means strict. Also note that inclusion in the list is not an endorsement of a paper's quality. If you have any suggestions please email Dr. Bryce Richards at bryce.richards@anu.edu.au.

1. FUNDAMENTALS, NEW APPROACHES, AND REVIEWS

Senft DC. Progress in crystalline multijunction and thin-film photovoltaics. *Journal of Electronic Materials* 2005; **34**(8): 1099–1103.

Badescu V. Spectrally and angularly selective photothermal and photovoltaic converters under one-sun illumination. *Journal of Physics D* 2005; **38**(13): 2166–2172.

Saito K, Taima T, Chikamatsu M, et al. Present status of organic thinfilm solar cells. Oyo Buturi 2004; 73(12): 1525–1530.

Tablero C. Analysis of the electronic properties of intermediate band materials as a function of impurity concentration. *Physical Review B* 2005; **72**(3): 35213.

Varonides AC, Spalletta RA. Tunneling vs. thermionic currents in multi-quantum well photovoltaic structures. WSEAS Transactions on Electronics 2005; **2**(4): 170–174.

2. GENERAL CHARACTERISATION TECHNIQUES AND MODELLING

Grabitz PO, Rau U, Werner JH. A multi-diode model for spatially inhomogeneous solar cells. *Thin Solid Films* 2005; **487**(1–2): 14–18.

3. CRYSTALLINE SILICON—BULK CELLS AND TECHNOLOGY

Soppe W, Rieffe H, Weeber A. Bulk and Surface Passivation of Silicon Solar Cells Accomplished by Silicon Nitride Deposited On Industrial Scale by Microwave PECVD. *Progress in Photovoltaics—Research and Applications* 2005; **13**(7): 551–570.

Dhamrin M, Kamisako K, Saitoh T, et al. Effect of Low Segregation Coefficient on Ga-doped Multicrystalline Silicon Solar Cell Performance. Progress in Photovoltaics—Research and Applications 2005; 13(7): 597–606.

Bermejo S, Ortega P, Castañer L. Fabrication of Monolithic Photovoltaic Arrays on Crystalline Silicon by Wafer Bonding and Deep Etching Techniques. *Progress in Photovoltaics—Research and Applications* 2005; **13**(7): 617–626.

Buonassisi T, Istratov AA, Pickett MD, *et al.* Quantifying the effect of metal-rich precipitates on minority carrier diffusion length in multicrystalline silicon using synchrotron-based spectrally resolved x-ray beam-induced current. *Applied Physics Letters* 2005; **87**(4): 044101.

Usami N, Kitamura M, Sugawara T, et al. Floating zone growth of Si bicrystals using seed crystals with artificially designed grain boundary configuration. *Japanese Journal of Applied Physics, Part 2* 2005; 44(24–27): L778–L780.

Sakoda T, Matsukuma K, Sung YM, *et al.* Additional plasma surface texturing for single-crystalline silicon solar cells using dielectric barrier discharge. *Japanese Journal of Applied Physics, Part 1* 2005; 44(4A): 1730–1731.

Bouaicha M, Dimassi W, Nouri H, *et al.* Evaluation of the diffusion length of gettered multicrystalline silicon using solar cells—cross-sectional LBIC scan. *Physica Status Solidi A* 2005; **202**(9): 1808–1813.

Gangopadhyay U, Dhungel SK, Kim K, et al. Novel low cost chemical texturing for very large area industrial multi-crystalline silicon solar cells. Semiconductor Science and Technology 2005; **20**(9): 938–946.

Moller HJ, Funke C, Rinio M, *et al.* **Multicrystalline silicon for solar cells.** *Thin Solid Films* 2005; **487**(1–2): 179–187.

4. CRYSTALLINE SILICON—THIN FILM CELLS

Carnel L, Gordon I, Van Nieuwenhuysen K, *et al.* **Defect passivation in chemical vapour deposited fine-grained polycrystalline silicon by plasma hydrogenation.** *Thin Solid Films* 2005; **487**(1–2): 147–151.

Gordon I, Van Gestel D, Van Nieuwenhuysen K, *et al.* **Thin-film poly-crystalline silicon solar cells on ceramic substrates by aluminium-induced crystallization.** *Thin Solid Films* 2005; **487**(1–2): 113–117.

Rusop M, Soga T, Jimbo T. The physical properties of XeCl excimer pulsed laser deposited n-C:P/p-Si photovoltaic solar cells. *Surface Review and Letters* 2005; **12**(2): 167–172.

5. AMORPHOUS AND MICROCRYSTALLINE SILICON, HETEROJUNCTION CELLS

Deng J, Wronski CR. Carrier recombination and differential diode quality factors in the dark forward bias current-voltage characteristics of a-Si: H solar cells. *Journal of Applied Physics* 2005; **98**(2): 024509.

Klein S, Finger F, Carius R, et al. Deposition of microcrystalline silicon prepared by hot-wire chemical-vapor deposition: The influence of the deposition parameters on the material properties and solar cell performance. *Journal of Applied Physics* 2005; 98(2): 024905.

Hao HY, Liao XB, Zeng XB, *et al.* Structure, stability and photoelectronic properties of transition films from amorphous to microcrystalline silicon. *Journal of Crystal Growth* 2005; **281**(2–4): 344–348.

Veneri PD, Mercaldo LV, Tassini P, *et al.* Correlation between structural properties and performances of microcrystalline silicon solar cells. *Thin Solid Films* 2005; **487**(1–2): 174–178.

Yang J, Yan BJ, Guha S. Amorphous and nanocrystalline siliconbased multi-junction solar cells. *Thin Solid Films* 2005; **487**(1–2): 162–169.

6. NANOCRYSTALLINE, DYE-SENSITIZED AND ORGANIC CELLS

Erb T, Zhokhavets U, Gobsch G, et al. Correlation between structural and optical properties of composite polymer/fullerene films for organic solar cells. Advanced Functional Materials 2005; 15(7): 1193–1196.

Thomas KRJ, Lin JT, Hsu YC, *et al.* **Organic dyes containing thienyl-fluorene conjugation for solar cells.** *Chemical Communications* 2005; **32**: 4098–4100.

Campos LM, Tontcheva A, Gunes S, et al. Extended photocurrent spectrum of a low band gap polymer in a bulk heterojunction solar cell. Chemistry of Materials 2005; 17(16): 4031–4033.

Li CY, Li XP, Ma YT, *et al.* A novel nanocrystalline TiO₂ thin film electrodes prepared at low temperature. *Chinese Chemical Letters* 2005; **16**(7): 967–970.

Yang H, Cheng YF, Li FY, et al. Quasi-solid-state dye-sensitized solar cells based on mesoporous silica SBA-15 framework materials. Chinese Physics Letters 2005; 22(8): 2116–2118.

Abd Rahman MY, Salleh MM, Abu Talib I, et al. Effect of surface roughness of TiO₂ films on short-circuit current density of photoelectrochemical cell of ITO/TiO₂/PVC-LiClO₄/graphite. Current Applied Physics 2005; **5**(6): 599–602.

Falaras P. Dye-sensitized solar cells: optimization of the cell components. *Current Topics in Electrochemistry* 2003; **9**: 157–163.

Matsubara T, Sakaguchi R, Nagai H, et al. Measurement and analysis of the series resistance in a dye-sensitized solar cell. *Electrochemistry* 2005: **73**(1): 60–66.

Hashimoto Y, Umeda T, Mizukami H, et al. Effect of indium-tin oxide surface micromodification and improvement of long-wavelength sensitivity on photovoltaic properties of photovoltaic cell with conducting polymer/C₆₀ interpenetrating heterostructure. Japanese Journal of Applied Physics, Part I 2005; 44(4A): 1978–1981.

Hayashi Y, Yamada I, Takagi S, et al. Influence of structure and C₆₀ composition on properties of blends and bilayers of organic donor-acceptor polymer/C₆₀ photovoltaic devices. Japanese Journal of Applied Physics, Part 1 2005; **44**(3): 1296–1300.

Triyana K, Yasuda T, Fujita K, et al. Improvement of heterojunction donor/acceptor organic photovoltaic devices by employing additional active layer. Japanese Journal of Applied Physics, Part 1 2005; 44(4A): 1974–1977.

Li JY, Lee CS, Lee ST. Efficient UV-sensitive organic photovoltaic devices using a starburst amine as electron donor. *Journal of Materials Chemistry* 2005; **15**(32): 3268–3271.

Stergiopoulos T, Arabatzis IM, Kalbac M, et al. Incorporation of innovative compounds in nanostructured photoelectrochemical cells. Journal of Materials Processing Technology 2005; 161(1–2): 107–112.

Bailes M, Cameron PJ, Lobato K, *et al.* Determination of the density and energetic distribution of electron traps in dye-sensitized nanocrystalline solar cells. *Journal of Physical Chemistry B* 2005; 109(32): 15429–15435.

Hara K, Wang ZS, Sato T, et al. Oligothiophene-containing coumarin dyes for efficient dye-sensitized solar cells. *Journal Of Physical Chemistry B* 2005; **109**(32): 15476–15482.

Wang Q, Carnpbell WM, Bonfantani EE, et al. Efficient light harvesting by using green Zn-porphyrin-sensitized nanocrystalline TiO₂ films. *Journal of Physical Chemistry B* 2005; **109**(32): 15397–15409.

Watt AAR, Blake D, Warner JH, et al. Lead sulfide nanocrystal: conducting polymer solar cells. Journal of Physics D 2005; 38(12): 2006–2012.

Rahman GMA, Guldi DM, Cagnoli R, et al. Combining single wall carbon nanotubes and photoactive polymers for photoconversion. Journal of The American Chemical Society 2005; 127(28): 10051–10057 McDonald SA, Konstantatos G, Zhang S, et al. Solution-processed PbS quantum dot infrared photodetectors and photovoltaics. *Nature Materials* 2005; **4**(2): 138–142.

Yang F, Shtein M, Forrest SR. Controlled growth of a molecular bulk heterojunction photovoltaic cell. *Nature Materials* 2005; **4**(1): 37–41.

Huang CH, McClenaghan ND, Kuhn A, *et al.* Enhanced photovoltaic response in hydrogen-bonded all-organic devices. *Organic Letters* 2005; **7**(16): 3409–3412.

Arakawa H. Elemental technologies for efficient dye sensitized solar cell. *Oyo Buturi* 2004; **73**(12): 1519–1524.

Kaneko M. Mechanism and solidification of dye-sensitized solar cell. *Oyo Buturi* 2004; **73**(12): 1541–1544.

Minoura H, Yoshida T. Fabrication of flexible and colorful solar cells, "rainbow cells". *Oyo Buturi* 2004; **73**(12): 1549–1553.

Miyasaka T. **R&D** of flexible dye-sensitized solar cells and their future prospects. *Oyo Buturi* 2004; **73**(12): 1531–1535.

Yanagida S. Dye-sensitized solar cells as organic dyes/metal oxides hetero-junction solar cells: breakthrough and perspectives. *Oyo Buturi* 2004; **73**(12): 1509–1518.

Dennier G, Sariciftci NS. Flexible conjugated polymer-based plastic solar cells: From basics to applications. *Proceedings of the IEEE* 2005; **93**(8): 1429–1439.

Lee HH, Kim H, Kim JY, et al. Efficiency enhancement in polymer solar cells by introducing a titanium dioxide layer. Sae Mulli 2005; 50(3): 160–164.

7. CIS, CIGS, CdTe AND II-VI CELLS

Bär M, Weinhardt L, Heske C, et al. Cd²⁺/NH₃ Treatment of Cu(In,-Ga)(S,Se)₂ Thin-film Solar Cell Absorbers: A Model for the Performance-enhancing Processes in the Partial Electroylte. Progress in Photovoltaics—Research and Applications 2005; 13(7): 571–578.

Allsop NA, Schönmann A, Muffler H-J, et al. Spray-ILGAR Indium Sulphide Buffers for Cu (In,Ga)(S,Se)₂ Solar Cells. Progress in Photovoltaics—Research and Applications 2005; 13(7): 607–616.

Johnson PK, Heath JT, Cohen JD, et al. A Comparative Study of Defect States in Evaporated and Selenized CIGS(S) Solar Cells. Progress in Photovoltaics—Research and Applications 2005; 13(7): 579–586.

Inazu T, Ramesh Kumar B, Kadowaki Y, et al. Cu(In,Al)S₂ thin film solar cell. Japanese Journal of Applied Physics, Part 1 2005; 44(3): 1204–1207.

Toyama T, Oda H, Matsune K, et al. Doping effects of dimethyl-tindichloride on material properties of CdS films and on formation of CdS/CdTe heterostructures. *Journal of Applied Physics* 2005; **98**(1): 013535.

Qin W-Z, Zheng J-G, Li W, et al. Polycrystalline CdTe thin-film solar cells with complex back contact layers. *Journal of Functional Materials and Devices* 2005; **11**(1): 19–22.

Dhere NG, Dhere RG. **Thin-film photovoltaics.** *Journal of Vacuum Science & Technology A* 2005; **23**(4): 1208–1214.

8. III-V, QUANTUM WELL, SPACE, CONCENTRATOR AND THERMOPHOTOVOLTAIC CELLS

Schermer JJ, Mulder P, Bauhuis GJ, et al. Thin-film GaAs Epitaxial Lift-off Solar Cells for Space Applications. Progress in Photovoltaics—Research and Applications 2005; 13(7): 587–596.

Barbir F, Molter T, Dalton L. Efficiency and weight trade-off analysis of regenerative fuel cells as energy storage for aerospace applications. *International Journal of Hydrogen Energy* 2005; **30**(4): 351–357.

Andre CL, Wilt DM, Pitera AJ, *et al.* Impact of dislocation densities on $\mathbf{n}(+)/\mathbf{p}$ and $\mathbf{p}(+)/\mathbf{n}$ junction GaAs diodes and solar cells on SiGe virtual substrates. *Journal of Applied Physics* 2005; **98**(1): 014502.

Rimada JC, Hernandez L, Connolly JP, et al. Quantum and conversion efficiency calculation of AlGaAs/GaAs multiple quantum well solar cells. Physica Status Solidi B-Basic Solid State Physics 2005; 242(9): 1842–1845.

Aghlara H. **Photovoltaic generation using germanium transistor.** *Ultra Scientist of Physical Sciences* 2004; **16**(3): 421–426.

9. TERRESTRIAL MODULES, BOS COMPONENTS, SYSTEMS AND APPLICATIONS

Shahbazi A, Turner C, Singh H, *et al.* **Performance evaluation and economic analysis of a grid connected photovoltaic system in a multifamily residential building.** *Applied Engineering in Agriculture* 2005; **21**(4): 729–735.

Ji C, Zhang X, He B, et al. Photovoltaic control system based on MCU. Control & Automation 2005; 3: 46–55.

Henze N, Fruchting H, Bendel C, et al. Planar antennas with photovoltaic solar cells for mobile communications. Frequenz 2005; **59**(3–4): 77–83

Kim IS, Youn MJ. Variable-structure observer for solar-array current estimation in a photovoltaic power-generation system. *IEE Proceedings—Electric Power Applications* 2005; **152**(4): 953–959.

Bagen, Billinton R. Evaluation of different operating strategies in small stand-alone power systems. *IEEE Transactions on Energy Conversion* 2005; **20**(3): 654–660.

Asiminoaei L, Teodorescu R, Blaabjerg F, et al. Implementation and test of an online embedded grid impedance estimation technique for PV inverters. *IEEE Transactions on Industrial Electronics* 2005; **52**(4): 1136–1144.

Kasa N, Iida T, Liang C. Flyback inverter controlled by sensorless current MPPT for photovoltaic power system. *IEEE Transactions on Industrial Electronics* 2005; **52**(4): 1145–1152.

Kohari Z, Vajda I. Losses of flywheel energy storages and joint operation with solar cells. *Journal of Materials Processing Technology* 2005; **161**(1–2): 62–65.

Mullejans H, Ioannides A, Kenny R, *et al.* **Spectral mismatch in calibration of photovoltaic reference devices by global sunlight method.** *Measurement Science & Technology* 2005; **16**(6): 1250–1254.

Othman MYH, Yatim B, Sopian K, et al. Performance analysis of a double-pass photovoltaic/thermal (PV/T) solar collector with CPC and fins. Renewable Energy 2005; 30(13): 2005–2017.

Rahman MH, Yamashiro S, Nakamura K. Development of an advanced grid-connected PV-ECS system considering solar energy estimation. *Transactions of the Institute of Electrical Engineers of Japan, Part B* 2005; **125**-B(4): 399–407.

Mi-Young K, Dae-Seok R, Yong-Taek O, *et al.* **A study on the optimal voltage regulation in distribution systems with dispersed generation systems.** *Transactions of the Korean Institute of Electrical Engineers, A* 2005; **54**(5): 251–258.

Seul-Ki K, Jin-Hone J, Eung-Sang K. **PSCAD/EMTDC based modeling and simulation analysis of a grid-connected photovoltaic generation system.** *Transactions of the Korean Institute of Electrical Engineers,* A 2005; **54**(3): 107–116.

II-Ryong L, In-Su B, Jin OK, et al. Photovoltaic system output forecasting by solar cell conversion efficiency revision factors. Transactions of the Korean Institute of Electrical Engineers, B 2005; 54(4): 188–194.

Jin-Beom J, Bong-Ju C, Hee-Jun K, et al. A novel method for antiislanding using reactive power control. Transactions of the Korean Institute of Electrical Engineers, B 2005; **54**(4): 208–216.

10. POLICY, ECONOMICS, HEALTH, ENVIRONMENT AND THE SOLAR RESOURCE

Peharz G, Dimroth F. Energy Payback Time of the High-concentration PV System FLATCON®. *Progress in Photovoltaics—Research* and Applications 2005; **13**(7): 627–634.

Fragaki A, Markvart T. Does Climate Change Affect the Design of Stand-Alone PV Systems? *Progress in Photovoltaics—Research and Applications* 2005; **13**(7): 635–640.

Duke R, Williams R, Payne A. Accelerating residential PV expansion: demand analysis for competitive electricity markets. *Energy Policy* 2005; **33**(15): 1912–1929.

Khoie R. A method for evaluating and selecting renewable and non-renewable energy technologies. *International Journal of Environmental Technology and Management* 2005; 5(2–3): 203–229.

Lallement DM, Terrado EN, Zhang Y. Empowering information and communication technologies in isolated areas: learning from the solar-net villages program in Honduras. Renewable and Sustainable Energy Reviews 2006; 10(1): 46.

Kumar R, Umanand L. Estimation of global radiation using clearness index model for sizing photovoltaic system. *Renewable Energy* 2005; **30**(15): 2221–2233.