

## Cumulative Subject Index<sup>1</sup> Volumes 47–48

### A

A23187, *see* Calcimycin

#### Absorption

copper by intestine, effect of carbohydrates (rat), **47**, 47

#### *N*-Acetyl-L-glutamate

hepatic levels, normal values in patient with *N*-acetylglutamate synthetase deficiency: physiologic and biochemical implications, **47**, 38

*N*-Acetylglutamate synthetase, *see* Amino-acid acetyltransferase

#### Adenylate deaminase

characterization in pancreatic islets (rat), **48**, 127

#### Adenylosuccinase

characterization in pancreatic islets (rat), **48**, 127

#### Adenylosuccinate synthetase

characterization in pancreatic islets (rat), **48**, 127

#### Age

and mitogen-induced cell proliferation, effects on hepatic DNA methylation (rat), **48**, 286

#### Alcohol

effect on thyroid hormone blood levels of newborn after maternal use (human), **48**, 255

#### Aldehyde reductase

congenial and injurious profiles, minireview, **48**, 91

#### Aldolase B

encoding gene, molecular defects, association with hereditary fructose intolerance in North Americans, **48**, 19

Aldose reductase, *see* Aldehyde reductase

Alkaline phosphodiesterase I, *see* Phosphodiesterase I

#### Amino acid composition

cerebroside sulfate activator (porcine kidney), **47**, 66

#### Amino acids

interchange between tumor and host, minireview, **48**, 1

#### Amino acid sequence

cerebroside sulfate activator (porcine kidney), **47**, 66

fumarylacetoacetate hydrolase (mouse), **48**, 26

#### Amino-acid acetyltransferase

deficiency, normal hepatic *N*-acetylglutamate levels in affected patient: physiologic and biochemical implications, **47**, 38

#### $\delta$ -Aminolevulinic acid

effects of succinylacetone in liver and kidney in *in vivo* model of renal Fanconi syndrome, (rat), **48**, 86

#### AMP deaminase

purification and properties (human kidney), **47**, 232

#### Angiotensin II

effect on growth factor mRNA expression in aorta after chronic administration (rat), **48**, 8

#### Animal models

for cystic fibrosis heterozygote advantage: genetic variation in theophylline-inducible colonic chloride currents among inbred murine strains, **47**, 97

#### Announcements

FEBS Advanced Course on Peroxisomes: Biochemistry, Molecular Biology, and Genetic Diseases, Dijon, France, April 1993, **48**, 90

International Congress on Molecular Biology of Genetic Disease, Shanghai, China, October 1992, **47**, 103

<sup>1</sup>Boldface numbers indicate volume; lightface numbers indicate pagination.

International Mediterranean Conference on Endocrine Disorders in Thalassemia, Rende (Cosenza), Italy, May 1992

#### Antibodies

polyclonal, to native mineralocorticoid receptors in rat kidney, in photochemical analysis of renal mineralocortic: identification as transactivating protein (bovine, rat), **47**, 133

#### Aorta

expression of growth factor mRNA, effect of angiotensin II after chronic administration (rat), **48**, 8

wall, interaction with platelets, and thrombin-induced calcium mobilization, effect of Ca antagonists (rabbit), **47**, 226

#### Apolipoprotein E

serum rich in, high-density lipoproteins, assay (human), **47**, 31

#### ATP (adenosine 5'-triphosphate)

synthesis, stimulatory effects of insulin and growth factors, review: hypothesis of oncogene action, **47**, 108

#### ATPase

$\text{Na}^+$ ,  $\text{K}^+$ -

function in  $\beta$  cell, characterization in glucose-responsive insulinoma (rat), **48**, 81

membrane-bound activity in erythrocytes from pseudohypoadosteronism-affected family, **48**, 241

### B

#### Bacteria

*Pseudomonas mevalonii*, (R,S)-3-hydroxy-3-methylglutaryl coenzyme A, biosynthesis and characterization, **48**, 149

#### B cells

$\text{Na}^+$ ,  $\text{K}^+$ -ATPase, function: characterization of enzyme in glucose-responsive insulinoma (rat), **48**, 81

#### Biotinidase

deficiency in children, clinical determination and newborn screening method by measuring residual enzyme activity, comparison, **48**, 41

#### Bladder stone disease

risk factors in urine: role of vitamin A deficiency in children, **47**, 1

#### Blood, *see also* Plasma, Serum

isoprene concentrations, measurement in various mammalian species, **47**, 157

thyroid hormone, levels in newborns, effects of alcohol, cocaine, and marijuana use (human), **48**, 255

#### Bradykinin

effect on hexokinase binding to muscle mitochondria (rat diaphragm), **47**, 181

### C

#### Cadmium

induced teratogenesis, effect of zinc, statistical analysis (hamster), **48**, 159

#### Calcimycin

effect on hexokinase binding to muscle mitochondria (rat diaphragm), **47**, 181

#### Calcium

active transport across inside-out erythrocyte membrane vesicle, role of thyroid hormones (human), **48**, 235

induced activation of NAD-isocitrate dehydrogenase, role in hexose metabolism in pancreatic islets (rat), **48**, 32

thrombin-induced mobilization, and platelet-vessel wall interactions, effects of Ca antagonists (human, rabbit), **47**, 226

#### Calculogenesis

risk factors in urine: role of vitamin A deficiency in children, **47**, 1

#### Carbamoyl-phosphate synthetase II

in mammary gland, changes during lactation cycle and effects of diabetes (rat), **48**, 263

#### Carbohydrates

effects on intestinal copper absorption (rat), **47**, 47

#### Carnitine

hepatic release, effect of clofibrate treatment (rat), **47**, 21

#### Cataracts

development in diabetes, effect of D-myo-inositol 1,2,6-trisphosphate (rat), **48**, 46

#### Cell proliferation

mitogen-induced, and age, effects on hepatic DNA methylation (rat), **48**, 286

#### Cerebroside sulfate

binding by cerebroside sulfate activator, analysis (porcine kidney), **47**, 86

#### Cerebroside sulfate activator

derivatization, cerebroside sulfate binding, and metabolic correction in human fibroblasts (porcine kidney), **47**, 86

purification from kidney and molecular structure (pig), **47**, 66

#### Chloride currents

colonic, theophylline-inducible, genetic variation among inbred murine strains: animal model for cystic fibrosis heterozygote advantage, **47**, 97

#### Chromosomes

10, yeast artificial chromosome genomic inserts

- with hexokinase 1 coding information, characterization (human), **47**, 265
  - yeast artificial, *see* Yeast artificial chromosomes
  - Citric acid cycle
    - intermediates, relationship to moniliformin formation, letter to editor, **47**, 279
  - Clofibrate
    - increase of hepatic carnitine levels, effect on hepatic carnitine release (rat), **47**, 21
  - Cloning
    - fumarylacetoacetate hydrolase cDNA (mouse), **48**, 26
  - Cobalamin
    - differential retention on methionine synthase: heterogeneity in methionine synthase deficiency type cblG, **47**, 242
  - Cocaine
    - effect on thyroid hormone blood levels of newborns after maternal use (human), **48**, 255
  - Collagenase
    - excess activity, inhibition: implications of HPLC assay of chemically modified non-antimicrobial tetracycline in serum (rat), **47**, 10
  - Collagen type II
    - induced polyarthritis, serum of affected mice, analysis of dipeptidyl peptidase II and IV, **48**, 227
  - Colon
    - theophylline-inducible chloride currents, genetic variation among inbred murine strains: animal model for cystic fibrosis heterozygote advantage, **47**, 97
  - Colostrum
    - and mature milk, haptocorrin levels, enzyme-linked immunoassay (human), **47**, 189
  - Computer applications
    - graphics-statistics program for radioimmunoassay data handling and calculations, **48**, 74
  - Copper
    - intestinal absorption, effect of carbohydrates (rat), **47**, 47
  - Cysteamine
    - effects on parenchymal organ cystine levels after long-term therapy in nephropathic cystinosis patients, **48**, 275
  - Cystic fibrosis
    - fibroblasts from affected patients, analysis of sulfate transport and comparison with normal controls, **47**, 260
    - heterozygote advantage in, animal model: genetic variation in theophylline-inducible colonic chloride currents among inbred murine strains, **47**, 97
  - Cystinosis
    - nephropathic, skeletal muscle cystine depletion in affected patients after long-term cysteamine therapy, **48**, 275
  - Cytidine nucleotides
    - and cytidine nucleotides, synthesis-associated enzymes, differential responses to diabetes and unilateral nephrectomy growth stimuli (rat), **47**, 168
- D**
- Demoxepam
    - inhibition of tryptophan binding to hepatic nuclei *in vitro* (rat), **47**, 270
  - Diabetes
    - associated platelet function and composition and cataract development, effect of D-myo-inositol 1,2,6-trisphosphate (rat), **48**, 46
    - effects on pyrimidine nucleotide synthesis in mammary gland (rat), **48**, 263
    - genetically prone KK mouse, hepatic and skeletal muscle glycogen metabolism, effect of chronic metformin treatment, **47**, 124
    - streptozotocin-induced, and unilateral nephrectomy, induced growth stimulus response of uridine and cytidine synthesis-associated enzymes, comparison (rat), **47**, 168
  - Diagnosis
    - false positive, for galactosemia in newborn screening, minimization (human), **48**, 199
  - Diazepam
    - effect on fatty acid composition of plasma and liver phospholipids (rat), **47**, 199
  - Dihydroorotate dehydrogenase
    - in mammary gland, changes during lactation cycle and effects of diabetes (rat), **48**, 263
  - Diltiazem
    - effect on thrombin-induced calcium mobilization and platelet-vessel wall interactions (human, rabbit), **47**, 226
  - Dipeptidyl-peptidase
    - types II and IV, analysis in serum of mice with collagen-induced polyarthritis, **48**, 227
  - DNA
    - complementary, fumarylacetoacetate hydrolase, cloning and sequencing (mouse), **48**, 26
    - hepatic, methylation patterns, effects of mitogen-induced cell proliferation and age (rat), **48**, 286
  - Dystrophin
    - encoding gene, molecular deletions in Chinese Duchenne muscular dystrophy patients, detection with PCR amplification, **47**, 195

## E

## Editorials

lessons for newborn screening from Armed Forces DNA Identification Laboratory, **48**, 177

role of mitochondria in oncogenesis, **47**, 105

## Embryotoxicity

ethanol: impairment of glucose homeostasis during postimplantation pregnancy after acute exposure (mouse), **47**, 54

## Enzyme-linked immunosorbent assay

in analysis of haptocorrin levels in human milk and granulocytes, **47**, 189

## Epidermal growth factor

mRNA expression in aorta, heart, and liver, effect of pressor angiotensin II after chronic administration (rat), **48**, 8

## Epidermal growth factor receptors

mRNA expression in aorta, heart, and liver, effect of pressor angiotensin II after chronic administration (rat), **48**, 8

## Epinephrine

effects on pyridoxine metabolism (rat hepatocytes), **48**, 143

## Erythrocytes

inside-out membrane vesicles, active calcium transport, role of thyroid hormones (human), **48**, 235

pseudohypoaldosteronism-associated, transmembrane Na and K flux and membrane-bound Na,K-ATPase activity in, **48**, 241

## Ethanol

impairment of glucose homeostasis during postimplantation pregnancy after acute exposure: effects on embryo and uterus (mouse), **47**, 54

## Etomoxir

effect on mitochondrial  $\beta$ -oxidation in assay by  $^3\text{H}_2\text{O}$  release from  $[9,10\text{-}^3\text{H}]\text{hexadecanoate}$  (rat), **47**, 145

## F

## Fanconi syndrome

renal, *in vivo* model: effects of succinylacetone on  $\delta$ -aminolevulinic acid dehydratase in liver and kidney (rat), **48**, 86

## Fatty acids

composition of plasma and liver phospholipids, effect of diazepam (rat), **47**, 199

mitochondrial oxidation, assay by  $^3\text{H}_2\text{O}$  release from  $[9,10\text{-}^3\text{H}]\text{hexadecanoate}$ : application to skeletal muscle and effects of inhibitors (human, rat), **47**, 145

## Fibroblasts

cerebroside sulfate activator-deficient, meta-

bolic correction by activator from porcine kidney (human), **47**, 86

## dermal

from cystic fibrosis patients, analysis of sulfate transport and comparison with normal controls, **47**, 260

from Hurler's syndrome patient, abnormally high levels of  $\alpha$ -L-iduronidase protein, analysis, **47**, 211

from methylenetetrahydrofolate reductase-deficient patients: residual MR thermolability, methionine synthase activity, and methylcobalamin levels, **47**, 221

from neuronal ceroid lipofuscinosis-affected patients, glycoprotein metabolism, **48**, 137 with oxidative defects, survival in galactose medium, feasibility as screening test (human), **48**, 122

from type cblG methionine synthase-deficient patients, identification of differential retention of cobalamin, **47**, 242

from Werner's syndrome-affected patients, proline transport, effect of insulin, **48**, 174 tumor-derived, from neurofibromatosis-affected patients, alkaline phosphodiesterase I activity, effect of nicotinamide, **48**, 69

## Fructose intolerance

hereditary, associated aldolase B alleles in North Americans, molecular analysis, **48**, 19

Fumarylacetoacetate hydrolase, *see* Fumarylacetoacetase

## Fumarylacetoacetase

cDNA, cloning and sequencing (mouse), **48**, 26

## Furazolidone

radical generation, inhibition by glutathione, **48**, 56

## G

## Galactose

culture medium containing, survival of fibroblasts in, feasibility as screening test for oxidative defects (human), **48**, 122

## Galactosemia

newborn screening for, minimization of false positive diagnoses (human), **48**, 199

## Genes

aldolase B, molecular defects, association with hereditary fructose intolerance in North Americans, analysis, **48**, 19

dystrophin, molecular deletions in Chinese Duchenne muscular dystrophy patients, detection with PCR-amplified dystrophin sequences, **47**, 195

- ornithine carbamoyltransferase deficiency, deletions and mutations in affected patients, screening for, **47**, 250
- Genetic variation  
in theophylline-inducible colonic chloride currents among inbred murine strains: animal model for cystic fibrosis heterozygote advantage, **47**, 97
- Glucagon  
effects on pyridoxine metabolism (rat hepatocytes), **48**, 143
- Glucose  
homeostasis during postimplantation pregnancy, impairment after acute exposure to ethanol: effects on embryo and uterus (mouse), **47**, 54  
metabolism in perfused liver and hindquarter *in vitro*, effects of glycosylated insulin (rat), **47**, 205  
transport into cell, relationship to insulin-mediated metabolism, minireview, **48**, 194
- Glutathione  
inhibition of furazolidone radical anion generation, **48**, 56
- Glutathione transferase  
psoriatic skin, purification and characterization (human), **48**, 212
- Glycogen  
hepatic and skeletal muscle metabolism, effect of chronic metformin treatment (diabetic KK mouse), **47**, 124
- Glycoproteins  
N-linked, metabolism in neuronal ceroid lipofuscinosis-affected fibroblasts (human), **48**, 137
- Glycosylation  
insulin, effects in perfused liver and hindquarter *in vitro* (rat), **47**, 205
- Granulocytes  
haptocorrin levels, enzyme-linked immunoassay (human), **47**, 189
- Growth factors  
and insulin, stimulation of energy metabolism, review: hypothesis of oncogene action, **47**, 108
- H**
- Haptocorrin  
measurement in human milk and granulocytes by enzyme-linked immunoassay, **47**, 189
- Heart  
expression of growth factor mRNA, effect of angiotensin II after chronic administration (rat), **48**, 8
- Hepatocytes, *see also* Liver  
pyridoxine metabolism, effects of insulin, glucagon, and epinephrine (rat), **48**, 143
- Hereditary fructose intolerance  
associated aldolase B alleles in North Americans, molecular analysis, **48**, 19
- Heterozygote advantage  
in cystic fibrosis, animal model: genetic variation in theophylline-inducible colonic chloride currents among inbred murine strains, **47**, 97
- Hexadecanoate  
9,10-<sup>3</sup>H-labeled, <sup>3</sup>H<sub>2</sub>O release, in assay for mitochondrial  $\beta$ -oxidation: application to skeletal muscle and effects of inhibitors (human, rat), **47**, 145
- Hexokinase  
binding to mitochondria  
effects of Ca<sup>2+</sup> ionophore A23187 and Ca<sup>2+</sup>-mobilizing hormones (rat muscle), **47**, 181  
stimulated energy metabolism, role in mechanism of action of insulin, growth factors, and oncogene, **47**, 108
- Hexokinase 1  
coding information on chromosome 10, yeast artificial chromosome inserts with, characterization, **47**, 265
- Hexose  
metabolism in pancreatic islets: Ca<sup>2+</sup>-induced activation of NAD-isocitrate dehydrogenase (rat), **48**, 32
- High-performance liquid chromatography  
in assay of chemically modified nonantimicrobial tetracycline in rat serum: biological implications, **47**, 10
- Hindquarter  
perfused, effects of glycosylated insulin *in vitro* (rat), **47**, 205
- Homeostasis  
glucose, during postimplantation pregnancy, impairment after acute exposure to ethanol: effects on embryo and uterus (mouse), **47**, 54
- Hosts  
and tumors, amino acid interchange between, minireview, **48**, 1
- Hurler's syndrome, *see under* Mucopolysaccharidosis I
- (*R,S*)-3-Hydroxy-3-methylglutaryl coenzyme A biosynthesis and characterization (*Pseudomonas mevalonii*), **48**, 149
- 4-Hydroxyphenyllactic acid  
urinary, screening in newborns, **48**, 64
- Hypertrophy  
renal, effect on uridine and cytidine nucleotide synthesis-associated enzymes: differential

response to diabetes and unilateral nephrectomy growth stimuli (rat), **47**, 168

## I

### L-Iduronidase

protein, effects of abnormally high levels in fibroblasts from patient with Hurler's syndrome, **47**, 211

### Immunoassays

enzyme-linked, *see* Enzyme-linked immunosorbent assay

### Immunophotochemistry

mineralocortic, application of polyclonal antibodies against native receptor from rat kidney (bovine, rat kidney), **47**, 133

### myo-Inositol

radioisotopic assay: application to rat pancreatic islets, **47**, 116

### D-myo-Inositol 1,2,6-trisphosphate

effect on platelet function and composition and on cataract development in diabetes (rat), **48**, 46

### Insulin

effects on

proline transport in Werner's syndrome-affected fibroblasts (human), **48**, 174

pyridoxine metabolism (rat hepatocytes), **48**, 143

glycosylated, uptake in perfused liver and hindquarter and effect on glucose metabolism (rat), **47**, 205

and growth factors, stimulation of energy metabolism, review: hypothesis of oncogene action, review, **47**, 108

metabolic actions, relationship to glucose transport into cell, minireview, **48**, 194

### Insulin receptors

abnormal binding, association with myotonic muscular dystrophy (human monocytes), **47**, 161

### Intestine

copper absorption, effect of carbohydrates (rat), **47**, 47

### Intolerance

fructose, *see* Fructose intolerance

### Islets of Langerhans

hexose metabolism: Ca<sup>2+</sup>-induced activation of NAD-isocitrate dehydrogenase (rat), **48**, 32

myo-inositol levels, radioisotopic assay (rat), **47**, 116

purine nucleotide cycle, detection and characterization (rat), **48**, 127

### Isoprene

blood concentrations in various mammalian species, **47**, 157

## K

### Kidney

$\delta$ -aminolevulinic acid dehydratase, effects of succinylacetone in *in vivo* model of renal Fanconi syndrome (rat), **48**, 86

AMP-deaminase, purification and properties (human), **47**, 232

cerebroside sulfate activator, purification and molecular structure (pig), **47**, 66

cystine levels in nephropathic cystinosis patients, effects of long-term cysteamine therapy, **48**, 275

glomerular and tubular phospholipids, in normal rats and rats with acute renal failure, fast atom bombardment mass spectrometric analysis, **48**, 219

hypertrophy, effect on uridine and cytidine nucleotide synthesis-associated enzymes: differential response to diabetes and unilateral nephrectomy growth stimuli (rat), **47**, 168

mineralocorticoid, immunophotochemical analysis with polyclonal antibodies against native receptor from rat kidney (bovine, rat), **47**, 133

## L

### Lactation cycle

changes in, effects on pyrimidine nucleotide synthesis in mammary gland (rat), **48**, 263

### Lead nitrate

effect on hepatic DNA methylation in young, middle-aged, and senescent rats, **48**, 286

### Lipofuscinosis

neuronal ceroid, affected fibroblasts, glycoprotein metabolism (human), **48**, 137

### Lipoproteins

high-density, apolipoprotein E-rich, serum levels (human), **47**, 31

### Liver, *see also* Hepatocytes

N-acetylglutamate levels, normal values in patient with N-acetylglutamate synthetase deficiency: physiologic and biochemical implications, **47**, 38

$\delta$ -aminolevulinic acid dehydratase, effects of succinylacetone in *in vivo* model of renal Fanconi syndrome (rat), **48**, 86

carnitine levels, increase by clofibrate treatment, effect on carnitine release (rat), **47**, 21

cystine levels in nephropathic cystinosis patients, effects of long-term cysteamine therapy, **48**, 275

DNA methylation, effects of mitogen-induced cell proliferation and age (rat), **48**, 286

- expression of growth factor mRNA, effect of angiotensin II after chronic administration (rat), **48**, 8
- glycogen metabolism, effect of chronic metformin treatment (diabetic KK mouse), **47**, 124
- mitochondria,  $\beta$ -oxidation, assay by  $^3\text{H}_2\text{O}$  release from  $[9,10\text{-}^3\text{H}]\text{hexadecanoate}$ , effects of inhibitors (rat), **47**, 145
- perfused, effects of glycosylated insulin *in vitro* (rat), **47**, 205
- phospholipids, fatty acid composition, effect of diazepam (rat), **47**, 199
- Lung
- cystine levels in nephropathic cystinosis patients, effects of long-term cysteamine therapy, **48**, 275
- Lysosomes
- small molecule transport, minireview, **48**, 179
- M**
- Mammary gland
- pyrimidine nucleotide synthesis, changes during lactation cycle and effects of diabetes (rat), **48**, 263
- Marijuana
- effect on thyroid hormone blood levels of newborns after maternal use, (human), **48**, 255
- Mass spectrometry
- fast atom bombardment, in analysis of phospholipids from tubuli, glomeruli, and urine in acute renal failure, comparison with normal controls (rat), **48**, 219
- Membranes
- erythrocyte
    - inside-out vesicles, active calcium transport, role of thyroid hormones (human), **48**, 235  - pseudohypoaldosteronism-associated, Na and K transmembrane flux, and membrane-bound Na,K-ATPase activity, **48**, 241
- Metabolism
- glycoprotein in neuronal ceroid lipofuscinosis-affected fibroblasts (human), **48**, 137
  - hexose in pancreatic islets:  $\text{Ca}^{2+}$ -induced activation of NAD-isocitrate dehydrogenase (rat), **48**, 32
  - insulin-mediated, relationship to glucose transport into cell, minireview, **48**, 194
  - pyridoxine in isolated hepatocytes, effects of insulin, glucagon, and epinephrine (rat), **48**, 143
- Metformin
- effect on hepatic and skeletal muscle glycogen metabolism after chronic treatment in diabetic mice, **47**, 124
- Methionine synthase, *see* 5-Methyltetrahydrofolate-homocysteine methyltransferase
- Methylcobalamin
- measurement in cultured fibroblasts from methylenetetrahydrofolate reductase-deficient patients, **47**, 221
- 5-Methyldeoxycytidine
- hepatic levels, effects of mitogen-induced cell proliferation and age (rat), **48**, 286
- Methylenecyclopropylpyruvate
- as model of metabolic disease: mitochondrial  $\beta$ -oxidation assay by  $^3\text{H}_2\text{O}$  release from  $[9,10\text{-}^3\text{H}]\text{hexadecanoate}$  (rat), **47**, 145
- Methylenetetrahydrofolate reductase
- deficiency, fibroblasts from affected patients, residual MR thermolability, methionine synthase activity, and methylcobalamin levels, **47**, 221
- Methylmalonic acid
- urinary, screening in newborns, **48**, 64
- 5-Methyltetrahydrofolate-homocysteine methyltransferase
- analysis in cultured fibroblasts from methylenetetrahydrofolate reductase-deficient patients, **47**, 221
  - deficiency, type cblG, heterogeneity: differential retention of cobalamin on methionine synthase, **47**, 242
- Milk
- haptocorrin levels, enzyme-linked immunoassay: comparison between colostrum and mature milk (human), **47**, 189
- Mineralocorticoid receptors
- native, polyclonal antibodies against, in immunophotochemical analysis of bovine and rat renal mineralocorticoid, **47**, 133
- Mineralocorticoid
- immunophotochemical analysis with polyclonal antibodies against native receptor from rat kidney (bovine, rat kidney), **47**, 133
- Mitochondria
- membrane, insulin- and growth factor-induced binding of hexokinase, stimulation of energy metabolism, review: hypothesis of oncogene action, **47**, 108
  - muscle, hexokinase binding, enhancement by  $\text{Ca}^{2+}$  ionophore A23187 and  $\text{Ca}^{2+}$ -mobilizing hormones (rat), **47**, 181
  - $\beta$ -oxidation, assay by  $^3\text{H}_2\text{O}$  release from  $[9,10\text{-}^3\text{H}]\text{hexadecanoate}$ : application to skeletal muscle and effects of inhibitors (human, rat), **47**, 145
  - role in oncogenesis, editorial, **47**, 105
- Models
- animal, *see* Animal models

**Molecules**

small, lysosomal transport, minireview, **48**, 179

**Moniliformin**

relationship to citric acid cycle intermediates, letter to editor, **47**, 279

**Monocytes**

insulin receptor, binding abnormality associated with myotonic muscular dystrophy (human), **47**, 161

**Mucopolysaccharidosis I**

Hurler's syndrome, associated  $\alpha$ -L-iduronidase protein, effects of abnormally high levels in fibroblasts of affected patient, **47**, 211

**Muscles**

diaphragm, mitochondrial, binding by hexokinase, effects of  $\text{Ca}^{2+}$  ionophore A23187 and  $\text{Ca}^{2+}$ -mobilizing hormones (rat), **47**, 181

**skeletal**

cystine levels in nephropathic cystinosis patients, effects of long-term cysteamine therapy, **48**, 275

glycogen metabolism, effect of chronic metformin treatment (diabetic KK mouse), **47**, 124

mitochondrial  $\beta$ -oxidation, assay by  $^3\text{H}_2\text{O}$  release from [9,10- $^3\text{H}$ ]hexadecanoate, effects of inhibitors (human, rat), **47**, 145

**Muscular dystrophy**

Duchenne, dystrophin gene molecular deletions in Chinese patients, detection with PCR-amplified dystrophin sequences, **47**, 195

myotonic, association with abnormal insulin receptor binding (human monocytes), **47**, 161

**Mutants**

sparse fur mice, ornithine transcarbamylase-deficient, abnormal hepatic nucleotide pools: tumor-promoting effects of orotic acid, **47**, 274

**Mutations**

aldose B gene for hereditary fructose intolerance in North Americans, **48**, 19

gene, and deletions, in ornithine carbamoyltransferase deficiency patients, screening for, **47**, 250

**N****NAD-isocitrate dehydrogenase**

$\text{Ca}^{2+}$ -induced activation: hexose metabolism in pancreatic islets (rat), **48**, 32

**Nephrectomy**

unilateral, and diabetes, induced growth stimulus response of uridine and cytidine synthesis-associated enzymes, comparison (rat), **47**, 168

**Neurofibromatosis**

tumor-derived fibroblasts from affected patients, associated alkaline phosphodiesterase I activity, effect of nicotinamide, **48**, 69

Neuronal ceroid lipofuscinosis, *see* Lipofuscinosis, neuronal ceroid

**Niacinamide**

effect on alkaline phosphodiesterase I in neurofibroma-derived fibroblasts (human), **48**, 69

Nicotinamide, *see* Niacinamide

**Nifedipine**

effect on thrombin-induced calcium mobilization and platelet-vessel wall interactions (human, rabbit), **47**, 226

**Nuclei**

hepatic, binding of tryptophan *in vitro*, inhibition by demoxepam (rat), **47**, 270

**Nucleotides**

abnormal hepatic pools in ornithine transcarbamylase-deficient sparse fur mutant mice: tumor-promoting effects of orotic acid, **47**, 274

purine, *see* Purine nucleotides

**Nucleotide sequence**

fumarylacetoacetate hydrolase cDNA (mouse), **48**, 26

**O****Oncogenesis**

mechanism, role of energy metabolism, review: insulin, growth factors, and cancer, **47**, 108

role of mitochondria, editorial, **47**, 105

**Ornithine carbamoyltransferase****deficiency**

screening for associated gene deletions and mutations in affected patients, **47**, 250

in sparse fur mutant mice, abnormal hepatic nucleotide pools: tumor-promoting effects of orotic acid, **47**, 274

Ornithine transcarbamylase, *see* Ornithine carbamoyltransferase

**Orotate phosphoribosyltransferase**

in mammary gland, changes during lactation cycle and effects of diabetes (rat), **48**, 263

**Orotic acid**

tumor promoting effects: abnormal hepatic nucleotide pools in ornithine transcarbamylase-deficient sparse fur mice, **47**, 274

**Orotidine 5'-phosphate decarboxylase**

levels in mammary gland, changes during lactation cycle and effects of diabetes (rat), **48**, 263

**Oxidation**

related defects, fibroblasts with, survival in gal-



- actose-containing medium, feasibility as screening test (human), **48**, 122
- $\beta$ -Oxidation**  
 mitochondrial, assay by  $^3\text{H}_2\text{O}$  release from [9,10- $^3\text{H}$ ]hexadecanoate: application to skeletal muscle and effects of inhibitors (human, rat), **47**, 145
- $\beta$ -Oxidation inhibitors**  
 as model of metabolic disease: mitochondrial  $\beta$ -oxidation assay by  $^3\text{H}_2\text{O}$  release from [9,10- $^3\text{H}$ ]hexadecanoate (rat), **47**, 145
- P**
- Pancreas**  
 cystine levels in nephropathic cystinosis patients, effects of long-term cysteamine therapy, **48**, 275  
 islets, *see* Islets of Langerhans
- PCR**, *see* Polymerase chain reaction
- Phosphodiesterase I**  
 in fibroblasts from neurofibromatosis-affected patients, effect of nicotinamide (human), **48**, 69
- Phospholipids**  
 derived from tubuli, glomeruli, and urine of normal rats and rats with acute renal failure, fast atom bombardment mass spectrometric analysis, **48**, 219  
 plasma and hepatic, fatty acid composition, effect of diazepam (rat), **47**, 199
- Plasma**, *see also* Blood, Serum  
 phospholipids, fatty acid composition, effect of diazepam (rat), **47**, 199
- Platelet-derived growth factor**  
 mRNA expression in aorta, heart, and liver, effect of pressor angiotensin II after chronic administration (rat), **48**, 8
- Platelets**  
 function and composition in diabetes, effect of D-myo-inositol 1,2,6-trisphosphate (rat), **48**, 46  
 [9,10- $^3\text{H}$ ]hexadecanoate oxidation, effect of etomoxir (human), **47**, 245  
 -vessel wall interactions, and thrombin-induced calcium mobilization, effects of Ca antagonists (human), **47**, 226
- Polyarthritis**  
 collagen type II-induced, serum of affected mice, analysis of dipeptidyl peptidase II and IV, **48**, 227
- Polymerase chain reaction**  
 amplified dystrophic gene sequences, in detection of molecular deletions in Chinese Duchenne muscular dystrophy patients, **47**, 195
- Potassium**  
 and sodium, transmembrane flux in erythrocytes from pseudohypoaldosteronism-affected family, **48**, 241
- Precipitation**  
 in assay of serum apolipoprotein E-rich high-density lipoproteins, **47**, 31
- Pregnancy**  
 postimplantation, glucose homeostasis during, impairment after acute exposure to ethanol: effects on embryo and uterus (mouse), **47**, 54
- Proline**  
 transport in Werner's syndrome-affected fibroblasts, effect of insulin (human), **48**, 174
- Pseudohypoaldosteronism**  
 erythrocytes from affected family, membrane-bound Na,K-ATPase activity and Na and K transmembrane flux, **48**, 241
- Psoriasis**  
 affected skin, glutathione transferase, purification and characterization (human), **48**, 212
- Purine nucleotides**  
 cycle in pancreatic islets, detection and characterization (rat), **48**, 127
- Pyridoxine**  
 metabolism in isolated hepatocytes, effects of insulin, glucagon, and epinephrine (rat), **48**, 143
- R**
- Radioimmunoassay**  
 data handling and calculations, application of graphics-statistics computer program, **48**, 74
- Radioisotopic assay**  
 myo-inositol, description and application to rat pancreatic islets, **47**, 116
- RNA**  
 messenger, growth factors, expression in aorta, heart, and liver, effect of pressor angiotensin II after chronic administration (rat), **48**, 8
- S**
- Screening**  
 newborns  
 for galactosemia, minimization of false positive diagnoses, **48**, 199  
 lessons from Armed Forces DNA Identification Laboratory, editorial, **48**, 177  
 for profound biotinidase deficiency by measurement of residual enzyme activity, comparison to clinical determination, **48**, 41

- for urinary methylmalonic acid and 4-hydroxyphenyllactic acid, **48**, 64
    - for oxidative defects, feasibility of fibroblast survival in galactose-containing medium (human), **48**, 122
  - Serotonin
    - effect on hexokinase binding to muscle mitochondria (rat diaphragm), **47**, 181
  - Serum, *see also* Blood, Plasma
    - apolipoprotein E-rich high-density lipoproteins, assay (human), **47**, 31
    - chemically modified nonantimicrobial tetracycline, HPLC assay: biological implications (rat), **47**, 10
  - Skin
    - psoriatic, glutathione transferase, purification and characterization (human), **48**, 212
  - Sodium
    - and potassium, transmembrane flux in erythrocytes from pseudohypoaldosteronism-affected family, **48**, 241
  - Streptozocin
    - induced diabetes, associated platelet function and composition and cataract development, effect of D-myo-inositol 1,2,6-trisphosphate (rat), **48**, 46
  - Streptozotocin, *see* Streptozocin
  - Succinylacetone
    - effects on  $\delta$ -aminolevulinic acid dehydratase in liver and kidney in *in vivo* model of renal Fanconi syndrome (rat), **48**, 86
  - Sulfate transport
    - analysis in fibroblasts from cystic fibrosis patients, comparison with normal controls, **47**, 260
- T**
- Teratogenesis
    - cadmium-induced, effect of zinc, statistical analysis (hamster), **48**, 159
  - Tetracycline
    - chemically modified nonantimicrobial, serum levels, HPLC assay: biological implications (rat), **47**, 10
  - Theophylline
    - inducible colonic chloride currents, genetic variation among inbred murine strains: animal model for cystic fibrosis heterozygote advantage, **47**, 97
  - Thermolability
    - residual methylenetetrahydrofolate reductase, analysis in cultured fibroblasts from MR-deficient patients, **47**, 221
  - Thrombin
    - induced calcium mobilization, and platelet-vascular wall interactions, effect of Ca antagonists (human, rabbit), **47**, 226
  - Thyroid hormones
    - role in active  $\text{Ca}^{2+}$  transport across cell membrane, analysis with inside-out erythrocytic membrane vesicle model (human), **48**, 235
  - Thyroid-stimulating hormone
    - blood levels in newborns, effect of maternal alcohol, cocaine, and marijuana use (human), **48**, 255
  - Thyroxine
    - blood levels in newborns, effect of maternal alcohol, cocaine, and marijuana, use (human), **48**, 255
  - Transforming growth factor  $\beta$ 
    - mRNA expression in aorta, heart, and liver, effect of pressor angiotensin II after chronic administration (rat), **48**, 8
  - Tryptophan
    - binding to hepatic nuclei *in vitro*, inhibition by demoxepam (rat), **47**, 270
  - Tumors
    - and host, amino acid interchange between, minireview, **48**, 1
    - insulinoma, glucose-responsive,  $\text{Na}^+$ ,  $\text{K}^+$ -ATPase, characterization (rat), **48**, 81
    - promoting effects of orotic acid: abnormal hepatic nucleotide pools in ornithine transcarbamylase-deficient sparse fur mice, **47**, 274
  - Tyrosinemia type I
    - hereditary, associated fumarylacetoacetate hydrolase cDNA, cloning and sequencing (mouse), **48**, 26
- U**
- Uracil phosphoribosyltransferase
    - in mammary gland, changes during lactation cycle and effects of diabetes (rat), **48**, 263
  - Uridine nucleotides
    - and cytidine nucleotides, synthesis-associated enzymes, differential responses to diabetes and unilateral nephrectomy growth stimuli (rat), **47**, 168
  - Urine
    - calculogenic risk factors, contribution of vitamin A deficiency in children, **47**, 1
    - phospholipids, in normal rats and rats with acute renal failure, associated fast atom bombardment mass spectrometric analysis, **48**, 219
    - screening for methylmalonic acid and 4-hydroxyphenyllactic acid in newborns, **48**, 64
  - Uterus
    - metabolism, effects of ethanol during postim-

plantation pregnancy after acute exposure  
(mouse), **47**, 54

## V

## Vasopressin

effect on hexokinase binding to muscle mitochondria (rat diaphragm), **47**, 181

## Verapamil

effect on thrombin-induced calcium mobilization and platelet-vessel wall interactions (human, rabbit), **47**, 226

## Vitamin A

deficiency, contribution to calcuogenic risk factors of urine in children, **47**, 1

Vitamin B<sub>12</sub>

metabolism, associated methionine deficiency type cblG, fibroblasts from affected patients, identification of differential retention of cobalamin, **47**, 242

## W

## Water

<sup>3</sup>H-labeled, release from [9,10-<sup>3</sup>H]hexadecanoate, in assay of mitochondrial  $\beta$ -oxidation: application to skeletal muscle and effects of inhibitors (human, rat), **47**, 145

## Werner's syndrome

affected fibroblasts, proline transport, effect of insulin (human), **48**, 174

## Y

## Yeast artificial chromosomes

genomic inserts with hexokinase 1 coding information on chromosome 10, characterization (human), **47**, 265

## Z

## Zinc

effect on cadmium-induced teratogenesis, statistical analysis (hamster), **48**, 159