See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/230662334

A New Perfluorinated F 21 -Tp Scorpionate Ligand: Enhanced Alkane Functionalization by Carbene Insertion with (F 21 -Tp)M Catalysts (M = Cu, Ag)

ARTICLE in ORGANOMETALLICS · SEPTEMBER 2008

Impact Factor: 4.13 · DOI: 10.1021/om800531a

CITATIONS

29

READS

25

8 AUTHORS, INCLUDING:



Emmanuelle Despagnet-Ayoub

Laboratoire de Chimie de Coordination.

20 PUBLICATIONS 375 CITATIONS

SEE PROFILE



Eleuterio Alvarez

Spanish National Research Council

287 PUBLICATIONS 4,177 CITATIONS

SEE PROFILE



M. Mar Mar Díaz-Requejo

Universidad de Huelva

87 PUBLICATIONS 2,722 CITATIONS

SEE PROFILE



Pedro J Pérez

Universidad de Huelva

143 PUBLICATIONS 3,982 CITATIONS

SEE PROFILE

Publications of the Group 2008-1997

2008

- Reactivity of $B(C_6F_5)_3$ with simple early-transition metal alkoxides: alkoxide-aryl exchange, THF ring-opening, or acetonitrile CC coupling.
- C. Lorber, R. Choukroun, L. Vendier.

Organometallics **2008**, 27, 5017-5024.

- A New Perfluorinated F_{21} -Tp Scorpionate Ligand: Enhanced Alkane Functionalization by Carbene Insertion with $(F_{21}$ -Tp)M Catalysts (M = Cu, Ag).
- E. Despagnet-Ayoub, K. Jacob, L. Vendier, M. Etienne, E. Álvarez, A. Caballero, M. M. Díaz-Requejo, P. J. Pérez.

Organometallics, 2008, 27, 4779-4789.

- Routes to New N-Heterocyclic Carbene Titanium(IV) Imido Complexes.
- C. Lorber and L. Vendier.

Organometallics **2008**, 27, 2774-2783.

- On the Origin of α and β -Agostic Distortions in Early Transition Metal Alkyl Complexes.
- D. A. Pantazis, J. E. McGrady, M. Besora, F. Maseras, M. Etienne.

Organometallics, 2008, 27, 1128-1134.

2007

- CC and CN Coupling of Nitriles mediated by B(C₆F₅)₃ and Cp₂ZrPh₂.
- R. Choukroun, C. Lorber, L. Vendier.

Organometallics 2007, 26, 3784-3790.

- The critical role of the uniform electron gas limit in DFT descriptions of an agostic niobium complex.
- D. A. Pantazis, J. E. McGrady, F. Maseras, M. Etienne.
- J. Chem. Theor. Comput. 2007, 3, 1329-1336.
- Reaction of $V(C_6H_6)_2$ with the borane adducts of malononitrile $[(C_6F_5)_3BNCCH_2CNB(C_6F_5)_3]$ and water $[H_2OB(C_6F_5)_3]$.
- R. Choukroun, C. Lorber, L. Vendier.

Organometallics 2007, 26, 3604-3606.

- The structure of fluorinated indazoles: the effect of the replacement of an H by a F atom on the supramolecular structure of NH-indazoles
- J. Teichert, P. Oulié, K. Jacob, L. Vendier, M. Etienne, R. M. Claramunt, C. López, C. Pérez Medina, I. Alkorta[,] J. Elguero.

New J. Chem. 2007, 31, 936-946.

- Reaction of p-toluenesulfonylamide and $M(NMe_2)_4$ (M = Ti, V): generation of electron-deficient imido complexes of early transition metals.

C. Lorber, R. Choukroun, L. Vendier.

Inorg. Chem., 2007, 46, 3190-3202.

- Catalytic evidence of the core/shell structure of bimetallic Pd/Rh colloids.
- C. Bergounhou, C. Blandy, R. Choukroun, P. Lecante, C. Lorber, J.-L. Pellegatta.

New J. Chem. 2007, 31, 218-223.

- N-Heterocyclic carbenes in transition metal catalysis.
- E. Despagnet-Ayoub, T. Ritter.

Top. Organomet. Chem. 2007, 21, 193-218.

2006

- Synthesis and structural characterisation of $[Tp^{Me2}Nb(CH_3)_2(CH_3C\equiv CCH_3)]$ and $[Tp^{Me2}NbCl(CH_3)(CH_3C\equiv CCH_3)]$: is there an intrisic α -agostic interaction in alkyl complexes of the $[Tp^{Me2}Nb(alkyne)]$ moiety?
- E. Teuma, M. Etienne, B. Donnadieu, G. S. McGrady.

New J. Chem. 2006, 30, 409-415.

- Vanadocene-mediated ionization of water in the aqua-species $[H_2O \bullet B(C_6F_5)_3]$: structural characterization of the hydride and the hydroxide complexes $[Cp_2V(\mu\text{-H})B(C_6F_5)_3]$ $[Cp_2V(\mu\text{-OH})B(C_6F_5)_3]$.
- R. Choukroun, C. Lorber, L. Vendier, C. Lepetit.

Organometallics **2006**, 25, 1551-1553.

- Aromatic interactions in hydrotris(3-methylindazolyl)borate organoniobium complexes: control of an alkyne ligand orientation in the crystal.
- P. Oulié, J. Teichert, L. Vendier, C. Dablemont, M. Etienne.

New J. Chem. 2006, 30, 679-682.

- Structure and bonding in a cyclobutyl tris(pyrazolyl)boratoniobium complex and the variation in agostic behaviour with ring size in the series Tp^{Me2}NbCl(*c*-C_nH_{2n-1})(MeC≡CMe), n = 3-6. M. Besora, F. Maseras, J. E. McGrady, P. Oulié, D. H. Dinh, C. Duhayon, M. Etienne. *Dalton Trans* **2006**, 2362-2367.
- A general and facile one-step synthesis of imido-titanium(IV) complexes: application to the synthesis of compounds containing functionalized or chiral imido ligands, and bimetallic diimido architectures.

C. Lorber, R. Choukroun, L. Vendier *Eur. J. Inorg. Chem.* **2006**, 4503-4518.

- CH bond activation by a transient η^2 -cyclopropene niobium complex.
- P. Oulié, C. Boulho, L. Vendier, Y. Coppel, M. Etienne.

J. Am. Chem. Soc., 2006, 128, 15962-15963.

- $B(C_6F_5)_3$ adducts of TCNE- and TCNQ-vanadium complexes as new building blocks for molecule-based magnets.

R. Choukroun, C. Lorber, D. de Caro, L. Vendier *Organometallics* **2006**, *25*, 4243-4246.

2005

- Metal complexes-based molecular materials as thin films on silicon substrates.
- D. de Caro, M. Basso-Bert, H. Casellas, M. Elgaddari, J.-P. Savy, J.-F. Lamère, A. Bachelier, C. Faulmann, I. Malfant, M. Etienne, L. Valade.

C. R. Chimie 2005, 8, 1156-1173.

- A new way to scorpionate niobium complexes: terminal alkyne, imido and oxo complexes, and the rearrangement of α -agostic ethyl complexes.
- P. Oulié, N. Bréfuel, L. Vendier, C. Duhayon, M. Etienne. *Organometallics* **2005**, *24*, 4306-4314.
- Ethylene homo- and co-polymerization activity of a series of [ONNO]-type amine bis(phenolate)-based vanadium(II-V) catalysts.

C. Lorber, F. Wolff, R. Choukroun, L. Vendier *Eur. J. Inorg. Chem.* **2005**, 2850-2859.

- Adventure in vanadocene [VCp₂] chemistry.

R. Choukroun, C. Lorber

Eur. J. Inorg. Chem. 2005, 4683-4692.

- Mono and dinuclear hydrotris(pyrazolyl)borato tantalum complexes.

M. Etienne, J.-C. Hierso, P. J. Daff, B. Donnadieu, F. Dahan.

Polyhedron 2004, 23(2-3), 379-383.

- Elusive niobium alkyl cations related to ethylene polymerization.
- H. M. Pritchard, M. Etienne, L. Vendier, G. S. McGrady.

Organometallics 2004, 23, 1203-1206.

- A one-pot method to prepare the carbene complex $[Tp^{Me2,Cl}RhCl_2(CHNiPr_2)]$ from $[Tp^{Me2,Cl}Rh(CO)_2]$, $CHCl_3$, and $NHiPr_2$.
- E. Teuma, F. Malbosc, M. Etienne, J.-C. Daran, P. Kalck.
- J. Organomet. Chem. 2004, 689, 1763-1765.
- Reactivity of $Cp_2Ti(CO)_2$ towards nitrile and water adducts of $B(C_6F_5)_3$: formation of $[Cp_2Ti(\eta^2 -$

 $F_3CC_6H_4CN...B(C_6F_5)_3$] and $[Cp_2Ti][HOB(C_6F_5)_3]$ with a Ti...F interaction.

R. Choukroun, C. Lorber, L. Vendier.

Eur. J. Inorg. Chem. 2004, 317-321.

- Zwitterionic ring-borylated vanadium(III) complexes from [Cp₂VCO] and B(C₆F₅)₃.
- R. Choukroun, C. Lorber, L. Vendier.

Organometallics **2004**, *23*, 1434-1437.

- Paramagnetic chloro-, alkoxo-, or azido- vanadium(IV) complexes supported by a [ONNO]-type amine bis(phenolate) ligand.
- F. Wolff, C. Lorber, R. Choukroun, B. Donnadieu.

Eur. J. Inorg. Chem. 2004, 2861.

- Hydroamination of alkynes catalyzed by imido complexes of titanium and vanadium.
- C. Lorber, R. Choukroun, L. Vendier.

Organometallics **2004**, *23*, 1845-1850.

- Kinetics and mechanism of the hydroformylation of styrene catalysed by the rhodium/TPP system (TPP = 1,2,5-triphenyl-1H-phosphole).
- C. Bergounhou, D. Neibecker, R. Mathieu.
- J. Mol. Catal. A: Chem. 2004, 220, 167-182.

- Mono- and homobimetallic vanadium complexes: borane adducts of vanada(IV)azirine complexes.
- R. Choukroun, C. Lorber, L. Vendier, B. Donnadieu. *Organometallics* **2004**, *23*, 5448-5492.
- Pd colloid-catalysed methoxycarbonylation of iodobenzene in ionic liquids.
- W. Wojtkow, A.M. Trzeciak, R. Choukroun, J.L. Pellegatta
- J. Mol. Catal. A. Chem. 2004, 224, 81-86.

- An unprecedented α -C-C agostic interaction in a cyclopropyl tris(pyrazolyl)boratoniobium complex.
- J. Jaffart, M. Etienne, M. Reinhold, J. E. McGrady, F. Maseras *Chem. Commun.* **2003**, 876 877.
- Niobium and molybdenum-based molecular magnet grown as thin films by chemical vapo deposition.
- E. Lamouroux, E. Alric, H. Casellas, L. Valade, D. de Caro, M. Etienne, D. Gatteschi *Electrochemical Society Proceeding* **2003**, *8*, 1040-1046.
- C–H and C–C agostic interactions in cycloalkyl tris(pyrazolyl)botatoniobium complexes.
- J. Jaffart, M. L. Cole, M. Etienne, M. Reinhold, J. E. McGrady, F. Maseras.
- J. Chem. Soc., Dalton Trans. 2003, 4057-4064.
- Tandem carbonylation reactions: hydroaminomethylation of alkenes catalyzed by cationic $[(H_2C(3,5-Me_2pz)_2)Rh(CO)L]^+$ complexes
- E. Teuma, M. Loy, C. Serra-Le Berre, M. Etienne, J.-C. Daran, P. Kalck. *Organometallics* **2003**, *22*, 5261-5267.
- Reactivity of $B(C_6F_5)_3$ with oxo vanadium(V) complexes VOL_3 (L = OCH_2CF_3 , NEt_2). Formation of the organometallic vanadium(V) $[VO(\mu\text{-}OCH_2CF_3)(OCH_2CF_3)(C_6F_5)]_2$ and the Lewis acid adduct $[(Et_2N)_3VO\bullet B(C_6F_5)_3]$
- F. Wolff, R. Choukroun, C. Lorber, B. Donnadieu *Eur. J. Inorg. Chem.*, **2003**, 628-632.
- Synthesis and crystal structure of unprecedented phosphine adducts of d^1 -aryl imidovanadium(IV) complexes.
- C. Lorber, R. Choukroun, B. Donnadieu *Inorg. Chem.*, **2003**, *42*, 673-675.

- Reactivity of $[Cp_2Ti(CO)_2]$ and $B(C_6F_5)_3$: formation of the acylborane complexes $[Cp_2Ti(CO)(\eta^2\text{-}OCB(C_6F_5)_3)]$ and $[Cp_2Ti(THF)(\eta^2\text{-}OCB(C_6F_5)_3)]$.
- R. Choukroun, C. Lorber, Lepetit, B. Donnadieu *Organometallics*, **2003**, 22, 1995-1997.
- C-H activation of trimethylsilyl-substituted cyclopentadienyl ligand in 'cation-like' complex $[Cp^{\prime\prime\prime}{}_2ZrMe][Me(B(C_6F_5)_3)] \ (Cp^{\prime\prime\prime}{}_2=\eta^5-C_5H_2-1,2,4-(SiMe_3)_3).$

R. Choukroun, F. Wolff, C. Lorber, B. Donnadieu

Organometallics, 2003, 22, 2245-2248.

- Pd colloids from an organometallic route: redox reaction between [VCp₂] and [Pd(η^3 -allyl)₂Cl]₂. Catalytic application to the hydrogenation of aromatic nitro compounds.
- J.-L. Pellegatta, C. Blandy, R. Choukroun, C. Lorber, B. Chaudret, P. Lecante, E. Snoeck *New J. Chem.*, **2003**, *27*, 1528-1532.
- Vanadium(V) complexes of chelating dianionic [ONNO]-type amine bis(phenolate) ligand: synthesis, solid state and solution structure.

F. Wolff, C. Lorber, R. Choukroun, B. Donnadieu *Inorg. Chem.* **2003**, *42*, 7839-7845.

- Stable formally zerovalent and diamagnetic monovalent niobium and tantalum complexes based on diazadiene ligands.
- P. J. Daff, M. Etienne, B. Donnadieu, S. Z. Knottenbelt, J. E. McGrady *J. Am. Chem. Soc.* **2002**, *124*, 3818-3819.
- Kinetic study of fatty acids esterification in a continuous flow multistage reactor. R. Guiraud, B. Lafage, P. Taxil, J. L. Pellegatta, C. Blandy *Entropie*, **2002**, *8*, 19-23.
- Catalytic investigation of rhodium nanoparticles in hydrogenation of benzene and phenylacetylene.
- J. L. Pellegatta, C. Blandy, V. Collière, R. Choukroun, B. Chaudret, P. Cheng, K. Philipot *J.Mol.Catal.*, **2002**, *178*, 55-61.
- Cationic vanadium(IV) methyl complexes $[Cp_2VMe(CH_3CN)[B(C_6H_5)_4]$ and $[Cp_2VMe(THF)[MeB(C_6F_5)_3].$
- R. Choukroun, C. Lorber, B. Donnadieu

Organometallics, 2002, 21, 1124-1126.

- Novel heterobimetallic complexes $[Cp2V((\mu-\eta^2:\eta^4)-butadiyne)MCp_2 (M = Ti, Zr)]$.
- J. S. Zhao, A.P. Gu, S.Y. He, R. Choukroun, L. Valade, P. Cassoux *Acta Chimica Sinica*, **2002**, *60*(4), 687-691.
- Synthesis and X-ray crystal structure of [VCl₃((-)-sparteine)] and [FeCl₂((-)-sparteine)].
- C. Lorber, R. Choukroun, J-P Costes, B. Donnadieu
- C. R. Chimie, 2002, 5, 251-255.
- Synthesis, crystal structure, and polymerization activity of highly soluble ansa-titano- and zirconocene dichloride complexes $[Me_2Si(\eta^5-C_5H_2(SiMe_3)_2]_2MCl_2$ (M = Ti, Zr).
- B. Douziech, R. Choukroun, C. Lorber, B. Donnadieu
- J. Organomet. Chem., 2002, 649, 15-20.
- Reactivity of vanadocene with nitrile −C≡N bond activated by a tris(fluorophenyl)borane as Lewis acid: Formation of borane adducts of vanada(iV)azirine complexes. EPR Evidence for an intramolecular C-F•••V interaction.
- R. Choukroun, C. Lorber, B. Donnadieu *Chem. Eur. J.*, **2002**, *8*, 2700-2704.
- Synthesis and structure of a series of new d¹-aryl imido-vanadium(IV) complexes stabilized by N-donor ligands.
- C. Lorber, R. Choukroun, B. Donnadieu *Inorg. Chem*, **2002**, *16*, 4217-4226.

- Solid state and solution structures of a series of $[HBPz_3^{Me2}]Rh(CO)(PR_3)]$ and $[HBPz_3^{Me2,4Cl}]Rh(CO)(PR_3)]$ complexes.
- F. Malbosc, V. Chauby, C. Serra-Le Berre, M. Etienne, J.-C. Daran, P. Kalck *Eur. J. Inorg. Chem.* **2001**, 2689-2697.
- Step-by-step uncoordination of the pyrazolyl rings of hydrotris(pyrazolyl)borate ligands in complexes of Rh^I and Rh^{III}.
- M. Paneque, S. Sirol, M. Trujillo, E. Carmona, E. Gutierrez-Puebla, M. A. Monges, C. Ruiz, F. Malbosc, C. Serra-Le Berre, P. Kalck, M. Etienne, J.-C. Daran *Chem. Eur. J.* **2001**, *7*, 3868-3879.
- Equilibria between α and β -agostic stabilized rotamers of secondary alkyl niobium complexes.

- J. Jaffart, M. Etienne, F. Maseras, J. E. McGrady, O. Eisenstein.
- J. Am. Chem. Soc. 2001, 123, 6000-6013.
- Diastereoselective C–H bond activation of diisopropylamine at a hydridotris(pyrazolyl)borato rhodium fragment.
- E. Teuma, F. Malbosc, V. Pons, C. Serra-Le Berre, J. Jaud, M. Etienne, P. Kalck *J. Chem. Soc.*, *Dalton Trans.* **2001**, 2225-2227.
- H₂-induced structural evolution in non-crystalline rhodium nanoparticles. R. Choukroun, D. de Caro, B. Chaudret, P. Lecante, E. Snoeck *New J. Chem.*, **2001**, 25, 4, 525-527.
- Synthesis, characterization and ethylene polymerization activity of zirconium complexes containing non symmetric diamido ligands derived from 2-aminobenzylamine.
- R. M. Gauvin, C. Lorber, R. Choukroun, B. Donnadieu, J. Kress *Eur. J. Inorg. Chem.*, **2001**, 2337-2346.
- Synthesis and structural characterization of two tungsten(VI) dioxo complexes with N,O- and N,S-coordinating ligands".
- A. Thapper, O. Balmes, C. Lorber, P. H. Svensson, R. H. Holm, E. Nordlander *Inorganica Chim. Acta*, **2001**, *321*, 162-166.

- Alkyne[hydrotris(pyrazolyl)borato]tantalum complexes An ethyl group is a better α -agostic donor than a methyl group.
- J.-C. Hierso, M. Etienne

Eur. J. Inorg. Chem. 2000, 839-842.

- Synthesis and structure of group 4 and 5 metal complexes with an ancillary sterically demanding diamido ligand.
- C. Lorber, B. Donnadieu, R. Choukroun *Organometallics*, **2000**, *19*, 1963-1966.
- Synthesis and characterization of $[Cp_2V(\mu-\eta^2:\eta^4-butadiene)ZrCp'_2]$ heterodimetallic complexes $(Cp'=C_5H_4t-Bu,\ C_5H_4Me)$. Formation mechanism and theoretical (ELF) evidence for the existence of planar tetracoordinated carbon (ptC).
- R. Choukroun, B. Donnadieu, J. S. Zhao, P. Cassoux, C. Lepetit, B. Silvi *Organometallics*, **2000**, *19*, 1901-1911.

- Li[Cp₂Zr(C \equiv CPh)(η_2 :1,2-PhC₂C \equiv CPh)]: an anionic zirconium(II) intermediate for carbon-carbon coupling.
- R. Choukroun, J. S. Zhao, C. Lorber, P. Cassoux, B. Donnadieu
- J. Chem. Soc., Chem. Commun., 2000, 1511-1512.
- Synthesis and X-ray characterization of a monomeric Cp-free d¹ imido-vanadium(IV) complex.
- C. Lorber, B. Donnadieu, R. Choukroun
- J. Chem. Soc, Dalton, 2000, 4497-4498.
- [Cp2V] migration along an octatetrayne chain : from the monometallic complex [Cp₂V(3-4 η -tBuC \equiv C-C \equiv C-C
- R. Choukroun, B. Donnadieu, C. Lorber, P-M Pelnny, W. Baumann, U. Rosenthal *Chem. Eur. J.*, **2000**, *24*, 4505-4509.
- Selective and environmentally benign aerobic catalytic oxidation of alcohols by a molybdenum-copper system.
- C. Y. Lorber, S. P. Smidt, J. A. Osborn *Eur. J. Inorg. Chem.*, **2000**, 655-658.
- Synthesis and reactivity studies of model complexes for molybdopterin-dependent enzymes.
- A. Thapper, C. Lorber, J. Fryxelius, E. Nordlander
- J. Inorg. Biochem., 2000, 79, 67-74.
- Isomerization of 2-ethyl-3-butyn-2-ol into prenal : mechanistic observations on tricomponent catalyst systems of the type $Ti(OR)_4/CuCl/R'CO_2H$. Crystal Structure of $[CuCl(Me_2C(OH)C\equiv CH)]_4$.
- C. Lorber, M. T. Youinou, J. Kress, J. A. Osborn *Polyhedron*, **2000**, *19*, 1693-1698.

- An unprecedented κ^2 -(N, H) bonding mode for a hydridotris(pyrazolyl)borato ligand.
- F. Malbosc, P. Kalck, J.-C. Daran, M. Etienne
- J. Chem. Soc., Dalton Trans. 1999, 271-272.
- Structure and reactivity of $\eta^2(3e)$ -nitrile and $\eta^2(3e)$ -alkyne complexes of niobium.
- M. Etienne, C. Carfagna, P. Lorente, R. Mathieu, D. de Montauzon *Organometallics* **1999**, *18*, 3075-3086.

- The structure of 3,5-bis(trifluoromethyl)pyrazole in the gase-phase and in the solid-state.
- I. Alkorta, J. Elguero, B. Donnadieu, M. Etienne, J. Jaffart, D. Schagen, H.-H. Limbach *New J. Chem.* **1999**, *23*, 1231-1237.
- Vanadacyclopropene phosphane Cp₂V(η²-PhC=C)P(C=CPh)Ar. R. Choukroun, Y. Miquel, B. Donnadieu, A. Igau, C. Blandy, J.-P. Majoral *Organometallics*, **1999**, *18*, 1795-1797.
- Novel rhodium(I) complexes with (2-hydroxyphenyl)diphenylphosphine ligand: catalytic properties and X-ray structures of $Rh(OC_6H_4PPh_2)(CO)(PPh_3)$ and $Rh(OC_6H_4PPh_2)\{P(OPh)_3\}_2.0.5C_6H_6$.
- A. M. Trzeciak, J. J. Ziolkowski, T. Lis, R. Choukroun
- J. Organomet. Chem., 1999, 575, 87-97.
- Planar tetracoordination of carbon in groups 4 and 5 organometallic chemistry.
- R. Choukroun, P. Cassoux

Acc. Chem. Res., 1999, 32, 494-502.

- A homobimetallic Vanadium d^2 - d^2 complexe $(Cp_2V)_2(3\eta : 4\eta Me_3SiC \equiv CC \equiv CSiMe_3) :$ structure and magnetism.
- R. Choukroun, C. Lorber, B. Donnadieu, B. Henner, R. Frantz, C. Guerin
- J. Chem. Soc., Chem. Commun., 1999, 1099-1100.
- Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides.
- J. Langmaier, Z. Samec, V. Varga, M. Horacek, R. Choukroun, K. Mach
- J. Organomet. Chem, 1999, 584, 323-328.
- An X-ray spectroscopic investigation of bis(dithiolene)-molybdenum(IV,V,VI) and –tungsten (IV,V,VI) complexes: symmetrized structural representations of the active sites of molybdoenzymes in DMSO reductase family and of tungstoenzymes in the AOR and F(M)DH families.
- K. B. Musgrave, J. P. Donahue, C. Lorber, R. H. Holm, B. Hedmann, K. O. Hodgson *J. Am. Chem. Soc.*, **1999**, *121*, 10297-10307.

- Synthesis and structural sharacterization of alkyldithiocarbamato complexes of niobium. X-ray molecular structure of Nb(PhC \equiv CMe)(S₂CCNMe₂)₃.
- J. Fernandez-Baeza, F. A. Jalon, A. Otero, M. E. Rodrigo-Blanco, M. Etienne
- J. Chem. Soc., Dalton Trans. 1998, 769-773.

- Ethylene polymerization with hydridotris(pyrazolyl)boratoniobium complexes as precursors.
- J. Jaffart, C. Nayral, R. Mathieu, R. Choukroun, M. Etienne *Eur. J. Inorg. Chem.* **1998**, 425-428.
- Observing and modelling energetically close α and β -carbon–hydrogen agostic interactions in an isopropyl tris(pyrazolyl)boratoniobium complex.
- J. Jaffart, R. Mathieu, M. Etienne, J. E. McGrady, O. Eisenstein, F. Maseras *Chem. Commun.* **1998**, 2011-2012.
- Cationic homoleptic vanadium(II), (IV) and (V) complexes arising from protonolysis of $V(NEt_2)_4$.
- R. Choukroun, P. Moumboko, S. Chevalier, M. Etienne, B. Donnadieu *Angew. Chem. Int. Ed.* **1998**, *37*, 3169-3172.
- Molybdenum and tungsten structural analogues of the active sites of the Mo^{IV} + [O] \leftrightarrow $Mo^{VI}O$ oxygen atom transfer couple of DMSO reductases.
- J. P. Donahue, C. Lorber, E. Nordlander, R. H. Holm
- J. Am. Chem. Soc. 1998, 120, 3259-3260.
- Selective catalytic oxidation of alcohols by a ruthenium-copper bifunctional system using molecular oxygen.
- K. S. Coleman, C. Lorber, J. A. Osborn *Eur. J. Inorg. Chem.* **1998**, 1673-1675.
- The coordination chemistry of Iron 1995
- E. Nordlander, A. Thapper, H. Carlson, J. King, F. Prestopino, C. Lorber, N. Focci *Coord. Chem. Rev.* **1998**, *172*, 3-97.
- Synthesis, structures and oxo transfer reactivity of bis(dithiolene)tungsten(IV,VI) complexes related to the active sites of tungstoenzymes.
- C. Lorber, J. P. Donahue, C. A. Goddard, R. H. Holm
- J. Am. Chem. Soc. 1998, 120, 8102-8112.
- Evaluation of the simultaneous use of Cp_2VMe_2 and $CpTiCl_2N(SiMe_3)_2$ as precursors to ceramic thin films containing titanium and vanadium: towards titanium and vanadium carbonitride.
- L. Valade, C. Danjoy, B. Chansou, E. Riviere, J.-L. Pellegatta, R. Choukroun and P. Cassoux *Appl. Organomet. Chem.*, **1998**, *12*, 173-187.

- $[Cp_2V(\mu-\eta^2-\eta^4-butadiene)MCp'_2\ (M=Ti,\ Zr;\ Cp'=C_5H_5,\ C_5H_4SiMe_3)$, Heterodimetallic complexes from a Bis(alkynyl)metallocene and vanadocene. Unexpected structure of $[Cp_2V(\mu-\eta^2-\eta^4-butadiene)\ Zr(C_5H_4SiMe_3)_2$ containing two planar-tetracoordinate carbon atoms. C. Danjoy, J. Zhao, B. Donnadieu, J-P Legros, L. Valade, R. Choukroun, A. Zwick, P. Cassoux *Chem.*, A Eur. J., **1998**, 4, 1100-1105.
- Possibilités d'obtention de dépôts dans le système céramique Ti-V-C-N à partir de sources moléculaires.
- L. Valade, R. Choukroun, C. Danjoy, B. Chansou, D. De Caro, P. Cassoux *Ann. Chim. Sci. Mat.*, **1998**, *23*, 721-732.
- Mécanisme de décomposition des composés $M(NEt_2)_4$ (M = V, Cr) lors de leur utilisation comme mono-source pour la croissance de films M-C-N par MOCVD.
- P. Bonnefond, R. Feurer, F. Maury, A. Reynes, B. Chansou, R. Choukroun, P. Cassoux *Ann. Chim. Sci. Mat.*, **1998**, *23*, 667-679.
- Use of vanadocene as an organometallic reducing agent for the preparation of ultrafine magnetic iron powder and organized iron particles from iron salts.
- R. Choukroun, D. de Caro, S. Mateo, C. Amiens, B. Chaudret, E. Snoeck, M. Respaud *New J. Chem.*, **1998**, 1295-1299.

- Reversible migratory insertion / β -alkyl elimination in α -agostic alkyl niobium alkyne complexes.
- M. Etienne, R. Mathieu, B. Donnadieu
- J. Am. Chem. Soc. 1997, 119, 3218-3228.
- Kinetics of oxygen-atom transfer reactions involving molybdenum dithiolene complexes.
- C. Lorber, M. R. Plutino, L. I. Elding, E. Nordlander
- J. Chem. Soc., Dalton Trans. 1997, 3997-4003.
- The coordination chemistry of Iron 1994
- E. Nordlander, J. G. M. Nairn, A. Thapper, C. Lorber, T. Mlodnicka *Coord. Chem. Rev.* **1997**, *162*, 345-415.
- Homogeneous and supported titanates as catalysts for the transesterification of acrylic esters.
- P. Cassoux, C. Blandy, J. L. Pellegatta *Catalysis Letters*, **1997**, *43* (1-2), 139-142.

- Cp₂TiCH₂Si(Me₂)NSiMe₃: a single source precursor to titanium-based ceramic thin films by chemical vapor deposition.
- B. Chansou, R. Choukroun, L. Valade *Appl. Organomet. Chem.*, **1997**, *11*, 195-203.
- Identification of Zr(III) allyl species in the Negishi system [Cp₂ZrCl₂, 2LiBu]. An ESR study. F. SoleilL, R. Choukroun *J. Am. Chem. Soc.*, **1997**, *119*, 2938-2939.
- Disproportionation of cationic zirconium complexes. A possible pathway to the deactivation of catalytic cationic systems
- R. Choukroun, B. Douziech, B. Donnadieu *Organometallics*, **1997**, *16*, 5517-5521.

Homobimetallic Vanadium d¹-d¹complexes: structure and magnetism.

R. Choukroun, B. Donnadieu, I. Malfant, S. Haubrich, R. Frantz, C. Guerin, B. Henner

J. Chem. Soc., Chem. Commun., 1997, 2315-2316.