See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/49713424

Pseudo-4D triple resonance experiments to resolve HN overlap in the backbone assignment of unfolded proteins

ARTICLE in JOURNAL OF BIOMOLECULAR NMR · FEBRUARY 2011
Impact Factor: 3.14 · DOI: 10.1007/s10858-010-9465-1 · Source: PubMed

CITATIONS

READS
9
28

3 AUTHORS:



Ireena Bagai

University of Michigan

9 PUBLICATIONS 173 CITATIONS

SEE PROFILE



Stephen W Ragsdale

University of Michigan

201 PUBLICATIONS 7,413 CITATIONS

SEE PROFILE



Erik Roelpeter Zuiderweg

University of Michigan

146 PUBLICATIONS 6,712 CITATIONS

SEE PROFILE



Biomol NMR. Author manuscript; available in PMC 2012 February 1.

Published in final edited form as:

J Biomol NMR. 2011 February; 49(2): 69–74. doi:10.1007/s10858-010-9465-1.

Pseudo-4D triple resonance experiments to resolve HN overlap in the backbone assignment of unfolded proteins

Ireena Bagai,

Department of Biological Chemistry, University of Michigan Medical School, MSRB III, 1150 W. Medical Center Drive, Ann Arbor, MI 48109-5605, USA

Stephen W. Ragsdale, and

Department of Biological Chemistry, University of Michigan Medical School, MSRB III, 1150 W. Medical Center Drive, Ann Arbor, MI 48109-5605, USA

Erik R. P. Zuiderweg

Department of Biological Chemistry, University of Michigan Medical School, 4220D MSRB III, 1150 W. Medical Center Drive, Ann Arbor, MI 48109-5605, USA

Erik R. P. Zuiderweg: zuiderwe@umich.edu

Abstract

The solution NMR resonance assignment of the protein backbone is most commonly carried out using triple resonance experiments that involve 15 N and 1 HN resonances. The assignment becomes problematic when there is resonance overlap of 15 N $^{-1}$ HN cross peaks. For such residues, one cannot unambiguously link the "left" side of the NH root to the "right" side, and the residues associated with such overlapping HN resonances remain often unassigned. Here we present a solution to this problem: a hybrid (4d,3d) reduced-dimensionality HN(CO)CA(CON)CA sequence. In this experiment, the Ca(i) resonance is modulated with the frequency of the Ca(i) resonance, which helps in resolving the ambiguity involved in connecting the Ca(i) and Ca(i) resonances for overlapping NH roots. The experiment has limited sensitivity, and is only suited for small or unfolded proteins. In a companion experiment, (4d,3d) reduced-dimensionality HNCO(N)CA, the Ca(i) resonance is modulated with the frequency of the CO(i-1) resonance, hence resolving the ambiguity existent in pairing up the Ca(i) and CO(i-1) resonances for overlapping NH roots.

Keywords

Assignment; Unfolded proteins; Triple resonance; Reduced-dimensionality

The resonance assignment of the protein backbone is most commonly carried out using solution triple resonance experiments that involve ^{15}N and ^{1}HN resonances (Cavanagh et al. 2007). The assignment becomes problematic when these are resonance overlap of $^{15}N^{-1}HN$ cross peaks. Overlap occurs often in the spectra of unfolded proteins and in the spectra of flexible parts of larger proteins. If two $^{15}N^{-1}HN$ cross peaks overlap, it is impossible to deduce which of the two H(i)N(i)Ca(i) cross peaks in the HNCA experiment belong to which of the two H(i)N(i)Ca(i-1) cross peaks in the HN(CO)CA experiment. Similarly, is

Correspondence to: Erik R. P. Zuiderweg, zuiderwe@umich.edu.

[©] Springer Science+Business Media B.V. 2010

impossible to deduce which H(i)N(i)CO(i-1) in HNCO and/or which H(i)N(i)CB(i-1) in HN(CO)CACB belongs to those H(i)N(i)Ca(i) cross peaks, or, for that matter, belongs to which of the H(i)N(i)CO(i) and H(i)N(i)CB(i) peaks.

In the terminology of automatic assignments (Moseley et al. 2001; Crippen et al. 2010), for such residues that have overlapping HN resonances, one cannot link the "left" side of the Generalized Spin system (GS) to the "right" side. Therefore these residues become assigned only if they are the only ones left over after everything else is assigned, or, more commonly, remain unassigned.

Here we present a strategy to assign these overlapping HN resonances using a novel hybrid (4d,3d) reduced-dimensionality (Szyperski et al. 1993; Simorre et al. 1994) $\mathbf{HN}(CO)\underline{CA}(CON)\mathbf{CA}$ pulse sequence, where the bold resonances are sampled conventionally, while the underlined resonance is sampled in pseudo 4D mode together with the bold CA. In the experiment, the coherence residing on $^{15}N(i)$ first goes to Ca(i-1), then to Ca(i), before returning to N(i) and H(i). In this manner, one can modulate the Ca(i) resonance with the frequency of the Ca(i-1) resonance, hence resolving the ambiguity associated with connecting the Ca(i) and Ca(i-1) resonances in GSs of the overlapping resonances. We also present a companion experiment, a hybrid (4d,3d) reduced-dimensionality $\mathbf{HNCO}(N)\mathbf{CA}$ sequence, resolving the ambiguity associated with connecting the Ca(i) and CO(i-1) resonances in GSs of the overlapping resonances.

Figure 1 shows the pulse sequences of the HN(CO)- $\underline{CA}(CON)CA$ and $HN\underline{CO}(N)CA$. The sequences are HNCOCA (Fig. 1a) or HNCO (Fig. 1b) from point A to B.

For both experiments, the density operator at point *B* is given as:

$$\rho(B) \propto 4H_{z}C_{z}^{'}N_{y}\cos{(\Omega^{C\alpha i-1}\kappa t_{1})}.$$

Between **B** and **C**, $J^{NC'}$, $J^{NC\alpha i}$ and $J^{NC\alpha i-1}$ are active, hence causing the density operator to evolve as:

$$\rho(C) \propto \cos\left(\Omega^{C\alpha i-1} \kappa t_1\right) \left\{ \begin{array}{c} 4 H_z C_Z^{\alpha i} N_y \sin\left(\pi J^{NC'} \tau\right) \sin\left(\pi J^{NC\alpha i} \tau\right) \cos\left(\pi J^{NC\alpha i-1} \tau\right) \\ +4 H_z C_Z^{\alpha i-1} N_y \sin\left(\pi J^{NC'} \tau\right) \cos\left(\pi J^{NC\alpha i} \tau\right) \sin\left(\pi J^{NC\alpha i-1} \tau\right) + \text{other terms} \end{array} \right\}.$$

The transfer functions for these terms are plotted in Fig. 2.

Both $4H_zC_z^\alpha N_y$ terms are converted to $4H_zC_y^\alpha N_z$ at point D, after which a standard HNCA-TROSY or HNCA-HSQC sequence is executed. The Ca(i-1) frequency of the HNCOCA part is jointly sampled with the Ca frequencies of the HNCA part in a pseudo-4d (GFT) manner (Shen et al. 2005; Atreya and Szyperski 2004). The given phase program φ 1 in Fig. 1 yields a cosine modulation of the t_1 period, giving rise to in-phase doublets with splittings corresponding to twice the frequency difference of the Ca(i-1) resonance with the 13 C carrier (for κ = 1). A separate experiment is collected with phase φ 1 incremented by 90°, giving rise to an anti-phase doublet. Addition or subtraction of the sine and cosine experiments results in an HNCA-like spectrum, in which both Ca(i) and Ca(i-1) resonances are shifted by the signed difference frequency of the Ca(i-1) resonance with the 13 C carrier position.

The **HN**(CO)<u>CA</u>(CON)**CA** sequence was used to complete the assignments for the 79-residue unfolded C-terminal region of human heme oxygenase-2 (Yi et al. 2009). Figure 3a

shows the results for several non-degenerate examples. Here we have overlaid the HNCA, HN(CO)CA and the sum of the cosine- and sine-modulated $\mathbf{HN}(CO)$ - $\mathbf{CA}(CON)\mathbf{CA}$ experiments. As illustrated with the colored brackets, the HNCA peaks are shifted by the signed difference frequency of the HN(CO)CA peak with the 13 C carrier. As mentioned, both Ca(i) and Ca(i-1) cross peaks are shifted in the pseudo 4D experiment; however, the shifted Ca(i-1) peak is in most cases too small to be observed. The dashed bracket in Fig. 3a points to a shifted Ca(i-1) peak that did come through. Figure 3b shows the results for the resonances D29 and L68 of the protein for which the NH cross-peaks have identical frequencies, resulting in two HN(CO)CA peaks that have the H and N coordinates in common. The analysis shows how the ambiguity of Ca(i) with Ca(i-1) pairing is solved (dark blue: pairing for L68; light blue: pairing for D29). Several shifted Ca(i-1) peaks are also showing, as indicated with the dashed brackets. For our project, this sufficed to obtain the connectivity and assignments for the overlapping HN peaks.

Although not used for initial assignments, the $HN\underline{CO}(N)CA$ experiment was performed to confirm the connectivity between CO(i-1) and Ca(i) of residues with degenerate HN shifts. Figure 4a shows the results for the same non-degenerate examples as depicted in Fig. 3a. The left panel of the figure is an overlay of HNCA and the sum of the cosine- and sine-modulated $HN\underline{CO}(N)CA$ spectra, whereas the right panel shows an HNCO spectrum synchronized in the H and N dimensions with respect to HNCA. Again, as illustrated with the colored brackets, the HNCA peaks are shifted by the (signed) difference frequency of the HNCO peak with the ^{13}C carrier. Figure 4b shows results for resonances D29 and L68 that have identical NH cross-peak frequencies and therefore the two corresponding Ca(i) peaks fall on the same N, H coordinates. The analysis, again shows how the ambiguity of Ca(i) with CO(i-1) pairing is solved (dark blue: pairing for L68; light blue: pairing for D29).

The sensitivity of the HN(CO)CA(CON)CA and HNCO(N)CA experiments is limited, since the extra transfer reduces S/N by 60% as compared to the HN(CO)CA or HNCO (see Fig. 2). The pseudo-4D cosine or sine modulations generate doublets, which when co-added further reduce sensitivity by a factor of $\sqrt{2}$. Finally, the Ca(i) linewidth in **HN**(CO)<u>CA</u>(CON)**CA** is increased by κ^* (Ca(*i*-1)) linewidth, which is approximately a factor of 2 when $\kappa = 1$, assuming the Ca(i) and Ca(i-1) line widths are about the same. In total, the HN(CO)CA (CON)CA sensitivity is reduced by a factor of about 5 as compared to an HNCOCA. The HNCO(N)CA sensitivity as compared to HNCO contains the same factors, but the effect of the pseudo-4D sampling of the composite CO (i-1)-Ca(i) linewidth as compared to the CO(i-1) are more severe and also depends, because of the CO-CSA relaxation, on B_0 . We estimate that the total sensitivity of **HNCO**(N)**CA** as compared to HNCO is down by a factor of 10. Hence the use of both experiments is restricted to unfolded proteins or unfolded protein areas with high intrinsic S/N. The TROSY version of the experiments may also be used for the folded areas of highly soluble larger proteins, if one is willing to invest a week of instrument time. Likely, the sensitivity of HNCA-SE-HSQC versions of the experiments (not shown) would be better for unfolded proteins when lowerfield spectrometers are used.

The $\mathbf{HN}(\mathrm{CO})\underline{\mathbf{CA}}(\mathrm{CON})\mathbf{CA}$ experiment could also be setup as a (5d,3d) $\mathbf{HN}\underline{\mathbf{COCA}}(\mathrm{CON})\mathbf{CA}$ in which the $\mathrm{CO}(i-1)$ is co-sampled with the $\mathrm{Ca}(i)$ or $\mathrm{N}(i)$. This would unambiguously identify which $\mathrm{CO}(i-1)$ belongs to which $\mathrm{Ca}(i)$, which will also be of help in continuing assignments over two or more degenerate NH's. However, this additional (constant-time) evolution will cause further decrease in sensitivity. Better is to use the more sensitive (4d,3d) $\mathbf{HN}\underline{\mathbf{CO}}(\mathbf{N})\mathbf{CA}$ experiment to identify which $\mathrm{CO}(i-1)$ belongs to which $\mathrm{Ca}(i)$ (see Fig. 1b and 4). Extension of this approach can be visualized, e.g., a (4d,3d) $\mathbf{HN}\underline{\mathbf{CO}}(\mathbf{N})\mathbf{CACB}$ would identify which $\mathrm{CO}(i-1)$ belongs to which $\mathrm{Cb}(i)$. Obviously, the experiment's low sensitivity would severely limit its application.

Finally, the (4d,3d)**HN**(CO)<u>CA</u>(CON)**CA** and**HN**<u>CO</u>(N) **CA** experiments may be recorded with different values for κ , after which projection reconstructions methods could be applied to regenerate the full 4D spectrum (Kupce and Freeman 2004, 2006; Hiller et al. 2005). Whether such additional experiments and processing would be helpful for data interpretation depends on the severity of overlap in the NH spectrum.

Once the proper Ca(i) with Ca(i-1) and CO(i-1) pairings are accomplished, the remaining ambiguities can be solved with other (reduced dimensionality) experiments. For example, (4d,3d) GFT HNCOCA (Atreya and Szyperski 2004) or APSY6D HNCOCAHN (Fiorito et al. 2006) allows for the correct pairing of CO(i-1) with Ca(i-1)s; (4d,3d) GFT HNCACO (Atreya and Szyperski 2004) may be used to pair up CO(i)s with corresponding Ca(i)s. Similarly, (4d,3d) GFT HNCACB-CA (Atreya and Szyperski 2004) could provide for the correct pairing of Ca(i)s with Cb(i)s and possibly Ca(i-1)s with Cb(i-1)s, while APSY7D HNCOCACBHN (Hiller et al. 2007) will pair Ca(i-1) with Cb(i-1)'s.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments


We acknowledge NIH R01HL 102662; ERPZ also acknowledges NIH ARRA GM063027-S2.

References

- Atreya HS, Szyperski T. G-matrix Fourier transform NMR spectroscopy for complete protein resonance assignment. Proc Natl Acad Sci U S A. 2004; 101(26):9642–9647. [PubMed: 15210958]
- Cavanagh, J.; Fairbrother, W.; Palmer, AG., III; Rance, M.; Skelton, NJ. Protein NMR spectroscopy: principles and practice. 2nd edn. Amsterdam: Elsevier Academic Press; 2007.
- Crippen GM, Rousaki A, Revington M, Zhang Y, Zuiderweg ER. Saga: rapid automatic mainchain NMR assignment for large proteins. J Biomol NMR. 2010; 46(4):281–298. [PubMed: 20232231]
- Fiorito F, Hiller S, Wider G, Wuthrich K. Automated resonance assignment of proteins: 6d apsy-NMR. J Biomol NMR. 2006; 35(1):27–37. [PubMed: 16791738]
- Hiller S, Fiorito F, Wuthrich K, Wider G. Automated projection spectroscopy (apsy). Proc Natl Acad Sci USA. 2005; 102(31):10876–10881. [PubMed: 16043707]
- Hiller S, Wasmer C, Wider G, Wuthrich K. Sequence-specific resonance assignment of soluble nonglobular proteins by 7d apsy-NMR spectroscopy. J Am Chem Soc. 2007; 129(35):10823–10828. [PubMed: 17691781]
- Kupce E, Freeman R. Projection-reconstruction technique for speeding up multidimensional NMR spectroscopy. J Am Chem Soc. 2004; 126(20):6429–6440. [PubMed: 15149240]
- Kupce E, Freeman R. Hyperdimensional NMR spectroscopy. J Am Chem Soc. 2006; 128(18):6020–6021. [PubMed: 16669655]
- Loria JP, Rance M, Palmer AG III. Transverse-relaxation-optimized (trosy) gradient-enhanced triple-resonance NMR spectroscopy. J Magn Reson. 1999; 141(1):180–184. [PubMed: 10527755]
- Moseley HN, Monleon D, Montelione GT. Automatic determination of protein backbone resonance assignments from triple resonance nuclear magnetic resonance data. Methods Enzymol. 2001; 339:91–108. [PubMed: 11462827]
- Rance M, Loria JP, AGr Palmer. Sensitivity improvement of transverse relaxation-optimized spectroscopy. J Magn Reson. 1999; 136(1):92–101. [PubMed: 9887294]
- Salzmann M, Pervushin K, Wider G, Senn H, Wuthrich K. Trosy in triple-resonance experiments: new perspectives for sequential NMR assignment of large proteins. Proc Natl Acad Sci U S A. 1998; 95(23):13585–13590. [PubMed: 9811843]
- Schulte-Herbruggen T, Sorensen OW. Clean trosy: compensation for relaxation-induced artifacts. J Magn Reson. 2000; 144(1):123–128. [PubMed: 10783281]

Shen Y, Atreya HS, Liu G, Szyperski T. G-matrix fourier transform noesy-based protocol for high-quality protein structure determination. J Am Chem Soc. 2005; 127(25):9085–9099. [PubMed: 15969587]

- Simorre JP, Brutscher B, Caffrey MS, Marion D. Assignment of NMR spectra of proteins using tripleresonance two-dimensional experiments. J Biomol NMR. 1994; 4(3):325–333. [PubMed: 8019140]
- Szyperski T, Wider G, Bushweller J, Wuthrich K. Reduced dimensionality in triple-resonance NMR experiments. J Am Chem Soc. 1993; 115:9307–9308.
- Yi L, Jenkins PM, Leichert LI, Jakob U, Martens JR, Ragsdale SW. Heme regulatory motifs in heme oxygenase-2 form a thiol/disulfide redox switch that responds to the cellular redox state. J Biol Chem. 2009; 284(31):20556–20561. [PubMed: 19473966]






Fig. 1. a The (4d,3d) HN(CO)CA(CON)CA sequence. b The (4d,3d) HNCO(N)CA sequence. The sequences are HNCOCA (Fig. 1a) or HNCO(Fig. 1b) from point A to B. From B to C is a transfer, and from D to E, the sequences are HNCA-TROSY, in an implementation combining publications of different groups (Rance et al. 1999; Schulte-Herbruggen and Sorensen 2000; Loria et al. 1999; Salzmann et al. 1998). 90° pulses are narrow boxes, 180° pulses are wide boxes. The 180° CO/Ca pulses are selective by using a 41 µs pulse length (800 MHz). The gray pulses are selective for the H_2O resonance (≈ 800 ms). The 1H 180° pulses in parentheses can be omitted if the protein is (perfectly) perdeuterated. The gray gradient pulses achieve ¹⁵N-¹H echo-anti-echo coherence selection. All pulses have xphase, unless noted differently. $\psi 1 = -y$, $\psi 2 = -x$, $\psi 3 = \text{negative}$. Phase cycle: $\phi 1 = x$, -x; $\phi 2 = x, x, -x, -x; \phi 3 = y, \phi 4 = +, -, -, +$. States-tppi quadrature in t_1 is achieved by incrementing ϕ 2 by 90° in odd t_1 -counts and both ϕ 2 and ϕ 4 with 180° in even t_1 -counts. Sensitivity-enhanced single-transition-to-single-transition echo-anti echo tppi in t_2 is achieved by incrementing $\psi 1$, $\psi 2$ by 180° and the sign of the gradient $\psi 3$ in odd t_2 counts, and $\phi 3$ and $\phi 4$ with 180° in even t_2 counts. The delays are: $\delta 1$: optimum for $\sin(2\pi J^{HN})$ δ 1)exp(-2δ 1/ T_{2H}) ≈ 2.4 ms. δ 2: optimum for $\sin(2\pi J^{NC'})$ δ 2)exp(-2δ 2/ T_{2N}) ≈ 11 ms. δ 3: optimum for $\sin(2\pi J^{C'Ca}\delta 3)\exp(-2\delta 3/T_{2C'}) \approx 4.5$ ms. $\delta 4$: optimum for $\sin(2\pi J^{NC'}\delta 4)$ $\sin(2\pi J^{\text{NCai}} \delta 4) \cos(2\pi J^{\text{NCa}(i-1)} \delta 4) \exp(-2\delta 4/T_{2\text{N}}) \approx 13 \text{ ms. } \delta 5+\delta 6$: optimum for $\sin(2\pi J^{\text{NCai}}(\delta 5 + \delta 6))\cos(2\pi J^{\text{NCa}(i-1)}(\delta 5 + \delta 6))\exp(-2(\delta 5 + \delta 6)/T_{2N} \approx 12 \text{ ms. } \delta 6: 1/4J_{\text{NH}} = 2.75$ ms. The pseudo 4D incrementation can be scaled with κ ; we used $\kappa = 1$. Cosine modulation is obtained with the given phase $\phi 1$; sine modulation is obtained by using $\phi 1 = y$, -y and applying a zero-order 90° phase correction in the ¹³C dimension during data processing




Fig. 2. Transfer efficiencies for $\sin(\pi J^{NC'}t) \sin(\pi J^{NCai}t) \cos(\pi J^{NCa(i-1)}t) \exp(-R_{2N}t)$ (for Ca(*i*) cross peaks in HNCA; solid) and $\sin(\pi J^{NC'}t) \cos(\pi J^{NCai}t) \sin(\pi J^{NCa(i-1)}t) \exp(-R_{2N}t)$ (for Ca(*i*-1) cross peaks in HNCA; dashed) with $J^{NC'}=17$ Hz, $J^{NCai}=11$ Hz, $J^{NCa(i-1)}=8$ Hz and $R_{2N}=15$ s⁻¹




Fig. 3.

Overlays of standard 3d-HNCA-TROSY (*yellow*), standard 3d-HN(CO)CA-TROSY (*cyan*) and the sum of the cosine and sine modulated (4d,3d) **HN**(CO)<u>CA</u>(CON)CA experiments (*red*). The horizontal line at 56.73 ppm indicates the position of the ¹³C carrier. **a** *Blue* "*left-hand*" *brackets* identify the Ca(*i*–1)—carrier difference frequencies in the HNCOCA; the "*right-handed*" *brackets* show how the Ca(*i*) in the pseudo 4D are shifted by these difference frequencies. The dashed bracket shows a shifted Ca(*i*–1) peak. Resonance assignments obtained by SAGA (Crippen et al. 2010) are indicated. **b** *Light and dark blue brackets* show the pairing of Ca(*i*) and Ca(*i*–1) for two different spins systems, for which the NH frequencies are completely degenerate. The 79-residue disordered C-terminal region of human heme oxygenase-2 (HO2) was ¹³C, ¹⁵N labeled. Sample conditions: 1 mM HO2, 50 mM Tris, 100 mM KCl, pH 7.0, 18°C. The data was acquired on an Oxford 800 MHz magnet equipped with a Varian NMR SYSTEM console and a room temperature triple resonance gradient probe. The HNCA-TROSY, HN(CO)CA-TROSY, (4d,3d) **HN**(CO)CA(CON)CA cosine and (4d,3d) **HN**(CO)CA (CON)CA sine experiments were

Bagai et al.

Page 9

collected with 75 and 45 complex points in t_1 and t_2 , respectively, and with 2 transients per increment in 9.5 h each




Fig. 4. Overlays of standard 3d-HNCA-TROSY (cyan) and the sum of the cosine and sine modulated (4d,3d) HNCO(N)CA spectra (red), at left. The standard 3D-HNCO-TROSY experiment, at right. The horizontal line at 176.7 ppm indicates the position of the ^{13}C carrier. The (4d,3d) HNCO(N)CA cosine and (4d,3d) HNCO(N)CA sine experiments were collected with 80 and 30 complex points in t_1 and t_2 , respectively, and with 4 transients per increment in 9.0 h each. Sample conditions were same as stated in Fig. 3. a Blue brackets in the right panel identify the CO(i-1)—carrier difference frequencies in the HNCO; brackets in the left panel show how Ca(i) in the pseudo 4D are shifted by these difference frequencies. Dashed orange connectors are used to point at the corresponding modulations

in the HNCO and HNCA respectively. Resonance assignments obtained by SAGA (Crippen et al. 2010) are indicated. **b** *Light and dark blue brackets* show the pairing of CO(i-1) and Ca(i) for two different spins systems, for which the NH frequencies are completely degenerate. The slight discrepancy in the chemical shift differences between the left and right spectra is accounted for by the fact that the HNCO used here for comparison, was run earlier using a sample from a different preparation of HO2